

# DEPARTMENT OF COMMERCE

# RADIO SERVICE BULLETIN

ISSUED MONTHLY BY BUREAU OF NAVIGATION

Washington, July 1, 1924—No. 87

## CONTENTS

	Page
Abbreviations.....	1
New stations.....	2
Alterations and corrections.....	5
Notices to mariners by Argentina stations.....	13
List of Argentine broadcasting stations.....	14
Time signal by Colombo, Ceylon station.....	14
References to current radio periodical literature.....	14
A quantitative study of regeneration by inductive feed back.....	16
Standard frequency stations.....	17
Standard radio frequency transmissions, July to September.....	17

## ABBREVIATIONS

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

Name	= Name of station.
Loc	= Geographical location. O = west longitude. N = north latitude. S = south latitude.
Call	= Call letters assigned.
System	= Radio system used and sparks per second.
Range	= Normal range in nautical miles.
W. l.	= Wave lengths assigned: Normal wave lengths in italics.
Service	= Nature of service maintained. PG = General public. PR = Limited public. RC = Radio compass station. FS = Fog signal. P = Private. O = Government business exclusively.
Hours	= Hours of operation: N = Continuous service. X = No regular hours. m = a. m. (12 m = midday). s = p. m. (12 s = midnight).
Rates	= Ship or coast charges in cents: c. = cents. (The rates in the international list are given in francs and centimes.)
I. W. T. Co.	= Independent Wireless Telegraph Co.
R. C. A.	= Radio Corporation of America.
S. O. R. S.	= Ship Owners' Radio Service.
C. w.	= Continuous wave.
I. c. w.	= Interrupted continuous wave.
V. t.	= Vacuum tube.
FX	= Fixed station.
U. S. L.	= After operating company denotes that the change applies only to the List of Radio Stations of the United States.
Kc.	= Kilocycles.
Fy.	= Frequency.
A. c.	= Alternating current.

## NEW STATIONS

## Commercial land stations, alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph stations published by the Berne bureau]

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
East Moriches, N. Y.	WSH				I. W. T. Co.
Mackinac Island, Mich.	WHQ	300, 600	PG	X	Mackinac Radio Service.
Surigao, P. I. <sup>1</sup>	KZAM	550 to 1100, 950	PG		Philippine Insular Government.
Tuckerton, N. J.	WSC				R. C. A.

<sup>1</sup> Loc. (approximately) O. 84° 35' 00"; range, 300; system, composite, 240; rates, 10 cents per word.

<sup>2</sup> Loc. (approximately) O. 125° 29' 00", N. 49° 48' 00"; range, 25; system composite, v. t. telegraph; hours, 8 a. m.-12 noon and 2-3:30 p. m. daily, 9-11 a. m. and 2-3:30 p. m. Sundays and holidays; rates, 12 cents per word.

## Commercial ship stations, alphabetically by names of vessels

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Name of vessel	Call signal	Rates	Service	Hours	Owner of vessel	Station controlled by—
Alaska Standard	KFTJ		PG	X	Standard Oil Co.	
Big Bill <sup>1</sup>	WHU		P	X	William H. Thompson.....	Owner of vessel.
Catalina	KFTP		PG	N	Washington Transportation Co.	
Cauto <sup>2</sup>	KWP	s	PG	X	New York & Cuba Mail S. S. Co.	I. W. T. Co.
Dan F. Hanlon	KDKU		PG	X	D. J. Hanlon.....	
Elsie	KFTM		P	X	T. L. Griswold.....	Owner of vessel.
Frank Seither <sup>3</sup>	KFTS		PG	X	Becker S. S. Co.....	Do.
George H. Ingalls <sup>4</sup>	KFTO		PG	X	Eastern S. S. Corp.....	Do.
Guantanamo <sup>5</sup>	KWN	s	PG	X	New York & Cuba Mail S. S. Co.	I. W. T. Co.
Henry P. Werner <sup>6</sup>	KFTN		PG	X	Eastern S. S. Corp.....	Owner of vessel.
John A. Donaldson	KFTT		PG	X	Becker S. S. Co.....	Do.
Marina <sup>7</sup>	KIVD	s	PG	X	Robert Collyer.....	R. C. A.
Pizarro <sup>8</sup>	KFPU				Campaña Industrial y Comercial Centro-Americanana	
Santa Maria <sup>9</sup>	KFTI	s	PG	X	Union Oil Co.....	F. T. Co.
Skylark II <sup>10</sup>	KFTU		P	X	George H. Phelps.....	Owner of vessel.
Volcano <sup>11</sup>	KFTG		P	X	Inland Waterways Corp.....	Do.

<sup>1</sup> Range, 100; system, composite v. t. telephone and telegraph; w. l., 100, 150, 175, 200.

<sup>2</sup> Range, 300; system, R. C. A., 1000; w. l., 300, 600, 700.

<sup>3</sup> Range, 200; system, Kilbourne & Clark, 1000; w. l., 300, 600; rates, Great Lakes service, 2 cents per word.

<sup>4</sup> Range, 150; system, W. S. A. Co., 1000; w. l., 300, 600, 700.

<sup>5</sup> Range, 300; system, R. C. A., 1000; w. l., 300, 600, 700.

<sup>6</sup> Range, 150; system, W. S. A. Co., 1000; w. l., 300, 600, 700.

<sup>7</sup> Range, 200; system, K. & C., 1000; w. l., 300, 600; rates, Great Lake service, 2 cents per word.

<sup>8</sup> Range, 150; system, R. C. A., 1000; w. l., 300, 600, 700.

<sup>9</sup> Temporarily assigned call letters—vessel under Panamanian flag.

<sup>10</sup> Range, 300; system, Federal arc; w. l., 300, 600, 700, 2400.

<sup>11</sup> Range, 30; system, composite v. t. telephone and telegraph; w. l., 140, 300, 600.

<sup>12</sup> Range, 200; system, Navy-Simon, 1000; w. l., 300, 600, 1100.

## Commercial land and ship stations, alphabetically by call signals

[b=ship station; c=land station]

Call signal	Name	Call signal	Name
KDKU	Dan F. Hanlon.....	KFTT	John A. Donaldson.....
KFPU	Pizarro.....	KFTU	Skylark II.....
KFTQ	Volcano.....	KIVD	Marina.....
KFTI	Santa Maria.....	KWP	Cauto.....
KFTJ	Alaska Standard.....	KWN	Guantanamo.....
KFTM	Elsie.....	KZAM	Surigao, P. I.....
KFTN	Henry P. Werner.....	WHQ	Mackinac Island, Mich.....
KFTO	George H. Ingalls.....	WHU	Big Bill.....
KFTP	Catalina.....	WSC	Tuckerton, N. J.....
KFTS	Frank Seither.....	WSH	East Moriches, N. Y.....

## RADIO SERVICE BULLETIN

8

## Broadcasting stations, alphabetically by names of cities

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923]

City	Call signal	City	Call signal
Anderson, Ind.	WEBD	Iowa City, Iowa	KFQP
Anthony, Kans.	WBL	Kingston, N. Y.	WDBZ
Austin, Tex.	KFQM	Los Angeles, Calif.	KFQQ
Chicago, Ill.	WDBY	Manitou, Colo.	KFQS
Do.	WTL	Milwaukee, Wis.	WCAY
Columbia, Tenn.	WDBW	Muskogee, Okla.	KFQL
Cranston, R. I.	WKBF	New York, N. Y.	WDRX
Culver City, Calif.	KFQI	Oklahoma, Okla.	KFQJ
Denison, Tex.	KFQT	Do.	KFQR
Denver, Colo.	KFPO	Portland, Oreg.	KFQN
Fayette, Mo.	KFQK	Russell, Kans.	KFQO
Fort Wayne, Ind.	WDBV	St. Petersburg, Fla.	WDBI
Hattiesburg, Miss.	WDBT	Skowhegan, Me.	WDBU
Highland Park, N. J.	WEBA	Superior, Wis.	WEBC
Hillsborough, Calif.	KFQH		

## Stations broadcasting market or weather reports, music, concerts, lectures, etc., alphabetically by call signal

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923]

Call signal	Location of station	Operated and controlled by—	Wave length	Power (watts)	Service
KFPO	Denver, Colo.	Colorado National Guard, Forty-fifth Division Tank Co.	500	231	1200
KFQQ	Los Angeles, Calif., Armory, Exposition Park.	Southern California Radio Association.	100	226	1230
KFQH	Hillsborough, Calif., Box 51, Burlingame, Calif.	Albert Sherman.	50	231	1200
KFQI	Culver City, Calif.	Thomas H. Ince Corp.	100	234	1260
KFQJ	Oklahoma, Okla., 311 West Main St.	Harbour-Longmire Co.	50	236	1270
KFQK	Fayette, Mo.	Democrat Leader.	10	226	1270
KFQL	Muskogee, Okla.	Oklahoma Free State Fair Association.	20	252	1100
KFQM	Austin, Tex.	Texas Highway Bulletin.	100	265	1120
KFQN	Portland, Oreg.	Third Baptist Church.	5	233	1060
KFQO	Russell, Kans.	Meier Radio Shop.	10	261	1160
KFQP	Iowa City, Iowa, 906 East College St.	George S. Carson, Jr.	10	234	1240
KFQR	Oklahoma, Okla., 625 East Sixth St.	Walter L. Ellis.	10	260	1200
KFQS	Manitou, Colo.	Dickenson-Henry Radio Laboratories.	10	246	1230
KFQT	Denison, Tex.	Texas National Guard, Thirty-sixth Signal Co.	10	252	1190
WBL	Anthony, Kans., 401 South Anthony St.	T. & H. Radio Co.	100	264	1120
WCAY	Milwaukee, Wis., Hotel Antlers.	Milwaukee Civic Broadcasting Station.	250	266	1130
WDBI	St. Petersburg, Fla., 819 Third St., South.	Radio Specialty Co.	10	226	1250
WDBT	Hattiesburg, Miss.	Taylor's Book Store.	10	235	1270
WDBU	Skowhegan, Me., 45 Water St.	Somerset Radio Co.	10	258	1160
WDBV	Fort Wayne, Ind.	Strand Theater.	100	258	1160
WDBW	Columbia, Tenn., West Seventh St.	The Radio Den.	20	268	1120
WDRX	New York, N. Y., 138 Dyckman St.	Otto Baur.	5	233	1290
WDBY	Chicago, Ill.	North Shore Congregational Church.	500	268	1160
WDBZ	Kingston, N. Y.	Boy Scouts of America, Ulster County Council.	5	233	1290
WEBA	Highland Park, N. J., 11 South Eighth Ave.	The Electric Shop.	15	233	1290
WEBC	Superior, Wis., 1011 North Twenty-first St.	Walter C. Bridges.	10	242	1240
WEBD	Anderson, Ind.	Electrical Equipment & Service Co.	10	246	1220
WKBF	Cranston, R. I.	Dutes W. Flint.	500	266	1050
WTL	Chicago, Ill., Webster Hall.	H. G. Saal Co.	10	268	1120

## RADIO SERVICE BULLETIN

*Government land stations, alphabetically by names of stations*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Station	Call signal	Wave lengths	Service	Hours	Station controlled by
Fort Constitution, N. H. <sup>1</sup>	WZE	1300	PX	X	U. S. Army
Fort Crockett, Tex. <sup>2</sup>	WUAC	1000	PX	X	Do.
Fort Leveitt, Me. <sup>3</sup>	WUAV	800	PX	X	Do.
Fort Moultrie, S. C. <sup>4</sup>	WZF	1050	PX	X	Do.
Fort Rodman, Mass. <sup>5</sup>	WUCN	536	PX	X	Do.
Fort Rosecrans, Calif. <sup>6</sup>	WUB	300	PX	X	Do.
Fort Tilden, N. Y. <sup>7</sup>	WUBY	300	PX	X	Do.
Fort Travis, Tex. <sup>8</sup>	WUBR	825	PX	X	Do.
Fort Washington, Md. <sup>9</sup>	WUAF	1200	PX	X	Do.
Fortuna, Alaska	WAN		PX	X	Do.
Key West, Fla. <sup>10</sup>	WUBV	825	PX	X	Do.
Wiseman, Alaska	WXG		PX	X	Do.

<sup>1</sup> Loc.  $070^{\circ} 42' 40''$ , N.  $43^{\circ} 04' 16''$ ; range, 50; system, U. S. Army, 1000.

<sup>2</sup> Loc.  $094^{\circ} 48' 52''$ , N.  $29^{\circ} 15' 28''$ ; range, 50; system, U. S. Army, 1000.

<sup>3</sup> Loc.  $070^{\circ} 11' 39''$ , N.  $43^{\circ} 38' 40''$ ; range, 200; system, Telefunken, 1000.

<sup>4</sup> Range, 50; system, U. S. Army, 1000.

<sup>5</sup> Range, 50; system, U. S. Army, 1000.

<sup>6</sup> Range, 200; system, K. & C., 1000.

<sup>7</sup> Loc.  $094^{\circ} 45' 31''$ , N.  $29^{\circ} 21' 51''$ ; range, 50; system, U. S. Army, 1000.

<sup>8</sup> Loc. (approximately)  $077^{\circ} 00' 00''$ , N.  $39^{\circ} 00' 00''$ ; range, 50; system, U. S. Army, 1000.

<sup>9</sup> Loc. (approximately)  $081^{\circ} 45' 00''$ , N.  $24^{\circ} 30' 00''$ ; range, 50; system, U. S. Army, 1000.

*Government ship stations, alphabetically by names of stations*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Station	Call signal	Wave length	Service	Hours	Station controlled by
John Ewens	WYCJ	700	P	X	U. S. Army

*Government land and ship stations, alphabetically by call signals*

[b=ship station; c=land station]

Call signal	Name of station	Call signal	Name of station		
WUAC	Fort Crockett, Tex.	c	WUS	Fort Rosecrans, Calif.	b
WUAF	Fort Washington, Md.	c	WXG	Wiseman, Alaska	c
WUAV	Fort Leveitt, Me.	c	WZN	Fortuna, Alaska	c
WUBR	Fort Travis, Tex.	c	WYCK	John Ewens	b
WUBV	Key West, Fla.	c	WZE	Fort Constitution, N. H.	b
WUCN	Fort Tilden, N. Y.	c	WZF	Fort Moultrie, S. C.	c

*Special Land Stations, alphabetically by names of stations*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1923]

Station	Call signal	Station controlled by—
Atlanta, Ga.	4XT	James H. Lewis, 188 St. Charles Ave.
Battle Creek, Mich.	6XAC	Battle Creek High School.
Boise, Idaho	7ZN	Bird B. Bliss, Jr., 417 Bannock St.
Cape Girardeau, Mo.	9XBO	Southeast Missouri State Teachers College.
Columbia, Mo.	9XBX	University of Missouri.
Columbus, Ohio	8XAI	Erner & Hopkins Co., 146 North Third St.
Grove City, Pa.	8XAB	Glenn Gordon Boundy, 518 State St.
Hastings, Nebr.	9XBL	Harold Rees, 1012 North St. Joseph Ave.
Jacksonville, Fla.	4XI	George W. Clark, 1469 Riverside Ave.
Lincoln, Nebr.	9XBN	University of Nebraska.
Los Angeles, Calif.	6XBX	Maurice E. McCreery, 628 West Forty-ninth St.
Do.	6ZCM	Edward Gilbert, 4021 South Harvard Boulevard.
Mansfield, Mass.	1XAY	George E. Howard, 42 Union St.
Minneapolis, Minn.	9XBM	William Hood Dunwoody Industrial Institute.
Modesto, Calif.	6ZCN	Lawrence J. Wrenn, 911 Thirteenth St.
Do.	6ZCP	Robert N. Potts, 545 Santa Cruz Ave.
New York, N. Y.	2XBG	Concourse Radio Corp., Hotel Majestic.
Do.	2XBB	City of New York, Department of Plant and Structures.
Pittsburgh, Pa.	8XAQ	Biddle Arthur, Jr., 3046 Center Ave.
San Francisco, Calif.	6ZCL	Willard Battery Station, 1889 Bush St.
San Leandro, Calif.	6XBY	Herbert C. Colburn, 448 Dowling Boulevard.
Santa Rosa, Calif.	6XB	L. H. Drake Battery and Radio Supplies, 545 Third St.
Stoneham, Mass.	1ZY	Wallace A. Battison, 4 Pearl St.
Tacoma, Wash.	7ZN	George Beckett, 3328 South Tenth St.
Vermillion, S. Dak.	9XBP	University of South Dakota.
Washington, D. C.	3XAV	Potomac Electric Power Co.
Do.	8ZR	Donald J. Detwiler, 1120 Virginia Ave.
Waynesburg, Pa.	8ZV	Cecil F. Yates, R. D. 6.
Whittier, Calif.	6ZCO	Harold D. Squires, 306 South Piege Ave.

*Special land stations, grouped by districts*

Call signal	District and station	Call signal	District and station
1XAY	First district: Mansfield, Mass.	7ZN	Seventh district: Tacoma, Wash.
1ZY	Stoneham, Mass.	7ZN	Boise, Idaho.
2XBG	Second district: New York, N. Y.	8XAB	Eighth district: Grove City, Pa.
2XBB	Do.	8XAC	Battle Creek, Mich.
3XAV	Third district: Washington, D. C.	8XAI	Columbus, Ohio.
3ZR	Do.	8XAQ	Pittsburgh, Pa.
4XI	Fourth district: Jacksonville, Fla.	8ZV	Waynesburg, Pa.
4XT	Atlanta, Ga.	9XBL	Ninth district: Hastings, Nebr.
6XB	Sixth district: Santa Rosa, Calif.	9XBM	Minneapolis, Minn.
6XBX	Los Angeles, Calif.	9XBY	Lincoln, Nebr.
6XBY	San Leandro, Calif.	9XBO	Cape Girardeau, Mo.
6ZCL	San Francisco, Calif.	9XBP	Vermillion, S. Dak.
6ZCM	Los Angeles, Calif.	9XBL	Columbia, Mo.
6ZCN	Modesto, Calif.		
6ZCO	Whittier, Calif.		
6ZCP	Modesto, Calif.		

**ALTERATIONS AND CORRECTIONS****COMMERCIAL LAND STATIONS**

{Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations, published by the Berne bureau}

BATANGAS, P. I.—W. I., 400, 600, 800, 950, 1200, 1500, 1900.

CALAPAN, P. I.—W. I., 400, 600, 700, 900.

CULVER CITY, CALIF. (KYI).—Station operated and controlled by Metro Pictures Corp.

CULVER CITY, CALIF. (KYJ).—Station operated and controlled by Metro Pictures Corp.

HILLSBORO, OREG. (KEK).—W. L., 300, 600, 706, 2400.  
 KANAKA, ALASKA, (near).—W. L., 300, 525, 600, 1800.  
 KUKAK BAY, ALASKA.—System, Kilbourne & Clark, 1000.  
 LUDINGTON, MICH.—Rates, 10 cents per word; hours, N.  
 NEW BRUNSWICK, N. J. (WII).—W. L., 13550.  
 NEW YORK, N. Y. (WJK).—Hours, N.  
 TAMPA, FLA.—W. L., 300, 600.  
 ST. CROIX FALLS, WIS.—System, composite v. t. telegraph.  
 SIASI, P. I.—W. L., 450, 600, 650.

## COMMERCIAL SHIP STATIONS ALPHABETICALLY BY NAMES OF VESSELS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

ADMIRAL PEARY.—W. L., add 706.  
 AGWIBAY.—W. L., 300, 450, 600, 706.  
 AGWIPOND.—Range, 200; system, I. W. T. Co., 1000; w. l., 300, 600; rates, 8 cents per word.  
 ALASKAN.—Station operated and controlled by owner of vessel.  
 AMELIA.—Range, 200; system, I. W. T. Co., 1000; w. l., add 706; station operated and controlled by Amelia S. S. Corp.  
 AMERICAN.—Station operated and controlled by owner of vessel.  
 AMERICAN BANKER.—Station operated and controlled by S. O. R. S.  
 A. M. SCOTT.—Inland Waterways Corp., owner of vessel.  
 ARCTIC.—W. L., add 706.  
 ARIZONAN.—Station operated and controlled by owner of vessel.  
 BAILLCAMP.—Station operated and controlled by R. C. A. (U. S. L.).  
 BATON ROUGE (KDVX).—Inland Waterways Corp. owner of vessel.  
 BENJAMIN F. PACKARD.—W. L., 300, 600, 706; station operated and controlled by owner of vessel.  
 BETTERTON.—W. L., 300, 600, 706.  
 BIRMINGHAM.—Inland Waterways Corp. owner of vessel.  
 BLUE TRIANGLE.—Station operated and controlled by R. C. A.  
 BOSTON (WEL).—Range, 150; system, R. C. A., 1000 and R. C. A. v. t. telephone; w. l., 300, 600, 706, 909; station operated and controlled by R. C. A.  
 BROOKDALE.—Rates, 8 cents per word; station operated and controlled by owner of vessel.  
 CADARETTA.—Station operated and controlled by S. O. R. S.  
 CAIRO.—Inland Waterways Corp. owner of vessel.  
 CALCITE.—W. L., 300, 600, 706.  
 CALIFORNIAN.—Station operated and controlled by owner of vessel.  
 CAPT. JOHN W. MCKINN.—Inland Waterways Corp. owner of vessel.  
 CHALMETTE.—W. L., add 450.  
 CHARLIE WATSON.—W. L., 300, 600, 706.  
 CITY OF BUFFALO.—W. L., add 706.  
 CITY OF CLEVELAND III.—W. L., 300, 600, 706.  
 CITY OF ERIE.—W. L., add 706.  
 CORDOVA.—Inland Waterways Corp. owner of vessel.  
 DAKOTAN.—Station operated and controlled by owner of vessel.  
 DELPHINE.—W. L., 300, 600, 706.  
 DEMOPOLIS.—Inland Waterways Corp. owner of vessel.  
 EASTERN DAWN.—W. L., 300, 600, 706, 1800, 2400.  
 EAST HAMPTON.—Station operated and controlled by owner of vessel.  
 E. C. POPE.—System, Navy-Lowenstein, 1000; w. l., 300, 600, 706; Thompson Transit Corp. owner of vessel.  
 EDWARD SEWALL.—Name changed to Star of Shetland.  
 EL ABETO.—Los Angeles Lumber Products S. S. Co. owner of vessel.  
 EL CAPITAN (KKH).—System, R. C. A., 1000; w. l., 300, 600, 706.  
 EL CICUTA.—Los Angeles Lumber Products S. S. Co. owner of vessel.  
 EL ESTERO.—W. L., add 706.  
 EL PASO.—Service, P.  
 EOCENE.—W. L., add 706.  
 FELTORE.—W. L., add 450, 706.  
 F. J. LUCKENBACH.—W. L., 300, 600, 706.  
 FLORIDIAN.—Station operated and controlled by owner of vessel.  
 FREEMAN.—W. L., 300, 600, 706.  
 GEORGE PIERCE.—W. L., 300, 600, 706, 1800, 2100, 2400.

RADIO SERVICE BULLETIN

7

- GEORGIAN.—Station operated and controlled by owner of vessel.
- GERTRUDE.—Service, P.
- G. J. GRAMMER.—Range, 150; system, R. C. A., 1000; w. l., 300, 600, 706.
- GOOD WILL.—W. l., add 706.
- G. S. ALLYN.—Service, P.
- GUINEVERE.—Service, P.
- GULFPORT.—Inland Waterways Corp. owner of vessel.
- HAWAIIAN.—Station operated and controlled by owner of vessel.
- HOMER.—Rates, 8 cents per word.
- HOVEN.—Station operated and controlled by I. W. T. Co. (U. S. L.).
- ILLINOIS (KFMG).—Inland Waterways Corp. owner of vessel.
- IOWA.—Inland Waterways Corp. owner of vessel.
- IOWAN.—Station operated and controlled by owner of vessel.
- IPSWICH.—Station operated and controlled by owner of vessel.
- JACOB.—W. l., 300, 600, 706; Charles Nelson & Co. owner of vessel.
- JOHN F. HYLAN.—Service, P.
- JOHN WORTHINGTON.—W. l., add 706.
- JOSEPH M. CUDAHY.—W. l., add 706.
- KENTUCKIAN.—Station operated and controlled by owner of vessel.
- KERMIT.—Station operated and controlled by owner of vessel.
- LA PLACENTIA.—System, R. C. A. v. t. telephone and telegraph; w. l., add 870.
- LAVADA.—W. l., 300, 600, 2100, 2400.
- LEVIATHAN.—System, Navy, 1000 and Western Electric Co. v. t. telephone and telegraph; w. l., add 870.
- LEWIS K. THURLow.—W. l., 300, 600, 706.
- LIBERTY, GLO.—W. l., 300, 600, 706.
- LORAIN.—System, Navy-Liberty, 1000; w. l., add 706.
- LT. COL. ROBERT G. GILDART.—Inland Waterways Corp. owner of vessel.
- LYDIA.—W. l., 300, 600, 706.
- MANCHURIA.—W. l., 300, 600, 706.
- MARINA.—Station operated and controlled by R. C. A.
- MARJORIE.—W. l., add 450.
- MATSONIA.—System, R. C. A. v. t. telephone and telegraph; w. l., 300, 600, 706, 870, 1800, 2100.
- MEMPHIS.—Inland Waterways Corp. owner of vessel.
- MEXICAN.—Station operated and controlled by owner of vessel.
- M. M. DAVIS.—Service, P.
- MONTGOMERY (KFMH).—Inland Waterway Corp. owner of vessel.
- MONTICELLO.—W. l., add 706.
- MOUNT CLAY.—W. l., add 2100; service, N.; station operated and controlled by I. W. T. Co.
- MUNPLACE.—W. l., 300, 600, 706.
- OCCIDENTAL.—W. l., add 706.
- OHIO.—W. l., 300, 600, 706.
- ONEIDA (KDJO).—Range, 100; system, R. C. A. v. t. telephone and telegraph; w. l., 300, 600, 706, 909, 1875; rates, Great Lakes Service, 4 cents per word.
- ONEIDA (KYP).—Station operated and controlled by I. W. T. Co.
- ONONDAGA.—Range, 100; system, R. C. A. v. t. telephone and telegraph; w. l., 300, 600, 706, 909, 1875; rates, Great Lakes Service, 4 cents per word.
- PERE MARQUETTE 21.—Range, 150; system, R. C. A., 1000; w. l., 300, 600; rates, Great Lakes Service, 6 cents per word.
- PRESIDENT GARFIELD.—W. l., add 706.
- PRESIDENT GRANT.—W. l., add 706, 2100, 2400.
- PRESIDENT POLK.—System, Navy-R. C. A., 1000 & Federal arc.; w. l., add 450, 1800.
- PROGRESS.—Range, 150; system, R. C. A., 1000; w. l., 300, 600; rates, Great Lakes Service, 4 cents per word.
- QUEEN.—W. l., add 706.
- RICHARD PECK.—W. l., 300, 600, 706.
- ROBERT P. CLARK.—W. l., add 706.
- ROMAGNE.—Rates, 8 cents per word.
- SAHALE.—W. l., add 706.
- SANTA CRUZ.—W. l., add 706.
- SEEANDBEE.—W. l., 300, 475, 600, 706; system, R. C. A., 1000; and R. C. A. v. t. telephone.
- S. O. CO. NO. 93.—Range, 150; system, R. C. A., 1000; w. l., add 706.
- STANDARD ARROW.—W. l., add 706.

STEEL MARINE.—W. l., add 450.  
 STEELORE.—W. l., 300, 450, 600, 706.  
 STELLARIS.—System, R. C. A. v. t. telegraph and R. C. A., 1000; w. l., 300, 600, 706.  
 SURICO.—System, Navy-W. S. A. Co., 1000; w. l., add 706.  
 SUSCOLANCO.—Station operated and controlled by R. C. A.  
 SWIFTEAGLE.—System, I. W. T. Co. are; w. l., add 706, 1800, 2100, 2400.  
 TEXAN.—Station operated and controlled by owner of vessel.  
 THE ANGELES.—System, Navy-R. C. A., 1000; w. l., add 706.  
 THEODORE H. WICKWIRE.—W. l., add 706.  
 TIGER KFMV.—Range, 50; system, composite, 480; w. l., 300, 600; service, PG, hours, X.  
 TORRES.—W. l., add 706.  
 VICKSBURG.—W. l., 300, 600, 1100; Inland Waterways Corp. owner of vessel.  
 VICTORIOUS.—W. l., add 706.  
 VOLUNTEER.—Station operated and controlled by S. O. R. S.  
 WESTERN PLAINS.—Station operated and controlled by R. C. A. (U. S. L.).  
 WEST IVIS.—W. l., add 706.  
 WEST MAHWAH.—System, Navy-R. C. A., 1000; w. l., add 706; station operated and controlled by R. C. A.  
 WESTMORELAND.—System, Navy-Liberty, 1000; w. l., 300, 450, 600, 706; hours, X.  
 W. L. CONNELLY.—W. l., add 706.  
 W. L. STEED.—W. l. add 706.  
 WILLIAM F. FITCH.—Range, 150; system R. C. A., 1000; w. l., 300, 600, 706.  
 W. S. RHEEM.—W. l., add 450.  
 Strike out all particulars of the following-named vessels: Chinampa, De Soto, Lake Agoinak, Oswego, State of Ohio, Westwego.

#### COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

KFFL, read Star of Shetland; strike out all particulars following the call signals,  
 KFDM, KFFT, KGE, KRK, KZEU, WFR.

#### BROADCASTING STATIONS, BY CALL SIGNALS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1923]

KDZE (Seattle, Wash.).—Station operated and controlled by Rhodes Department Store.  
 KEAF (Denver, Colo.).—Power, 500; w. l., 278, frequency, kc 1080.  
 KEBS (Trinidad, Colo.).—W. l., 280, frequency, kc. 1070.  
 KFEQ (Oak, Nebr.).—Power, 100; w. l., 268, frequency, kc. 1120.  
 KFFV (Lamoni, Iowa).—Power, 100; w. l., 280, frequency, kc. 1070.  
 KFLU (San Benito, Tex.).—Power, 100.  
 KFOR (David City, Nebr.).—Power, 20.  
 KFPL (Dublin, Tex.).—Power, 15.  
 KFPW (Carterville, Mo.).—Power, 10.  
 KHQ (Seattle, Wash.).—Station operated and controlled by Louis Wasmer (Excelsior Motorcycle & Bicycle Co.).  
 KLZ (Denver, Colo.).—W. l., 283, frequency, kc. 1060.  
 WAAW (Omaha, Nebr.).—W. l., 286, frequency, kc. 1050.  
 WABX (Mount Clemens, Mich., near).—Power, 500.  
 WBAH (Minneapolis, Minn.).—Power, 1000.  
 WBAV (Columbus, Ohio).—W. l., 423, frequency, kc. 710.  
 WBL (Anthony, Kans.).—W. l., 254, frequency, kc. 1180.  
 WBT (Charlotte, N. C.).—Power, 250.  
 WCBH (Oxford, Miss.).—Power, 10.  
 WCBJ (Jennings, La.).—Power, 10.  
 WDAS (Worcester, Mass.).—Station operated and controlled by Sam Waite's Radio Shop.  
 WEV (Houston, Tex.).—Power, 100; w. l., 263, frequency, kc. 1140.  
 WGAA (Shreveport, La.).—Station operated and controlled by W. G. Patterson.  
 WHAR (Atlantic City, N. J.).—Power, 100; w. l., 275, frequency, kc. 1090.  
 WIAB (Rockford, Ill.).—Station operated and controlled by Art A. Johnson's Garage.  
 WJAS (Pittsburgh, Pa.).—W. l., 286, frequency, kc. 1050.

- WKAA (Cedar Rapids, Iowa).—W. L., 278, frequency, kc 1080.  
 WKAD (East Providence, R. I.).—Power, 20.  
 WLW (Cincinnati, Ohio).—W. L., 423, frequency, kc 710; station operated and controlled by Crosley Radio Corp.  
 WMAC (Cazenovia, N. Y.).—Power, 100.  
 WOAE (Fremont, Nebr.).—Power, 15, w. l., 280, frequency, kc 1070.  
 WPAC (Oklmulgee, Okla.).—Power, 100.  
 WPAK (Agricultural College, N. Dak.).—W. L., 283, frequency, kc 1060.  
 WPAU (Moorehead, Minn.).—W. L., 286, frequency, kc 1050.  
 WQAX (Peoria, Ill.).—Power, 100, w. l., 248, frequency, kc 1210.  
 WSAD (Providence, R. I.).—Power, 100.  
 WSAS (Grove City, Pa.).—W. L., 258, frequency, kc 1160.  
 WSL (Utica, N. Y.).—Power, 10.

Strike out all particulars of the following-named stations: KDYX, Honolulu, Hawaii; KFAN, Moscow, Idaho; KFAU, Boise, Idaho; KFCY, Le Mars, Iowa; KFDA, Baker, Oreg.; KFDL, Bozeman, Mont.; KFDV, Fayetteville, Ark.; KFFO, Hillsboro, Oreg.; KFFQ, Colorado Springs, Colo.; KFFZ, Dallas, Tex. (portable); KFGV, Utica, Nebr.; KFHG, Hood River, Oreg.; KFHF, Shreveport, La.; KFHX, Hutchinson, Kans.; KFJV, Dexter, Iowa; KFLH, Salt Lake City, Utah; KFLR, Albuquerque, N. Mex.; KFLW, Missoula, Mont.; KFMS, Duluth, Minn.; KFMU, San Marcos, Tex.; KFMY, Long Beach, Calif.; KFMZ, Roswell, N. Mex.; KFN, Corsicana, Tex.; KFNH, Springfield, Mo.; KFOF, Marshfield, Oreg.; KFOH, Portland, Oreg.; KFOP, Dallas, Tex.; KFOV, Sioux City, Iowa; KGN, Portland, Oreg.; KZV, Wenatchee, Wash.; WABA, Lake Forest, Ill.; WABN, La Crosse, Wis.; WABS, Newark, N. J.; WABV, Nashville, Tenn.; WBBF, Atlanta, Ga.; WBBO, Rogers, Mich.; WBBQ, Pawtucket, R. I.; WBBS, New Orleans, La.; WCAM, Villanova, Pa.; WCM, Austin, Tex.; WDAO, Dallas, Tex.; WFAF, Poughkeepsie, N. Y.; WFAJ, Asheville, N. C.; WFAQ, Cameron, Mo.; WFAT, Sioux Falls, S. Dak.; WGV, New Orleans, La.; WHAB, Galveston, Tex.; WIAF, New Orleans, La.; WIAI, Springfield, Mo.; WIAJ, Neenah, Wis.; WJAT, Marshall, Mo.; WJX, New York, N. Y.; WL AJ, Waco, Tex.; WLAK, Bellows Falls, Vt.; WMAB, Oklahoma, Okla.; WMAJ, Kansas City, Mo.; WNAN, Syracuse, N. Y.; WNAQ, Charleston, S. C.; WNAS, Austin, Tex.; WNAV, Knoxville, Tenn.; WNJ, Albany, N. Y.; WOAP, Kalamazoo, Mich.; WOAR, Kenosha, Wis.; WOK, Pine Bluff, Ark.; WPAT, El Paso, Tex.; WQAW, Washington, D. C.; WRAA, Houston, Tex.; WRAH, Providence, R. I.; WRAY, Scranton, Pa.; WSAG, St. Petersburg, Fla.; WSAT, Plainview, Tex.; WSAW, Canandaigua, N. Y.; WWAC, Waco, Tex.; WWAF, Camden, N. J.

#### GOVERNMENT LAND STATIONS, ALPHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

- ANACOSTIA, D. C. (R. C. station).—Call signal changed to NSF.  
 ANACOSTIA, D. C. (regular station).—W. L., 673.  
 ANNAPOLIS, Md. (NAK, Naval Academy).—W. L., 600, 952, 1540.  
 BALBOA, CANAL ZONE.—W. L., 600, 952, 2250, 2400, 3950, 6070, 8860, 9790, 17145.  
 BAR HARBOR, ME. (Otter Cliffs).—W. L., 600, 673, 952, 2340, 2400, 3700, 3950.  
 BETHEL, ALASKA.—W. L., 300, 510, 600.  
 BOSTON, MASS. (NAD).—W. L., 600, 673, 952, 1363.  
 BOSTON, MASS. (WVO).—W. L., 669.  
 BROWNSVILLE, TEX.—W. L., 600, 952, 2250, 2400, 3950, 5000.  
 CAMP ALFRED VAIL, N. J.—W. L., 1100.  
 CAMP JONES, ARIZ.—Read Camp Harry J. Jones, Ariz.; w. l., 1347.  
 CAMP KNOX, KY.—W. L., 1091.  
 CAMP NICHOLS, P. I.—W. L., 600.  
 CAMP S. D. LITTLE, ARIZ.—W. L., 1347.  
 CAMP STOTSENBURG, P. I.—W. L., 350.  
 CATTLE POINT, WASH.—Hours, N.  
 CAVITE, P. I.—W. L., 600, 952, 2400, 2700, 3950, 4540, 5280, 9080, 12600, 17350.  
 CHANUTE FIELD, ILL.—W. L., 1500, 1557.  
 CHARLESTON, S. C.—W. L., 600, 952, 2400, 2600, 3950, 4800.  
 CLARK FIELD, P. I.—W. L., 600.  
 CHICAGO, ILL. (WVT).—W. L., 1363.  
 CIRCLE, ALASKA.—W. L., 2200, 4000.  
 COLON, CANAL ZONE.—W. L., 600, 673, 952, 1820, 2720.

CORDOVA, ALASKA.—W. l., 600, 952, 2400, 2720, 3950, 6000, 7680, 8860.  
DAHLGREN, VA.—W. l., variable.  
DUTCH HARBOR, ALASKA.—W. l., 600, 952, 2250.  
EUREKA, CALIF. (NPW).—W. l., 600, 952, 2205.  
FAIRBANKS, ALASKA.—W. l., 3700.  
FORT ADAMS, R. I.—W. l., 300.  
FORT AMADOR, CANAL ZONE.—Read Fort Grant, Canal Zone.  
FORT ANDREWS, MASS.—W. l., 1100.  
FORT BARRANCAS, FLA.—W. l., 300.  
FORT BENJAMIN HARRISON, IND.—W. l., 3091.  
FORT BLISS, TEX.—W. l., 7900.  
FORT BRAGG, N. C.—W. l., 3000.  
FORT BROWN (BROWNSVILLE), TEX.—W. l., 3097.  
FORT CASEY, WASH.—W. l., 300.  
FORT D. A. RUSSELL, WYO.—W. l., 1347.  
FORT DES MOINES, IOWA.—W. l., 672.  
FORT DOUGLAS, UTAH.—W. l., 2776.  
FORT DRUM, UTAH.—W. l., 825.  
FORT EGBERT, ALASKA.—W. l., 600.  
FORT ETHAN ALLEN, VT.—W. l., 669.  
FORT FRANK, P. I.—W. l., 600.  
FORT GIBBON, ALASKA.—W. l., 1100.  
FORT HANCOCK, N. J.—W. l., 1100.  
FORT HAYES, OHIO.—W. l., 1410.  
FORT H. G. WRIGHT.—W. l., 1091.  
FORT HOWARD, MD.—W. l., 1318.  
FORT JOHN HAY, P. I.—W. l., 600.  
FORT LEAVENWORTH, KANS.—W. l., 4915.  
FORT McARTHUR, TEX.—W. l., 1318.  
FORT MCINTOSH, TEX.—W. l., 1363.  
FORT MCPHERSON, GA.—W. l., 1460, 2552.  
FORT MILLS, P. I. (WUAG).—W. l., 600.  
FORT MONROE, VA.—W. l., 1090.  
FORT MORGAN, ALA.—W. l., 1700.  
FORT OMAHA, NEBR.—W. l., 1304.  
FORT RILEY, KANS.—W. l., 600.  
FORT RINGGOLD, TEX.—W. l., 1347.  
FORT ST. MICHAEL, ALASKA.—W. l., 600.  
FORT SAM HOUSTON, TEX.—W. l., 5796.  
FORT SILL, OKLA.—W. l., 3748.  
FORT SNELLING, MINN.—W. l., 1091.  
FORT STEVENS, OREG. (WUK).—W. l., 600.  
FORT STOREY, VA.—W. l., 300.  
FORT TERRY, N. Y.—W. l., 669.  
FORT TOTTEN, N. Y.—W. l., 1100.  
FORT WILLIAMS, ME.—W. l., 300.  
FORT WINFIELD SCOTT, CALIF.—W. l., 1500.  
FORT WINT, P. I.—W. l., 600.  
FORT YUKON, ALASKA.—W. l., 600.  
GALVESTON, TEX.—W. l., 600, 952, 1820; service, PG.  
GOVERNORS ISLAND, N. Y.—W. l., 1347, 1444.  
GREAT LAKES, ILL.—W. l., 600, 1986, 3950, 4680; service, O.  
GUAM, GUAM.—W. l., 600, 952, 2250, 2400, 3950, 6000, 9080, 12180, 17350.  
GUANTANAMO, CUBA.—W. l., 143, 600, 952, 1395, 2400, 3950, 4540.  
HILO, HAWAII.—W. l., 673, 952, 2000, 2400.  
HOLY CROSS, ALASKA.—W. l., 550.  
HONOLULU, HAWAII (Heia Point-NPM).—W. l., 600, 952, 2250, 2400, 2650, 3950, 7890, 10510.  
HONOLULU, HAWAII (Pearl Harbor-NPM).—W. l., 600, 673, 952, 2250, 9080, 9745, 12180, 17350.  
HOT SPRINGS, ALASKA.—W. l., 620.  
IBITAROD, ALASKA.—W. l., 600, 3500.  
INDIAN HEAD, MD.—W. l., variable.  
INGLEWOOD, CALIF.—W. l., 600, 952, 1427, 2400, 2750, 3950.  
JUNEAU, ALASKA.—W. l., 600, 952, 2250.  
JUPITER, FLA. (regular station).—W. l., 600, 952, 1305.  
KETCHIKAN, ALASKA.—W. l., 600, 952, 1875, 2400, 4540, 5000.

KEY WEST, FLA. (regular station).—W. L., 600, 800, 952, 1462, 2400, 3950, 5660.  
 KODIAK, ALASKA.—W. L., 600, 952, 1685.  
 LAKEHURST, N. J. (regular station).—W. L., 673.  
 LA PALMA, PANAMA.—W. L., 600, 1818.  
 LIVENGOOD, ALASKA.—W. L., 600.  
 MANAGUA, NICARAGUA.—W. L., 952, 1875.  
 MANILA, P. I. (Fort Santiago).—W. L., 1350.  
 MARSHFIELD, OREG.—W. L., 600, 952, 1948; service, PG.  
 METUCHEN, N. J.—W. L., 1091.  
 MITCHEL FIELD, N. Y.—W. L., 1100, 1559.  
 MOREHEAD CITY, N. C.—W. L., 600, 952, 1657.  
 NEW DUNGENESS, WASH.—Hours, N.  
 NEW LONDON, CONN.—W. L., 600, 673, 952.  
 NEW ORLEANS, LA.—W. L., 600, 952, 2400, 2605, 3950, 6240.  
 NEWPORT, R. I.—W. L., 143, 600, 952, 2605.  
 NEW YORK, N. Y.—W. L., 143, 600, 673, 800, 952, 1540, 2400.  
 NOME, ALASKA.—W. L., 600, 4000.  
 NOORVIK, ALASKA.—W. L., 520.  
 NORFOLK, VA.—W. L., 143, 600, 673, 952, 1383, 2140, 2400, 3950, 5450.  
 NORTH HEAD, WASH.—W. L., 600, 952, 2400, 2720, 3950, 4540, 5000; service, PG.  
 NULATO, ALASKA.—W. L., 650.  
 OCEAN PARK, WASH.—Read Klipsan Beach, Wash.  
 OFU, SAMOA.—W. L., 600, 705; service, O.  
 OLONGAPO, P. I.—W. L., 600, 952, 1908.  
 PARRIS ISLAND, S. C.—W. L., variable.  
 PEKIN, CHINA.—W. L., 952, 1908, 3950, 4540.  
 PENSACOLA, FLA. (regular station—NAS).—W. L., 600, 673, 952, 1330, 2250.  
 PHILADELPHIA, PA.—W. L., 600, 952, 1304.  
 PORT AU PRINCE, HAITI.—W. L., 600, 952, 2250, 2400, 3750, 3950.  
 PORTLAND, ME.—W. L., 600, 1090.  
 PORTSMOUTH, N. H.—W. L., 600, 952, 1330.  
 PUGET SOUND, WASH. (Bremerton).—Read Puget Sound, Wash. (Keyport);  
 w. l., 600, 673, 952, 2500, 3950, 5450, 7680, 8860, 10510.  
 QUANTICO, VA.—W. L., 600, 673, 952.  
 RUBY, ALASKA.—W. L., 600.  
 SAN DIEGO, CALIF.—W. L., 600, 673, 952, 1540, 2400, 3950, 5170, 6970, 9800,  
 12180, 17145; service, O.  
 SAN FRANCISCO, CALIF. (NPG).—W. L., 143, 600, 673, 952, 1330, 2400, 3950,  
 4530, 4835, 5170, 5450, 7240, 7890, 9080, 10510, 17145, 17350.  
 SAN FRANCISCO, CALIF. (Presidio of San Francisco, WVVY).—W. L., 1347, 2900.  
 SAN JUAN, P. R.—W. L., 600, 952, 2400, 2852, 3950, 4835, 6970, 8860, 9140.  
 SAVANNAH, GA.—W. L., 600, 1808.  
 SCOTT FIELD, ILL. (Belleville).—W. L., 1500.  
 SHANGHAI, CHINA (American consulate).—W. L., 952, 3950, 4540, 5380, 17350.  
 SITKA, ALASKA.—W. L., 600, 952, 2400, 2852, 3950, 4835, 6970, 8860, 9140.  
 SMITH ISLAND, WASH.—Hours, N.  
 ST. AUGUSTINE, FLA.—W. L., 600, 952, 2100.  
 ST. CROIX, VIRGIN ISLANDS.—W. L., 600.  
 ST. PAUL, ALASKA.—W. L., 600, 952, 2650, 3950, 5660.  
 ST. THOMAS, VIRGIN ISLANDS.—W. L., 600, 952, 1685.  
 TAU, SAMOA.—W. L., add 450, 600; service, O.  
 TIENHSIN, CHINA.—W. L., 756.  
 TUTUILA, SAMOA.—W. L., 600, 952, 2250, 2400, 3950, 4540.  
 VALDEZ, ALASKA.—W. L., 1100.  
 VIRGINIA BEACH, VA.—Read Norfolk, Va. (Virginia Beach).—W. L., 600, 673,  
 952, 1895, 1988.  
 WASHINGTON, D. C. (Arlington, NAA).—W. L., 435, 2650, 2940, 3950, 5950;  
 service, O.  
 WASHINGTON, D. C. (Navy Yard, NAL).—W. L., 2650, 4345.  
 WASHINGTON, D. C. (Sayville, NDD).—W. L., 8860, 9145.  
 WASHINGTON, D. C. (Bellevue, NKF).—Read Bellevue, D. C.  
 WASHINGTON, D. C. (Annapolis, Md., NSS).—W. L., 6970, 9790, 10510, 17145.  
 WASHINGTON, D. C. (WVA).—W. L., 1383, 2653.  
 WEST MEMPHIS, ARK.—W. L., 700.

## GOVERNMENT SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1923, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

- B. M. HARROD.—W. l., 700.  
 CAMBRAI.—W. l., 600.  
 CAPTAIN CLARENCE M. CONDON.—W. l., 600.  
 CAPT. EDWARD P. NONES.—W. l., 600.  
 CAPT. JAMES FORNANCE.—W. l., 600.  
 CHATEAU THIERRY.—W. l., 600.  
 COLONEL GEORGE ARMISTEAD.—W. l., 600.  
 COLONEL GEORGE F. E. HARRISON.—W. l., 600.  
 CRANE SHIP NO. 1.—Read Kearsage (Crane Ship No. 1).  
 CUBA.—W. l., 600.  
 CULEBRA.—W. l., 700.  
 EDGEMOOR.—W. l., 600; service, 0; hours, N.  
 GAMA.—Read Gamma; w. l., 700.  
 GENERAL ABRAHAM BAIRD.—W. l., 700.  
 GENERAL E. O. C. ORD.—Read General Edward O. C. Ord.; w. l., 1200.  
 GENERAL J. FRANKLIN BELL.—W. l., 600.  
 GENERAL JOHN M. SCHOFIELD.—W. l., 600.  
 GENERAL MIFFLIN.—W. l., 600.  
 GENERAL RICHARD ARNOLD.—W. l., 600.  
 GENERAL R. N. BATCHELDER.—W. l., 600.  
 GENERAL ROBERT ANDERSON.—W. l., 600.  
 GENERAL ROYAL T. BUNK.—W. l., 1100.  
 GENERAL WILLIAM M. GRAHAM.—W. l., 600.  
 GEORGE H. WEEKS.—Read General George H. Weeks, w. l., 600.  
 GRANT.—W. l., 600, 2400.  
 INSPECTOR.—W. l., 700.  
 IOTA.—W. l., 700.  
 JOSEPH HENRY.—W. l., 600.  
 JUPITER.—W. l., 700.  
 KAPPA.—W. l., 700.  
 LT. COL. HERMAN C. SCHUMM.—W. l., 600.  
 MAJOR ALBERT G. JENKINS.—W. l., 600.  
 MAJOR EVAN THOMAS.—W. l., 600.  
 MAJOR WILLIAM P. PENCE.—W. l., 600.  
 MEIGS.—W. l., 600, 2400.  
 MERRITT.—W. l., 600, 2400.  
 RENO (WYAN).—W. l., 600.  
 SAN PEDRO.—W. l., 600.  
 SATURN.—W. l., 700.  
 SLOCUM.—W. l., 600.  
 SOMME.—W. l., 600, 2400.  
 ST. MIHEL.—W. l., 600, 2400.  
 THOMAS (WXM).—W. l., 600, 2400.  
 WILLIAM T. ROSELL.—W. l., 600.
- Strike out all particulars of the following-named stations: Anacostia, D. C. (NOF); Cape Hatteras, N. C. (R. C.); Navassa Island, Windward Passage, West Indies; Port Eads, La. (RC); San Pedro, Calif.

## GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

- NAM, read Norfolk, Va. (Virginia Beach); NIP, read Kearsage (Crane Ship No. 1); NKF, read Bellevue, D. C.; NPC, read Puget Sound, Wash. (Keyport); NSF, read Anacostia, D. C. (R. C.); NZS, read Klipsan Beach, Wash.; WUBE, read Fort Grant, Canal Zone; WYAI, read General George H. Weeks; WYCE, read Gamma; WZM, read Camp Harry J. Jones, Ariz.; strike out all particulars of the following call signals, NBX, NOF, NDW, NKC, NPX.

## SPECIAL LAND STATIONS, BY NAMES OF STATIONS

(Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1929)

HARTFORD, CONN. (1XW).—Changed to West Hartford, Conn.  
 MONTEREY, CALIF. (6ZBC).—Call changed to 6XBC.  
 OKLAHOMA, OKLA. (5XAW).—Address, 1534 W. 28th St.  
 SAVANNAH, GA. (4XX).—Address, 1110 E. 37th St.  
 SCHENECTADY, N. Y. (2XAB).—Address, 7 Elm St.  
 SEATTLE, WASH. (7XU).—Station operated and controlled by Rhodes Department Store.  
 ORTEGA, FLA. (4XE).—Changed to Winter Park, Fla., station operated and controlled by William J. Lee, Interlachen Ave.  
 Strike out all particulars of the following-named stations: Abilene, Tex. (5YN); Albuquerque, N. Mex. (5XAM); Ames, Iowa (9YD); Atlanta, Ga. (4XW); Atlanta, Ga. (4XC); Austin, Tex. (5XU); Baltimore, Md. (3XG); Baltimore, Md. (3YR); Battle Creek, Mich. (8YN); Baton Rouge, La. (5YW); Berkeley, Calif. (6XAY); Binghamton, N. Y. (8XAM); Bozeman, Mont. (7XB); Brooklyn, N. Y. (2XT); Brownwood, Tex. (5XF); Camden, N. J. (3YQ); Canton, Ohio (8ZV); Cape Girardeau, Mo. (9YAQ); Cazenovia, N. Y. (8XH); Charlottesville, Va. (3XAB); Chicago, Ill. (9XBD); Cincinnati, Ohio (8XAJ); Clayton, Mo. (9ZV); Cleveland, Ohio (8XBD); Columbia, Mo. (9YM); Columbus, Ohio (8XAT); Connellsville, Pa. (8XAP); Corvallis, Oreg. (7YJ); Crete, Nebr. (9YU); Dallas, Tex. (5XBC); Dartmouth, Mass. (portable-1XAN); Dartmouth, Mass. (1XV); Davenport, Iowa (9XAC); Dayton, Ohio (8YU); Detroit, Mich. (8XAR); Dublin, Tex. (5XJ); Enumclaw, Wash. (7YQ); Fayetteville, Ark. (5YM); Fort Wayne, Ind. (9XH); Galesburg, Ill. (9XS); Grand Coteau, La. (5XZ); Greencastle, Ind. (9YJ); Greenwich, Conn. (1XB); Highland Park, Ill. (0XBG); Highland Park, Mich. (8XAF); Houston, Tex. (5XAA); Houston, Tex. (5XBB); Houston, Tex. (5XN); Houston, Tex. (5XO); Kalamazoo, Mich. (8XF); Key West, Fla. (4XP); Knoxville, Tenn. (5XBE); Knoxville, Tenn. (5XK); La Crosse, Wis. (9XBE); Lafayette, Ind. (9YB); Lincoln, Nebr. (9YY); Los Angeles, Calif. (6XO); Mayville, N. Dak. (9XAS); Minneapolis, Minn. (9YX); Mobile, Ala. (5XAE); Montgomery, Ala. (5XBA); Moscow, Idaho (7ZM); New Braunfels, Tex. (5YK); New Orleans, La. (5XAO); New Orleans, La. (6XM); New Orleans, La. (5XQ); New Orleans, La. (5YC); New Orleans, La. (5YR); New Orleans, La. (5YU); New York, N. Y. (2XAL); New York, N. Y. (2XC); New York, N. Y. (2XG); New York, N. Y. (2XM); New York, N. Y. (2YM); Oakland, Calif. (6XAR); Oklahoma, Okla. (5XAF); Orange, Tex. (5XAD); Orono, Me. (1MAH); Pasadena, Calif. (6XI); Peoria, Ill. (9XBC); Philadelphia, Pa. (3YG); Pine Bluff, Ark. (5XAI); Pittsburgh, Pa. (8XY); Plainview, Tex. (5XAH); Portland, Oreg. (7XF); Portland, Oreg. (7YG); Portland, Oreg. (7YN); Potadom, N. Y. (8XAZ); Pullman, Wash. (7XW); Rapid City, S. Dak. (9YW); Reading, Pa. (3XAH); Rochester, N. Y. (8XAO); Rolla, Mo. (9YN); San Antonio, Tex. (5XAQ); San Antonio, Tex. (5XP); San Francisco, Calif. (6XC); San Marcos, Tex. (5YT); Savannah, Ga. (4YB); Schenectady, N. Y. (2XQ); Scranton, Pa. (8XAX); Seattle, Wash. (7XAA); Seattle, Wash. (7XE); Seattle, Wash. (7XK); Seattle, Wash. (7XZ); Seattle, Wash. (7XJ); Stapleton, N. Y. (2XAC); Takoma Park, Md. (3XAJ); Thibodaux, La. (5YL); Tucson, Ariz. (6XAZ); University, Va. (3XAM); Vermillion, S. Dak. (9YAM); Victoria, Tex. (5YA); Waco, Tex. (5XAK); Waco, Tex. (5XBG); Waco, Tex. (5XY); Washington, D. C. (3YS); Washington, D. C. (3XAO); Washington, D. C. (8XI); Washington, D. C. (3ZH); Wayne, Nebr. (9YT); Winter Park, Fla. (4XK); Wyandotte, Mich. (8XBK); Yellow Springs, Ohio (SYY).

## MISCELLANEOUS

## NOTICES TO MARINERS BY ARGENTINA STATIONS

The Darsena North (North Basin) in approximately latitude  $34^{\circ} 36' S.$ , longitude  $58^{\circ} 22' W.$ ; call signal LIH and Comodoro Rivadavis in approximately latitude  $45^{\circ} 52' S.$ , longitude  $67^{\circ} 28' W.$ , call signal LIJ. The first station broadcasts the notices immediately after the radio time signal at 22h. civil time. The second station broadcasts the notices immediately after the first station has finished.

*List of Argentina broadcasting stations*

Call signal	Location	Wave length	Power
LOR	Buenos Aires.....	600	500
LOX	do.....	575	500
LOZ	Monte Grande.....	425	500

## TIME SIGNAL BY COLOMBO, CEYLON STATION

On and after July 1, 1924, the radio station at Colombo, call letters VPB, will transmit four times daily, radio time signals, based on the International System. The actual time signals will be automatically controlled from Colombo Observatory, the remaining signals being sent by hand.

The times of transmission and wave lengths employed will be as follows:

G. M. T. (astronomical)	Indian standard time (astronomical)	Wave length (meters)
H. m. s.	H. m. s.	
4 57 00	10 27 00	600
to	to	(spark)
5 00 00	10 30 00	
5 57 00	11 27 00	2,300
to	to	
6 00 00	11 30 00	(C. W.)
16 57 00	22 27 00	600
to	to	
17 00 00	22 30 00	(spark)
17 57 00	23 27 00	
to	to	
18 00 00	23 30 00	(C. W.)

## REFERENCES TO CURRENT RADIO PERIODICAL LITERATURE

This is a monthly list of references prepared by the radio laboratory of the Bureau of Standards, and is intended to cover the more important papers of interest to the professional radio engineer which have recently appeared in technical periodicals. The number at the left of each reference classifies the reference by subject, in accordance with the scheme presented in A Decimal Classification of Radio Subjects—An Extension of the Dewey System, Circular No. 138, a copy of which may be obtained for 10 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C. Further information about these lists, availabilities of previous lists and of the several periodicals, is contained in the extended statement preceding the early lists as published in the Radio Service Bulletin prior to April, 1923, and also in May and September, 1923.

## R000.—Radio communication

- R000 Alexander, E. F. W. How some problems in radio have been solved. General Electric Review, 27, pp. 273-279, June, 1924.  
 R000 Whittemore, L. E. Radio. Radiifax, 2, pp. 27-32, May, 1924.  
 R010 Blaikie, G. G. Some suggested lines for experimental research. Wireless World & Radio Review, 14, pp. 316-321, June 11, 1924.  
 R020 Müller, H. G. Die Elektronenröhren und ihre technischen Anwendung. Vieweg u. Sohn, Braunschweig, 1922. Noted in Zeitschrift für Instrumentenkunde, 44, pp. 138-140, March, 1924.  
 R020 Reyner, J. H. Modern radio communication (book). Published by Sir Isaac Pitman & Sons, Ltd., London, 1923, price 5 shillings net. Noted in Beams, p. 178, March, 1924.  
 R020 Radio Broadcast knock-out receivers (book). Published by Doubleday Page & Co., Garden City, N. Y., price 50 cents.

## R100.—Radio principles

- R100 Jansky, C. M., Jr. Transmission and types of radio waves. Radio (San Francisco), 6, pp. 13-14, June, 1924.  
 R112 Do wireless waves bend? (address before Radio Society of London). Telegraph & Telephone Age, 42, p. 270, June 16, 1924.  
 113 Kleinitz, F. On propagation phenomena and disturbances of reception in radio telegraphy. Proceedings Institute Radio Engineers, 12, pp. 233-241, June, 1924.

- R112 Bown, R., and Gillett, G. Broadcasting distribution (some problems when transmitting city districts). Electrician (London), 92, pp. 694-696, June 6, 1924.  
 R113.1 Why do signals fade? Radiotax, 2, pp. 29-32, June, 1924.  
 R114 Austin, L. Receiving measurements and atmospheric disturbances at the Bureau of Standards, Washington, November and December, 1923. Proceedings Institute Radio Engineers, 12, pp. 227-232, June, 1924.  
 R114 Letour, M. Signal to static interference ratio in radiotelephony. Proceedings Institute Radio Engineers, 12, pp. 295-297, June, 1924.  
 R114 Brillouin, L., and Fremy, E. L'influence du brouillage sur les récepteurs à réaction. L'Onde Électrique, 3, pp. 181-189, April, 1924.  
 R120 Batcher, R. R. Checking up antenna formulas. QST, 7, p. 32, June, 1924.  
 R124 Langley, R. H. The loop antenna. Radio News, 6, p. 40, July, 1924.  
 R125.1 McCullough, F. S. Radiotelegraphy. U. S. Patent No. 1496243, issued June 3, 1924.  
 R129 Stafford, S. F. Double helix cage antenna. U. S. Patent No. 1496337, issued May 27, 1924.  
 R134.4 Chaffee, E. L. Regeneration in coupled circuits. Proceedings Institute Radio Engineers, 12, pp. 299-309, June, 1924.  
 R134.7 Appleton, E. V., and Taylor, Mary. An optimum heterodyne reception. Proceedings Institute Radio Engineers, 12, pp. 277-288, June, 1924.  
 R134.75 Kruse, S. Building superheterodynes that work—I. QST, 7, pp. 9-17, June, 1924.  
 R134.75 Adams, H. J. The theory and construction of an improved superheterodyne. Radio (Toronto), 8, pp. 20-28, May, 1924.  
 R134.75 Mitchell, G. I. Matching intermediate wave transformers for superheterodynes. Radio News, 6, p. 51, July, 1924.  
 R134.75 Best, G. M. Additional data and improvements in Best's 45,000 cycle superheterodyne. Radio (San Francisco), 6, pp. 33-34, June, 1924.  
 R134.8 Scott-Taggart, J. Reflex wireless receivers in theory and practice—Chapter 4. Modern Wireless (London), 3, pp. 83-91, June, 1924.  
 R144 Henney, J. K. How resistance affects radio circuits. Popular Radio, 6, pp. 24-29, July, 1924.  
 R145.3 Hobbs, E. J. Nagasaka's correction factor K. Wireless World & Radio Review, 14, pp. 260-261, May 28, 1924.  
 R148 Eckersley, P. P. Faithful reproduction by broadcasting. Wireless World & Radio Review, 14, pp. 250-254, May 28; and pp. 289-294, June 4, 1924.

## R200.—Radio measurements and standardization

- R270 Castellain, A. An instrument to compare signal strengths. Wireless World & Radio Review 14, pp. 184-188, May 14, 1924.

## R300.—Radio apparatus and equipment

- R330 Valve tests: Mullard "Wecovalve" and one volt "Ova;" British Thomson-Houston B 4-volt; and B. T. H. and Ediswan "R" types. Wireless World & Radio Review, 14, pp. 191-198, May 14; pp. 222-223, May 21; pp. 307-309, June 11, 1924.  
 R331 van der Bijl, H. J. Pressure control for gaseous discharge devices. U. S. Patent No. 1495279, issued May 27, 1924.  
 R340 Booth, W. T. and Boyd, W. A. Vibration reducing mounting device for signaling systems. U. S. Patent No. 1495765 issued June 10, 1924.  
 R342 Frank L. Amplifiers—part II. Wireless Age, 11, pp. 60-61, June, 1924.  
 R342.2 Lafond, P. L'amplificateur haute fréquence à résistance et les ondes courtes. L'Onde Électrique, 3, pp. 198-202, April, 1924.  
 R343 Hammond, J. H., Jr. Receiving system for radiant energy. U. S. Patent No. 1496311, issued June 3, 1924.  
 R343 100 best hookups—Part 2. Popular Radio, 6, pp. 39-48, July, 1924.  
 R376.3 Goldsmith, A. N. Selecting loud speakers. Wireless Age, 11, p. 38, June, 1924.  
 R376.3 Nyman, A. Les hautes parleurs électriques. Annales des Postes Télégraphes et Téléphones, 18, pp. 369-385, April, 1924.  
 R381 Dubilier, W. Electrical condenser. U. S. Patent No. 1497065, issued June 10, 1924.  
 R381 Thomas, P. Molded oil-filled condenser. U. S. Patent No. 1497415, issued June 10, 1924.  
 R381 Fitzgerald, R. J. Condenser. U. S. Patent No. 1495511, issued May 27, 1924.  
 R381 Graves, C. B. Condenser. U. S. Patent No. 1495871, issued June 3, 1924.  
 R381 Dana, F. W. Electrical condenser. U. S. Patent No. 1495577, issued May 27, 1924.  
 R381 Ward, D. G. Condensers: How to choose the right ones for your circuit. Wireless Age, 11, pp. 62-63, June, 1924.  
 R381 Properties of condensers. Radiotax, 2, pp. 23-26, May; and pp. 37-40, June, 1924.  
 R381 Manufacture and testing of small mica condensers. Radiotax, 2, pp. 7-9, June, 1924.  
 R381 Compound dielectric condensers (variable air). Wireless World & Radio Review, 14, pp. 182-183, May 14, 1924.  
 R384.1 Hatry, L. W. How to make and use a wavemeter. Radio News, 6, p. 47, July, 1924.  
 R388 Wagner, K. W. Der allgemeine Kettenleiter. Telefunken Zeitung, 6, pp. 21-27, January, 1924.  
 R388 Johnson, J. B. Method of coating (cathode-ray tubes). U. S. Patent No. 1495487, issued May 27, 1924.

## R400.—Radio communication systems

- R400 Dreher, C. Comparison of wire and radio telephone. Radio (San Francisco), 6, pp. 28-29, June, 1924.  
 R401 Quack, E. Untersuchung über die Änderung der Übertragungsgüte beim drahtlosen Überseeverkehr. Telefunken Zeitung, 6, pp. 74-80, January, 1924.  
 R402 Ultra short wave transmission and reception: Details of some recent French experiments. Wireless World & Radio Review, 14, pp. 156-158, May 14, 1924.  
 R348 Short wave receiver: Design for a long range set covering a wave band 90-200 metres. Wireless World & Radio Review, 14, pp. 301-304, June 11, 1924.  
 R348 Scott-Taggart, J. High tensionless receivers (using dry cell tubes). Modern Wireless (London), 8, pp. 23-26, June, 1924.  
 R348 Best, H. P. Wireless telegraphy and telephone receiving set. U. S. Patent No. 1496276, issued June 3, 1924.  
 R343.7 Best, G. M. A plate current supply set (a. c. supply on plates of vacuum tubes). Radio (San Francisco), 6, pp. 29-30, June, 1924.  
 R344.3 Laport, E. A. Practical master oscillator sets. QST, 7, pp. 20-24, June, 1924.  
 R344.3 Enkop, H. Reissdiagramme von Sendezählern (part III). Telefunken Zeitung, 6, pp. 45-73, January, 1924.

- R344.3 Hull, L. M. Radiotelegraph transmitting system. U. S. Patent No. 1495093, issued May 27, 1924.  
 R348 Espenched, Lloyd. Means for and method of reducing singing in repeaters. U. S. Patent No. 1495092, issued June 3, 1924.  
 R349 Clark, A. B. Means for and method of controlling transmission. U. S. Patent No. 1495221, issued May 27, 1924.  
 R353 Fuller, L. F., and Elliott, H. F. Radiotelegraphy transmission system. U. S. Patent No. 1496214, issued June 3, 1924.  
 R374 Snal, H. G. Radiant-energy receiver. U. S. Patent No. 1497384, issued June 10, 1924.  
 R374 Crystal detectors: The various types and their operation. Radiotax, 2, pp. 38-39, June, 1924.  
 R374 More crystals; Gilvium, galena, Eastick, geocosite, talite. Supplement to Wireless Trader (London), 2, p. 125, June, 1924.  
 R374.1 Pooock, H. S. Oscillating and amplifying crystals. Wireless World & Radio Review, 14, pp. 299-300, June 11, 1924.  
 R374.1 Strachan, J. The crystal detector in theory and practice. Wireless World & Radio Review, 14, pp. 216-219, May 21; pp. 245-249, May 28; pp. 278-281, June 4, 1924.  
 R431 Pyle, H. S. Timely suggestions (interference elimination). Radio News, 6, p. 37, July, 1924.  
 R431 Graham, L. S. Local interference. Popular Radio, 6, pp. 12-16, July, 1924.  
 R440 Morden, J. and Waltz, A. F. Radio alarm system. U. S. Patent No. 1497194 issued June 10, 1924.  
 R450 Thompson, W. S. Telephone conversation by radio. Wireless Age, 11, pp. 30-31, June, 1924.  
 R460 Farrington, J. F. High-frequency transmission. U. S. Patent No. 1495470 issued May 27, 1924.  
 R460 Muth, H. Mehrfach-Telephoniemund Telegraphie Längsleitungen. Telefunken Zeitung, 6, pp. 27-44, January, 1924.  
 R460 Franseen, F. J. Art of radiocommunication. U. S. Patent No. 1496155, issued June 3, 1924.

#### R360.—Applications of radio

- R530 Kroer, F. H. The Cape Cod marine system of the Radio Corporation of America. Proceedings Institute Radio Engineers, 12, pp. 243-253, June, 1924.  
 R536 Farrell, J. Radio to the rescue (recent experiments by Bureau of Mines). Radio News, 6, pp. 14-15, July, 1924.  
 R536 Schulz, H. and Wagner, K. W. Der drahtfunk. Elektrotechnische Zeitschrift, 45, pp. 486-489, May 15, 1924.  
 R536 Amerikanisches Broadcasting und deutscher Rundfunk. Telefunken Zeitung, 6, pp. 8-12, January, 1924.  
 R550 Little, D. G. KDKA: The radio broadcasting station of the Westinghouse Electric & Manufacturing Co. at East Pittsburgh, Pa. Proceedings Institute Radio Engineers, 12, pp. 255-276, June, 1924.  
 R551 Transmission of time signals by naval radio stations. Radiotax, 2, p. 24, June, 1924.  
 R552 Transmission of weather reports by naval radio stations. Radiotax, 2, pp. 21-22, June, 1924.  
 R563 Bureau, R. Considerations générales sur l'organisation de la météorologie. Radiotélélectricité, 5, pp. 188-190, May 25, 1924.  
 R569 Williams, H. S. How radio is helping the deaf to hear. Popular Radio, 6, pp. 8-10, July, 1924.  
 R582 Photograph transmission by wire (successful demonstration by A. T. & T. of picture transmission over telephone wires from Cleveland to New York in less than 5 minutes). Telephony, 55, pp. 14-16, June 7, 1924.

#### \* R800.—Noise radio subjects

- 347.7 Dr. Lee DeForest comes into his own: Highest court in District of Columbia affirms his right to regeneration invention. Radio (Toronto), 8, pp. 53-54, May, 1924.  
 347.7 Arvin, W. B. DeForest now controls regeneration patents. Radio News, 6, p. 41, July, 1924.  
 520 Simpeon, F. G. Art of measuring the velocity of terrestrial bodies relative to each other. U. S. Patent No. 1495610, issued May 27, 1924.  
 533.85 Backhurst, I. An all metal high-vacuum pump system (with bibliography). Philosophical Magazine, 47, pp. 918-929, May, 1924.  
 534.83 Fessenden, R. A. Method and apparatus for signalling. U. S. Patent No. 1497366, issued June 10, 1924.  
 621.313.23 McMeen, S. G. Mechanical high frequency generators. Radio (San Francisco), 6, pp. 15-16, June, 1924.  
 621.327.7 Reensch, O. A. X-ray tube. U. S. Patent No. 1495583, issued May 27, 1924.  
 621.385 Johnson, K. S. Testing system (telephone). U. S. Patent No. 1495897, issued May 27, 1924.

#### A QUANTITATIVE STUDY OF REGENERATION BY INDUCTIVE FEED BACK

The amplification of received radio signals by regeneration in electron tube circuits is well known. One method of regeneration is the feeding back of alternating current power by means of inductively coupled coils in the two circuits, from the plate circuit to the tuned circuit connected to the grid of the electron tube. This method has been used extensively in modern radio receiving sets and is known as the "tickler" method of regeneration. However, very little quantitative data have been available on the amplification produced by this method of regeneration.

By means of simple alternating current theory an equation has been derived from which the amplification produced by inductive feed back may be calculated. This equation shows that regeneration can be considered as producing a reduction in the resistance of the tuned circuit and so increasing the current. The equation derived was completely verified by experiment.

These experiments are described in Bureau of Standards Scientific Papers No. 487, A Quantitative Study of Regeneration by Inductive Feed Back, by C. B. Jolliffe and Miss J. A. Rodman. A copy of this paper may be obtained for 10 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C.

## STANDARD FREQUENCY STATIONS

As a result of measurements by the Bureau of Standards upon the transmitted waves of a limited number of radio transmitting stations, data are given in each month's Radio Service Bulletin on such of these stations as have been found to maintain a sufficiently constant frequency to be useful as frequency standards. There may be many other stations maintaining their frequency just as constant as these, but these are the only ones which reached the degree of constancy shown among the stations upon whose frequencies measurements were made in the bureau's laboratory. There is, of course, no guaranty, that the stations named below will maintain the constancy shown. As a means of maintaining constant frequency the high-power low-frequency alternator stations listed below have speed regulators. Most of the broadcasting stations listed use frequency indicators (one-point wave meters) and maintain a maximum deflection of the instrument on the frequency indicator throughout the transmission. These broadcasting stations with rare exceptions, vary not more than 2 kilocycles from the assigned frequency. The transmitted frequencies from these stations can be utilized for standardizing wave meters and other apparatus by the procedure given in Bureau of Standards letter circular No. 92, Radio Signals of Standard Frequencies and Their Utilization. A copy of that letter circular can be obtained by a person having actual use for it upon application to the Bureau of Standards, Washington, D. C.

Station	Owner	Location	Assigned frequency (kilocycles)	Period covered by measurements (1923-24)	No. of times measured	Greatest deviation from assigned frequency since May 16, 1924	Average deviation from assigned frequency
NSS.....	U. S. Navy.....	Annapolis, Md.....	17.50	Aug. 24-May 31.....	79	Per ct. 0.2	Per ct. 0.2
WGO.....	Radio Corporation of America.....	Tuckerton, N. J. ....do.....	18.85	do.....	98	.1	.2
WII.....	do.....	New Brunswick, N. J. ....do.....	22.04	Oct. 1-May 31.....	78	.5	.3
WSO.....	do.....	Marion, Mass. ....do.....	25.80	Aug. 21-May 31.....	87	.4	.3
WWJ.....	Detroit News.....	Detroit, Mich. ....do.....	580	Aug. 27-June 15.....	39	.0	.1
WCAP.....	Chesapeake & Potomac Telephone Co. ....do.....	Washington, D. C. ....do.....	640	Sept. 11-June 15.....	54	.0	.1
WRC.....	Radio Corporation of America.....	do.....	640	Dec. 18-June 15.....	37	.2	.1
WSB.....	Atlanta Journal.....	Atlanta, Ga. ....do.....	700	Sept. 14-June 15.....	52	.0	.1
WGY.....	General Electric Co. ....do.....	Schenectady, N. Y. ....do.....	790	June 26-June 15.....	86	.3	.3
KDKA.....	Westinghouse Electric & Manufacturing Co. ....do.....	East Pittsburgh, Pa. ....do.....	920	Sept. 8-June 15.....	111	.1	.1

## STANDARD RADIO FREQUENCY TRANSMISSIONS, JULY TO SEPTEMBER

The Bureau of Standards is transmitting special signals of standard frequency on announced dates. The last previously announced schedule was published in the May, 1924, issue of the Radio Service Bulletin. The next schedule is announced below. The signals can be heard and utilized in general east of the Mississippi River.

These special signals of standard frequency are of use to testing laboratories, transmitting station operators, and others in standardizing wave meters and adjusting transmitting and receiving apparatus. The transmissions on July 7 include the frequencies used by amateurs, those on August 5 ship and point-to-point communication, those on September 5 ship communication, those on September 22 broadcasting. The accuracy of these signals is better than three-tenths of 1 per cent. Information on how to use them is given in Bureau of Standards

Letter Circular No. 92, which may be obtained on application from the Bureau of Standards, Washington, D. C.

All transmissions are by unmodulated continuous wave telegraphy. A complete frequency transmission includes a "general call," a "standard frequency signal," and "announcements." The "general call" is given at the beginning of the eight-minute period and continues for about two minutes. This includes a statement of the frequency. The "standard frequency signal" is a series of very long dashes with the call letters WWV intervening. This signal continues for about four minutes. The "announcements" are on the same frequency as the "standard frequency signal" just transmitted, and contain a statement of the measured frequency. An announcement of the next frequency to be transmitted is then given. There is then a four-minute interval while the transmitting set is adjusted for the next frequency.

The schedule of standard frequency signals from the Bureau of Standards is as follows:

*Schedule of frequencies in kilocycles*

[Approximate wave lengths in meters in parentheses]

Eastern standard time	July 7	Aug. 5	Sept. 5	Sept. 22
11 to 11.08 p. m.	1368 (230)	125 (2400)	300 (1000)	550 (545)
11.12 to 11.20 p. m.	1430 (210)	133 (2354)	315 (952)	650 (461)
11.24 to 11.32 p. m.	1600 (200)	143 (2097)	345 (869)	710 (400)
11.36 to 11.44 p. m.	1600 (187)	155 (1934)	375 (800)	833 (380)
11.48 to 11.56 p. m.	1700 (176)	166.5 (1900)	425 (705)	1000 (300)
12 to 12.08 a. m.	1800 (187)	205 (1463)	500 (800)	1200 (260)
12.12 to 12.20 a. m.	1900 (156)	260 (1153)	600 (500)	1350 (222)
12.24 to 12.32 a. m.	2000 (150)	315 (952)	666 (450)	1500 (200)

**ADDITIONAL COPIES**

OF THIS PUBLICATION MAY BE PROCURED FROM  
THE SUPERINTENDENT OF DOCUMENTS  
GOVERNMENT PRINTING OFFICE  
WASHINGTON, D. C.  
AT

**5 CENTS PER COPY**

**SUBSCRIPTION PRICE, 25 CENTS PER YEAR**