



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00224

Wednesday October 11, 2000

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. & 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20001004-01841 E000524 AT&T CORP.

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

Amendment file to change emission designators and to increase EIRP and EIRP density.

SITE ID: MONROVIA, MD

LOCATION: 11026 FINGER BOARD ROAD, FREDRICK, MONROVIA, MD

39 ° 20 ' 50.00 " N LAT.

77 ° 16 ' 51.00 " W LONG.

ANTENNA ID: A1 4.5 meters ANDREWS ES45MPJ

14000.0000 - 14500.0000 MHz 1M34G7W 65.70 dBW QPSK, VOICE, DATA, FEC 3/4

11700.0000 - 12200.0000 MHz 1M34G7W QPSK, VOICE, DATA, FEC 3/4

Points of Communication:

MONROVIA, MD - ALSAT - (ALSAT)

SES-ASG-20000919-01748 E940294 JOURNAL BROADCAST GROUP, INC.

Application for Consent to Assignment

Current Licensee: JOURNAL BROADCAST CORP

FROM: JOURNAL BROADCAST CORP

TO: JOURNAL BROADCAST CORP

No. of Station(s) listed: 1

SES-ASG-20000922-01778 E970216 HEARST-ARGYLE PROPERTIES, INC.

Application for Consent to Assignment

Current Licensee: WMUR-TV, INC.

FROM: WMUR-TV, INC.

TO: HEARST-ARGYLE PROPERTIES, INC.

No. of Station(s) listed: 2

SES-ASG-20000922-01793 E920589 CIDERA, INC.

Application for Consent to Assignment

Current Licensee: WAVO CORPORATION

FROM: WAVO CORPORATION

TO: CIDERA, INC.

No. of Station(s) listed: 2

SES-ASG-20000926-01769 E930125 SUNBELT COMMUNICATIONS CORPORATION

Application for Consent to Assignment

Current Licensee: SUNBELT COMMUNICATIONS CORPORATION

FROM: SUNBELT COMMUNICATIONS CORPORATION

TO: SCC LICENSE CORP

No. of Station(s) listed: 1

SES-LIC-20000825-01520 E000524 AT&T CORP.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

Amendment filed to change emission designator and change EIRP and EIRP density, therefore the public notice period will start over with this notice.

SITE ID: MONROVIA, MD

LOCATION: 11026 FINGER BOARD ROAD, FREDRICK, MONROVIA, MD

39 ° 20 ' 50.00 " N LAT.

77 ° 16 ' 51.00 " W LONG.

ANTENNA ID: A1	4.5 meters	ANDREWS	ES45MPJ
14000.0000 - 14500.0000 MHz	1M34G7W	65.70 dBW	QPSK, VOICE, DATA, FEC 3/4
11700.0000 - 12200.0000 MHz	1M34G7W		QPSK, VOICE, DATA, FEC 3/4

Points of Communication:

MONROVIA, MD - ALSAT - (ALSAT)

SES-LIC-20000914-01766 E000622 BT NORTH AMERICA, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Marina Del Rey C-2

LOCATION: 12950 Culver Blvd., Los Angeles, Marina Del Rey, CA

33 ° 58 ' 55.00 " N LAT.

118 ° 25 ' 38.30 " W LONG.

ANTENNA ID: 1	7.2 meters	Vertex	7.2 KXC
3700.0000 - 4200.0000 MHz	36MOF8W	0.00 dBW	Analog Video/Audio
5940.0000 - 6009.0000 MHz	36MOF8W	63.70 dBW	Analog Video/Audio
6183.0000 - 6425.0000 MHz	36MOF8W	63.70 dBW	Analog Video/Audio
3700.0000 - 4200.0000 MHz	6M76G8W		Digital Video/audio, qpsk 3/4 FEC, 8448 kbps

6183.0000 - 6425.0000 MHz	12M8G7W	71.75 dBW	digital video/audio, QPSK 3/4 FEC, 16000 kbps
6060.0000 - 6152.0000 MHz	12M8G7W	71.75 dBW	digital video/audio, QPSK 3/4 FEC, 8448 kbps
3700.0000 - 4200.0000 MHz	6M76G7W		digital video/audio, QPSK 3/4 FEC, 8448 kbps
5940.0000 - 6009.0000 MHz	12M8G7W	71.75 dBW	digital video/audio, QPSK 3/4 FEC, 16000 kbps
6060.0000 - 6152.0000 MHz	36MOF8W	63.70 dBW	analog video/audio
5940.0000 - 6009.0000 MHz	6M76G7W	68.98 dBW	digital video/audio, QPSK 3/4 FEC, 8448 kbps
6060.0000 - 6152.0000 MHz	6M76G7W	68.98 dBW	digital video/audio, QPSK 3/4 FEC, 8448 kbps
6183.0000 - 6425.0000 MHz	6M76G7W	68.98 dBW	Digital video/audio, QPSK 3/4 FEC, 8448 kbps

Points of Communication:

Marina Del Rey C-2 - ALSAT - (ALSAT)
Marina Del Rey C-2 - INTELSAT 805 - (304.5 E.L.)

SES-LIC-20000914-01767 E000623 BT NORTH AMERICA INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Marina Del Rey KU

LOCATION: 12950 Culver Blvd., Los Angeles, Marina Del Rey, CA

33 ° 58 ' 55.00 " N LAT.

118 ° 25 ' 38.30 " W LONG.

ANTENNA ID: 1	7.2 meters	Vertex	7.2 KXX
14000.0000 - 14500.0000 MHz	36MOG7W	82.00 dBW	digital video/audio, QPSK 3/4 FEC, 45000 kbps
11450.0000 - 12200.0000 MHz	36MOG7W		digital video/audio, QPSK 3/4 FEC, 45000 kbps
10950.0000 - 11200.0000 MHz	36MOG7W		Digital, QPSK 3/4 FEC, 45000 kbps
14000.0000 - 14500.0000 MHz	12M8G7W	73.00 dBW	digital, QWPSK 3/4 FEC, 16000 kbps
11450.0000 - 12200.0000 MHz	12M8G7W		Digital, QPSK 3/4 FEC, 16000 kbps
10950.0000 - 11200.0000 MHz	12M8G7W		Digital, QPSK 3/4 FEC, 16000 kbps
14000.0000 - 14500.0000 MHz	6M76G7W	70.00 dBW	Digital, QPSK 3/4 FEC, 8448 Kbps
11450.0000 - 12200.0000 MHz	6M76G7W		Digital, QPSK 3/4 FEC, 8448 Kbps
10950.0000 - 11200.0000 MHz	6M76G7W		Digital, QPSK 3/4 FEC, 8448 Kbps
14000.0000 - 14500.0000 MHz	36MOF8W	80.80 dBW	Analog Video/Audio
11450.0000 - 12200.0000 MHz	36MOF8W		Analog Video/Audio
10950.0000 - 11200.0000 MHz	36MOF8W		Analog Video/Audio

Points of Communication:

Marina Del Rey KU - ALSAT - (ALSAT)
Marina Del Rey KU - INTELSAT POR - (177.0 E.L.)

SES-LIC-20000920-01762 E000620 WATE, G.P.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.5 meters	ADVENT/NEWSSWIFT	1.5M SNG
14000.0000 - 14500.0000 MHz	20M0G7W	63.50 dBW	MCPC DIGITAL CARRIER FOR VIDEO/AUDIO/DATA
11700.0000 - 12200.0000 MHz	20M0G7W		MCPC DIGITAL CARRIER FOR VIDEO/AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000921-01749 E000609 J.D.G. TELEVISION, INC.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 4626 KELLEY HIGHWAY, FORT SMITH, AR

ANTENNA ID: 33	1.2 meters	AVL TECHNOLOGIES	1200 USA
14000.0000 - 14500.0000 MHz	7M56G7W	60.20 dBW	DIGITAL, VIDEO
11700.0000 - 12200.0000 MHz	7M65G7W		DIGITAL, VIDEO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20000925-01813 E000624 NETWEST COMMUNICATIONS GROUP, INC.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	2.4 meters	ANDREW CORP.	ES24SNG*LTE
14000.0000 - 14500.0000 MHz	36M0F3F	78.40 dBW	FREQUENCY MODULATION BY AN NTSC VIDEO SIGNAL WITH ASSOCIATED SUB-CARRIERS

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20000808-01390 E950372 WILLIAMS COMMUNICATIONS, INC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification to add a new antenna, new emission designators, new points of communications, and extended C-band frequency bands. This earth station is located within ten miles of an existing extended c-band earth station in Staten Island, New York.

SITE ID: COM-13

LOCATION: 27 RANDOLPH STREET, MIDDLESEX, CARTERET, NJ

40 ° 34 ' 45.00 " N LAT.

74 ° 13 ' 1.00 " W LONG.

ANTENNA ID: COM-13/18	9 meters	VERTEX	9KPC
5850.0000 - 6425.0000 MHz	36M0G1W	82.25 dBW	COMPRESSED DIGITAL VIDEO

5850.0000 - 6425.0000 MHz	8M00G7W	81.50 dBW	DIGITAL DATA
5850.0000 - 6425.0000 MHz	2M31G7W	67.70 dBW	DIGITAL DATA
5850.0000 - 6425.0000 MHz	1M54G7W	72.53 dBW	VOICE/DATA
5850.0000 - 6425.0000 MHz	128KG7W	52.00 dBW	VOICE/DATA
5850.0000 - 6425.0000 MHz	65K7G7W	49.00 dBW	VOICE/DATA
5850.0000 - 6425.0000 MHz	31M2G2F	82.25 dBW	COMPRESSED DIGITAL VIDEO
5850.0000 - 4200.0000 MHz	2M05G7W	69.00 dBW	DIGITAL DATA
3650.0000 - 4200.0000 MHz	36M0G1F		ANALOG VIDEO W/ASSOCIATED AUDIO
3650.0000 - 4200.0000 MHz	31M2G2F		COMPRESSED DIGITAL DATA
3650.0000 - 4200.0000 MHz	8M00G7W		DIGITAL DATA
3650.0000 - 4200.0000 MHz	2M31G7W		DIGITAL DATA
3650.0000 - 4200.0000 MHz	2M05G7W		
3650.0000 - 4200.0000 MHz	1M54G7W		
3650.0000 - 4200.0000 MHz	128KG7W		
3650.0000 - 4200.0000 MHz	65K7G7W		
5850.0000 - 6425.0000 MHz	36M0F8F	80.40 dBW	ANALOG VIDEO W/ASSOCIATED AUDIO

Points of Communication:

- COM-13 - ALSAT - (ALSAT)
- COM-13 - COL515 - (37.7 W.L.)
- COM-13 - INTELSAT 511 - (330.5)
- COM-13 - INTELSAT 601 - (325.5 E.L.)
- COM-13 - INTELSAT 605 - (332.5 E.L.)
- COM-13 - INTELSAT 705 - (335.5 E.L.)
- COM-13 - INTELSAT 706 - (307.0 E.L.)
- COM-13 - INTELSAT 709 - (310.0 E.L.)
- COM-13 - INTELSAT 801 - (328.5 E.L.)
- COM-13 - INTELSAT 805 - (304.5 E.L.)
- COM-13 - INTELSAT AOR - (342.0 E.L.)
- COM-13 - New Skies 803 - (338.5 E.L.)
- COM-13 - New Skies 806 - (319.5 E.L.)
- COM-13 - STATIONAR 11 - (11 W.L.)
- COM-13 - TDRS-6 - (47.0 W.L.)

SES-MOD-20000808-01394 E950361 WILLIAMS COMMUNICATIONS, INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification to add a new antenna, new emission designators, new points of communications, and extended C-band frequency bands. This earth station is located within ten miles of an existing extended c-band earth station in Staten Island, New York.

SITE ID: 1

LOCATION: 27 RANDOLPH STREET, MIDDLESEX, CARTERET, NJ

40 ° 34 ' 44.30 " N LAT.

74 ° 13 ' 2.00 " W LONG.

ANTENNA ID: 1 9.2 meters SATCOM TECHNOLOGIES 920CS

5925.0000 - 6425.0000 MHz	36M0F8F	80.40 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO (SATELLITE ARC 65W-93W)
---------------------------	---------	-----------	--

5925.0000 - 6425.0000 MHz	8M00G7F	80.40 dBW	DIGITAL VIDEO (SATELLITE ARC 14W-93W)
3700.0000 - 4200.0000 MHz	36M0F8F		ANALOG VIDEO WITH ASSOCIATED AUDIO (SATELLITE ARC 14W-93W)
3700.0000 - 4200.0000 MHz	8M00G7F		DIGITAL VIDEO (SATELLITE ARC 14W-93W)
5925.0000 - 6425.0000 MHz	36M0F8F	76.50 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO (SATELLITE ARC 14W-65W)
ANTENNA ID: COM-20	9.1 meters	ANDREW	ESA91-46
5850.0000 - 6425.0000 MHz	36M0G1W	82.25 dBW	COMPRESSED DIGITAL VIDEO
5850.0000 - 6425.0000 MHz	21MG2F	82.25 dBW	COMPRESSED DIGITAL VIDEO

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - ANIK E1 - (111.1 W.L.)
- 1 - ANIK E2 - (107.3 W.L.)
- 1 - INTELSAT 511 - (330.5)
- 1 - INTELSAT 601 - (325.5 E.L.)
- 1 - INTELSAT 605 - (332.5 E.L.)
- 1 - INTELSAT 705 - (335.5 E.L.)
- 1 - INTELSAT 706 - (307.0 E.L.)
- 1 - INTELSAT 709 - (310.0 E.L.)
- 1 - INTELSAT 801 - (328.5 E.L.)
- 1 - INTELSAT 805 - (304.5 E.L.)
- 1 - INTELSAT AOR - (342.0 E.L.)
- 1 - MORELOS-2 - (116.8 W.L.)
- 1 - PAS-1 - (45.0 W.L.)
- 1 - PAS-2R - (43.0 W.L.)
- 1 - PAS-9 - (58.0 W.L.)
- 1 - SATMEX-5 - (116.8 W.L.)
- 1 - SOLIDARIDAD F-1 - (109.2 W.L.)
- 1 - SOLIDARIDAD F-2 - (113.0 W.L.)

SES-MOD-20000821-01494 E960533 THE ASSOCIATED PRESS

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

"MOD" to change antenna in location from Ground to Roof mount , and technical data on its' existing registration.

SITE ID: 1

LOCATION: 5801 NORTH CONGRESS AVENUE (BOCA RATON NEWS), PALM BEACH, BOCA RATON, FL
 26 ° 23 ' 59.00 " N LAT. 80 ° 6 ' 8.00 " W LONG.

ANTENNA ID: 1	2.8 meters	RADIATIONS	280K
3700.0000 - 4200.0000 MHz	200KF3A		ANALOG
3700.0000 - 4200.0000 MHz	180KF2D		DIGITAL
3700.0000 - 4200.0000 MHz	2M50F1D		DIGITAL

Points of Communication:

- 1 - ALSAT - (ALSAT)

Application for Modification

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

A new VSAT network system consisting of (2) two hub antennas collocated in Germantown, Maryland and up to 1,500,000 .66 cm receive-only remote terminals located throughout the United States, Mexico, Canada, South America, and Central America.

Modification filed to add two new antennas.

SITE ID: HUB

LOCATION: 7.6M.(HUB) 11717 EXPLORATION LANE, MONTGOMERY, GERMANTOWN, MD
39 ° 31 ' 11.00 " N LAT. 77 ° 31 ' 48.00 " W LONG.

ANTENNA ID:	HUB-A/7.6M	7.6 meters	ANDREW CORP.	ES76K-1
	14000.0000 - 14500.0000 MHz		24M0G7D 78.00 dBW	QPSK, DATA, 20 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service
	14000.0000 - 14500.0000 MHz		36M0G7D 78.00 dBW	QPSK, DATA, 30 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service
	11700.0000 - 12200.0000 MHz		24M0G7D	QPSK, DATA, 20 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service
	11700.0000 - 12200.0000 MHz		36M0G7D	QPSK, DATA, 30 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service

SITE ID: RECEIVE-ONLY

LOCATION: VSAT 0.66M (49 x 89 cm) (1,500,000 UNITS), CONUS

ANTENNA ID:	RO/0.66M	0.66 meters	CHANNEL MASTER	646101
	11700.0000 - 12200.0000 MHz		36M0G7D	QPSK, DATA, 30 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service
	11700.0000 - 12200.0000 MHz		24M0G7D	QPSK, DATA, 20 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service
ANTENNA ID:	RO74	0.74 meters	PRODELIN	HANT-91R
	11700.0000 - 12200.0000 MHz		24M0G7D	20,000 KSPS, 1/2, 2/3, 3/4, 5/6, OR 7/8 RATE FEC QPSK, 24,000 KHZ BANDWIDTH, DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz		36M0G7D	30,000 KSPS, 1/2, 2/3, 3/4, 5/6, OR 7/8 RATE FEC QPSK, 36,000 KHZ BANDWIDTH, DIGITAL CARRIER

SITE ID: MONITORING

LOCATION: VSAT 1.2M. (10 UNITS), CONUS

ANTENNA ID:	MO/1.2M	1.2 meters	PRODELIN	1134
	11700.0000 - 12200.0000 MHz		36M0G7D	QPSK, DATA, 30 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service

11700.0000 - 12200.0000 MHz	24M0G7D			QPSK, DATA, 20 MSPS, MULTIMEDIA BROADCAST CARRIER / DIRECPC Internet access service
SITE ID: TRANSMIT 74 CM				
LOCATION: CONUS				
ANTENNA ID: TR74	0.74 meters	PRODELIN		HANT-91TR
14000.0000 - 14500.0000 MHz	120KG7D	39.20 dBW		64 KSPS, 1/2 OR 3/4 RATE FEC, OQPSK, 120 KHZ BANDWIDTH, DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	240KG7D	39.20 dBW		128KSPS, 1/2 OR 3/4 RATE FEC, OQPSK, 240 KHZ BANDWIDTH, DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	480KG7D	39.20 dBW		256 KSPS, 1/2 OR 3/4 RATE FEC, OQPSK, 480 KHZ BANDWIDTH, DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	24M0G7D			20,000 KSPS, 1/2, 2/3, 3/4, 5/6, OR 7/8 RATE FEC QPSK, 24,000 KHZ BANDWIDTH, DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	36M0G7D			30,000 KSPS, 1/2, 2/3, 3/4, 5/6, OR 7/8 RATE FEC QPSK, 36,000 KHZ BANDWIDTH, DIGITAL CARRIER

SITE ID: Receive 74 CM
LOCATION: CONUS

- Points of Communication:**
- HUB - ALSAT - (ALSAT)
 - HUB - SATMEX-5 - (116.8 W.L.)
 - MONITORING - SATMEX-5 - (116.8 W.L.)
 - RECEIVE-ONLY - SATMEX-5 - (116.8 W.L.)

SES-MOD-20000922-01792 E990194 LORAL SPACECOM CORP. (d/b/a Loral Skynet)

Application for Modification
Class of Station: Fixed Earth Stations
Nature of Service: Domestic Fixed Satellite Service

Modification filed to change emission designator, increase EIRP and EIRP density, relocate fixed station and change assigned frequencies.

SITE ID: 1
LOCATION: P.O. BOX 7018, SOMERSET, BEDMINSTER, NJ
40 ° 39 ' 7.20 " N LAT. 174 ° 38 ' 34.10 " W LONG.

ANTENNA ID: 1	4.6 meters	ANDREW		ES46-CCP4
5925.0000 - 6211.0000 MHz	36M0G7W	51.80 dBW		45 MBPS, BPSK, 3/4 FEC
6242.0000 - 6271.0000 MHz	36M0G7W	51.80 dBW		45 MBPS, BPSK, 3/4 FEC
6302.0000 - 6330.0000 MHz	36M0G7W	51.80 dBW		45 MBPS, BPSK, 3/4 FEC
6361.0000 - 6389.0000 MHz	36M0G7W	51.80 dBW		45 MBPS, BPSK, 3/4 FEC
6420.0000 - 6425.0000 MHz	36M0G7W	51.80 dBW		45 MBPS, BPSK, 3/4 FEC
3700.0000 - 4200.0000 MHz	36M0G7W			45 MBPS, BPSK, 3/4 FEC
5925.0000 - 6211.0000 MHz	1M85G7W	51.80 dBW		1.5 MBPS, BPSK, 1/2 FEC
6242.0000 - 6271.0000 MHz	1M85G7W	51.80 dBW		1.5 MBPS, BPSK, 1/2 FEC
6302.0000 - 6330.0000 MHz	1M85G7W	51.80 dBW		1.5 MBPS, BPSK, 1/2 FEC

6361.0000 - 6389.0000 MHz	1M85G7W	51.80 dBW	1.5 MBPS, BPSK, 1/2 FEC
6420.0000 - 6425.0000 MHz	1M85G7W	51.80 dBW	1.5 MBPS, BPSK, 1/2 FEC
3700.0000 - 4200.0000 MHz	1M85G7W		1.5 MBPS, BPSK, 1/2 FEC

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20000926-01763 E860003 WTAE HEARST-ARGYLE TELEVISION, INC. (d/b/a TELEVISION STATION WTAE-TV)

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add new emission designator and related service, to replace antenna facility, and technical data to their existing earth station license.

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	2.4 meters	ANDREW CORPORATION	ESA24SNG-LTE
14000.0000 - 14500.0000 MHz	24000F9	76.50 dBW	
14000.0000 - 14500.0000 MHz	36000F9	76.50 dBW	
14000.0000 - 14500.0000 MHz	40F3	46.00 dBW	
14000.0000 - 14500.0000 MHz	36M0F8F	73.24 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	24M0F8F	70.24 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	24M0G7F	65.10 dBW	PSK DIGITAL VIDEO WITH DIGITAL AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20000727-01298 E880005 CABLEVISION OF MASSACHUSETTS, INC.

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

A Reinstatement of an expired receive-only earth station registration.

SITE ID: 1

LOCATION: 1253 WORCESTER ROAD, MIDDLESEX, FRAMINGHAM, MA

42 ° 17 ' 57.00 " N LAT.

71 ° 27 ' 4.00 " W LONG.

ANTENNA ID: 5M	5 meters	ANTENNA TECHNOLOGIES	SIMUSAT 5
3700.0000 - 4200.0000 MHz	36M0F8W		RECEIVE ONLY RF CARRIER
3700.0000 - 4200.0000 MHz	36M0G7W		RECEIVE ONLY RF CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20000928-01818 E000626 CIMTEL CABLE COMPANY

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: MANNFORD, CREEK, MANNFORD, OK
36 ° 7 ' 24.20 " N LAT. 96 ° 21 ' 29.00 " W LONG.
ANTENNA ID: 1 5 meters ANIXTER-MARK ES40200SD
3700.0000 - 4200.0000 MHz 36M0F8F ANALOG
3700.0000 - 4200.0000 MHz 36M0G7W DIGITAL

Points of Communication:

1 - ALSAT - (ALSAT)

SER-T/C-20000928-01809 E990061 ORBCOMM GLOBAL, L.P.

Application for Consent to Transfer of Control

Current Licensee: ORBCOMM GLOBAL, L.P.

FROM: ORBCOMM GLOBAL, L.P.

TO: ORBCOMM GLOBAL, L.P. DEBTOR IN POSSESSION

No. of Station(s) listed: 5

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.