



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00267

Wednesday March 7, 2001

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. & 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20010225-00345 E000669 IDIRECT, INC.

Amendment

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service, International Fixed Satellite Service

Amendment filed to add antennas, to change assigned frequencies and to change points of communication.

SITE ID: Manassas Hub-Ku

LOCATION: 10211 Piper Lane, Prince William, Manassas, VA

38 ° 43 ' 47.00 " N LAT.

77 ° 31 ' 49.00 " W LONG.

ANTENNA ID:	Size	Model	Power	Modulation
CS-K1	9.3 meters	Vertex	9.3 KP	
14000.0000 - 14500.0000 MHz		30M0G7W	85.20 dBW	QPSK, digital data, video, voice
11450.0000 - 11700.0000 MHz		8M0G7W		QPSK, digital data, video, voice
10950.0000 - 11200.0000 MHz		8M0G7W		QPSK, digital data, video, voice
R-2A	1.8 meters	CHANNEL MASTER	184	
14000.0000 - 14500.0000 MHz		405KG7W	52.60 dBW	QPSK, digital data, video, voice
14000.0000 - 14500.0000 MHz		8M00G7W	52.60 dBW	QPSK, digital data, video, voice
11700.0000 - 12200.0000 MHz		30M0G7W		QPSK, digital data, video, voice
R-3A	2.4 meters	CHANNEL MASTER	244	
14000.0000 - 14500.0000 MHz		405KG7W	55.10 dBW	QPSK, digital data, video, voice
14000.0000 - 14500.0000 MHz		8M00G7W	55.10 dBW	QPSK, digital data, video, voice
11700.0000 - 12200.0000 MHz		30M0G7W		QPSK, digital data, video, voice
R-1A	1.2 meters	CAHNNEL MASTER	123	
14000.0000 - 14500.0000 MHz		405KG7W	49.30 dBW	QPSK, digital data, video, voice
14000.0000 - 14500.0000 MHz		8M00G7W	49.30 dBW	QPSK, digital data, video, voice

11700.0000 - 12200.0000 MHz	30M0G7W		QPSK, digital data, video, voice
ANTENNA ID: HUB-A	9.3 meters	VERTEX	9.3KP
14000.0000 - 14500.0000 MHz	30M0G7W	85.20 dBW	QPSK, digital data, video, voice
11450.0000 - 12200.0000 MHz	8M00G7W		QPSK, digital data, video, voice
10950.0000 - 11200.0000 MHz	8M00G7W		QPSK, digital data, video, voice

Points of Communication:

Manassas Hub-Ku - ALSAT - (ALSAT)

SES-AMD-20010227-00354 E970335 COMBINED COMMUNICATIONS CORPORATION OF OKLAHOMA, INC.
Amendment

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

Amendment file to add a new emission designator to the existing modification.

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	2.4 meters	VERTEX	2.4 DMK
14000.0000 - 14500.0000 MHz	24M0F8W	67.90 dBW	
14000.0000 - 14500.0000 MHz	36M0F8W	69.40 dBW	
11700.0000 - 12200.0000 MHz			
14000.0000 - 14500.0000 MHz	15M0G7W	66.00 dBW	DIGITAL MCPC QPSK CARRIER USED FOR VIDEO/VOICE/DATA.
11700.0000 - 12200.0000 MHz	15M0G7W		DIGITAL MCPC QPSK CARRIER USED FOR VIDEO/VOICE/DATA.

Points of Communication:

1 - ALSAT - (ALSAT)

SES-ASG-20010216-00341 E860234 CONTEL FEDERAL SYSTEMS

Application for Consent to Assignment

Current Licensee: CONTEL FEDERAL SYSTEMS

FROM: CONTEL FEDERAL SYSTEMS

TO: DYNCORP INFORMATION SYSTEMS LLC

No. of Station(s) listed: 27

SES-LIC-20001030-02083 E000669 iDIRECT, INC. (FORMERLY COMSOFT SYSTEMS)

Application for Authority

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Manassas Hub-Ku

LOCATION: 10211 Piper Lane, Prince William, Manassas, VA

38 ° 43 ' 47.00 " N LAT.

77 ° 31 ' 49.00 " W LONG.

ANTENNA ID: CS-K1	9.3 meters	Vertex	9.3 KP
14000.0000 - 14500.0000 MHz	30M0G7W	85.20 dBW	QPSK, digital data, video, voice
10950.0000 - 11200.0000 MHz	8M0G7W		QPSK, digital data, video, voice
11450.0000 - 11700.0000 MHz	8M0G7W		QPSK, digital data, video, voice
ANTENNA ID: R-2A	1.8 meters	CHANNEL MASTER	184
14000.0000 - 14500.0000 MHz	405KG7W	52.60 dBW	QPSK, digital data, video, voice
14000.0000 - 14500.0000 MHz	8M00G7W	52.60 dBW	QPSK, digital data, video, voice

11700.0000 - 12200.0000 MHz	30M0G7W			QPSK, digital data, video, voice
ANTENNA ID: R-3A	2.4 meters	CHANNEL MASTER		244
14000.0000 - 14500.0000 MHz	405KG7W	55.10 dBW		QPSK, digital data, video, voice
14000.0000 - 14500.0000 MHz	8M00G7W	55.10 dBW		QPSK, digital data, video, voice
11700.0000 - 12200.0000 MHz	30M0G7W			QPSK, digital data, video, voice
ANTENNA ID: R-1A	1.2 meters	CHANNEL MASTER		123
14000.0000 - 14500.0000 MHz	405KG7W	49.30 dBW		QPSK, digital data, video, voice
14000.0000 - 14500.0000 MHz	8M00G7W	49.30 dBW		QPSK, digital data, video, voice
11700.0000 - 12200.0000 MHz	30M0G7W			QPSK, digital data, video, voice
ANTENNA ID: HUB-A	9.3 meters	VERTEX		9.3 KP
14000.0000 - 14500.0000 MHz	30M0G7W	85.20 dBW		QPSK, digital data, video, voice
11450.0000 - 12200.0000 MHz	8M00G7W			QPSK, digital data, video, voice
10950.0000 - 11200.0000 MHz	8M00G7W			QPSK, digital data, video, voice

Points of Communication:

- Manassas Hub-Ku - ALSAT - (ALSAT)
- Manassas Hub-Ku - ANIK E1 - (111.1 W.L.)
- Manassas Hub-Ku - INTELSAT AOR -
- Manassas Hub-Ku - SATMEX-5 - (116.8 W.L.)

SES-LIC-20010205-00268 E010033 SAT-LINK OF ARKANSAS, LLC

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.8 meters	VERTEX/RSI		1.8 SMK-LT
14000.0000 - 14500.0000 MHz	36M0F8F	71.36 dBW		ANALOG VIDEO W/ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	24M0F8F	68.36 dBW		ANALOG VIDEO W/ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	24M0G7F	65.10 dBW		PSK DIGITAL VIDEO W/DIGITAL AUDIO/DATA

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - ANIK E1 - (111.1 W.L.)
- 1 - ANIK E2 - (107.3 W.L.)

SES-LIC-20010206-00372 E010053 GOOD NEWS COMMUNICATIONS, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 3222 SO. RICHEY AVE., PIMA, TUCSON, AZ

32 ° 11 ' 14.00 " N LAT.

110 ° 55 ' 1.00 " W LONG.

ANTENNA ID: 1	2.4 meters	CHANNEL MASTER		62-24356.01
14000.0000 - 14500.0000 MHz	400KG1D	52.12 dBW		MULTI CARRIER QPSK DIGITAL SCPC 1/2 FEC

11700.0000 - 12200.0000 MHz

400KG1D

MULTI CARRIER QPSK DIGITAL
SCPC 1/2 FEC

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20010221-00360 E010047 MARINESAT COMMUNICATIONS NETWORK, INC. D/B/A STRATOS
COMMUNICATIONS

Application for Authority

Class of Station: Mobile Earth Station

Nature of Service: International Fixed Satellite Service

Blanket license for 1000 Inmarsat M mobile earth terminals for use in the U.S. in conjunction with Inmarsat Ltd satellites and Stratos' Laurentides land earth station in Quebec, Canada. The Inmarsat M terminals will provide land mobile satellite services (voice, data and fax services to support customers' to access the Internet and PSTN) via the Inmarsat Ltd Satellite System's Third generation satellites in the East and West Atlantic Ocean Regions.

SITE ID: 1

LOCATION:

ANTENNA ID: 1	0.56 meters	NERA	SATURN M
1626.5000 - 1645.5000 MHz	10K0G1W	27.00 dBW	VOICE, DATA, FAX O-QPSK
1626.5000 - 1645.5000 MHz	20K0G1X	21.00 dBW	SIGNALLING BPSK
1525.0000 - 1545.0000 MHz	10K0G1W		VOICE, DATA, FAX O-QPSK
1525.0000 - 1545.0000 MHz	20K0G1X		SIGNALLING BPSK

Points of Communication:

1 - INMARSAT Ltd-3 - (178 E.L.)

SES-LIC-20010221-00361 E010048 MARINESAT COMMUNICATIONS NETWORK, INC. D/B/A STRATOS
COMMUNICATIONS

Application for Authority

Class of Station: Mobile Earth Station

Nature of Service: International Fixed Satellite Service

Blanket license for 1000 Inmarsat Mini-M mobile earth terminals for use in the U.S. in conjunction with Inmarsat Ltd satellites and Stratos' Laurentides land earth station in Quebec, Canada. The Inmarsat Mini-M terminals will provide land mobile satellite services (voice, data and fax services to support customers' to access the Internet and PSTN) via the Inmarsat Ltd Satellite System's Third generation satellites in the East and West Atlantic Ocean Regions.

SITE ID: 1

LOCATION:

ANTENNA ID: 1	0.26 meters	NERA	WORLDPONE
1626.5000 - 1660.5000 MHz	5K00G1E	17.00 dBW	MINI-M VOICE, DATA AND FAX O-QPSK
1626.5000 - 1660.5000 MHz	20K0G1X	17.00 dBW	SIGNALLING BPSK
1525.0000 - 1559.0000 MHz	5K00G1E		MINI-M VOICE, DATA AND FAX O-QPSK
1525.0000 - 1559.0000 MHz	20K0G1X		SIGNALLING BPSK
ANTENNA ID: 2	0.27 meters	THRANE & THRANE	TT3060A

Points of Communication:

1 - INMARSAT Ltd-3 - (178 E.L.)

SES-LIC-20010221-00362 E010049 MARINESAT COMMUNICATIONS NETWORK, INC. D/B/A STRATOS
COMMUNICATIONS

Application for Authority

Class of Station: Mobile Earth Station

Nature of Service: International Fixed Satellite Service

Blanket license for 1000 Inmarsat Mini-B mobile earth terminals for use in the U.S. in conjunction with Inmarsat Ltd satellites and Stratos' Laurentides land earth station in Quebec, Canada. The Inmarsat Mini-B terminals will provide land mobile satellite services (voice, data and fax services to support customers' to access the Internet and PSTN) via the Inmarsat Ltd Satellite System's Third generation satellites in the East and West Atlantic Ocean Regions.

SITE ID: 1

LOCATION:

ANTENNA ID: 1	0.8 meters	NERA	SATURN BM
1626.5000 - 1646.5000 MHz	20K0G1E	33.00 dBW	VOICE, DATA, FAX O-QPSK
1626.5000 - 1646.5000 MHz	20K0G1X	25.00 dBW	SIGNALLING BPSK
1626.5000 - 1646.5000 MHz	100K0G1X	33.00 dBW	64KBPS DATA, FAX O-QPSK
1525.0000 - 1545.0000 MHz	20K0G1E		VOICE, DATA, FAX O-QPSK
1525.0000 - 1545.0000 MHz	20K0G1X		SIGNALLING BPSK
1525.0000 - 1545.0000 MHz	100K0G1X		

Points of Communication:

1 - INMARSAT Ltd-3 - (178 E.L.)

SES-LIC-20010221-00363 E010050 MARINESAT COMMUNICATIONS NETWORK, INC. D/B/A STRATOS COMMUNICATIONS

Application for Authority

Class of Station: Mobile Earth Station

Nature of Service: International Fixed Satellite Service

Blanket license for 1000 Inmarsat-C mobile earth terminals for use in the U.S. in conjunction with Inmarsat Ltd satellites and Stratos' Laurentides land earth station in Quebec, Canada. The Inmarsat-C terminals will provide land mobile satellite services (voice, data and fax services to support customers' to access the Internet and PSTN) via the Inmarsat Ltd Satellite System's Third generation satellites in the East and West Atlantic Ocean Regions.

SITE ID: 1

LOCATION:

ANTENNA ID: 1	0.18 meters	TRIMBLE	TNL7002
1626.5000 - 1646.5000 MHz	2K50G1D	16.00 dBW	600 BPS DATA QPSK
1525.0000 - 1545.0000 MHz	2K50G1D		600 BPS DATA QPSK
ANTENNA ID: 2	0.18 meters	THRANE & THRANE	TT3606C

Points of Communication:

1 - INMARSAT Ltd-3 - (178 E.L.)

SES-LIC-20010228-00373 E010054 ONSAT NETWORK COMMUNICATIONS, INC.

Application for Authority

Class of Station: VSAT Fixed Hub Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: OnSat HUB

LOCATION: 5 Triad Center, Salt Lake City, UT

40 ° 46 ' 12.00 " N LAT.

111 ° 54 ' 3.00 " W LONG.

ANTENNA ID: Hub-A	3.8 meters	Vertex	3.8 m Dual Optics
5925.0000 - 5935.0000 MHz	520KG7D	46.60 dBW	QPSK, 3/4 RATE FEC - DATA
5925.0000 - 5935.0000 MHz	360KG7D	45.00 dBW	BPSK, 1/2 RATE FEC - DATA
6165.0000 - 6185.0000 MHz	520KG7D	46.60 dBW	QPSK, 3/4 RATE FEC - DATA
6165.0000 - 6185.0000 MHz	360KG7D	45.00 dBW	BPSK, 1/2 RATE FEC - DATA

6245.0000 - 6265.0000 MHz	520KG7D	46.60 dBW	QPSK, 3/4 RATE FEC - DATA
6245.0000 - 6265.0000 MHz	360KG7D	45.00 dBW	BPSK, 1/2 RATE FEC - DATA
6415.0000 - 6425.0000 MHz	520KG7D	46.60 dBW	QPSK, 3/4 RATE FEC - DATA
6415.0000 - 6425.0000 MHz	360KG7D	45.00 dBW	BPSK, 1/2 RATE FEC - DATA
3700.0000 - 3710.0000 MHz	520KG7D		QPSK, 3/4 FEC DATA
3700.0000 - 3710.0000 MHz	360KG7D		BPSK, 1/2 FEC DATA
3700.0000 - 3710.0000 MHz	6M00G7D		QPSK, 3/4 RATE FEC - DATA
3940.0000 - 3960.0000 MHz	520KG7D		QPSK, 3/4 FEC DATA
3940.0000 - 3960.0000 MHz	360KG7D		BPSK, 1/2 FEC DATA
3940.0000 - 3960.0000 MHz	6M00G7D		QPSK, 3/4 RATE FEC - DATA
4020.0000 - 4040.0000 MHz	520KG7D		QPSK, 3/4 FEC DATA
4020.0000 - 4040.0000 MHz	360KG7D		BPSK, 1/2 FEC DATA
4020.0000 - 4040.0000 MHz	6M00G7D		QPSK, 3/4 RATE FEC - DATA
4190.0000 - 4200.0000 MHz	520KG7D		QPSK, 3/4 FEC DATA
4190.0000 - 4200.0000 MHz	360KG7D		BPSK, 1/2 FEC DATA
4190.0000 - 4200.0000 MHz	6M00G7D		QPSK, 3/4 RATE FEC - DATA
6415.0000 - 6425.0000 MHz	6M00G7D	57.30 dBW	QPSK 3/4 RATE FEC - DATA
6245.0000 - 6265.0000 MHz	6M00G7D	57.30 dBW	QPSK 3/4 RATE FEC - DATA
6165.0000 - 6185.0000 MHz	6M00G7D	57.30 dBW	QPSK 3/4 RATE FEC - DATA
5925.0000 - 5935.0000 MHz	6M00G7D	57.30 dBW	QPSK 3/4 RATE FEC - DATA

Points of Communication:

- OnSat HUB - GALAXY 4R - (99 W.L.)
- OnSat HUB - GE GSTAR 4 - (105 W.L.)
- OnSat HUB - TELSTAR 5 - (97 W.L.)

SES-MOD-20001031-02080 E970335 COMBINED COMMUNICATIONS CORPORATION OF OKLAHOMA, INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service

Modification file to add Digital Satellite News Gathering capabilities to it analog fixed Ku-band uplink to provision of digital coverage.

SITE ID: 1

LOCATION: VARIOUS LOCATIONS

ANTENNA ID: 1	2.35 meters	VERTEX	2.4 DMK
14000.0000 - 14500.0000 MHz	24M0F8W	67.90 dBW	
14000.0000 - 14500.0000 MHz	36M0F8W	69.40 dBW	
11700.0000 - 12200.0000 MHz			

Points of Communication:

- 1 - ALSAT - (ALSAT)

SES-MOD-20010206-00288 E980228 WILLIAMS COMMUNICATIONS, LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification filed to add Intelsat POR as points of communication.

SITE ID: 1

LOCATION: 20021 SANTA ROSA MINE ROAD, RIVERSIDE, PERRIS, CA

33 ° 45 ' 30.10 " N LAT.

117 ° 18 ' 50.60 " W LONG.

ANTENNA ID:	COM12/9.2m	9.2 meters	COMSAT RSI	920CS
	5925.0000 - 6425.0000 MHz	8M00G7F	71.30 dBW	Digital video
	5925.0000 - 6425.0000 MHz	1M54G7W	64.10 dBW	Voice, video, data
	5925.0000 - 6425.0000 MHz	65K7G7W	50.80 dBW	Voice, fax, data
	5925.0000 - 6425.0000 MHz	128KG7W	53.40 dBW	Voice, fax, data
	5925.0000 - 6425.0000 MHz	36M0F8W	77.80 dBW	Analog video with data subcarriers
	5925.0000 - 6425.0000 MHz	24M0F8W	77.80 dBW	Analog video with data subcarriers
	5925.0000 - 6425.0000 MHz	20M0G7W	75.20 dBW	Voice, video, data
	3700.0000 - 4200.0000 MHz	8M00G7F		Digital video
	3700.0000 - 4200.0000 MHz	1M54G7W		Voice, video, data
	3700.0000 - 4200.0000 MHz	65K7G7W		Voice, fax, data
	3700.0000 - 4200.0000 MHz	128KG7W		Voice, fax, data
	3700.0000 - 4200.0000 MHz	36M0F8W		Analog video with data subcarriers
	3700.0000 - 4200.0000 MHz	24M0F8W		Analog video with data subcarriers
	3700.0000 - 4200.0000 MHz	20M0G7W		Voice, video, data
ANTENNA ID:	COM14/9.1m	9.1 meters	ANDREW	ESA91H-46-S
	5925.0000 - 6425.0000 MHz	8M00G7F	69.20 dBW	Digital video with audio subcarriers
	5925.0000 - 6425.0000 MHz	1M54G7W	62.00 dBW	Voice, video, data
	5925.0000 - 6425.0000 MHz	128KG7W	51.30 dBW	Voice, fax, data
	5925.0000 - 6425.0000 MHz	65K7G7W	48.70 dBW	Voice, fax, data
	5925.0000 - 6425.0000 MHz	36M0F8W	75.70 dBW	Analog video with data subcarriers
	5925.0000 - 6425.0000 MHz	24M0F8W	75.70 dBW	Analog video with data subcarriers
	5925.0000 - 6425.0000 MHz	20M0G7W	73.10 dBW	Voice, video, data
	3700.0000 - 4200.0000 MHz	8M00G7F		Digital video with audio subcarriers
	3700.0000 - 4200.0000 MHz	1M54G7W		Voice, video, data
	3700.0000 - 4200.0000 MHz	128KG7W		Voice, fax, data
	3700.0000 - 4200.0000 MHz	65K7G7W		Voice, fax, data
	3700.0000 - 4200.0000 MHz	36M0F8W		Analog video with data subcarriers
	3700.0000 - 4200.0000 MHz	24M0F8W		Analog video with data subcarriers
	3700.0000 - 4200.0000 MHz	20M0G7W		Voice, video, data
ANTENNA ID:	COM15/9.2m	9.2 meters	COMSAT RSI	920CS
	5925.0000 - 6425.0000 MHz	36M0F8W	77.80 dBW	Analog Video with data subcarriers
	5925.0000 - 6425.0000 MHz	24M0F8W	77.80 dBW	Analog Video with data subcarriers
	5925.0000 - 6425.0000 MHz	20M0G7W	75.20 dBW	Video, voice, data
	5925.0000 - 6425.0000 MHz	128KG7W	53.40 dBW	Fax, voice, data
	5925.0000 - 6425.0000 MHz	8M00G7F	71.30 dBW	Digital video with audio subcarriers
	5925.0000 - 6425.0000 MHz	1M54G7W	64.10 dBW	Voice, video, data
	5925.0000 - 6425.0000 MHz	65K7G7W	50.80 dBW	Voice, fax, data
	3700.0000 - 4200.0000 MHz	36M0F8W		Analog Video with data subcarriers
	3700.0000 - 4200.0000 MHz	24M0F8W		Analog Video with data subcarriers

3700.0000 - 4200.0000 MHz	20M0G7W	Video, voice, data
3700.0000 - 4200.0000 MHz	128K7W	Fax, voice, data
3700.0000 - 4200.0000 MHz	8M00G7F	Digital video with audio subcarriers
3700.0000 - 4200.0000 MHz	1M54G7W	Voice, video, data
3700.0000 - 4200.0000 MHz	65K7G7W	Voice, fax, data

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - ANIK E1 - (111.1 W.L.)
- 1 - ANIK E2 - (107.3 W.L.)
- 1 - INTELSAT POR - (174.0 E.L.)
- 1 - INTELSAT POR - (176.0 E.L.)
- 1 - INTELSAT POR - (180.0 E.L.)
- 1 - MORELOS-2 - (116.8 W.L.)
- 1 - SOLIDARIDAD F-1 - (109.2 W.L.)
- 1 - SOLIDARIDAD F-2 - (113.0 W.L.)

SES-MOD-20010207-00236 E980340 DIRECTV ENTERPRISES, INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Feeder Link for DBS in Fixed Satellite Service, Fixed Satellite Service

Modification filed to add two 11.3-meter Vertex RSI antennas and a new emission designator.

SITE ID: 1

LOCATION: 12800 CULVER BLVD., LOS ANGELES, LOS ANGELES, CA

33 ° 59 ' 1.00 " N LAT.

118 ° 25 ' 26.00 " W LONG.

ANTENNA ID: 1	11.3 meters	COMSAT RSI	1100KS
17300.0000 - 17800.0000 MHz	24M0G7F	87.40 dBW	Feeder link for DBS
12200.0000 - 12700.0000 MHz	24M0G7F		DBS/digital Television
ANTENNA ID: 2	11.3 meters	RSI SATCOM TECH.	1100KS
ANTENNA ID: A5/A6	11.3 meters	VERTEX RSI	1100KS
17300.0000 - 17800.0000 MHz	24M0G7W	90.80 dBW	Digital Television
12200.0000 - 12700.0000 MHz	24M0G7W		QPSK Digital Television

Points of Communication:

- 1 - Tempo 1 - (119.0 W.L.)
- 1 - Tempo 2 - (119.0 W.L.)

SES-MOD-20010212-00335 E900279 WATERMAN BROADCASTING CORPORATION OF FLORIDA

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add new emission designator and related service to its existing earth station as part of WBBH-TV'S transition to DTV service to engage in both analog and digital transmission of signals.

SITE ID: 1

LOCATION: FORT MYERS, LEE, FL. 33911-7578, VARIOUS

ANTENNA ID: 1	2.4 meters	ANDREW CORPORATION	ESA 2.4VSM-KU-Z
14000.0000 - 14500.0000 MHz	36M0F3F	74.90 dBW	ANALOG TELEVISION
11700.0000 - 12200.0000 MHz	36M0F3F		ANALOG TELEVISION
14000.0000 - 14500.0000 MHz	36M0G7W	74.90 dBW	DIGITAL TELEVISION

11700.0000 - 12200.0000 MHz 36M0G7W DIGITAL TELEVISION

Points of Communication:
1 - ALSAT - (ALSAT)

SES-MOD-20010216-00346 E980012 WXII HEARST-ARGYLE TELEVISION

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add new emission designator Digital Satellite News Gathering capabilities to its existing analog transportable KU-band uplink.

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	2.4 meters	ANDREW CORP.	203197
14000.0000 - 14500.0000 MHz	24M0F8F	75.70 dBW	
14000.0000 - 14500.0000 MHz	36M0F8F	75.70 dBW	
14000.0000 - 14500.0000 MHz	40K0F4E	51.50 dBW	
11700.0000 - 12200.0000 MHz			
14000.0000 - 14500.0000 MHz	7M65G7F	60.00 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL VIDEO/DATA.
11700.0000 - 12200.0000 MHz	7M65G7F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL VIDEO/DATA.

Points of Communication:
1 - ALSAT - (ALSAT)

SES-MOD-20010220-00342 E8335 PACIFIC AND SOUTHERN COMPANY, INC.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add the new emission designator and related service to the existing emission designators and related service.

SITE ID: 1

LOCATION: 11450 GANDY BLVD., ST. PETERSBURG , PINELLAS, FL 33702, VARIOUS

ANTENNA ID: 1	2.4 meters	ANDREW	ESA24VSM-KU
14000.0000 - 14500.0000 MHz	25K0F3E	44.10 dBW	DIGITAL MCPC QPSK CARRIER USED FOR VIDEO/VOICE/DATA.
14000.0000 - 14500.0000 MHz	24M0G7W	71.60 dBW	DIGITAL MCPC QPSK CARRIER USED FOR VIDEO/VOICE/DATA.
14000.0000 - 14500.0000 MHz	36M0F3E	76.40 dBW	DIGITAL MCPC QPSK CARRIER USED FOR VIDEO/VOICE/DATA.

Points of Communication:
1 - ALSAT - (ALSAT)

SES-MOD-20010222-00357 KD38 ALASCOM, INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

MOD to change and add emission designator and related service.

SITE ID: 1
LOCATION: GALENA, AK
64 ° 44 ' 31.00 " N LAT. 156 ° 53 ' 9.00 " W LONG.

ANTENNA ID:	1	10 meters	SCIENTIFIC ATLANTA	8002
5925.0000 - 6425.0000 MHz		13K3G1E	52.30 dBW	QPSK, 16 KBPS, VOICE
5925.0000 - 6425.0000 MHz		26K7G1W	55.30 dBW	QPSK, 32 KBPS, VOICE & DATA
5925.0000 - 6425.0000 MHz		53K3G1W	58.30 dBW	QPSK, 64 KBPS, VOICE & DATA
5925.0000 - 6425.0000 MHz		86K4G1D	60.00 dBW	QPSK, 64 KBPS DATA
5925.0000 - 6425.0000 MHz		1M15G7W	67.50 dBW	QPSK, T1, ADPCM
3700.0000 - 4200.0000 MHz		30K0F3W		
3700.0000 - 4200.0000 MHz		13K3G1E		
5925.0000 - 6425.0000 MHz		30K0F3W	49.90 dBW	FM, VOICE & DATA
5925.0000 - 6425.0000 MHz		75K6G1D	49.50 dBW	QPSK, 56 KBPS DATA
5925.0000 - 6425.0000 MHz		24K0G1D	54.80 dBW	QPSK, CONTROL CHANNEL
3700.0000 - 4200.0000 MHz		26K7G1W		
3700.0000 - 4200.0000 MHz		53K3G1W		
3700.0000 - 4200.0000 MHz		75K6G1D		
3700.0000 - 4200.0000 MHz		86K4G1D		
3700.0000 - 4200.0000 MHz		24K0G1D		
3700.0000 - 4200.0000 MHz		1M15G7W		

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MSC-20010220-00349 MARINESAT COMMUNICATIONS NETWORK, INC. D/B/A STRATOS COMMUNICATIONS

Miscellaneous Filing

Class of Station:

Application filed pursuant to Section 214 of the Communications Act of 1934 for authority to provide Inmarsat-B, -M, Mini-M and -C land mobile satellite services to domestic mobile earth stations using the Inmarsat Ltd Satellite System's Third generation satellites in the East and West Atlantic Ocean Regions.

Points of Communication:

SES-REG-20010206-00331 E010039 THE ASSOCIATED PRESS

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 418 SENECA (TIMES), LEAVENWORTH, LEAVENWORTH, KS
39 ° 19 ' 12.00 " N LAT. 94 ° 54 ' 54.00 " W LONG.

ANTENNA ID:	1	2.8 meters	RADIATIONS	280K
3700.0000 - 4200.0000 MHz		200KF3A		ANALOG
3700.0000 - 4200.0000 MHz		180KF2D		DIGITAL
3700.0000 - 4200.0000 MHz		2M50F1D		DIGITAL

Points of Communication:

1 - ALSAT - (ALSAT)

SES-T/C-20010206-00251 E6469 CITADEL BROADCASTING COMPANY

Application for Consent to Transfer of Control

Current Licensee: CITADEL BROADCASTING COMPANY

FROM: SHAREHOLDERS OF CITADEL COMMUNICATIONS CORP

TO: FLCC HOLDINGS, INC.

No. of Station(s) listed: 1

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.