



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. **SES-00390**

Wednesday May 8, 2002

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. & 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-ASG-20020322-00440 E000065 Meredith Corporation
Application for Consent to Assignment
Current Licensee: MEREDITH CORPORATION
FROM: MEREDITH CORPORATION
TO: FOX TELEVISION STATIONS, INC.

No. of Station(s) listed: 1

SES-LIC-20020409-00630 E020101 LORAL SPACECOM CORPORATION
Application for Authority
Class of Station: VSAT Fixed Hub Station
Nature of Service: Domestic Fixed Satellite Service

SITE ID: HUB

LOCATION: P.O. BOX 7018, SOMERSET, BEDMINSTER, NJ
40 ° 39 ' 5.00 " N LAT.

74 ° 38 ' 38.00 " W LONG.

ANTENNA ID: 4.6M	4.6 meters	ANDREW	ES46-124W
14000.0000 - 14500.0000 MHz	3M91G7W	67.00 dBW	QPSK 3MBPS HUB OUTBOUND TO VSAT
11700.0000 - 12200.0000 MHz	324KG7W		QPSK 144 KBPS
11700.0000 - 12200.0000 MHz	842KG7W		QPSK 384 KBPS
11700.0000 - 12200.0000 MHz	4M41G7W		QPSK 2048 KBPS

SITE ID: REMOTE 0.95M

LOCATION: CONUS (0.95M)

ANTENNA ID: 0.95M	0.95 meters	RAYTHEON	SMDS2100
11700.0000 - 12200.0000 MHz	3M91G7W		QPSK 3MBPS HUB OUTBOUND TO VSAT

14000.0000 - 14500.0000 MHz	324KG7W	44.70 dBW	QPSK 144 KBPS
14000.0000 - 14500.0000 MHz	842KG7W	44.70 dBW	QPSK 384 KBPS
14000.0000 - 14500.0000 MHz	4M41G7W	44.70 dBW	QPSK 2048 KBPS

SITE ID: REMOTE 1.2M

LOCATION: CONUS 1.2M

ANTENNA ID: 1.2M	1.2 meters	PRODELIN	1134
11700.0000 - 12200.0000 MHz	3M91G7W		QPSK 3MBPS HUB OUTBOUND TO VSAT
14000.0000 - 14500.0000 MHz	324KG7W	46.00 dBW	QPSK 144 KBPS
14000.0000 - 14500.0000 MHz	842KG7W	46.00 dBW	QPSK 384 KBPS
14000.0000 - 14500.0000 MHz	4M41G7W	46.00 dBW	QPSK 2048 KBPS

SITE ID: REMOTE 1.8M

LOCATION: CONUS 1.8M

ANTENNA ID: 1.8M	1.8 meters	PRODELIN	1194
11700.0000 - 12200.0000 MHz	3M91G7W		QPSK 3MBPS HUB OUTBOUND TO VSAT
14000.0000 - 14500.0000 MHz	324KG7W	49.70 dBW	QPSK 144 KBPS
14000.0000 - 14500.0000 MHz	842KG7W	49.70 dBW	QPSK 384 KBPS
14000.0000 - 14500.0000 MHz	4M41G7W	49.70 dBW	QPSK 2048 KBPS

Points of Communication:

- HUB - ALSAT - (ALSAT)
- REMOTE 0.95M - ALSAT - (ALSAT)
- REMOTE 1.2M - ALSAT - (ALSAT)
- REMOTE 1.8M - ALSAT - (ALSAT)

SES-LIC-20020418-00673 E020109 KMEX License Partnership, G.P.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 5999 CENTER DRIVE, LOS ANGELES, LOS ANGELES, CA
 33 ° 58 ' 35.80 " N LAT. 118 ° 23 ' 17.50 " W LONG.

ANTENNA ID: 1	9.3 meters	VERTEX COMM.	KPC
5939.8000 - 6009.0000 MHz	36M0F8F	73.90 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
6059.3000 - 6107.9000 MHz	36M0F8F	73.90 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
6192.7000 - 6271.0000 MHz	36M0F8F	73.90 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
6301.4000 - 6425.0000 MHz	36M0F8F	73.90 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
5929.8000 - 6019.0000 MHz	36M0G7F	73.90 dBW	DIGITAL VIDEO AND AUDIO SUBCARRIERS
6049.3000 - 6107.9000 MHz	36M0G7F	73.90 dBW	DIGITAL VIDEO AND AUDIO SUBCARRIERS
6182.7000 - 6271.0000 MHz	36M0G7F	73.90 dBW	DIGITAL VIDEO AND AUDIO SUBCARRIERS

6301.4000 - 6425.0000 MHz	36M0G7F	73.90 dBW	DIGITAL VIDEO AND AUDIO SUBCARRIERS
3700.0000 - 4200.0000 MHz	36M0F8F	0.00 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO AND AUDIO SUBCARRIERS

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20020423-00646 E020102 EXPLORER PIPELINE COMPANY

Application for Authority

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service

Blanket Ku-band VSAT authorization for a network of approximately 73 1.8 meter remote transmit/receive terminals located throughout the United States. These remote terminals will work in conjunction with a 3.8 meter Hub station located in Glenpool, Oklahoma.

SITE ID: HUB

LOCATION: 126TH ST. SO & US HWY 75 (3.8 M), TULSA, GLENPOOL, OK

35 ° 59 ' 42.00 " N LAT.

96 ° 0 ' 28.00 " W LONG.

ANTENNA ID: HUB	3.8 meters	PRODELIN	1383
14000.0000 - 14500.0000 MHz	160KG7D	55.06 dBW	DIGITAL, DATA, 64 KBPS
11700.0000 - 12200.0000 MHz	160KG7D		DIGITAL, DATA, 64 KBPS
14000.0000 - 14500.0000 MHz	180KG7D	55.06 dBW	DIGITAL, DATE, 64 KBPS
11700.0000 - 12200.0000 MHz	180KG7D		DIGITAL, DATA, 64 KBPS

SITE ID: REMOTE 1

LOCATION: VSAT 1.8 M., CONUS, (73 UNITS)

0 ° 0 ' 0.00 " N LAT.

0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: REMOTE 1	1.8 meters	CHANNEL MASTER	183
11700.0000 - 12200.0000 MHz	160KG7D		DIGITAL, DATA, 64 KBPS
14000.0000 - 14500.0000 MHz	180KG7D	48.36 dBW	DIGITAL, DATA, 64 KBPS
11700.0000 - 12200.0000 MHz	180KG7D		DIGITAL, DATA, 64 KBPS
14000.0000 - 14500.0000 MHz	160KG7D	48.36 dBW	DIGITAL, DATA, 64 KBPS

Points of Communication:

HUB - ALSAT - (ALSAT)

REMOTE 1 - ALSAT - (ALSAT)

SES-LIC-20020426-00664 E020104 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Nikolski

LOCATION: 6831 Arctic Blvd, Anchorage, AK

52 ° 56 ' 20.30 " N LAT.

168 ° 51 ' 38.40 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific-Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4700.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data

3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	51.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	62.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	52.60 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	62.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Nikolski - ALSAT - (ALSAT)
 Nikolski - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00665 E020105 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Chefnak

LOCATION: No Street Address Available, United States, Chefnak, AK
 60 ° 9 ' 32.20 " N LAT. 164 ° 16 ' 48.30 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Chefnak - ALSAT - (ALSAT)
 Chefnak - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00669 E020106 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Eek
 LOCATION: No Street Address Available, United States, Eek, AK
 60 ° 13 ' 8.20 " N LAT. 162 ° 1 ' 48.20 " W LONG.

ANTENNA ID:	3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz			45K0G7W	PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz			36M0G7W	PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz			60K0D7W	QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz			36M0D7W	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			45K0G7W	53.40 dBW PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			36M0G7W	58.60 dBW PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			60K0D7W	54.70 dBW QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			36M0D7W	58.60 dBW QAM modulation for telephony, facsimile and data

Points of Communication:

Eek - ALSAT - (ALSAT)
 Eek - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00670 E020107 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Atka
 LOCATION: No Street Address Available, Atka, AK
 52 ° 12 ' 4.30 " N LAT. 174 ° 11 ' 50.20 " W LONG.

ANTENNA ID:	3.6	3.6 meters	Scientific-Atlanta	8136
3700.0000 - 4200.0000 MHz			45K0G7W	PSK modulation for telephony, facsimile and data
3700.0000 - 4700.0000 MHz			36M0G7W	PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz			60K0D7W	QAM modulation for telephony, facimile and data
3700.0000 - 4200.0000 MHz			36M0D7W	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			45K0G7W	51.60 dBW PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			36M0G7W	62.60 dBW PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			60K0D7W	52.60 dBW QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz			36M0D7W	62.60 dBW QAM modulation for telephony, facsimile and data

Points of Communication:

Atka - ALSAT - (ALSAT)

Atka - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00671 E020108 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Kipnuk

LOCATION: No Street Address Available, United States, Kipnuk, AK

59 ° 56 ' 7.20 " N LAT.

164 ° 2 ' 3.20 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Kipnuk - ALSAT - (ALSAT)

Kipnuk - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00688 E020111 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Nightmute

LOCATION: No Street Address Available, United States, Nightmute, AK

60 ° 28 ' 45.20 " N LAT.

164 ° 43 ' 37.30 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data

5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Nightmute - ALSAT - (ALSAT)
Nightmute - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00690 E020112 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Tununak

LOCATION: No Street Address Available, United States, Tununak, AK

60 ° 34 ' 57.00 " N LAT. 165 ° 15 ' 39.90 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Tununak - ALSAT - (ALSAT)
Tununak - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00691 E020113 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Tuntutuliak

LOCATION: No Street Address Available, United States, Tuntutuliak, AK

60 ° 20 ' 24.20 " N LAT. 162 ° 40 ' 8.20 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data

3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Tuntutuliak - ALSAT - (ALSAT)
Tuntutuliak - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00694 E020116 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Newtok

LOCATION: No Street Address Available, United States, Newtok, AK

60 ° 56 ' 34.10 " N LAT.

164 ° 37 ' 57.40 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Newtok - ALSAT - (ALSAT)
Newtok - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00695 E020115 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Kwigillingok

LOCATION: No Street Address Available, United States, Kwigillingok, AK

59 ° 52 ' 5.20 " N LAT.

163 ° 8 ' 35.20 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
-----------------	------------	----------------------	------

3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Kwigillingok - ALSAT - (ALSAT)
 Kwigillingok - ANIK E1 - (118.7 W.L.)

SES-LIC-20020426-00696 E020114 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: Kongiganak

LOCATION: No Street Address Available, United States, Kongigana, AK
 59 ° 57 ' 33.60 " N LAT. 161 ° 53 ' 36.20 " W LONG.

ANTENNA ID: 3.6	3.6 meters	Scientific - Atlanta	8136
3700.0000 - 4200.0000 MHz	45K0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0G7W		PSK modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	60K0D7W		QAM modulation for telephony, facsimile and data
3700.0000 - 4200.0000 MHz	36M0D7W		QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0G7W	58.60 dBW	PSK modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW	QAM modulation for telephony, facsimile and data
5925.0000 - 6425.0000 MHz	36M0D7W	58.60 dBW	QAM modulation for telephony, facsimile and data

Points of Communication:

Kongiganak - ALSAT - (ALSAT)
 Kongiganak - ANIK E1 - (118.7 W.L.)

SES-LIC-20020501-00663 E020103 CREATIVE EDUCATIONAL MEDIA CORPORATION INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: HUB 1

LOCATION: 11717 SOUTH 129TH EAST AVE., USA, BROKEN ARROW, OK

35 ° 59 ' 39.00 " N LAT.

95 ° 49 ' 51.00 " W LONG.

ANTENNA ID:	HUB 1	2.4 meters	CHANNEL MASTER	62.62-24356-01
	14000.0000 - 14500.0000 MHz	400KGLD	54.10 dBW	MULTI CARRIER QPSK DIGITAL SCPC 1/2/ FEC
	11700.0000 - 12200.0000 MHz	400KGLD		MULTI CARRIER QPSK DIGITAL SCPC 1/2/ FEC

SITE ID: HUB 2

LOCATION: 11717 SO 129TH EAST AVE., USA, OKLAHOMA, OK

35 ° 59 ' 39.00 " N LAT.

95 ° 49 ' 51.00 " W LONG.

ANTENNA ID:	HUB 2	2.4 meters	CHANNEL MASTER	62-24356-01
	14000.0000 - 14500.0000 MHz	400 KGLD	54.10 dBW	MULTI CARRIER QPSK DIGITAL SCPC 1/2/ FEC
	11700.0000 - 12200.0000 MHz	400 KGLD		MULTI CARRIER QPSK DIGITAL SCPC 1/2/ FEC

Points of Communication:

HUB 1 - ALSAT - (ALSAT)

SES-MOD-20020304-00689 E990452 USAAsia Telecom, LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification filed to add another antenna, to change assigned frequencies, to add Agila-2 @ 214 W.L., and to increase the satellite arc.

SITE ID: 1

LOCATION: 342 FARRINGTON HWY, 0AHU, KAPOLEI, HI

21 ° 20 ' 11.60 " N LAT.

158 ° 5 ' 19.10 " W LONG.

ANTENNA ID:	1A	9.3 meters	ANDREW CORPORATION	ES93
	5850.0000 - 6425.0000 MHz	478KG7D	59.80 dBW	DIGITAL DATA
	5850.0000 - 6425.0000 MHz	1M02G7D	63.10 dBW	DIGITAL DATA
	5850.0000 - 6425.0000 MHz	1M44G7D	64.60 dBW	DIGITAL DATA
	5850.0000 - 6425.0000 MHz	2M88G7D	67.60 dBW	DIGITAL DATA
	3700.0000 - 4200.0000 MHz	478KG7D		DIGITAL DATA
	3700.0000 - 4200.0000 MHz	1M02G7D		DIGITAL DATA
	3700.0000 - 4200.0000 MHz	1M44G7D		DIGITAL DATA
	3700.0000 - 4200.0000 MHz	2M88G7D		DIGITAL DATA
	6585.0000 - 6597.3000 MHz	478KG7D	59.80 dBW	DIGITAL DATA
	6585.0000 - 6597.3000 MHz	1M02G7D	63.10 dBW	DIGITAL DATA
	6585.0000 - 6597.3000 MHz	1M44G7D	64.60 dBW	DIGITAL DATA
	6585.0000 - 6597.3000 MHz	2M88G7D	67.60 dBW	DIGITAL DATA
	6602.7000 - 6627.3000 MHz	478KG7D	59.80 dBW	DIGITAL DATA
	6602.7000 - 6627.3000 MHz	1M02G7D	63.10 dBW	DIGITAL DATA
	6602.7000 - 6627.3000 MHz	1M44G7D	64.60 dBW	DIGITAL DATA
	6602.7000 - 6627.3000 MHz	2M88G7D	67.60 dBW	DIGITAL DATA

6659.2000 - 6669.8000 MHz	478KG7D	59.80 dBW	DIGITAL DATA
6659.2000 - 6669.8000 MHz	1M02G7D	63.10 dBW	DIGITAL DATA
6659.2000 - 6669.8000 MHz	1M44G7D	64.60 dBW	DIGITAL DATA
6659.2000 - 6669.8000 MHz	2M88G7D	67.60 dBW	DIGITAL DATA
6680.2000 - 6689.8000 MHz	478KG7D	59.80 dBW	DIGITAL DATA
6680.2000 - 6689.8000 MHz	1M02G7D	63.10 dBW	DIGITAL DATA
6680.2000 - 6689.8000 MHz	1M44G7D	64.60 dBW	DIGITAL DATA
6680.2000 - 6689.8000 MHz	2M88G7D	67.60 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	478KG7D	59.80 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	1M02G7D	63.10 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	1M44G7D	64.60 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	2M88G7D	67.60 dBW	DIGITAL DATA
ANTENNA ID: 1B	11 meters	VERTEX COMM	11KPC
3700.0000 - 4200.0000 MHz	43K9G7D-		DIGITAL DATA
3700.0000 - 4200.0000 MHz	16M4G7D		DIGITAL DATA
5850.0000 - 6271.0000 MHz	43K9G7D-	60.00 dBW	DIGITAL DATA
5850.0000 - 6271.0000 MHz	3M28G7D	78.70 dBW	DIGITAL DATA
6331.0000 - 6425.0000 MHz	43K9G7D	60.00 dBW	DIGITAL DATA
6331.0000 - 6425.0000 MHz	3M28G7D	78.70 dBW	DIGITAL DATA
6602.7000 - 6619.8000 MHz	43K9G7D-	60.00 dBW	DIGITAL DATA
6602.7000 - 6619.8000 MHz	3M28G7D	78.70 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	43K9G7D-	60.00 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	3M28G7D	78.70 dBW	DIGITAL DATA
5850.0000 - 6271.0000 MHz	3M29G7D-	78.70 dBW	DIGITAL DATA
5850.0000 - 6271.0000 MHz	16M4G7D	78.70 dBW	DIGITAL DATA
6331.0000 - 6425.0000 MHz	3M29G7D-	78.70 dBW	DIGITAL DATA
6331.0000 - 6425.0000 MHz	16M4G7D	78.70 dBW	DIGITAL DATA
6602.7000 - 6619.8000 MHz	3M29G7D-	78.70 dBW	DIGITAL DATA
6602.7000 - 6619.8000 MHz	16M4G7D	78.70 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	3M29G7D-	78.70 dBW	DIGITAL DATA
6700.2000 - 6725.0000 MHz	16M4G7D	78.70 dBW	DIGITAL DATA

Points of Communication:

1 - JCSAT-3 - (128 E.L.)

SES-MOD-20020403-00539 E890427 HUGHES NETWORK SYSTEMS, INC.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service

"MOD" for earth station E890427 to authorize communication with the 6.1 meter hub antenna authorized under call sign E940372. In addition, this application requests a correction in the area of operation to CONUS, AK, HI, PR, VI. This application also requests a correction in the existing remote control point and hub station call sign to E940460.

SITE ID: 1

LOCATION: VSAT 1.8M. (15,030 units), CONUS, AK, HI, VI,PR

ANTENNA ID: 1 1.8 meters HUGHES NETW SYSTS PES-RFT-180

14000.0000 - 14500.0000 MHz	154KG7D	46.70 dBW
14000.0000 - 14500.0000 MHz	307KG7D	49.70 dBW
14000.0000 - 14500.0000 MHz	614KG7D	49.70 dBW
11700.0000 - 12200.0000 MHz	1M22D7D	
11700.0000 - 12200.0000 MHz	36M0F8F	
11700.0000 - 12200.0000 MHz	3M96G7D	

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20020403-00554 E890426 HUGHES NETWORK SYSTEMS, INC.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service

Modification filed to correct area of operation.

SITE ID: TR 2.4M

LOCATION: CONUS, AK, HI, VI, PR

ANTENNA ID: 1 2.4 meters HUGHES NETW SYSTS PES-RFT-240

14000.0000 - 14500.0000 MHz	154KG7D	48.80 dBW
14000.0000 - 14500.0000 MHz	307KG7D	51.80 dBW
14000.0000 - 14500.0000 MHz	614KG7D	51.80 dBW
11700.0000 - 12200.0000 MHz	1M22D7D	
11700.0000 - 12200.0000 MHz	36M0F8F	
11700.0000 - 12200.0000 MHz	3M96G7D	

Points of Communication:

TR 2.4M - ALSAT - (ALSAT)

SES-MOD-20020403-00555 E950471 HUGHES NETWORK SYSTEMS, INC.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service

Modification filed to correct area of operation.

SITE ID: TR 1.0M

LOCATION: CONUS, AK, HI, VI, PR (1 METER)

ANTENNA ID: 1 1 meters HUGHES NETW SYSTS SCE3000172

14000.0000 - 14500.0000 MHz	307KG7D	41.60 dBW
11700.0000 - 12200.0000 MHz	3M96G7D	

Points of Communication:

TR 1.0M - ALSAT - (ALSAT)

SES-MOD-20020405-00557 E990170 HUGHES NETWORK SYSTEMS, INC.

Application for Modification

Class of Station: VSAT Fixed Hub Station

Nature of Service: Domestic Fixed Satellite Service

Modification filed to add antenna, to relocate fixed station, and to correct model number of 5.6 meter antenna.

SITE ID: REMOTE 1

LOCATION: (1.8m. VSAT), CONUS, AK, HI, PR, V

ANTENNA ID:	REMOTE 1A	1.8 meters	PRODELIN CORPORATION		1184
	14000.0000 - 14500.0000 MHz	154KG7D	46.70 dBW		BPSK, DATA, 64 KBPS INROUTE
	14000.0000 - 14500.0000 MHz	307KG7D	49.70 dBW		BPSK, DATA, 128 KBPS INROUTE
	14000.0000 - 14500.0000 MHz	614KG7D	49.70 dBW		BPSK, DATA, 256 KBPS INROUTE
	11700.0000 - 12200.0000 MHz	307KG7D			BPSK, DATA, 128 KBPS OUTROUTE
	11700.0000 - 12200.0000 MHz	1M29G7D			BPSK, DATA, 512 KBPS OUTROUTE
	11700.0000 - 12200.0000 MHz	6M00G7D			BPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	6M00G7D			QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	12M0G7D			BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	12M0G7D			QPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	24M0G7D			BPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	24M0G7D			QPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	18M0F9W			ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; 1/2 TRANS
	11700.0000 - 12200.0000 MHz	36M0F9W			ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; FULL TRAN

SITE ID: REMOTE 2

LOCATION: (1.2m VSAT), CONUS, AK, HI,PR,VI

ANTENNA ID:	REMOTE 2A	1.2 meters	PRODELIN CORPORATION		1134
	14000.0000 - 14500.0000 MHz	154KG7D	43.10 dBW		BPSK, DATA, 64 KBPS INROUTE
	14000.0000 - 14500.0000 MHz	307KG7D	46.10 dBW		BPSK, DATA, 128 KBPS INROUTE
	14000.0000 - 14500.0000 MHz	614KG7D	46.10 dBW		BPSK, DATA, 256 KBPS INROUTE
	11700.0000 - 12200.0000 MHz	307KG7D			BPSK, DATA, 128 KBPS OUTROUTE
	11700.0000 - 12200.0000 MHz	1M29G7D			BPSK, DATA, 512 KBPS OUTROUTE
	11700.0000 - 12200.0000 MHz	6M00G7D			BPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	6M00G7D			QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	12M0G7D			BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER

11700.0000 - 12200.0000 MHz	12M0G7D	QPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	24M0G7D	BPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	24M0G7D	QPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	18M0F9W	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; 1/2 TRANS
11700.0000 - 12200.0000 MHz	36M0F9W	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; FULL TRAN

SITE ID: HUB-A

LOCATION: 24000 NORTHWESTERN HIGHWAY (5.6-METER), OAKLAND, SOUTHFIELD, MI
42 ° 28 ' 0.00 " N LAT. 83 ° 13 ' 53.00 " W LONG.

ANTENNA ID: HUB-A	5.6 meters	ANDREW CORPORATION	E556-1
14000.0000 - 14500.0000 MHz	1M29G7D	59.20 dBW	BPSK, DATA, 512 KBPS OUTROUTE
14000.0000 - 14500.0000 MHz	307KG7D	53.20 dBW	BPSK, DATA, 512 KBPS OUTROUTE
14000.0000 - 14500.0000 MHz	6M00G7D	64.20 dBW	QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	6M00G7D	67.20 dBW	QPSK, DATA, 5 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	12M0G7D	67.20 dBW	BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	12M0G7D	70.20 dBW	BPSK, DATA, 10 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	24M0G7D	70.20 dBW	BPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	24M0G7D	73.20 dBW	QPSK, DATA, 20 MSPS MULTIMEDIA BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	18M0F9W	70.10 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; 1/2 TRANS
14000.0000 - 14500.0000 MHz	36M0F9W	73.10 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO AND SUBCARRIER; FULL TRAN
11700.0000 - 12200.0000 MHz	154KG7D		BPSK, DATA, 64 KBPS, INROUTE
11700.0000 - 12200.0000 MHz	307KG7D		BPSK, DATA, 128 KBPS, INROUTE
11700.0000 - 12200.0000 MHz	614KG7D		BPSK, DATA, 256 KBPS, INROUTE

SITE ID: HUB-B

LOCATION: 24000 NORTHWESTERN HIGHWAY, OAKLAND, SOUTHFIELD, MI
42 ° 28 ' 0.00 " N LAT. 83 ° 13 ' 53.00 " W LONG.

ANTENNA ID:	HUB-B	4.6 meters	ANDREW CORPORATION	ESA46MPJ-1
	14000.0000 - 14500.0000 MHz	307KG7D	53.20 dBW	BPSK, DATA, 128 KBPS, INROUTE
	14000.0000 - 14500.0000 MHz	1M23G7D	59.20 dBW	BPSK, DATA, 512 KBPS, INROUTE
	14000.0000 - 14500.0000 MHz	6M00G7D	64.20 dBW	BPSK, DATA, 5 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	6M00G7D	67.20 dBW	QPSK, DATA, 5 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	12M0G7D	67.20 dBW	BPSK, DATA, 10 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	12M0G7D	70.20 dBW	QPSK, DATA, 10 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	24M0G7D	70.20 dBW	BPSK, DATA, 20 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	24M0G7D	73.20 dBW	QPSK, DATA, 20 MSPS, MULTIMEDIA
	11700.0000 - 12200.0000 MHz	154KG7D		BPSK, DATA, 64 KBPS, INROUTE
	11700.0000 - 12200.0000 MHz	307KG7D		BPSK, DATA, 128 KBPS, INROUTE
	11700.0000 - 12200.0000 MHz	614KG7D		BPSK, DATA, 256 KBPS, INROUTE

SITE ID: HUB-C

LOCATION: 24000 NORTHWESTERN HIGHWAY, OAKLAND, SOUTHFIELD, MI

42 ° 28 ' 0.00 " N LAT.

83 ° 13 ' 53.00 " W LONG.

ANTENNA ID:	HUB-C	7.6 meters	ANDREW CORPORARION	ES76K-1
	14000.0000 - 14500.0000 MHz	307KG7D	64.10 dBW	BPSK, DATA, 128 KBPS, OUTROUTE
	14000.0000 - 14500.0000 MHz	1M23G7D	70.10 dBW	BPSK, DATA, 512, KBPS, OUTROUTE
	14000.0000 - 14500.0000 MHz	6M00G7D	74.10 dBW	BPSK, DATA, 5 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	6M00G7D	77.10 dBW	QPSK, DATA, 5 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	12M0G7D	77.10 dBW	BPSK, DATA, 10 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	12M0G7D	80.10 dBW	QPSK, DATA, 10 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	24M0G7D	80.10 dBW	BPSK, DATA, 20 MSPS, MULTIMEDIA
	14000.0000 - 14500.0000 MHz	24M0G7D	83.10 dBW	QPSK, DATA, 20 MSPS, MULTIMEDIA
	11700.0000 - 12200.0000 MHz	154KG7D		BPSK, DATA, 64 KBPS, INROUTE
	11700.0000 - 12200.0000 MHz	307KG7D		BPSK, DATA, 128 KBPS, INROUTE
	11700.0000 - 12200.0000 MHz	614KG7D		BPSK, DATA, 256 KBPS, INROUTE

Points of Communication:

HUB-A - ALSAT - (ALSAT)

HUB-B - ALSAT - (ALSAT)

HUB-C - ALSAT - (ALSAT)

REMOTE 1 - ALSAT - (ALSAT)

REMOTE 2 - ALSAT - (ALSAT)

SES-MOD-20020411-00531 E860028 TENNESSEE RADIO NETWORK

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add new emission designator and related service, replace existing antenna 7.0 meter Microdyne to a 3.8 meter Prodelin Corporation antenna, relocate fixed earth station, and change the applicant's name only from Clear Channel Metroplex Licenses, Inc. to Tennessee Radio Network.

SITE ID: 1

LOCATION: 55 MUSIC SQUARE WEST, DAVIDSON, NASHVILLE, TN

36 ° 8 ' 51.40 " N LAT.

86 ° 47 ' 55.00 " W LONG.

ANTENNA ID: 1	3.8 meters	PRODELIN	1383
5925.0000 - 6425.0000 MHz	50F3	47.20 dBW	
5925.0000 - 6425.0000 MHz	50F9	47.20 dBW	
3700.0000 - 4200.0000 MHz	50F3		
3700.0000 - 4200.0000 MHz	50F9		
6331.0000 - 6425.0000 MHz	154KG7D-	52.40 dBW	DIGITAL QPSK, 128 KBPS, FEC 1/2
6331.0000 - 6425.0000 MHz	307KG7D	56.20 dBW	DIGITAL QPSK, 256 KBPS, FEC 1/2
6212.3400 - 6300.0000 MHz	154KG7D-	52.40 dBW	DIGITAL QPSK, 128 KBPS, FEC 1/2
6212.3400 - 6300.0000 MHz	307KG7D	56.20 dBW	DIGITAL QPSK, 256 KBPS, FEC 1/2
6108.3000 - 6182.1400 MHz	154KG7D-	52.40 dBW	DIGITAL QPSK, 128 KBPS, FEC 1/2
6108.3000 - 6182.1400 MHz	307KG7D	56.20 dBW	DIGITAL QPSK, 256 KBPS, FEC 1/2
5989.9500 - 6038.8000 MHz	154KG7D-	52.40 dBW	DIGITAL QPSK, 128 KBPS, FEC 1/2
5989.9500 - 6038.8000 MHz	307KG7D	56.20 dBW	DIGITAL QPSK, 256 KBPS, FEC 1/2
3700.0000 - 4200.0000 MHz	154KG7D-		DIGITAL QPSK, 128 KBPS, FEC 1/2
3700.0000 - 4200.0000 MHz	307KG7D		DIGITAL QPSK, 256 KBPS, FEC 1/2

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20020425-00653 E2491 GCI Communication Corp.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1

LOCATION: MI 5.1 EAGLE RIVER ROAD, EAGLE RIVER, AK

61 ° 17 ' 48.10 " N LAT.

149 ° 26 ' 42.00 " W LONG.

ANTENNA ID: 11.3M	11.3 meters	SATCOM TECHNOLOGIES	1100C
5925.0000 - 6425.0000 MHz	36M0G7W	90.00 dBW	QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
3700.0000 - 4200.0000 MHz	36M0G7W		QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
ANTENNA ID: 13	13 meters	SATCOM TECH	1300C
5925.0000 - 6425.0000 MHz	36M0F3W	85.30 dBW	ANALOG VIDEO WITH AUDIO SUBCARRIERS

5925.0000 - 6425.0000 MHz	36M0D7W	85.10 dBW	QAM MODULATION FOR TELEPHONY, FACSIMILE AND DATA
5925.0000 - 6425.0000 MHz	60K0D7W	65.60 dBW	QAM MODULATION FOR TELEPHONY, FACSIMILE AND DATA
5925.0000 - 6425.0000 MHz	36M0G7W	85.10 dBW	PSK MODULATION FOR TELEPHONY, FACSIMILE AND DATA
5925.0000 - 6425.0000 MHz	45K0G7W	64.30 dBW	PSK MODULATION FOR TELEPHONY, FACSIMILE AND DATA
3700.0000 - 4200.0000 MHz	36M0F3W		ANALOG VIDEO WITH AUDIO SUBCARRIERS
3700.0000 - 4200.0000 MHz	36M0D7W		QAM MODULATION FOR TELEPHONY, FACSIMILE AND DATA
3700.0000 - 4200.0000 MHz	60K0D7W		QAM MODULATION FOR TELEPHONY, FACSIMILE AND DATA
3700.0000 - 4200.0000 MHz	36M0G7W		PSK MODULATION FOR TELEPHONY, FACSIMILE AND DATA
3700.0000 - 4200.0000 MHz	45K0G7W		PSK MODULATION FOR TELEPHONY, FACSIMILE AND DATA

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - ANIK E1 - (118.7 W.L.)
- 1 - ANIK E2 - (111.1 W.L)

SES-MOD-20020426-00693 E2490 GCI Communication Corp.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

Modification filed to add new emission designators, and to add a new antenna.

SITE ID: 1

LOCATION: GCI NETWORK OPERATIONS CENTER NO STREET ADDRESS AVAILABLE, JUNEAU, AK
 58 ° 17 ' 15.80 " N LAT. 134 ° 23 ' 21.40 " W LONG.

ANTENNA ID: 12M	12 meters	ANDREW	ESA-12-46
6352.1000 - 6425.0000 MHz	36M0G7W	88.70 dBW	QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
6314.2000 - 6324.1000 MHz	36M0G7W	88.70 dBW	QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
6195.7000 - 6302.6000 MHz	36M0G7W	88.70 dBW	QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
5925.0000 - 6184.1000 MHz	36M0G7W	88.70 dBW	QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA

3700.0000 - 4200.0000 MHz	36M0G7W			QPSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
ANTENNA ID: 3.6	3.6 meters	SCIENTIFIC-ATLANTA		8136
5925.0000 - 6425.0000 MHz	36M0D7W	62.60 dBW		QAM MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
5925.0000 - 6425.0000 MHz	60K0D7W	54.70 dBW		QAM MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
5925.0000 - 6425.0000 MHz	36M0G7W	62.60 dBW		PSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
5925.0000 - 6425.0000 MHz	45K0G7W	53.40 dBW		PSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
3700.0000 - 4200.0000 MHz	36M0D7W			QAM MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
3700.0000 - 4200.0000 MHz	60K0D7W			QAM MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
3700.0000 - 4200.0000 MHz	36M0G7W			PSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA
3700.0000 - 4200.0000 MHz	45K0G7W			PSK MODULATION FOR TELEPHONY, FACSIMILE, AND DATA

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - ANIK E1 - (118.7 W.L.)
- 1 - ANIK E2 - (111.1 W.L.)

SES-REG-20020313-00422 E020069 COXCOM, INC.

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 4600 WEST OX ROAD, FAIRFAX, CHANTILLY, VA

38 ° 51 ' 18.00 " N LAT.

77 ° 22 ' 27.00 " W LONG.

ANTENNA ID: 1 9.3 meters ANDREW CORPORATION S40931/ESA9.3-46

3700.0000 - 4200.0000 MHz 36M0G7F DIGITAL VIDEO

3700.0000 - 4200.0000 MHz 36M0F8F ANALOG VIDEO

Points of Communication:

- 1 - ALSAT - (ALSAT)
-

SES-T/C-20020429-00658 E880052 NEW YORK TIMES MANAGEMENT SERVICES

Application for Consent to Transfer of Control

Current Licensee: NEW YORK TIMES MANAGEMENT SERVICES

FROM: GRANTORS UNDER FIRST AMENDMENT TO TRUST INDENTURE OF 6/24/97

TO: TRUSTEES UNDER FIRST AMENDMENT TO TRUST INDENTURE OF 6/24/97, C/O
THE NEW YORK T

No. of Station(s) listed: 5

SES-T/C-20020429-00660 E020032 NEW YORK TIMES MANAGEMENT SERVICES

Application for Consent to Transfer of Control

Current Licensee: NEW YORK TIMES MANAGEMENT SERVICES

FROM: GRANTORS UNDER FIRST AMENDMENT TO TRUST INDENTURE OF 6/24/97

TO: TRUSTEES UNDER FIRST AMENDMENT TO TRUST INDENTURE OF 6/24/97, C/O
THE NEW YORK T

No. of Station(s) listed: 5

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.