



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00804

Wednesday March 22, 2006

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20060315-00446 E E060075 Globecomm Systems, Inc.

Amendment

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

This Amendment is to correct the C-Band emission designator from 1M34G7D on pending application SES-LIC-20060302-00342 to 134KG7D.

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: T1-CB	2.4 meters	PRODELIN CORP.	1244
5925.0000 - 6425.0000 MHz	2M00G7D	57.00 dBW	Digital Voice and Data
5925.0000 - 6425.0000 MHz	134KG7D	45.30 dBW	Digital Voice and Data
3700.0000 - 4200.0000 MHz	2M00G7D		Digital Voice and Data
3700.0000 - 4200.0000 MHz	134KG7D		Digital Voice and Data
ANTENNA ID: T2-KU	2.4 meters	PRODELIN CORP.	1244
14000.0000 - 14500.0000 MHz	12M0G7W	70.00 dBW	Digital Voice and Data

14000.0000 - 14500.0000 MHz	87K0G7W	48.60 dBW	Digital Voice and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Voice and Data
11700.0000 - 12200.0000 MHz	87K0G7W		Digital Voice and Data

Points of Communication:

1 - ALSAT - (ALSAT)

SES-AMD-20060321-00472 E E060083 Regional News Network
Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

AMD to license application SES-LIC-20060308-00401 to change the total EIRP per carrier, antenna flange, and maximum EIRP per carrier.

SITE ID: 1

LOCATION: 5000 Tremont Avenue, Scott, Davenport, IA

41 ° 34 ' 15.00 " N LAT.

90 ° 33 ' 44.00 " W LONG.

ANTENNA ID: 1 4.5 meters VIASAT 8345

5925.0000 - 6425.0000 MHz	18M0G1F	70.80 dBW	QPSK - Digital Video
---------------------------	---------	-----------	----------------------

Points of Communication:

1 - ALSAT - (ALSAT)

SES-ASG-20060307-00382 E E6148 FIBERSAT GLOBAL SERVICES, INC.
Application for Consent to Assignment

Current Licensee: FiberSat Global Services, LLC

FROM: FIBERSAT GLOBAL SERVICES, LLC

TO: Satcom Systems, Incorporated

No. of Station(s) listed: 1

SES-ASG-20060310-00414 E E880532 Ryan McGinn Samples Research
Application for Consent to Assignment

Current Licensee: DIRECT BROADCAST SERVICES, INC.

FROM: DIRECT BROADCAST SERVICES, INC.

TO: Ryan McGinn Samples Research

No. of Station(s) listed: 1

SES-LIC-20060228-00326 E E060070 The Boeing Company
Application for Authority

Class of Station: Other

Nature of Service: Fixed Satellite Service, Other

The Boeing Company seeks blanket authority to operate 1,000 transmit and receive earth stations onboard vessels ("ESVs").

SITE ID: Mobile(1000 terminal

LOCATION: Boeing Co., Bldg 18-03, Room 21C6 20403 68th Avenue South, King, Kent, WA

ANTENNA ID: CBBM	1 meters	Melco	RN211709
11200.0000 - 12750.0000 MHz	32M4G7W	0.00 dBW	O-QPSK, Data, advanced two-way broadband ESV services.
14000.0000 - 14500.0000 MHz	32M4G7W	48.20 dBW	O-QPSK, Data, advanced two-way broadband ESV services.
11200.0000 - 12750.0000 MHz	6M75G7W	0.00 dBW	O-QPSK, Data, advanced two-way broadband ESV services.
14000.0000 - 14500.0000 MHz	6M75G7W	48.20 dBW	O-QPSK, Data, advanced two-way broadband ESV services.

Points of Communication:

- Mobile(1000 terminal - AMC 23 - (172 E.L.)
- Mobile(1000 terminal - AMC-6 - (72 W.L.)
- Mobile(1000 terminal - ASIASAT 3S - (105.5 E.L.)
- Mobile(1000 terminal - ESTRELA DO SUL 1 - (63 W.L.)
- Mobile(1000 terminal - INTEL 907 - (27.5 W.L.)
- Mobile(1000 terminal - INTELSAT 705 - (50 W.L.)
- Mobile(1000 terminal - INTELSAT 706 - (50.25 E.L.)
- Mobile(1000 terminal - SESAT - (36 E.L.)
- Mobile(1000 terminal - SUPERBIRD C - (144 E.L.)
- Mobile(1000 terminal - YAMAL-200 - (90 E.L.)

SES-LIC-20060308-00401 E E060083 Regional News Network

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

AMD (SES-AMD-20060321-00472) was filed to this license application to change the total EIRP per carrier, antenna flange, and maximum EIRP per carrier.

SITE ID: 1
LOCATION: 5000 Tremont Avenue, Scott, Davenport, IA
41 ° 34 ' 15.00 " N LAT. 90 ° 33 ' 44.00 " W LONG.

ANTENNA ID: 1 4.5 meters VIASAT 8345
5925.0000 - 6425.0000 MHz 18M0G1F 70.80 dBW QPSK - Digital Video

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20060310-00421 E E060086 WTAE HEARST-ARGYLE TELEVISION, INC.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: VARIOUS

ANTENNA ID: 1 1.5 meters VERTEX 1.5 SMK-LT
14000.0000 - 14500.0000 MHz 24M0G7F 62.24 dBW PSK DIGITAL VIDEO WITH DIGITAL AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20060316-00449 E E060091 World Radio Network, Inc

EZ

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Nogales, AZ
LOCATION: 150 West First Street, Santa Cruz, Nogales, AZ
31 ° 21 ' 9.00 " N LAT. 110 ° 55 ' 45.00 " W LONG.

ANTENNA ID: One 2.4 meters Andrew Type 243, Class III
14000.0000 - 14500.0000 MHz 154KG7W 51.10 dBW Digital encoded audio & data @ 128Kbps, QPSK, 1/2 FEC
11700.0000 - 12200.0000 MHz 154KG7W Digital encoded audio & data @ 128Kbps, QPSK, 1/2 FEC

Points of Communication:

Nogales, AZ - PERMITTED LIST - ()

SES-LIC-20060317-00468 E E060092 MEREDITH CORPORATION - WFSB

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: WSHM, VARIOUS

ANTENNA ID: 1 1.2 meters AVL TECHNOLOGY 1200 US DSNG

14000.0000 - 14500.0000 MHz 24M0G7F 62.24 dBW PSK DIGITAL VIDEO WITH
DIGITAL AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20060317-00469 E E060093 MEREDITH CORPORATION - WFSB

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: WFSB, VARIOUS

ANTENNA ID: 1 1.2 meters AVL TECHNOLOGY 1200 US DSNG

14000.0000 - 14500.0000 MHz 24M0G7F 62.24 dBW PSK DIGITAL VIDEO WITH
DIGITAL AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20060302-00340 E E891033 MCI COMMUNICATIONS SERVICES, INC. (FKA MCI WORLDCOM
COMMUNICATIONS, INC.)

Application for Modification

Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add new remote antennas to their VSAT license, E891033. Antennas will be used to facilitate customer communications requirements including full-time traffic, back-up service, and disaster recover such as hurricanes and other emergencies.

SITE ID: HUB 1

LOCATION: 3003 MOFFETT LANE (HUB 1, 6.1 METER), HARRIS, MISSOURI CITY, TX

29 ° 35 ' 1.00 " N LAT.

95 ° 30 ' 10.00 " W LONG.

ANTENNA ID:	HOU-3N	6.1 meters	VERTEX	6.1KPK	
	14000.0000 - 14500.0000 MHz		358KG1D	62.60 dBW	
	14000.0000 - 14500.0000 MHz		200KF3E	58.60 dBW	
	14000.0000 - 14500.0000 MHz		1M50G1D	68.80 dBW	
	14000.0000 - 14500.0000 MHz		36M0F3F	76.40 dBW	
	14000.0000 - 14500.0000 MHz		35K0G1D	52.50 dBW	
	14000.0000 - 14500.0000 MHz		2M80G1D	69.70 dBW	
	14000.0000 - 14500.0000 MHz		1M80G1D	69.70 dBW	
	14000.0000 - 14500.0000 MHz		36M0G7W	78.20 dBW	DIGITAL VIDEO & DATA
	14000.0000 - 14500.0000 MHz		156KG7W	59.00 dBW	DIGITAL VIDEO & DATA
	11700.0000 - 12200.0000 MHz		358KG1D		
	11700.0000 - 12200.0000 MHz		2M50G7W		DIGITAL VIDEO & DATA
	11700.0000 - 12200.0000 MHz		156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 4
LOCATION: VSAT 1.2M., (6000 UNITS), CONUS, AK, HI, PR, VI

ANTENNA ID:	R4	1.2 meters	PATRIOT	TX-INT120KU	
	14000.0000 - 14500.0000 MHz		2M50G7W	54.90 dBW	DIGITAL VIDEO & DATA
	14000.0000 - 14500.0000 MHz		156KG7W	45.30 dBW	DIGITAL VIDEO & DATA
	11700.0000 - 12200.0000 MHz		2M50G7W		DIGITAL VIDEO & DATA
	11700.0000 - 12200.0000 MHz		156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 5
LOCATION: VSAT 1.8M., (3000 UNITS), CONUS, AK, HI, PR, VI

ANTENNA ID:	R5	1.8 meters	PATRIOT	TX-INT180KU	
	14000.0000 - 14500.0000 MHz		2M50G7W	58.50 dBW	DIGITAL VIDEO & DATA
	14000.0000 - 14500.0000 MHz		156KG7W	48.90 dBW	DIGITAL VIDEO & DATA
	11700.0000 - 12200.0000 MHz		2M50G7W		DIGITAL VIDEO & DATA

11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA
-----------------------------	---------	--	----------------------

SITE ID: REMOTE 6
LOCATION: VSAT 2.4M., (1000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R6	2.4 meters	PATRIOT	TXFCC-240KUS
14000.0000 - 14500.0000 MHz	2M50G7W	61.10 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	51.50 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 7
LOCATION: VSAT 1.2M., (6000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R7	1.2 meters	CHANNEL MASTER	TYPE 123
14000.0000 - 14500.0000 MHz	2M50G7W	54.80 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	45.20 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	2M50G7W	43.20 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 8
LOCATION: VSAT 1.8M., (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R8	1.8 meters	CHANNEL MASTER	TYPE 180
14000.0000 - 14500.0000 MHz	156KG7W	48.70 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	2M50G7W	58.30 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 9
LOCATION: VSAT 1.8M., (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R9	1.8 meters	CHANNEL MASTER	TYPE 183
14000.0000 - 14500.0000 MHz	2M50G7W	58.30 dBW	DIGITAL VIDEO & DATA

14000.0000 - 14500.0000 MHz	156KG7W	48.70 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: HUB 2
LOCATION: 3003 MOFFETT LANE (HUB 2, 9.0 METER), HARRIS, MISSOURI CITY, TX
29 ° 35 ' 1.00 " N LAT. 95 ° 30 ' 10.00 " W LONG.

ANTENNA ID: HOU-4N 9 meters VERTEX 9KPK

14000.0000 - 14500.0000 MHz	358KG1D	65.90 dBW	
14000.0000 - 14500.0000 MHz	200KF3E	61.90 dBW	
14000.0000 - 14500.0000 MHz	1M50G1D	72.10 dBW	
14000.0000 - 14500.0000 MHz	36M0F3F	74.50 dBW	
14000.0000 - 14500.0000 MHz	35K0G1D	55.80 dBW	
14000.0000 - 14500.0000 MHz	2M80G1D	73.00 dBW	
14000.0000 - 14500.0000 MHz	1M80G1D	73.00 dBW	
14000.0000 - 14500.0000 MHz	36M0G7W	78.20 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	62.30 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	358KG1D		
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 1
LOCATION: VSAT 1.2M., (6000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R1 1.2 meters PRODELIN 1123

14000.0000 - 14500.0000 MHz	2M50G7W	54.70 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	45.10 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 2
LOCATION: VSAT 1.8M., (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R2	1.8 meters	PRODELIN	1183
14000.0000 - 14500.0000 MHz	2M50G7W	58.00 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	48.40 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 3
LOCATION: VSAT 2.4M., (1000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R3	2.4 meters	PRODELIN	1251
14000.0000 - 14500.0000 MHz	2M50G7W	60.70 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	51.10 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 10
LOCATION: VSAT 2.4M., (1000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R10	2.4 meters	CHANNEL MASTER	TYPE 243
14000.0000 - 14500.0000 MHz	2M50G7W	60.80 dBW	DIGITAL VIDEO & DATA
14000.0000 - 14500.0000 MHz	156KG7W	51.20 dBW	DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO & DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO & DATA

SITE ID: REMOTE 11
LOCATION: VSAT .95M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R11	0.95 meters	PRODELIN	1951
14000.0000 - 14500.0000 MHz	2M50G7W	51.20 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	156KG7W	39.10 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA

11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

SITE ID: REMOTE 12

LOCATION: VSAT .98M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R12	0.98 meters	PRODELIN	1981
-----------------	-------------	----------	------

14000.0000 - 14500.0000 MHz	2M50G7W	52.80 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

14000.0000 - 14500.0000 MHz	156KG7W	43.20 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

SITE ID: REMOTE 13

LOCATION: VSAT 1.2M. (6000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R13	1.2 meters	PRODELIN	1134
-----------------	------------	----------	------

14000.0000 - 14500.0000 MHz	2M50G7W	54.50 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

14000.0000 - 14500.0000 MHz	156KG7W	44.90 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

SITE ID: REMOTE 14

LOCATION: VSAT 1.2M. (6000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R14	1.2 meters	PRODELIN	1138
-----------------	------------	----------	------

14000.0000 - 14500.0000 MHz	2M50G7W	54.70 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

14000.0000 - 14500.0000 MHz	156KG7W	45.10 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA
-----------------------------	---------	--	------------------------

SITE ID: REMOTE 15

LOCATION: VSAT 1.8M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R15	1.8 meters	PRODELIN	1189
-----------------	------------	----------	------

14000.0000 - 14500.0000 MHz	2M50G7W	56.80 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

14000.0000 - 14500.0000 MHz	156KG7W	47.20 dBW	DIGITAL VIDEO AND DATA
-----------------------------	---------	-----------	------------------------

11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

SITE ID: REMOTE 16
LOCATION: VSAT 2.4M. (1000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R16	2.4 meters	PRODELIN	1259
14000.0000 - 14500.0000 MHz	2M50G7W	60.70 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	156KG7W	51.10 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

SITE ID: REMOTE 17
LOCATION: VSAT .96M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R17	0.96 meters	CHANNEL MASTER	960
14000.0000 - 14500.0000 MHz	2M50G7W	52.70 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	156KG7W	43.10 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

SITE ID: REMOTE 18
LOCATION: VSAT 1.0M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R18	1 meters	PATRIOT	INT100
14000.0000 - 14500.0000 MHz	2M50G7W	53.40 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	156KG7W	43.80 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

SITE ID: REMOTE 19
LOCATION: VSAT 1.2M. (6000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R19	1.2 meters	PATROIT	120KU
14000.0000 - 14500.0000 MHz	2M50G7W	55.00 dBW	DIGITAL VIDEO AND DATA

14000.0000 - 14500.0000 MHz	156KG7W	45.40 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

SITE ID: REMOTE 20
LOCATION: VSAT 1.8M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R20 1.8 meters PATROIT 180KU

14000.0000 - 14500.0000 MHz	2M50G7W	51.00 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	156KG7W	41.40 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

SITE ID: REMOTE 21
LOCATION: VSAT .98M. (3000 UNITS), CONUS, AK, HI, PR,VI

ANTENNA ID: R21 0.98 meters PRODELIN 1984

14000.0000 - 14500.0000 MHz	2M50G7W	52.80 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	156KG7W	43.20 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	2M50G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	156KG7W		DIGITAL VIDEO AND DATA

Points of Communication:

- HUB 1 - ALSAT - (ALSAT)
- HUB 2 - ALSAT - (ALSAT)
- REMOTE 1 - ALSAT - (ALSAT)
- REMOTE 10 - ALSAT - (ALSAT)
- REMOTE 11 - IA-8 - (89 W.L.)
- REMOTE 12 - IA-8 - (89 W.L.)
- REMOTE 13 - ALSAT - (ALSAT)
- REMOTE 14 - ALSAT - (ALSAT)
- REMOTE 15 - ALSAT - (ALSAT)

REMOTE 16 - ALSAT - (ALSAT)

REMOTE 17 - IA-8 - (89 W.L.)

REMOTE 18 - IA-8 - (89 W.L.)

REMOTE 19 - ALSAT - (ALSAT)

REMOTE 2 - ALSAT - (ALSAT)

REMOTE 20 - ALSAT - (ALSAT)

REMOTE 21 - IA-8 - (89 W.L.)

REMOTE 3 - ALSAT - (ALSAT)

REMOTE 4 - ALSAT - (ALSAT)

REMOTE 5 - ALSAT - (ALSAT)

REMOTE 6 - ALSAT - (ALSAT)

REMOTE 7 - ALSAT - (ALSAT)

REMOTE 8 - ALSAT - (ALSAT)

REMOTE 9 - ALSAT - (ALSAT)

SES-MOD-20060308-00398 E E930182 GTECH Corp.

Application for Modification

Class of Station: VSAT Fixed Hub Station

Nature of Service: Fixed Satellite Service

GTECH has filed this modification application to add the Galaxy 11 satellite as a point of communication for its below-one-meter Prodelin .74 and .98 cm VSAT terminals, and also to add a new emission designator for all communications with within the network.

SITE ID: CTR .75M

LOCATION: CONUS, AK, HI, PR, U.S., VI .75M (40,000 TERMINALS)

ANTENNA ID:	CTR .75	0.75 meters	CHANNEL MASTER	75e
	14000.0000 - 14500.0000 MHz	120KG7W	38.80 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
	14000.0000 - 14500.0000 MHz	60K0G7W	35.80 dBW	MSK (QPSK VARIANT) BROADCAST DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	1M60G7W		BPSK MULTIMEDIA BROADCAST DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	2M40G7W		BPSK DIGITAL BROADCAST CARRIER

11700.0000 - 12200.0000 MHz	1M20G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	800KG7W		BPSK DIGITAL BROADCAST CARRIER
SITE ID: HUB (7.6M)			
LOCATION: 55 TECHNOLOGY WAY CONUS, HI, AK, PR, VI, KENT, WEST GREENWICH, RI			
41 ° 39 ' 23.00 " N LAT.		71 ° 34 ' 16.00 " W LONG.	
ANTENNA ID: HUB 7.6	7.6 meters	ANDREW	ES76-K-1
14000.0000 - 14500.0000 MHz	500KG7D	66.70 dBW	
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK, 5 MSFS BROADCAST DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK MULTIMEDIA BROADCAST DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	30K0G7D		
11700.0000 - 12200.0000 MHz	200KG7W		OQPSK, 128 KSPS, RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	120KG7W		MSK (QPSK VARIANT) BROADCAST DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	60K0G7W		MSK (QPSK VARIANT) BROADCAST DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	200KG7D		QPSK, DATA, INROUTE, 128 KSPS
11700.0000 - 12200.0000 MHz	400KG7D		QPSK, DATA, INROUTE, 256 KSPS
11700.0000 - 12200.0000 MHz	800KG7D		QPSK, DATA, INROUTE, 512 KSPS
11700.0000 - 12200.0000 MHz	1M60KG7D		QPSK, DATA, INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	200KG7W		OQPSK, 128 KSPS, RETURN DIGITAL CARRIER

11700.0000 - 12200.0000 MHz	120KG7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	60K0G7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	6M00G7D	77.00 dBW	QPSK, DATA, INROUTE, 5 MSPS
14000.0000 - 14500.0000 MHz	12M00G7D	80.00 dBW	QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK, 5 MSPS BROADCAST DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK MULTIMEDIA BROADCAST DIGITAL CARRIER

SITE ID: PTR .74M
LOCATION: CONUS, HI, AK, PR, U.S., VI .74M (40,000 TERMINALS)

ANTENNA ID: PTR .74	0.74 meters	PRODELIN	HANT-91TR
14000.0000 - 14500.0000 MHz	200KG7W	39.20 dBW	OQPSK, 128 KSPS, RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	6M20G7W		QPSK, 5 MSPS, MULTIMEDIA BROADCAST DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M00G7D		QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz	200KG7D	42.00 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	42.00 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	42.00 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60KG7D	42.00 dBW	QPSK, DATA, INROUTE, 1024 KSPS
14000.0000 - 14500.0000 MHz	1M60KG7D	44.30 dBW	QPSK, DATA, INROUTE, 1024 KSPS

SITE ID: PTR .98M
LOCATION: CONUS, HI, AK, PR, U.S., VI .98M (35,000 TERMINALS)

ANTENNA ID:	PTR .98	0.98 meters	PRODELIN	9008668
	14000.0000 - 14500.0000 MHz	200KG7W	41.50 dBW	OQPSK, 128 KSPS, RETURN DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	6M20G7W		QPSK, 5 MSPS, MULTIMEDIA BROADCAST DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
	11700.0000 - 12200.0000 MHz	12M00G7D		QPSK, DATA, INROUTE, 10 MSPS
	14000.0000 - 14500.0000 MHz	200KG7D	44.30 dBW	QPSK, DATA, INROUTE, 128 KSPS
	14000.0000 - 14500.0000 MHz	400KG7D	44.30 dBW	QPSK, DATA, INROUTE, 256 KSPS
	14000.0000 - 14500.0000 MHz	800KG7D	44.30 dBW	QPSK, DATA, INROUTE, 512 KSPS

SITE ID: PTR 1.2M
LOCATION: CONUS, HI, AK, PR, U.S., VI 1.2M (35,000 TERMINALS)

ANTENNA ID:	PTR 1.2	1.2 meters	PRODELIN	1123
	14000.0000 - 14500.0000 MHz	200KG7W	43.20 dBW	OQPSK, 128 KSPS, RETURN DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	6M20G7W		QPSK, 5 MSPS, MULTIMEDIA BROADCAST DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
	11700.0000 - 12200.0000 MHz	12M00G7D		QPSK, DATA, INROUTE, 10 MSPS
	14000.0000 - 14500.0000 MHz	200KG7D	46.10 dBW	QPSK, DATA, INROUTE, 128 KSPS
	14000.0000 - 14500.0000 MHz	400KG7D	46.10 dBW	QPSK, DATA, INROUTE, 256 KSPS
	14000.0000 - 14500.0000 MHz	800KG7D	46.10 dBW	QPSK, DATA, INROUTE, 512 KSPS
	14000.0000 - 14500.0000 MHz	1M60KG7D	46.10 dBW	QPSK, DATA, INROUTE, 1024 KSPS

SITE ID: PTR 1.8M
LOCATION: CONUS, HI, AK, PR, U.S., VI 1.8M (25,000 TERMINALS)

ANTENNA ID:	PTR 1.8	1.8 meters	PRODELIN	1184
-------------	---------	------------	----------	------

14000.0000 - 14500.0000 MHz	200KG7W	46.80 dBW	QPSK, 128 KSPS, RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	6M20G7W		QPSK, 5 MSPS, MULTIMEDIA BROADCAST DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M00G7D		QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz	200KG7D	49.70 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	49.70 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	49.70 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60KG7D	49.70 dBW	QPSK, DATA, INROUTE, 1024 KSPS

SITE ID: CTR 1.8M
LOCATION: CONUS, HI, AK, PR, US VI 1.8M (25,000 TERMINAL)

ANTENNA ID: CTR 1.8 1.8 meters CHANNEL MASTER 183

14000.0000 - 14500.0000 MHz	60K0G7W	43.80 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	120KG7W	46.80 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	800KG7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	1M20G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	1M60G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	2M40G7W		BPSK DIGITAL BROADCAST CARRIER

SITE ID: CTR 1.2M
LOCATION: CONUS, HI, AK, PR, US VI 1.2M (35,000 TERMINAL)

ANTENNA ID: CTR 1.2 1.2 meters CHANNEL MASTER 1124, 1134

14000.0000 - 14500.0000 MHz	60K0G7W	40.20 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
-----------------------------	---------	-----------	---

14000.0000 - 14500.0000 MHz	120KG7W	40.60 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	800KG7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	1M20G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	1M60G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	2M40G7W		BPSK DIGITAL BROADCAST CARRIER

SITE ID: HUB (4.6M)

LOCATION: 55 TECHNOLOGY WAY CONUS, HI, AK, PR, VI, KENT, WEST GREENWICH, RI
 41 ° 39 ' 23.00 " N LAT. 71 ° 34 ' 16.00 " W LONG.

ANTENNA ID: HUB 4.6 4.6 meters ANDREW CORP. ESA46-124

14000.0000 - 14500.0000 MHz	500KG7D	54.00 dBW	
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK, 5 MSPS BROADCAST DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	MSK BPSK MULTIMEDIA BROADCAST DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	30K0G7D		
11700.0000 - 12200.0000 MHz	200KG7W		OQPSK, 128 KSPS, RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	120KG7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	60K0G7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	200KG7D		QPSK, DATA, INROUTE, 128 KSPS
11700.0000 - 12200.0000 MHz	400KG7D		QPSK, DATA, INROUTE, 256 KSPS

11700.0000 - 12200.0000 MHz	800KG7D		QPSK, DATA, INROUTE, 512 KSPS
11700.0000 - 12200.0000 MHz	1M80KG7D		QPSK, DATA, INROUTE, 1024 KSPS
14000.0000 - 14500.0000 MHz	6M00G7D	72.60 dBW	QPSK, DATA, INROUTE, 5 MSPS
14000.0000 - 14500.0000 MHz	12M00G7D	75.60 dBW	QPSK, DATA, INROUTE, 10 MSPS

SITE ID: CTR .96M

LOCATION: CONUS, AK, HI, PR, U.S. VI .96M (35,000 TERMINALS)

ANTENNA ID: CTR .96 0.96 meters CHANNEL MASTER (62x89cm) 960

14000.0000 - 14500.0000 MHz	120KG7W	41.20 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	60K0G7W	38.20 dBW	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	1M60G7W		BPSK MULTIMEDIA BROADCAST DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	2M40G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	1M20G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	800KG7W		BPSK DIGITAL BROADCAST CARRIER

Points of Communication:

CTR .75M - AMC-3 - (87 W.L.)

CTR .75M - AMC-4 (formerly GE-4 - (101 W.L.)

CTR .96M - AMC-3 - (87 W.L.)

CTR .96M - AMC-4 (formerly GE-4 - (101 W.L.)

CTR 1.2M - ALSAT - (ALSAT)

CTR 1.8M - ALSAT - (ALSAT)

HUB (4.6M) - ALSAT - (ALSAT)

HUB (7.6M) - ALSAT - (ALSAT)

PTR .74M - AMC-3 - (87 W.L.)

PTR .74M - AMC-4 (formerly GE-4 - (101 W.L.)

PTR .74M - GALAXY XI - (91 W.L.)

PTR .98M - AMC-3 - (87 W.L.)

PTR .98M - AMC-4 (formerly GE-4 - (101 W.L.)

PTR .98M - GALAXY XI - (91 W.L.)

PTR 1.2M - ALSAT - (ALSAT)

PTR 1.8M - ALSAT - (ALSAT)

SES-MOD-20060308-00399 E E970347 GTECH Corp.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

GTECH seeks authority to add new emission designators and related changes to the 4.6 meter antenna at its existing Hub facility in Austin, Texas, which operates with remote terminals licensed under callsign E930182.

SITE ID: HUB (2- 4.6 M)

LOCATION: 8200 CAMERON RD., AUSTIN, AUSTIN, TX

30 ° 20 ' 30.00 " N LAT.

97 ° 41 ' 15.00 " W LONG.

ANTENNA ID:	HUB ANT1	4.6 meters	ANDREW	ES46MPJ-1
	14000.0000 - 14500.0000 MHz	500KG7D	61.90 dBW	DATA
	14000.0000 - 14500.0000 MHz	30K0G7D	49.65 dBW	DATA
	14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK 5 , MSPS BROADCAST DIGITAL CARRIER
	14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK, 1024 KSPS, OUTROUTE CARRIER
	14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER
	14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER
	14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER
	11700.0000 - 12200.0000 MHz	500KG7D		DATA
	11700.0000 - 12200.0000 MHz	30K0G7D		DATA
	11700.0000 - 12200.0000 MHz	120KG7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER

11700.0000 - 12200.0000 MHz	200KG7W		QPSK ,128 KSPS, RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	60K0G7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	2M40G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	1M20G7W		BPSK DIGITAL BROADCAST CARRIER
11700.0000 - 12200.0000 MHz	200KG7D		QPSK, DATA, INROUTE, 128 KSPS
11700.0000 - 12200.0000 MHz	400KG7D		QPSK, DATA, INROUTE, 256 KSPS
11700.0000 - 12200.0000 MHz	800KG7D		QPSK, DATA, INROUTE,
11700.0000 - 12200.0000 MHz	1M60KG7D		QPSK, DATA, INROUTE, 1024 MSPS
11700.0000 - 12200.0000 MHz	200KG7W		OQPSK, 128 KSPS, RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	60K0G7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
11700.0000 - 12200.0000 MHz	120K0G7W		MSK (QPSK VARIANT) RETURN DIGITAL CARRIER
14000.0000 - 14500.0000 MHz	6M00G7D	72.60 dBW	QPSK, DATA, INROUTE, 5 MSPS
14000.0000 - 14500.0000 MHz	12M00G7D	75.60 dBW	QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK, 1024 KSPS, OUTROUTE CARRIER
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK, 5 MSPS, BROADCAST DIGITAL CARRIER

SITE ID: HUB (1- 7.6 M)
LOCATION: 8200 CAMERON ROAD, AUSTIN, AUSTIN, TX
30 ° 20 ' 30.00 " N LAT.

97 ° 41 ' 15.00 " W LONG.

ANTENNA ID:	HUB ANT2	7.6 meters	ANDREW	ES76-KNH1
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK, 1024 KSPS, OUTROUTE CARRIER	
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK 5 , MSPS BROADCAST DIGITAL CARRIER	
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
11700.0000 - 12200.0000 MHz	60K0G7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	120KG7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	200KG7W	OQPSK ,128 KSPS, RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	200KG7W	OQPSK ,128 KSPS, RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	60K0G7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	120KG7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK, 1024 KSPS, OUTROUTE CARRIER	
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK, 5 MSPS BROADCAST DIGITAL CARRIER	

SITE ID: HUB (1- 5M)
 LOCATION: 8200 CAMERON ROAD, AUSTIN, AUSTIN, TX
 30 ° 20 ' 30.00 " N LAT. 97 ° 41 ' 15.00 " W LONG.

ANTENNA ID:	HUB ANT3	5 meters	ANDREW	ES49-2LPKU-1
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK, 1024 KSPS, OUTROUTE CARRIER	
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK 5 , MSPS BROADCAST DIGITAL CARRIER	
14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
11700.0000 - 12200.0000 MHz	60K0G7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	120KG7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	200KG7W	OQPSK ,128 KSPS, RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	1M60G7W	BPSK, 1024 KSPS, OUTROUTE CARRIER		
11700.0000 - 12200.0000 MHz	6M20G7W	QPSK 5 , MSPS BROADCAST DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	200KG7W	OQPSK, 128 KSPS, RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	120KG7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
11700.0000 - 12200.0000 MHz	60K0G7W	MSK (QPSK VARIANT) RETURN DIGITAL CARRIER		
14000.0000 - 14500.0000 MHz	1M20G7W	59.60 dBW	BPSK DIGITAL BROADCAST CARRIER	
14000.0000 - 14500.0000 MHz	2M40G7W	62.60 dBW	BPSK DIGITAL BROADCAST CARRIER	

14000.0000 - 14500.0000 MHz	800KG7W	57.80 dBW	BPSK DIGITAL BROADCAST CARRIER
14000.0000 - 14500.0000 MHz	1M60G7W	60.50 dBW	BPSK, 1024 KSPS, OUTROUTE CARRIER
14000.0000 - 14500.0000 MHz	6M20G7W	64.50 dBW	QPSK, 5 MSFS BROADCAST DIGITAL CARRIER

Points of Communication:

- HUB (1- 5M) - ALSAT - (ALSAT)
- HUB (1- 5M) - ANIK E1 - (118.7 W.L.)
- HUB (1- 7.6 M) - ALSAT - (ALSAT)
- HUB (1- 7.6 M) - ANIK E1 - (118.7 W.L.)
- HUB (2- 4.6 M) - ALSAT - (ALSAT)
- HUB (2- 4.6 M) - ANIK E1 - (118.7 W.L.)

SES-MOD-20060314-00439 E E050018 Newcom International, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

NewCom International seeks authorization to use a 4.5 meter Andrew antenna, transmit/receive to add Ku-band frequencies 14.0-14.5 GHz and 11.7-12.2 GHz to uplink to the Hispasat-1D satellite @ 30 W.L and Amazonas-1 satellite @ 61 W.L. and to change assigned C-band frequencies.

SITE ID: 1

LOCATION: 15590 N.W. 15th Ave., Dade, Miami, FL

25 ° 54 ' 59.30 " N LAT.

80 ° 13 ' 29.20 " W LONG.

ANTENNA ID: 4.5 C 4.5 meters Andrew Corporation 4.5 Meter

6391.0000 - 6425.0000 MHz	34M0G7W	67.70 dBW	digital modulation, voice and data services
6391.0000 - 6425.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services
6331.0000 - 6359.0000 MHz	28M0G7W	67.70 dBW	digital modulation, voice and data services
6331.0000 - 6359.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services

6272.0000 - 6299.0000 MHz	27M0G7W	67.70 dBW	digital modulation, voice and data services
6272.0000 - 6299.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services
6168.0000 - 6240.0000 MHz	45M0G7W	67.70 dBW	digital modulation, voice and data services
6168.0000 - 6240.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services
6079.0000 - 6107.0000 MHz	28M0G7W	67.70 dBW	digital modulation, voice and data services
6079.0000 - 6107.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services
6020.0000 - 6047.0000 MHz	27M0G7W	67.70 dBW	digital modulation, voice and data services
6020.0000 - 6047.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services
5961.0000 - 5988.0000 MHz	27M0G7W	67.70 dBW	digital modulation, voice and data services
5961.0000 - 5988.0000 MHz	128KG7D	59.00 dBW	digital modulation, voice and data services
5925.0000 - 6425.0000 MHz	45M0G7W	67.70 dBW	digital modulation, voice and data services
5925.0000 - 6425.0000 MHz	128KG7D	52.80 dBW	digital modulation, voice and data services
5925.0000 - 5929.0000 MHz	4M00G7W	59.00 dBW	digital modulation, voice and data services
5925.0000 - 5929.0000 MHz	128KG7D	67.70 dBW	digital modulation, voice and data services
3700.0000 - 4200.0000 MHz	45M0G7W		digital modulation, voice and data services
3700.0000 - 4200.0000 MHz	128KG7D		digital modulation, voice and data services
ANTENNA ID: 4.5 Ku	4.5 meters	Andrew Corporation	ES45MP-1
11700.0000 - 12200.0000 MHz	128KG7D		digital modulation, voice and data services

11700.0000 - 12200.0000 MHz	45M0G7W	0.00 dBW	digital modulation, voice and data services
14000.0000 - 14500.0000 MHz	128KG7D	54.95 dBW	digital modulation, voice and data services
14000.0000 - 14500.0000 MHz	45M0G7W	74.86 dBW	digital modulation, voice and data services

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - AMAZONAS 1 - (61 W.L.)
- 1 - HISPASAT - (30.0 W.L.)
- 1 - NSS-7 - (22 W.L.)
- 1 - SATMEX-5 - (116.8 W.L.)
- 1 - SOLIDARIDAD F-2 - (113.0 W.L.)

SES-MOD-20060316-00456 E E010078 CABLE NEWS NETWORK LP, LLLP

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" Notification of Minor Modification moving Transportable KU Band video uplink from Seattle, Washington to Los Angeles California.

SITE ID: 1

LOCATION: 6430 SUNSET BOULEVARD LOS ANGELES, CA 90028, VARIOUS

ANTENNA ID: 1	2.4 meters	VERTEX	2.4DMK
14000.0000 - 14500.0000 MHz	36M0F8W	68.67 dBW	VOICE/DATA
14000.0000 - 14500.0000 MHz	36M0F3F	68.67 dBW	VIDEO

Points of Communication:

- 1 - ALSAT - (ALSAT)

SES-REG-20060313-00431 E E060087 BALTIMORE CITY COMMUNITY COLLEGE

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 6776 REISTERSTOWN (WBJC), BALTIMORE, BALTIMORE, MD
39 ° 21 ' 28.70 " N LAT. 76 ° 42 ' 25.10 " W LONG.

ANTENNA ID: 1 3.7 meters PRODELIN CORPORATION 136-750
3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER
3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL BROADCAST AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060313-00432 E E060090 WICN PUBLIC RADIO, INC.
Registration
Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 50 PORTLAND STREET (WICN), WORCESTER, WORCESTER, MA
42 ° 15 ' 36.60 " N LAT. 71 ° 48 ' 6.90 " W LONG.

ANTENNA ID: 1 3.7 meters PRODELIN CORPORATION 136-750
3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER
3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL BROADCAST AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060313-00433 E E060088 UNIVERSITY OF VIRGINIA
Registration
Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: MCCORMICK ROAD WEST (WTJU) OBSERVATORY HILL, CHARLOTTESVILLE, CHARLOTTESVILLE, VA
38 ° 1 ' 55.20 " N LAT. 78 ° 31 ' 8.20 " W LONG.

ANTENNA ID: 1 3.8 meters COMTECH ANTENNA SYSTEMS 3.8 METER PF
3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL BROADCAST AUDIO CARRIER

3700.0000 - 4200.0000 MHz

30K0F1D

DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060317-00470 E E060094 THE BOARD OF TRUSTEES OF THE UNIVERSITY OF ILLINOIS

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 1108 WEST MAIN STREET (WILL-AM), CHAMPAIGN, URBANA, IL

40 ° 6 ' 52.40 " N LAT.

88 ° 13 ' 22.70 " W LONG.

ANTENNA ID: 1

3.8 meters

COMTECH

3.8 METER PF

3700.0000 - 4200.0000 MHz

10M3G7W

DIGITAL BROADCAST AUDIO
CARRIER

3700.0000 - 4200.0000 MHz

30K0F1D

DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-STA-20060228-00327 E E060070 The Boeing Company

Special Temporary Authority

Class of Station:

The Boeing Company has filed an application requesting Special Temporary Authority for 180 days to operate 100 earth stations onboard vessels.

Points of Communication:

SES-T/C-20060301-00336 E E030277 U.S. Satellite Corporation

Application for Consent to Transfer of Control

Current Licensee: U.S. Satellite Corporation

FROM: ALBERTSONS, INC.

TO: New Albertson's Inc.

No. of Station(s) listed: 3

SES-T/C-20060302-00436 E E900470 U.S. Satellite Corporation

Application for Consent to Transfer of Control

Current Licensee: U.S. Satellite Corporation

FROM: ALBERTSONS, INC.

TO: New Albertson's Inc.

No. of Station(s) listed: 2

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.