



# PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION  
445 12th STREET S.W.  
WASHINGTON D.C. 20554

News media information 202-418-0500  
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)  
TTY (202) 418-2555

Report No. SES-00814

Wednesday April 26, 2006

## SATELLITE COMMUNICATIONS SERVICES

### RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20060407-00594 E E060108 Intelsat LLC

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SITE ID: 1

LOCATION: 17625 Technology Boulevard, Washington, Hagerstown, MD

39 ° 35 ' 58.00 " N LAT.

77 ° 45 ' 22.00 " W LONG.

ANTENNA ID:	1	1.3 meters	Orbit Marine	7103-C	
	3700.0000 - 4200.0000 MHz		862KG7W	Digital data	
	3700.0000 - 4200.0000 MHz		1M72G7W	Digital data	
	5925.0000 - 5965.0000 MHz		862KG7W	46.00 dBW	Digital data
	5925.0000 - 5965.0000 MHz		1M72G7W	46.00 dBW	Digital data
	6421.0000 - 6425.0000 MHz		862KG7W	46.00 dBW	Digital data
	6421.0000 - 6425.0000 MHz		1M72G7W	46.00 dBW	Digital data

**Points of Communication:**

---

1 - INTELSAT AOR - (307.0 E.L.)

1 - INTELSAT AOR - (340.0 E.L.)

---

**SES-LIC-20060415-00662** E E060140 National Digital Television Center, Inc.

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 7235 WEST TITAN ROAD, DOUGLAS, LITTLETON, CO

39 ° 30 ' 35.00 " N LAT.

105 ° 1 ' 11.00 " W LONG.

ANTENNA ID: 1	10 meters	SCIENTIFIC-ATLANTA	10M
3700.0000 - 4200.0000 MHz	19M0G7W -		DIGITAL VIDEO, AUDIO, AND DATA
3700.0000 - 4200.0000 MHz	34M0G7W		DIGITAL VIDEO, AUDIO, AND DATA
5925.0000 - 6425.0000 MHz	34M0G7W	74.60 dBW	DIGITAL VIDEO, AUDIO, AND DATA
5925.0000 - 6425.0000 MHz	19M0G7W -	74.60 dBW	DIGITAL VIDEO, AUDIO, AND DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-LIC-20060418-00684** E E060141 Hearst-Argyle Properties, Inc.

Application for Authority

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: (WMUR), VARIOUS, AL

ANTENNA ID: 1	1.5 meters	VERTEX	1.5 SMK-LT
14000.0000 - 14500.0000 MHz	24M0G7F	62.24 dBW	PSK DIGITAL VIDEO W/DIGITAL AUDIO/DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

---

**SES-LIC-20060419-00689** E E060142 WJW License, Inc.

Application for Authority

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.2 meters	AVL Technologies	1200K DSNG
14000.0000 - 14500.0000 MHz	20M0G7W	65.50 dBW	DIGITAL CARRIER FOR VIDEO/VOICE/DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-LIC-20060420-00693** E E060144 Calhoun Satellite Communications Inc.

Application for Authority

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.8 meters	VERTEX RSI	1.8 SMK LT
14000.0000 - 14500.0000 MHz	36M0F8F	70.50 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	36M0F3F	73.50 dBW	ANALOG VIDEO AND AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	36M0G7W	72.03 dBW	DIGITAL COMPRESSED DIGITAL VIDEO, AUDIO & DATA
14000.0000 - 14500.0000 MHz	18M0G7W	69.03 dBW	DIGITAL COMPRESSED DIGITAL VIDEO, AUDIO & DATA
14000.0000 - 14500.0000 MHz	9M00G7W	66.03 dBW	DIGITAL COMPRESSED DIGITAL VIDEO, AUDIO & DATA
14000.0000 - 14500.0000 MHz	4M00G7W	63.30 dBW	DIGITAL COMPRESSED DIGITAL VIDEO, AUDIO & DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

---

**SES-LIC-20060420-00698** E E060145 KLAS, Inc.

Application for Authority

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 3228 CHANNEL 8 DRIVE, LAS VEGAS, NV

ANTENNA ID: 1	1.2 meters	AVL	1200-US-DSNG
14000.0000 - 14500.0000 MHz	24M0G7F	62.24 dBW	PSK DIGITAL VIDEO W/DIGITAL AUDIO/DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-LIC-20060421-00706** E E060147 NEXTEL COMMUNICATIONS OF THE MID-ATLANTIC INC

Application for Authority

**Class of Station:** VSAT Network

**Nature of Service:** Domestic Fixed Satellite Service, Fixed Satellite Service

SITE ID: REMOTE 1

LOCATION: 1.8M. VSAT (5 UNITS), CONUS, AK HI PR VI

ANTENNA ID: REMT1	1.8 meters	AVL TECHNOLOGIES	1.8M. SNG
11700.0000 - 12200.0000 MHz	1M34G7W		DIGITAL VOICE, FAX, AND DATA
14000.0000 - 14500.0000 MHz	1M34G7W	57.90 dBW	DIGITAL VOICE, FAX, AND DATA

SITE ID: 1

LOCATION: 8851 MANNING ROAD (4.9M. HUB), CONTRA COSTA, LIVERMORE, CA

37 ° 45 ' 39.70 " N LAT.

121 ° 47 ' 56.80 " W LONG.

ANTENNA ID: HUB	4.9 meters	ANDREW CORPORATION	ESA49
11700.0000 - 12200.0000 MHz	10K3G7W -		DIGITAL VOICE, FAX, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL VOICE, FAX, AND DATA
14000.0000 - 14500.0000 MHz	54M0G7W	74.00 dBW	DIGITAL VOICE, FAX, AND DATA
14000.0000 - 14500.0000 MHz	10K3G7W -	45.10 dBW	DIGITAL VOICE, FAX, AND DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

REMOTE 1 - ALSAT - (ALSAT)

---

**SES-LIC-20060421-00707** E E060148 NEXTEL COMMUNICATIONS OF THE MID-ATLANTIC INC

Application for Authority

**Class of Station:** VSAT Network

**Nature of Service:** Fixed Satellite Service

SITE ID: Franklin

LOCATION: 254 S. Highway 23, Sussex, Franklin, NJ

41 ° 7 ' 4.30 " N LAT.

74 ° 34 ' 31.60 " W LONG.

ANTENNA ID:	Hub	4.9 meters	Andrew Corporation	ESA49
	11700.0000 - 12200.0000 MHz	10K3G7W -		Digital Voice, Fax and Data
	11700.0000 - 12200.0000 MHz	54M0G7W		Digital Voice, Fax, and Data
	14000.0000 - 14500.0000 MHz	10K3G7W -	45.10 dBW	Digital Voice, Fax, and Data
	14000.0000 - 14500.0000 MHz	54M0G7W	74.00 dBW	Digital Voice, Fax, and Data

SITE ID: Remote

LOCATION: Locations Throughout Conus, Alaska, Hawaii, Puerto Rico, and Virgin Islands

ANTENNA ID:	Remote1	1.8 meters	AvL Technologies	1.8M SNG
	11700.0000 - 12200.0000 MHz	1M34G7W		Digital Voice, Fax, and Data
	14000.0000 - 14500.0000 MHz	1M34G7W	57.90 dBW	Digital Voice, Fax, and Data

**Points of Communication:**

Franklin - ALSAT - (ALSAT)

Remote - ALSAT - (ALSAT)

---

**SES-MFS-20060412-00619** E E980250 Loral Skynet Network Services, Inc.

Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service, Fixed Satellite Service, International Fixed Satellite Service

Loral Skynet Network Services, Inc. filed a modification application to add Vietnam, Afghanistan and French Polynesia as designation points.

SITE ID: 1

LOCATION: 91-340 FARRINGTON HIGHWAY, HONOLULU, KAPOLEI, HI

21 ° 20 ' 12.60 " N LAT.

158 ° 5 ' 21.10 " W LONG.

ANTENNA ID:	1	13 meters	VERTEX	13KPC
6689.0000 - 6699.0000 MHz	51K2G7D-	46.00 dBW	Digital Data	
6689.0000 - 6699.0000 MHz	36M0G7D	74.50 dBW	Digital Data	
6689.0000 - 6699.0000 MHz	51K2G7W-	46.00 dBW	Digital Data, Combination of Carriers	
6689.0000 - 6699.0000 MHz	36M0G7W	74.50 dBW	Digital Data, Combination of Carriers	
6587.0000 - 6687.0000 MHz	51K2G7D-	46.00 dBW	Digital Data	
6587.0000 - 6687.0000 MHz	36M0G7D	74.50 dBW	Digital Data	
6587.0000 - 6687.0000 MHz	51K2G7W-	46.00 dBW	Digital Data, Combination of Carriers	
6587.0000 - 6687.0000 MHz	36M0G7W	74.50 dBW	Digital Data, Combination of Carriers	
5925.0000 - 6425.0000 MHz	882KG7D	64.00 dBW	Digital Data	
5925.0000 - 6425.0000 MHz	36M0G7W	80.00 dBW	Digital Multiplex, QPSK / data, voice & video	
5925.0000 - 6425.0000 MHz	50K0G1W	51.50 dBW	Digital SCPC, QPSK / data, voice & video	
5925.0000 - 6425.0000 MHz	960KF2D	82.80 dBW	Tracking, Control and In Orbit Testing	
5925.0000 - 6425.0000 MHz	1M00N0N	77.60 dBW	Tracking, Control and In Orbit Testing	
4199.0000 - 4199.0000 MHz	960KF2D		Tracking, Control and In Orbit Testing	
4199.0000 - 4199.0000 MHz	1M00N0N		Tracking, Control and In Orbit Testing	
3700.0000 - 4200.0000 MHz	882KG7D		Digital Data	
3700.0000 - 4200.0000 MHz	36M0G7W		Digital Multiplex, QPSK / data, voice & video	
3700.0000 - 4200.0000 MHz	50K0G1W		Digital SCPC, QPSK / data, voice & video	
3700.0000 - 4200.0000 MHz	960KF2D		Tracking, Control and In Orbit Testing	
3700.0000 - 4200.0000 MHz	1M00N0N		Tracking, Control and In Orbit Testing	

3700.0000 - 4200.0000 MHz	36M0F9W		Analog TV/FM with associated audio subcarriers
3700.0000 - 4200.0000 MHz	360KG7W		Digital SCPC, QPSK, Data, Voice& Video, 1/2FEC, 256 kbps
5925.0000 - 6425.0000 MHz	36M0F9W	80.60 dBW	Analog TV/FM with associated audio subcarriers
5925.0000 - 6425.0000 MHz	360KG7W	60.00 dBW	Digital SCPC, QPSK, Data, Voice& Video, 1/2FEC, 256 kbps
3700.0000 - 4200.0000 MHz	36M0G7W		Digital Multiplex, QPSK, Data, Voice & Video, 7/8 FEC, 48.38 kbps
5925.0000 - 6425.0000 MHz	36M0G7W	80.00 dBW	Digital Multiplex, QPSK, Data, Voice & Video, 7/8 FEC, 48.38 kbps
6425.0000 - 6650.0000 MHz	36M0F9W	82.80 dBW	Analog TV/FM with associated audio carriers
6425.0000 - 6650.0000 MHz	36M0G7W	80.00 dBW	QPSK, FEC 7/8, Data, Voice & Video 48.38 kbps
6425.0000 - 6650.0000 MHz	360KG7W	60.00 dBW	QPSK, FEC 1/2 FEC, Data, Voice & Video 256 kbps
3700.0000 - 4200.0000 MHz	36M0G7W		QPSK, FEC 7/8, Data, Voice & Video 48.38 kbps
3700.0000 - 4200.0000 MHz	360KG7W		QPSK, FEC 1/2 FEC, Data, Voice & Video 256 kbps
5850.0000 - 5925.0000 MHz	36M0F9W	82.80 dBW	Analog TV/FM with associated audio subcarriers
3625.0000 - 3650.0000 MHz	36M0F9W		Analog TV/FM with associated audio subcarriers
3650.0000 - 3700.0000 MHz	36M0F9W		Analog TV/FM with associated audio subcarriers
5850.0000 - 5925.0000 MHz	360KG7W	60.00 dBW	Digital SCPC, QPSK, Data, Voice& Video, 1/2FEC, 256 kbps
3625.0000 - 3650.0000 MHz	360KG7W		Digital SCPC, QPSK, Data, Voice& Video, 1/2FEC, 256 kbps
3659.0000 - 3700.0000 MHz	360KG7W		Digital SCPC, QPSK, Data, Voice& Video, 1/2FEC, 256 kbps
5850.0000 - 5925.0000 MHz	36M0G7W	80.00 dBW	Digital Multiplex, QPSK, Data, Voice & Video, 7/8 FEC, 48.38 kbps

---

3625.0000 - 3650.0000 MHz	36M0G7W	Digital Multiplex, QPSK, Data, Voice & Video, 7/8 FEC, 48.38 kbps
---------------------------	---------	---

3650.0000 - 3700.0000 MHz	36M0G7W	Digital Multiplex, QPSK, Data, Voice & Video, 7/8 FEC, 48.38 kbps
---------------------------	---------	---

**Points of Communication:**

1 - APSTAR V - (138 E.L.)

1 - Mabuhay (AGILA 2) - (146 E.L.)

---

**SES-MOD-20060407-00593** E E940457 WAL-MART STORES, INC., A DELAWARE CORPORATION

Application for Modification

**Class of Station:** VSAT Network

**Nature of Service:** Domestic Fixed Satellite Service, Fixed Satellite Service

"MOD" to consolidate licenses for stations E850548 (Primary), E850542 (1.2m), E850546 (2.4m) and E850545 (1.8m) onto the license for station E940457 (secondary), relocate secondary Hub, add two (2) .74m and a .98m antennas.

SITE ID: HUB- (SECONDARY)

LOCATION: 2001 BEAR HOLLOW ROAD (6.1M. SECONDARY), MCDONALD, PINEVILLE, MO

36 ° 30 ' 6.00 " N LAT.

94 ° 15 ' 57.00 " W LONG.

ANTENNA ID: HUB (2) 6.1 meters HARRIS 5346

14000.0000 - 14500.0000 MHz	12M0G7D	77.30 dBW	QPSK, DATA, INROUTE, 10 MSPS
-----------------------------	---------	-----------	------------------------------

11700.0000 - 12200.0000 MHz	200KG7D		QPSK, DATA, INROUTE, 128 KSPS
-----------------------------	---------	--	-------------------------------

14000.0000 - 14500.0000 MHz	1M23G7D	54.60 dBW	
-----------------------------	---------	-----------	--

14000.0000 - 14500.0000 MHz	36M0F9F	67.39 dBW	FM VIDEO WITH AUDIO SUB CRX
-----------------------------	---------	-----------	-----------------------------

14000.0000 - 14500.0000 MHz	24M0G7D	78.30 dBW	QPSK, DATA, INROUTE, 20 MSPS
-----------------------------	---------	-----------	------------------------------

14000.0000 - 14500.0000 MHz	36M0G7D	78.30 dBW	QPSK, DATA, INROUTE, 30 MSPS
-----------------------------	---------	-----------	------------------------------

14000.0000 - 14500.0000 MHz	6M00G7D	74.30 dBW	QPSK, DATA, INROUTE, 5 MSPS
-----------------------------	---------	-----------	-----------------------------

11700.0000 - 12200.0000 MHz	307KG7D		
-----------------------------	---------	--	--

11700.0000 - 12200.0000 MHz	400KG7D		QPSK, DATA INROUTE, 256 KSPS
-----------------------------	---------	--	------------------------------

11700.0000 - 12200.0000 MHz	800KG7D		QPSK, DATA, INROUTE, 512 KSPS
-----------------------------	---------	--	-------------------------------

11700.0000 - 12200.0000 MHz	1M60G7D		QPSK, DATA INROUTE, 1024 KSPS
-----------------------------	---------	--	-------------------------------



SITE ID: HUB- (PRIMARY)  
 LOCATION: 702 S.W. 8TH STREET (9.0M. PRIMARY), BENTON, BENTONVILLE, AR  
 36 ° 21 ' 58.00 " N LAT. 94 ° 13 ' 8.00 " W LONG.

ANTENNA ID:	HUB (1)	9 meters	VERTEX	5351
14000.0000 - 14500.0000 MHz			1M23G7D	58.10 dBW
14000.0000 - 14500.0000 MHz			36M0F9F	71.30 dBW FM VIDEO WITH AUDIO SUB CRX
14000.0000 - 14500.0000 MHz			12M0G7D	78.30 dBW QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz			24M0G7D	78.30 dBW QPSK, DATA, INROUTE, 20 MSPS
14000.0000 - 14500.0000 MHz			36M0G7D	78.30 dBW QPSK, DATA, INROUTE, 30 MSPS
14000.0000 - 14500.0000 MHz			6M00G7D	78.20 dBW QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz			307KG7D	
11700.0000 - 12200.0000 MHz			200KG7D	QPSK, DATA, INROUTE, 128 KSPS
11700.0000 - 12200.0000 MHz			400KG7D	QPSK, DATA INROUTE, 256 KSPS
11700.0000 - 12200.0000 MHz			800KG7D	QPSK, DATA, INROUTE, 512 KSPS
11700.0000 - 12200.0000 MHz			36M0F9F	FM VIDEO WITH AUDIO SUB CRX

SITE ID: VSAT 1  
 LOCATION: PROD. VSAT 0.74M., (5000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	.74 PROD	0.74 meters	PRODELIN	HANT-91TR
14000.0000 - 14500.0000 MHz			200KG7D	42.00 dBW QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz			400KG7D	42.00 dBW QPSK, DATA INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz			800KG7D	42.00 dBW QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz			1M60G7D	42.00 dBW QPSK, DATA INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz			36M0F9F	FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz			6M00G7D	QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz			12M0G7D	QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz			24M0G7D	QPSK, DATA, INROUTE, 20 MSPS

---

11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS
-----------------------------	---------	--	------------------------------

SITE ID: VSAT 2

LOCATION: RAVEN VSAT 0.74M., (2000 UNITS), CONUS, AK, HI, PR

ANTENNA ID: .74 RAVEN	0.74 meters	RAVEN	HNS-1035610
-----------------------	-------------	-------	-------------

14000.0000 - 14500.0000 MHz	200KG7D	41.70 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	41.70 dBW	QPSK, DATA INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	41.70 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60G7D	41.70 dBW	QPSK, DATA INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

SITE ID: VSAT 3

LOCATION: PROD. VSAT 0.98M., (10000 UNITS), CONUS, AK, HI, PR

ANTENNA ID: .98 PROD.	0.98 meters	PRODELIN	HNS-9008668
-----------------------	-------------	----------	-------------

14000.0000 - 14500.0000 MHz	200KG7D	44.30 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	44.30 dBW	QPSK, DATA INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	44.30 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60G7D	44.30 dBW	QPSK, DATA INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

---

SITE ID: VSAT 4  
LOCATION: PROD. VSAT 1.2M., (10000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	1.2 PROD.	1.2 meters	PRODELIN	1134
14000.0000 - 14500.0000 MHz		200KG7D	36.10 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz		400KG7D	36.10 dBW	QPSK, DATA INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz		800KG7D	36.10 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz		1M60G7D	36.10 dBW	QPSK, DATA INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz		36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz		12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz		24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz		36M0G7D		QPSK, DATA, INROUTE, 30 MSPS
11700.0000 - 12200.0000 MHz		6M00G7D		QPSK, DATA, INROUTE, 5 MSPS

SITE ID: VSAT 5  
LOCATION: PROD. VSAT 1.8M., (1000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	1.8 PROD.	1.8 meters	PRODELIN	1184
14000.0000 - 14500.0000 MHz		200KG7D	49.70 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz		400KG7D	49.70 dBW	QPSK, DATA INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz		800KG7D	49.70 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz		1M60G7D	49.70 dBW	QPSK, DATA INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz		36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz		6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz		12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz		24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz		36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

SITE ID: VSAT 6  
LOCATION: PROD. VSAT 2.4M., (1000 UNITS), CONUS, AK, HI, PR

---

ANTENNA ID: 2.4 PROD.	2.4 meters	PRODELIN	1244
14000.0000 - 14500.0000 MHz	200KG7D	52.20 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	52.20 dBW	QPSK, DATA INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	52.20 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60G7D	52.20 dBW	QPSK, DATA INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS
11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS

**Points of Communication:**

- HUB- (PRIMARY) - ALSAT - (ALSAT)
- HUB- (PRIMARY) - GALAXY 10R - (123 W.L.)
- HUB- (SECONDARY) - ALSAT - (ALSAT)
- HUB- (SECONDARY) - GALAXY 10R - (123 W.L.)
- VSAT 1 - GALAXY 10R - (123 W.L.)
- VSAT 2 - GALAXY 10R - (123 W.L.)
- VSAT 3 - GALAXY 10R - (123 W.L.)
- VSAT 4 - GALAXY 10R - (123 W.L.)
- VSAT 5 - ALSAT - (ALSAT)
- VSAT 5 - GALAXY 10R - (123 W.L.)
- VSAT 6 - ALSAT - (ALSAT)
- VSAT 6 - GALAXY 10R - (123 W.L.)

---

**SES-MOD-20060420-00694** E E010074 CLEAR CHANNEL SATELLITE SERVICES  
Application for Modification  
**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service, Fixed Satellite Service

---

"MOD" to relocate our existing 6.1M. antenna to a new location and add two 3.7 M. Antennas to that same location. All three antennas will be C-band, and will be located at our main facility.

SITE ID: 1  
LOCATION: 76 INVERNESS DR. E. SUITE B (CCSS INV 6.1A), ARAPAHOE, ENGLEWOOD, CO  
39 ° 34 ' 47.00 " N LAT. 104 ° 51 ' 35.00 " W LONG.

ANTENNA ID:	INV 6.1 A	6 meters	VIASAT	8060	
	5925.0000 - 6425.0000 MHz		11M1G1E	68.50 dBW	QPSK
	3700.0000 - 4200.0000 MHz		11M1G1E		QPSK

SITE ID: 2  
LOCATION: 76 INVERNESS DR. E. SUITE B (INV 3.7150), ARAPAHOE, ENGLEWOOD, CO  
39 ° 34 ' 47.00 " N LAT. 104 ° 51 ' 35.00 " W LONG.

ANTENNA ID:	INV 3.7150	3.7 meters	SUMAN	SMT3.7R	
	5925.0000 - 6425.0000 MHz		22M5G7W	65.80 dBW	QPSK
	3700.0000 - 4200.0000 MHz		22M5G7W		QPSK

**Points of Communication:**

- 1 - ALSAT - (ALSAT)
- 2 - ALSAT - (ALSAT)

---

**SES-MOD-20060420-00697** E E860695 WPIX, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

"MOD" to increase EIRP and EIRP density and replace antenna.

SITE ID: 1  
LOCATION: 220 EAST 42ND STREET NEWSBLDG, NEW YORK, MANHATTAN, NY  
40 ° 45 ' 0.40 " N LAT. 73 ° 58 ' 23.50 " W LONG.

ANTENNA ID:	1	4.9 meters	ANDREW CORPORATION	ES49MPJ	
	14000.0000 - 14500.0000 MHz		22M0G7F	78.00 dBW	DIGITAL VIDEO
	11700.0000 - 12200.0000 MHz		22M0G7F		DIGITAL VIDEO

**Points of Communication:**

---

1 - ALSAT - (ALSAT)

---

**SES-REG-20060424-00708** E E060149 WCIV, LLC

Registration

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 888 ALLBRITTON BLVD (WCIV), CHARLESTON, MOUNT PLEASANT, SC

32 ° 48 ' 30.60 " N LAT.

79 ° 52 ' 20.30 " W LONG.

ANTENNA ID: 1                      4.5 meters                      ANDREW CORP.                      ESA45-46A

3700.0000 - 4200.0000 MHz                      36M0G7F                      COMPRESSED DIGITAL VIDEO

3700.0000 - 4200.0000 MHz                      36M0F3F                      STANDARD ANALOG VIDEO

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.