



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00828

Wednesday June 14, 2006

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-ASG-20060413-00647 E E980459 Mills James Productions
Application for Consent to Assignment
Current Licensee: Mills James Productions
FROM: MILLS JAMES PRODUCTION
TO: Image Video Teleproductions, Inc.

No. of Station(s) listed: 1

SES-LFS-20060522-00852 E E060179 THRANE & THRANE AIRTIME LTD.
License to communicate with a Foreign Satellite
Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

SITE ID: Various Mobile Units

LOCATION:

ANTENNA ID: 1	0.35 meters	Hughes Network Systems	HNS 9201
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	200KD7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	50K0D7W	0.00 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	200KD7W	21.00 dBW	Voice and Data Services

1626.5000 - 1660.5000 MHz	50K0D7W	21.00 dBW	Voice and Data Services
ANTENNA ID: 2	0.21 meters	Thrane and Thrane	Explorer 500, 700
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	200KD7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	50K0D7W	0.00 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	200KD7W	16.10 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	50K0D7W	16.10 dBW	Voice and Data Services
ANTENNA ID: 3	0.125 meters	NERA	WorldPro 1000
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	200KG7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	50K0G7W	0.00 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	200KG7W	11.00 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	25K0G7W	11.00 dBW	Voice and Data Services
ANTENNA ID: 4	0.2 meters	Add Value	Wideye Sabre I
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	200KG7W	0.00 dBW	Voice and Data Services
1525.0000 - 1559.0000 MHz	50K0G7W	0.00 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	200KG7W	11.00 dBW	Voice and Data Services
1626.5000 - 1660.5000 MHz	25K0G7W	11.00 dBW	Voice and Data Services

Points of Communication:

Various Mobile Units - INMARSAT 4F2 - (52.75)

SES-LIC-20060607-00943 E E060211 CSN International

EZ

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Valparaiso
 LOCATION: 150 W Lincolnway Suite 2001, Porter, Valparaiso, IN
 41 ° 28 ' 7.00 " N LAT. 86 ° 3 ' 48.00 " W LONG.

ANTENNA ID: One	2.4 meters	Andrew	Type 243, Class III
14000.0000 - 14500.0000 MHz	230KG7W	52.20 dBW	Digital encoded audio and data @ 192Kbps, QPSK, 1/2 FEC
11700.0000 - 12200.0000 MHz	230KG7W		Digital encoded audio and data @ 192Kbps, QPSK, 1/2 FEC

Points of Communication:

Valparaiso - PERMITTED LIST - ()

SES-MOD-20060518-00847 E E940457 WAL-MART STORES, INC., A DELAWARE CORPORATION
 Application for Modification
Class of Station: VSAT Network

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service

Modification filed to add three new antennas sizes .98m. and two .74m. to its existing ku-band earth station VSAT Network License. "This modification application contains a certification from the target satellite operator PanAMSat certifying Wal-Mart Stores, Inc. use of 0.74 meter antenna for VSAT1, 0.74 meter antenna for VSAT2, and 0.98 meter antenna for VSAT3 to receive satellite Galaxy 10R on downlink conventional Ku-band frequency at maximum downlink EIRP density of +13 dBW/4kz."

SITE ID: HUB (SECONDARY)
 LOCATION: 2001 BEAR HOLLOW ROAD 6.1M. SECONDARY HUB), MCDONALD, PINEVILLE, MO
 36 ° 30 ' 6.00 " N LAT. 94 ° 15 ' 57.00 " W LONG.

ANTENNA ID: HUB (2)	6.1 meters	HARRIS	5346
14000.0000 - 14500.0000 MHz	36M0F9F	76.80 dBW	FM VIDEO WITH AUDIO SUB CRX
14000.0000 - 14500.0000 MHz	12M0G7D	77.30 dBW	QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz	24M0G7D	80.30 dBW	QPSK, DATA, INROUTE, 20 MSPS
14000.0000 - 14500.0000 MHz	36M0G7D	82.10 dBW	QPSK, DATA, INROUTE, 30 MSPS
14000.0000 - 14500.0000 MHz	6M00G7D	74.30 dBW	QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	200KG7D		QPSK, DATA, INROUTE, 128 KSPS
11700.0000 - 12200.0000 MHz	400KG7D		QPSK, DATA, INROUTE, 256 KSPS
11700.0000 - 12200.0000 MHz	800KG7D		QPSK, DATA, INROUTE, 512 KSPS

11700.0000 - 12200.0000 MHz	1M60G7D		QPSK, DATA, INROUTE, 1024 KSPS
-----------------------------	---------	--	--------------------------------

SITE ID: HUB (PRIMARY)

LOCATION: 702 S.W. 8TH STREET (9.0M. PRIMARY HUB), BENTON, BENTONVILLE, AR
36 ° 21 ' 58.00 " N LAT. 94 ° 13 ' 8.00 " W LONG.

ANTENNA ID: HUB (1)	9 meters	VERTEX	5351
---------------------	----------	--------	------

14000.0000 - 14500.0000 MHz	36M0F9F	80.30 dBW	FM VIDEO WITH AUDIO SUB CRX
14000.0000 - 14500.0000 MHz	12M0G7D	81.20 dBW	QPSK, DATA, INROUTE, 10 MSPS
14000.0000 - 14500.0000 MHz	24M0G7D	84.20 dBW	QPSK, DATA, INROUTE, 20 MSPS
14000.0000 - 14500.0000 MHz	36M0G7D	85.90 dBW	QPSK, DATA, INROUTE, 30 MSPS
14000.0000 - 14500.0000 MHz	6M00G7D	78.20 dBW	QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	200KG7D		QPSK, DATA, INROUTE, 128 KSPS
11700.0000 - 12200.0000 MHz	400KG7D		QPSK, DATA, INROUTE, 256 KSPS
11700.0000 - 12200.0000 MHz	800KG7D		QPSK, DATA, INROUTE, 512 KSPS
11700.0000 - 12200.0000 MHz	1M60G7D		QPSK, DATA, INROUTE, 1024 KSPS

SITE ID: VSAT 1

LOCATION: PROD. 0.74M. VSAT, (5000 UNITS), CONUS, AK, HI, PR

ANTENNA ID: .74M.PROD	0.74 meters	PRODELIN	HANT-91TR
-----------------------	-------------	----------	-----------

14000.0000 - 14500.0000 MHz	200KG7D	42.00 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	42.00 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	42.00 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60G7D	42.00 dBW	QPSK, DATA, INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS

11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS
-----------------------------	---------	--	------------------------------

SITE ID: VSAT 2

LOCATION: RAVEN 0.74M. VSAT, (2000 UNITS), CONUS, AK, HI, PR

ANTENNA ID: .74M. RAVE	0.74 meters	RAVEN	HNS-1035610
------------------------	-------------	-------	-------------

14000.0000 - 14500.0000 MHz	200KG7D	41.70 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	41.70 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	41.70 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60G7D	41.70 dBW	QPSK, DATA, INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

SITE ID: VSAT 3

LOCATION: PROD. 0.98M. VSAT, (10000 UNITS), CONUS, AK, HI, PR

ANTENNA ID: .98M. PROD	0.98 meters	PRODELIN	9008668
------------------------	-------------	----------	---------

14000.0000 - 14500.0000 MHz	200KG7D	44.30 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz	400KG7D	44.30 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz	800KG7D	44.30 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz	1M60G7D	44.30 dBW	QPSK, DATA, INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

SITE ID: VSAT 4
LOCATION: PROD. 1.2M. VSAT, (10000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	1.2M. PROD	1.2 meters	PRODELIN	1134
14000.0000 - 14500.0000 MHz		200KG7D	46.10 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz		400KG7D	46.10 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz		800KG7D	46.10 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz		1M60G7D	46.10 dBW	QPSK, DATA, INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz		36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz		6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz		12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz		24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz		36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

SITE ID: VSAT 5
LOCATION: PROD. 1.8M. VSAT, (1000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	1.8M. PROD	1.8 meters	PRODELIN	1184
14000.0000 - 14500.0000 MHz		200KG7D	49.70 dBW	QPSK, DATA, INROUTE, 128 KSPS
14000.0000 - 14500.0000 MHz		400KG7D	49.70 dBW	QPSK, DATA, INROUTE, 256 KSPS
14000.0000 - 14500.0000 MHz		800KG7D	49.70 dBW	QPSK, DATA, INROUTE, 512 KSPS
14000.0000 - 14500.0000 MHz		1M60G7D	49.70 dBW	QPSK, DATA, INROUTE, 1024 KSPS
11700.0000 - 12200.0000 MHz		36M0F9F		FM VIDEO WITH AUDIO SUB CRX
11700.0000 - 12200.0000 MHz		6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
11700.0000 - 12200.0000 MHz		12M0G7D		QPSK, DATA, INROUTE, 10 MSPS
11700.0000 - 12200.0000 MHz		24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
11700.0000 - 12200.0000 MHz		36M0G7D		QPSK, DATA, INROUTE, 30 MSPS

SITE ID: VSAT 6
LOCATION: PROD. 2.4M. VSAT, (1000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	2.4M. PROD	2.4 meters	PRODELIN	1244
	14000.0000 - 14500.0000 MHz	200KG7D	52.20 dBW	QPSK, DATA, INROUTE, 128 KSPS
	14000.0000 - 14500.0000 MHz	400KG7D	52.20 dBW	QPSK, DATA, INROUTE, 256 KSPS
	14000.0000 - 14500.0000 MHz	800KG7D	52.20 dBW	QPSK, DATA, INROUTE, 512 KSPS
	14000.0000 - 14500.0000 MHz	1M60G7D	52.20 dBW	QPSK, DATA, INROUTE, 1024 KSPS
	11700.0000 - 12200.0000 MHz	36M0F9F		FM VIDEO WITH AUDIO SUB CRX
	11700.0000 - 12200.0000 MHz	6M00G7D		QPSK, DATA, INROUTE, 5 MSPS
	11700.0000 - 12200.0000 MHz	36M0G7D		QPSK, DATA, INROUTE, 30 MSPS
	11700.0000 - 12200.0000 MHz	24M0G7D		QPSK, DATA, INROUTE, 20 MSPS
	11700.0000 - 12200.0000 MHz	12M0G7D		QPSK, DATA, INROUTE, 10 MSPS

Points of Communication:

- HUB (PRIMARY) - ALSAT - (ALSAT)
 - HUB (PRIMARY) - GALAXY 10R - (123 W.L.)
 - HUB (SECONDARY) - ALSAT - (ALSAT)
 - HUB (SECONDARY) - GALAXY 10R - (123 W.L.)
 - VSAT 1 - GALAXY 10R - (123 W.L.)
 - VSAT 2 - GALAXY 10R - (123 W.L.)
 - VSAT 3 - GALAXY 10R - (123 W.L.)
 - VSAT 4 - ALSAT - (ALSAT)
 - VSAT 4 - GALAXY 10R - (123 W.L.)
 - VSAT 5 - ALSAT - (ALSAT)
 - VSAT 5 - GALAXY 10R - (123 W.L.)
 - VSAT 6 - ALSAT - (ALSAT)
 - VSAT 6 - GALAXY 10R - (123 W.L.)
-

SES-MOD-20060608-00951 E E030163 Public Broadcasting of Colorado, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to add antenna.

SITE ID: 1

LOCATION: 7409 S. Alton Ct., Arapahoe, Centennial, CO

39 ° 34 ' 56.00 " N LAT.

104 ° 52 ' 59.00 " W LONG.

ANTENNA ID: 1	3.8 meters	Prodelin	1383
5925.0000 - 6425.0000 MHz	200KF3E	57.70 dBW	Analog SCPC
5925.0000 - 6425.0000 MHz	307KG7W	58.90 dBW	QPSK Digital, 1/2 FEC, 256 kbps
5925.0000 - 6425.0000 MHz	230KG7W	58.90 dBW	QPSK Digital, 1/2 FEC, 192 kbps
5925.0000 - 6425.0000 MHz	154KG7W	58.90 dBW	QPSK Digital, 1/2 FEC, 128 kbps
5925.0000 - 6425.0000 MHz	76K8G7D	56.00 dBW	QPSK Digital, 1/2 FEC, 64 kbps
3700.0000 - 4200.0000 MHz	200KF3E		Analog SCPC
3700.0000 - 4200.0000 MHz	307KG7W		QPSK Digital, 1/2 FEC, 256 kbps
3700.0000 - 4200.0000 MHz	230KG7W		QPSK Digital, 1/2 FEC, 192 kbps
3700.0000 - 4200.0000 MHz	154KG7W		QPSK Digital, 1/2 FEC, 128 kbps
3700.0000 - 4200.0000 MHz	76K8G7D		QPSK Digital, 1/2 FEC, 64 kbps

Points of Communication:

1 - GALAXY 4R - (99 W.L.)

SES-REG-20060522-00872 E E060184 ETEX COMMUNICATIONS

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 374 PRIVATE ROAD (GILMER), UPSHUR, GILMER, TX

32 ° 43 ' 39.80 " N LAT.

94 ° 55 ' 1.90 " W LONG.

ANTENNA ID: 5.0M. ANTENNA TECH CORP. SIMULSAT 5.0M.

3700.0000 - 4200.0000 MHz

36M0F8W

ANALOG VIDEO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060607-00940 E E060209 CC VIII Operating, LLC

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 3848 N. FOREST, IOSCO, OSCODA, MI

44 ° 23 ' 30.10 " N LAT.

83 ° 20 ' 38.90 " W LONG.

ANTENNA ID: 1

3.8 meters

PATRIOT 3.8

3.8

3700.0000 - 4200.0000 MHz

36M0F8W

ANALOG VIDEO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060607-00941 E E060210 CC VIII Operating, LLC

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 10869 E. WEST BRANCH ROAD, ROSCOMMON, ST. HELEN, MI

44 ° 17 ' 45.00 " N LAT.

84 ° 23 ' 50.10 " W LONG.

ANTENNA ID: 1

3.8 meters

PATRIOT 3.8

3.8

3700.0000 - 4200.0000 MHz

36M0F8W

ANALOG VIDEO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060608-00946 E E060212 WHUS Radio

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: NORTH EAGLEVILLE ROAD (WHUS), TOLLAND, STORRS, CT
41 ° 48 ' 50.90 " N LAT. 72 ° 15 ' 33.50 " W LONG.

ANTENNA ID: 1 3.7 meters PRODELIN 3.7 M
3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL AUDIO CARRIER
3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060608-00947 E E060213 Mount Union College
Registration
Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 1972 CLARK AVE (WRMU), STAR, ALLIANCE, OH
40 ° 54 ' 16.00 " N LAT. 81 ° 6 ' 45.00 " W LONG.

ANTENNA ID: 1 3.7 meters PRODELIN 3.7 M
3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER
3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060608-00948 E E060214 Prairie Air Inc
Registration
Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 113 N. MARKET (WEFT), CHAMPAIGN, CHAMPAIGN, IL
40 ° 7 ' 0.40 " N LAT. 88 ° 14 ' 31.20 " W LONG.

ANTENNA ID: 1 3.7 meters PRODELIN 3.7 M
3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER
3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060608-00949 E E060215 The Memphis Public Library

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 5450 WINCHESTER ROAD (WYPL), SHELBY, MEMPHIS, TN

35 ° 3 ' 3.40 " N LAT.

89 ° 52 ' 54.90 " W LONG.

ANTENNA ID: 1 3.8 meters COMTECH 3.8 M

3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL AUDIO CARRIER

3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

CORRECTIONS

SES-STA-20060605-00922 Deere & Company

On Report No. SES-00827, released June 7, 2006, the informative stated the underlying application seeks authority, for a period of thirty (30) days, to test up to 6 non-common carrier receive-only domestic mobile earth stations at 1535.15 MHz, using 2K50D1D emission designator. The correct number to test is up to 20, instead of up to 6.

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.