



# PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION  
445 12th STREET S.W.  
WASHINGTON D.C. 20554

News media information 202-418-0500  
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)  
TTY (202) 418-2555

Report No. SES-00844

Wednesday August 9, 2006

## SATELLITE COMMUNICATIONS SERVICES

### RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20060804-01310 E E980136 Telenor Satellite, Inc.

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Mobile Satellite Service

Telenor Satellite, Inc. amends its modification application to clarify that the L-band operations at this earth station are through a 1.8 meter Prodelin receive-only antenna. The L-band antenna receives at 1575.42 MHz (GPS L1). The gain at this frequency is 27.0 dBi and the emission designator is 2M20G1D.

SITE ID: SAPA 17

LOCATION: 7676 PINE GROVE ROAD, VENTURA, SANTA PAULA, CA

34 ° 24 ' 6.00 " N LAT.

119 ° 4 ' 24.90 " W LONG.

ANTENNA ID:	SAPA 17	16.4 meters	COMSAT RSI	16.4M
	6454.3200 - 6456.5200 MHz	2M20G1D	83.00 dBW	DIGITAL DATA & Feederlink to support FAA-WASS program
	6440.8000 - 6443.0000 MHz	2M20G1D	83.00 dBW	DIGITAL DATA & Feederlink to support FAA-WASS program
	3629.3200 - 3631.5200 MHz	2M20G1D		DIGITAL DATA & Feederlink to support FAA-WASS program
	1545.8000 - 1548.0000 MHz	2M20G1D		DIGITAL DATA to support FAA-WASS program

---

SITE ID: SAPA  
LOCATION: 7676 PINE GROVE ROAD, VENTURA, SANTA PAULA, CA  
34 ° 24 ' 6.00 " N LAT. 119 ° 4 ' 24.90 " W LONG.

ANTENNA ID: SAPA 17A 1.8 meters PRODELIN 1183-912  
1574.4000 - 1576.6000 MHz 2M20G1D DIGITAL DATA to support  
FAA-WASS program

**Points of Communication:**

SAPA - INMARSAT 3F4 - (142 W.L.)

SAPA 17 - INMARSAT 3F4 - (142 W.L.)

---

**SES-ASG-20060524-00882** E E960629 Stockton Christian Life College, Inc.

Application for Consent to Assignment

**Current Licensee:** Stockton Christian Life College, Inc.

**FROM:** STOCKTON CHRISTIAN LIFE COLLEGE

**TO:** Your Christian Companion Network, Inc.

No. of Station(s) listed: 1

---

**SES-ASG-20060727-01276** E E910146 Catamount Broadcasting of Fargo LLC

Application for Consent to Assignment

**Current Licensee:** Catamount Broadcasting of Fargo LLC

**FROM:** CATAMOUNT BROADCASTING OF FARGO LLC

**TO:** Spirit Television LLC

No. of Station(s) listed: 1

---

**SES-ASG-20060727-01277** E E910146 Spirit Television LLC

Application for Consent to Assignment

**Current Licensee:** Spirit Television LLC

**FROM:** SPIRIT TELEVISION LLC

**TO:** Parker Broadcasting, Inc.

No. of Station(s) listed: 1

---

**SES-LIC-20060802-01300** E E060298 DIRECTV Enterprises, LLC

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Direct to Home Fixed Satellite, Fixed Satellite Service

SITE ID: NWDF  
LOCATION: 1306 W. Dolarway Rd., Kittitas County, Ellensburg, WA  
46 ° 56 ' 56.40 " N LAT. 120 ° 33 ' 52.50 " W LONG.

ANTENNA ID: KA1 9.2 meters Vertex RSI 9mKa-01-00  
18300.0000 - 18800.0000 MHz 36M0G7W 0.00 dBW PSK MOD DIGITAL VIDEO/AUDIO  
19700.0000 - 20200.0000 MHz 36M0G7W 0.00 dBW PSK MOD DIGITAL VIDEO/AUDIO

28350.0000 - 28600.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
29250.0000 - 30000.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
ANTENNA ID: KA2	9.2 meters	Vertex RSI	9mKA-01-00
18300.0000 - 18800.0000 MHz	36M0G7W	0.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
19700.0000 - 20200.0000 MHz	36M0G7W	0.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
28350.0000 - 28600.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
29250.0000 - 30000.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO

**Points of Communication:**

NWDF - DIRECTV 8 (K) - (101 W.L.)  
 NWDF - DIRECTV 9S - (101 W.L.)  
 NWDF - SPACEWAY 1 - (103 W.L.)  
 NWDF - SPACEWAY 2 - (99 W.L.)

---

**SES-LIC-20060802-01301** E E060299 DIRECTV Enterprises, LLC  
 Application for Authority  
**Class of Station:** Fixed Earth Stations

**Nature of Service:** Direct to Home Fixed Satellite, Fixed Satellite Service

SITE ID: NWUF  
 LOCATION: 106 Grant Way, Yakima, Moxee, WA  
 46 ° 33 ' 55.50 " N LAT. 120 ° 23 ' 53.40 " W LONG.

ANTENNA ID: KA1	9.2 meters	Vertex RSI	9mKa-01-00
18300.0000 - 18800.0000 MHz	36M0G7W	0.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
19700.0000 - 20200.0000 MHz	36M0G7W	0.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
28350.0000 - 28600.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
29250.0000 - 30000.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
ANTENNA ID: KA2	9.2 meters	Vertex RSI	9mKA-01-00
18300.0000 - 18800.0000 MHz	36M0G7W	0.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
19700.0000 - 20200.0000 MHz	36M0G7W	0.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO

28350.0000 - 28600.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO
29250.0000 - 30000.0000 MHz	36M0G7W	83.00 dBW	PSK MOD DIGITAL VIDEO/AUDIO

**Points of Communication:**

NWUF - DIRECTV 8 (K) - (101 W.L.)  
 NWUF - DIRECTV 9S - (101 W.L.)  
 NWUF - SPACEWAY 1 - (103 W.L.)  
 NWUF - SPACEWAY 2 - (99 W.L.)

**SES-LIC-20060807-01321** E E060249 VideoLink Inc.

Application for Authority

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Fixed Satellite Service

SITE ID: Truck 4  
 LOCATION: VARIOUS

ANTENNA ID: 1	1.8 meters	Vertex	1.8SMK LT 4P
14000.0000 - 14500.0000 MHz	24M0G7F	62.24 dBW	PSK Digital Video w/ digital audio/ data
14000.0000 - 14500.0000 MHz	36M0F8F	71.62 dBW	Analog Video w/ associated audio subcarriers and ATIS
14000.0000 - 14500.0000 MHz	24M0F8F	68.62 dBW	Analog Video w/ associated audio subcarriers and ATIS

**Points of Communication:**

Truck 4 - ALSAT - (ALSAT)

**SES-MFS-20060615-01010** E E970322 Lockheed Martin Corporation

Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Aeronautical Mobile-Satellite Service, Feeder Link in Fixed Satellite Service, Fixed Satellite Service, International Aeronautical Mobile-Satellite Serv., Other

Modification filed to communicate with the Inmarsat-3F4 satellite at 142 deg. W.L., and to remove unused frequencies from its license.

SITE ID: 1  
 LOCATION: 2201 COMSAT DRIVE, MONTGOMERY, CLARKSBURG, MD  
 39 ° 13 ' 5.40 " N LAT. 77 ° 16 ' 23.90 " W LONG.

ANTENNA ID: 16.4MT/R 16.4 meters COMSAT RSI 16.4M

1574.4000 - 1576.6000 MHz	2M20G1D		DIGITAL DATA & FEEDERLINK TO SUPPORT FAA-WASS PROGRAM
3629.4000 - 3631.6000 MHz	2M20G1D		DIGITAL DATA & FEEDERLINK TO SUPPORT FAA-WASS PROGRAM
6454.4000 - 6456.6000 MHz	2M2G01D	82.30 dBW	DIGITAL DATA & FEEDERLINK TO SUPPORT FAA-WASS PROGRAM
ANTENNA ID: 1.8MRx	1.8 meters	PRODELIN CORP.	1183
1574.4000 - 1576.6000 MHz	2M20G1D		DIGITAL DATA & FEEDERLINK TO SUPPORT FAA-WASS PROGRAM

**Points of Communication:**

- 1 - INMARSAT 3F4 - (142 W.L.)
- 1 - INMARSAT Ltd-3 - (15.5 W.L.)

**SES-MFS-20060725-01253** E E980136 Telenor Satellite, Inc.

Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Aeronautical Mobile-Satellite Service, Feeder Link in Fixed Satellite Service, International Aeronautical Mobile-Satellite Serv., Mobile Satellite Service

Telenor Satellite, Inc. seeks to modify the license of its Santa Paula, CA, transmit/receive earth station (call sign E980136). Due to the relocation of the Inmarsat 3F4 satellite to 142 degrees W.L., Telenor is modifying the satellite arc of this earth station to permit operation with that satellite. Further, Telenor is also modifying slightly the transmit and receive frequencies for operations with the the Inmarsat satellite.

**SITE ID:** SAPA 17

**LOCATION:** 7676 PINE GROVE ROAD, VENTURA, SANTA PAULA, CA

34 ° 24 ' 6.00 " N LAT.

119 ° 4 ' 24.90 " W LONG.

ANTENNA ID: SAPA 17	16.4 meters	COMSAT RSI	16.4M
6440.8000 - 6443.0000 MHz	2M20G1D	83.00 dBW	DIGITAL DATA & Feederlink to support FAA-WASS program
1545.8000 - 1548.0000 MHz	2M20G1D		DIGITAL DATA to support FAA-WASS program
6454.3200 - 6456.5200 MHz	2M20G1D	83.00 dBW	DIGITAL DATA & Feederlink to support FAA-WASS program
3629.3200 - 3631.5200 MHz	2M20G1D		DIGITAL DATA & Feederlink to support FAA-WASS program

---

SITE ID: SAPA  
LOCATION: 7676 PINE GROVE ROAD, VENTURA, SANTA PAULA, CA  
34 ° 24 ' 6.00 " N LAT. 119 ° 4 ' 24.90 " W LONG.

ANTENNA ID: SAPA 17A 1.8 meters PRODELIN 1183-912  
1574.4000 - 1576.6000 MHz 2M20G1D DIGITAL DATA to support  
FAA-WASS program

**Points of Communication:**

SAPA - INMARSAT 3F4 - (142 W.L.)

SAPA 17 - INMARSAT 3F4 - (142 W.L.)

---

**SES-MOD-20060718-01192** E E050244 GRUPO W COM, S.A. DE C.V.

Application for Modification

**Class of Station:** VSAT Network

**Nature of Service:** Domestic Fixed Satellite Service, Fixed Satellite Service

"MOD" to add a new 1.2 meter remote antennas to the VSAT license and to add Intelsat 707 as a point of communication for the existing 0.98 meter and new 1.2 meter antennas, this application also seeks an extension of time with which to construct and initiate operations of the VSAT network until April 24, 2007.

SITE ID: REMOTE 1  
LOCATION: 0.98M. VSAT (1000 UNITS), VARIOUS, US

ANTENNA ID: R1 0.98 meters ANDREW CORPORATION 0.98M.  
14000.0000 - 14500.0000 MHz 352KG7W 40.00 dBW DIGITAL VOICE AND DATA  
11700.0000 - 12200.0000 MHz 352KG7W DIGITAL VOICE AND DATA  
14000.0000 - 14500.0000 MHz 236KG7W 41.90 dBW DIGITAL VOICE AND DATA  
11700.0000 - 12200.0000 MHz 236KG7W DIGITAL VOICE AND DATA

ANTENNA ID: R2 1.2 meters ANDREW CORPORATION 1.2M.  
14000.0000 - 14500.0000 MHz 352KG7W 46.30 dBW DIGITAL VOICE AND DATA  
14000.0000 - 14500.0000 MHz 236KG7W 46.30 dBW DIGITAL VOICE AND DATA  
11700.0000 - 12200.0000 MHz 352KG7W DIGITAL VOICE AND DATA  
11700.0000 - 12200.0000 MHz 236KG7W DIGITAL VOICE AND DATA

SITE ID: REMOTE 2  
LOCATION: 1.2M. VSAT (1000 UNITS), VARIOUS, US

---

**Points of Communication:**

REMOTE 1 - HORIZONS 1 - (127 DEG WL)

REMOTE 1 - INTELSAT 707 - (53 W.L.)

REMOTE 2 - HORIZONS 1 - (127 DEG WL)

REMOTE 2 - INTELSAT 707 - (53 W.L.)

---

**SES-MOD-20060725-01256** E E060078 DataPath, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

Modification to add antennas to license for Call Sign: E060078. All antennas will be located within a one second block of the existing antenna.

SITE ID: 1

LOCATION: 2450 SATELLITE BLVD., GWENETT, DULUTH, GA

33 ° 58 ' 22.60 " N LAT.

84 ° 5 ' 31.60 " W LONG.

ANTENNA ID:	3.8M.	3.8 meters	PRODELIN	1388
	14000.0000 - 14500.0000 MHz	36M0F3F	80.19 dBW	STANDARD ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	36M0G7W	78.74 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
	14000.0000 - 14500.0000 MHz	51K2G7W	50.27 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
	11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
	11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
	11450.0000 - 11700.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
	11450.0000 - 11700.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES

11450.0000 - 11700.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
10950.0000 - 11200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
10950.0000 - 11200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
10950.0000 - 11200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 2.4PKu	2.4 meters	PRODELIN	1244
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	76.19 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	74.74 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	51K2G7W	46.27 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 3.9VKu	3.9 meters	VIASAT	FMTV39M
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	79.99 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	78.54 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES



14000.0000 - 14500.0000 MHz	51K2G7W	50.07 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 3.7AKu	3.7 meters	ANDREW CORP.	ESA37-AA-1
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	76.69 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	51K2G7W	49.77 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 3.7GKu	3.7 meters	GIGASAT	FA-370
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	79.49 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	78.04 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	51K2G7W	49.57 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 2.4GKu	2.4 meters	GIGASAT	FA-240
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	76.00 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES

11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	74.54 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	51K2G7W	46.07 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 1.8GKu	1.8 meters	GIGASAT	FA-180
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	74.00 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	72.54 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	51K2G7W	44.07 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 2.0AKu	2 meters	AVL TECHNOLOGIES	2060 QUAD
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	74.49 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	73.04 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES

14000.0000 - 14500.0000 MHz	51K2G7W	44.57 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
ANTENNA ID: 1.2AKu	1.2 meters	AVL TECHNOLOGIES	1296K
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F3F	70.19 dBW	STANDARD ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	36M0G7W	68.74 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES
14000.0000 - 14500.0000 MHz	51K2G7W	40.27 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS FEC, VARIOUS DATA RATES

**Points of Communication:**

- 1 - ALSAT - (ALSAT)
- 1 - INTELSAT 705 - (50 W.L.)
- 1 - INTELSAT AOR - (307.0 E.L.)
- 1 - INTELSAT AOR - (328.5 E.L.)
- 1 - INTELSAT AOR - (332.5 E.L.)
- 1 - INTELSAT AOR - (335.5 E.L.)
- 1 - INTELSAT AOR - (342.0 E.L.)
- 1 - PAS-1R - (45.0 W.L.)

---

**SES-MOD-20060801-01298** E E970116 ABS-CBN International, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

Modification filed to delete the 7.3 meter antenna and the associated technical parameters from the existing license and add the 7.6 meter and Ku-band technical parameters.

SITE ID: 1  
 LOCATION: 2901 COLUMBIA AVE., CONTRA COSTA, RICHMOND, CA  
 37 ° 54 ' 16.00 " N LAT. 122 ° 18 ' 56.00 " W LONG.

ANTENNA ID:	7.6M	7.6 meters	ANDREW CORP.	ES76K-1	
	14000.0000 - 14500.0000 MHz		38K4G7W	55.12 dBW	DIGITAL AUDIO
	14000.0000 - 14500.0000 MHz		20M3D7W	82.35 dBW	16QAM DIGITAL DATA
	14000.0000 - 14500.0000 MHz		618KD7W-	67.19 dBW	16QAM DIGITAL DATA
	14000.0000 - 14500.0000 MHz		36M0F8F	86.30 dBW	FM ANALOG VIDEO/AUDIO
	14000.0000 - 14500.0000 MHz		18M0F8F-	86.30 dBW	FM ANALOG VIDEO/AUDIO
	14000.0000 - 14500.0000 MHz		35M9G7W	84.83 dBW	QPSK, 8PSK, DIGITAL DATA
	14000.0000 - 14500.0000 MHz		54K6G7W-	56.65 dBW	QPSK, 8PSK, DIGITAL DATA
	14000.0000 - 14500.0000 MHz		2M00G1F-	72.29 dBW	SINGLE CHAN/CARREIER DIGITAL VIDEO AUDIO
	14000.0000 - 14500.0000 MHz		9M00G1F	78.82 dBW	SINGLE CHAN/CARREIER DIGITAL VIDEO AUDIO
	14000.0000 - 14500.0000 MHz		36M0G7F	84.84 dBW	MULTIPLE CHAN/CARRIER DIGITAL VIDEO/AUDIO
	14000.0000 - 14500.0000 MHz		6M00G7F-	77.06 dBW	MULTIPLE CHAN/CARRIER DIGITAL VIDEO/AUDIO
	11700.0000 - 12200.0000 MHz				

ANTENNA ID:	11M	11 meters	VERTEX	11KPC	
	5925.0000 - 6425.0000 MHz		24M0G7F	79.40 dBW	MCPC DIGITAL TV
	5925.0000 - 6425.0000 MHz		200KF3E	63.90 dBW	SCPC AUDIO FM
	5925.0000 - 6425.0000 MHz		38K4G7E	59.50 dBW	DIGITAL AUDIO
	5925.0000 - 6425.0000 MHz		9M00G1F	79.40 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz		618KD7W-	74.30 dBW	16 QAM
	5925.0000 - 6425.0000 MHz		20M5D7W	79.40 dBW	16 QAM
	5925.0000 - 6425.0000 MHz		18M0F8F-	79.40 dBW	ANALOG TV

5925.0000 - 6425.0000 MHz	36M0F8F	79.40 dBW	ANALOG TV
5925.0000 - 6425.0000 MHz	54K6G7W-	61.10 dBW	DIGITAL
5925.0000 - 6425.0000 MHz	35M9G7W	79.40 dBW	DIGITAL
3700.0000 - 4200.0000 MHz			ANALOG & DIGITAL TV, SCPC AUDIO FM, DIGITAL AUDIO
3700.0000 - 4200.0000 MHz			DIGITAL, 16 QAM

**Points of Communication:**

- 1 - ALSAT - (ALSAT)
- 1 - ANIK E1 - (118.7 W.L.)
- 1 - ANIK E2 - (111.1 W.L.)
- 1 - INTELSAT POR - (174.0 E.L.)
- 1 - INTELSAT POR - (176.0 E.L.)
- 1 - INTELSAT POR - (180.0 E.L.)
- 1 - New Skies 513 - (183 E.L.)
- 1 - PAS-4 - (191.0 W.L.)
- 1 - PAS-9 - (58.0 W.L.)
- 1 - SATMEX-5 - (116.8 W.L.)
- 1 - SOLIDARIDAD F-1 - (109.2 W.L.)
- 1 - SOLIDARIDAD F-2 - (113.0 W.L.)
- 1 - TDRS-5 - (174.3 W.L.)

---

**SES-REG-20060801-01295** E E060296 Journal Broadcast Corporation

Registration

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 720 E. CAPITOL DRIVE, MILWAUKEE, MILWAUKEE, WI

43 ° 5 ' 27.60 " N LAT.

87 ° 54 ' 8.60 " W LONG.

ANTENNA ID: 1

6.1 meters

HARRIS

5346

3700.0000 - 4200.0000 MHz	36M0F8W	ANALOG SERVICES WITH RELATED SUBCARRIERS
3700.0000 - 4200.0000 MHz	36M0G7F	DIGITAL SERVICES WITH RELATED SUBCARRIERS

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-REG-20060801-01296** E E060297 Journal Broadcast Corporation

Registration

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 20101 CHURCH ROAD, RACINE, UNION GROVE, WI

42 ° 42 ' 31.10 " N LAT.

88 ° 3 ' 53.30 " W LONG.

ANTENNA ID: 1                      3.8 meters              COMTECH ANTENNA SYSTEMS      3.8 Meter PF

3700.0000 - 4200.0000 MHz	36M0F8W	ANALOG SERVICES WITH RELATED SUBCARRIERS
---------------------------	---------	--

3700.0000 - 4200.0000 MHz	36M0G7F	DIGITAL SERVICES WITH RELATED SUBCARRIERS
---------------------------	---------	---

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-REG-20060804-01316** E E060301 Hearst-Argyle Stations, Inc.

Registration

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: HONOLIULI GULCH (KITV), HONOLULU, HONOLULU, HI

21 ° 23 ' 9.30 " N LAT.

158 ° 3 ' 23.50 " W LONG.

ANTENNA ID: 1                      7.3 meters              ANDREW CORPORATION              ESA73-46

3700.0000 - 4200.0000 MHz	36M0G7F	COMPRESSED DIGITAL VIDEO
---------------------------	---------	--------------------------

3700.0000 - 4200.0000 MHz	36M0F3F	STANDARD ANALOG VIDEO
---------------------------	---------	-----------------------

**Points of Communication:**

---

1 - ALSAT - (ALSAT)

---

**SES-REG-20060807-01317** E E060302 Thomas Broadcasting Co.

Registration

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: US 16 SOUTH (WOAY), FAYETTE, OAK HILL, WV

37 ° 57 ' 26.40 " N LAT.

81 ° 9 ' 0.70 " W LONG.

ANTENNA ID: 1 4.5 meters ANDREW CORPORATION ESA45-46

3700.0000 - 4200.0000 MHz 36M0G7F COMPRESSED DIGITAL VIDEO

3700.0000 - 4200.0000 MHz 36M0F3F STANDARD ANALOG VIDEO

**Points of Communication:**

---

1 - ALSAT - (ALSAT)

---

**SES-REG-20060808-01322** E E060303 STATE OF UTAH, STATE LIBRARY DIVISION

Registration

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 250 N 16850 W STE. A (USLB), SALT LAKE, SALT LAKE CITY, UT

40 ° 46 ' 30.00 " N LAT.

111 ° 56 ' 49.20 " W LONG.

ANTENNA ID: 3.8 M. 3.8 meters COMTECH ANTENNA SYSTEMS 3.8 METER PF

3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER

3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL AUDIO CARRIER

**Points of Communication:**

---

1 - ALSAT - (ALSAT)

---

**SES-STA-20060725-01259** E E000700 MCI Communications Services, Inc. (fka MCI WorldCom Communications, Inc.)

Special Temporary Authority

**Class of Station:**

MCI Communications Services, Inc (MCI), requests an extension of its Special Temporary Authorization (STA), File No. SES-STA-20060216-00255, from the current expiration date of 9/10/2006 to 3/9/2007.

**Points of Communication:**

---

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.