



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00846

Wednesday August 16, 2006

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20060804-01315 E E050284 FTMSC US, LLC

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

FTMSC US, LLC, amends its pending application (SES-LFS-20051011-01396) to reflect a planned transfer of control of FTMSC US, LLC from France Telecom S.A. to MobSat S.A.S. According to the amendment, MobSat S.A.S. is a holding company based in France and is owned by two French venture capital funds: Apax France VI FCPR (72%) and Amboise Investissement SCA (20%). In addition to this amendment, FTMSC US, LLC also filed an amendment to its pending Application for Section 214 Authority File No. ITC-214-20051012-00406 and, together with MobSat S.A.S., filed a request for declaratory ruling under Section 310(b)(4) of the Communications Act of 1934, as amended, that it is in the public interest to permit indirect foreign investment of up to 100% in FTMSC US, LLC, by MobSat S.A.S. (See File Nos. ITC-AMD-20060804-00388, ISP-PDR-20060804-00010, Public Notice, Report No. TEL-01058NS (rel. August 16, 2006)).

SITE ID: N/A - Multiple

LOCATION:

ANTENNA ID:	1	0.35 meters	Hughes Network Systems	HNS Briefcase
	1626.5000 - 1660.5000 MHz	50K0D7W	21.00 dBW	
	1626.5000 - 1660.5000 MHz	200KD7W	21.00 dBW	
	1525.0000 - 1559.0000 MHz	50K0D7W	0.00 dBW	

1525.0000 - 1559.0000 MHz	200KD7W	0.00 dBW	
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW	
ANTENNA ID: 2	0.21 meters	Thrane and Thrane	T&T Lite

1626.5000 - 1660.5000 MHz	200KD7W	16.10 dBW
1626.5000 - 1660.5000 MHz	50K0D7W	16.10 dBW
1525.0000 - 1559.0000 MHz	50K0D7W	0.00 dBW
1525.0000 - 1559.0000 MHz	200KD7W	0.00 dBW
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW

ANTENNA ID: 3	0.125 meters	NERA	NERA PUT
---------------	--------------	------	----------

1626.5000 - 1660.5000 MHz	25K0G7W	11.00 dBW
1626.5000 - 1660.5000 MHz	200KG7W	11.00 dBW
1525.0000 - 1559.0000 MHz	50K0G7W	0.00 dBW
1525.0000 - 1559.0000 MHz	200KG7W	0.00 dBW
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW

ANTENNA ID: 4	0.2 meters	Add Value	Add Value PUT
---------------	------------	-----------	---------------

1626.5000 - 1660.5000 MHz	25K0G7W	11.00 dBW
1626.5000 - 1660.5000 MHz	200KG7W	11.00 dBW
1525.0000 - 1559.0000 MHz	50K0G7W	0.00 dBW
1525.0000 - 1559.0000 MHz	200KG7W	0.00 dBW
1525.0000 - 1559.0000 MHz	12K5G7W	0.00 dBW

Points of Communication:

N/A - Multiple - INMARSAT 4F2 - (52.75)

SES-AMD-20060809-01338 E E060218 RCN LICENSE SUBSIDIARY, INC.
Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service

Amendment to pending application for new earth station license SES-LIC-20060613-00970 Call Sign E060218. Amendment corrects EIRP and EIRP density for C-band 3.7 Meter Antenna ID No. 2.

SITE ID: 1

LOCATION: 339 MAIN STREET, GRAFTON, PLYMOUTH, NH

43 ° 46 ' 32.70 " N LAT.

71 ° 40 ' 55.70 " W LONG.

ANTENNA ID:	C-BAND1	3.8 meters	PRODELIN	1383
	5925.0000 - 6425.0000 MHz	36M0F3F	72.49 dBW	STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
	5925.0000 - 6425.0000 MHz	36M0G7W	72.49 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
	5925.0000 - 6425.0000 MHz	51K2G7W	54.37 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
	3700.0000 - 4200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
	3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
	3700.0000 - 4200.0000 MHz	51K2G7W		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
ANTENNA ID:	C-BAND2	3.7 meters	ANDREW CORP.	ESA37
	5925.0000 - 6425.0000 MHz	36M0G7W	72.79 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
	5925.0000 - 6425.0000 MHz	51K2G7W	44.32 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
	3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
	3700.0000 - 4200.0000 MHz	51K2G7W		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
ANTENNA ID:	KU-BAN3	3.8 meters	PRODELIN	1383

14000.0000 - 14500.0000 MHz	36M0F3F	80.19 dBW	STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
14000.0000 - 14500.0000 MHz	36M0G7W	78.64 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
14000.0000 - 14500.0000 MHz	51K2G7W	50.17 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20060613-00970 E E060218 RCN LICENSE SUBSIDIARY, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service

An Additional 30 days Public Notice is required due to an Amendment (SES-AMD-20060809-01338) was filed to correct the EIRP and EIRP density for C-band 3.7 meter Antenna ID No. 2.

SITE ID: 1

LOCATION: 339 MAIN STREET, GRAFTON, PLYMOUTH, NH

43 ° 46 ' 32.70 " N LAT.

71 ° 40 ' 55.70 " W LONG.

ANTENNA ID: C-BAND1 3.8 meters PRODELIN 1383

3700.0000 - 4200.0000 MHz	51K2G7W	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
---------------------------	---------	---------------------------------------------------------------

3700.0000 - 4200.0000 MHz	36M0G7W	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
---------------------------	---------	---------------------------------------------------------------

3700.0000 - 4200.0000 MHz	36M0F3F			STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
5925.0000 - 6425.0000 MHz	51K2G7W	54.37 dBW		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
5925.0000 - 6425.0000 MHz	36M0G7W	72.49 dBW		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
5925.0000 - 6425.0000 MHz	36M0F3F	72.49 dBW		STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
ANTENNA ID: C-BAND2	3.7 meters	ANDREW CORP.		ESA37
3700.0000 - 4200.0000 MHz	51K2G7W			DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
3700.0000 - 4200.0000 MHz	36M0G7W			DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
5925.0000 - 6425.0000 MHz	51K2G7W	44.32 dBW		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
5925.0000 - 6425.0000 MHz	36M0G7W	72.79 dBW		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
ANTENNA ID: KU-BAND3	3.8 meters	PRODELIN		1383
11700.0000 - 12200.0000 MHz	51K2G7W			DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
11700.0000 - 12200.0000 MHz	36M0G7W			DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
14000.0000 - 14500.0000 MHz	51K2G7W	50.17 dBW		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
14000.0000 - 14500.0000 MHz	36M0G7W	78.64 dBW		DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.

14000.0000 - 14500.0000 MHz	36M0F3F	80.19 dBW	STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUB CARRIERS

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20060808-01323 E E060304 Christian Faith Broadcast, Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 3809 Maple Ave., Erie, Castalia, OH

41 ° 23 ' 48.00 " N LAT.

82 ° 47 ' 30.00 " W LONG.

ANTENNA ID: 1	3.8 meters	Patriot	TXINT-380AZ
3700.0000 - 4200.0000 MHz	2M20G7W		8PSK 2/3FEC Digital Video with Auxiliary Data
5925.0000 - 5930.0000 MHz	2M20G7W	52.70 dBW	8PSK 2/3FEC Digital Video with Auxiliary Data
5960.4000 - 5989.3000 MHz	2M20G7W	52.70 dBW	8PSK 2/3FEC Digital Video with Auxiliary Data
6019.7000 - 6182.1000 MHz	2M20G7W	52.70 dBW	8PSK 2/3FEC Digital Video with Auxiliary Data
6212.4000 - 6241.4000 MHz	2M20G7W	52.70 dBW	8PSK 2/3FEC Digital Video with Auxiliary Data
6271.7000 - 6425.0000 MHz	2M20G7W	52.70 dBW	8PSK 2/3FEC Digital Video with Auxiliary Data

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20060808-01326 E E060305 MG Broadcasting, LLC

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

6454.4000 - 6456.6000 MHz	600HG1D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	600HG2D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	1K20G2D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	2K40G2D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	10K5G2F	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	2M20G1D	78.00 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	2M20G1D	82.30 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	1K20G1D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	600HG1D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	600HG2D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	1K20G2D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	2K40G2D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	10K5G2F	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	2M20G1D	78.00 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	2M20G1D	82.30 dBW	DIGITAL CARRIER
6425.0000 - 6443.0000 MHz	NON	70.00 dBW	Communications Systems Monitoring & test Signals
6425.0000 - 6443.0000 MHz	600KFXN	70.00 dBW	Communications Systems Monitoring & test Signals
6417.5000 - 6443.0000 MHz	4K00G1D	70.00 dBW	
6417.5000 - 6443.0000 MHz	4K00G3E	70.00 dBW	
6417.5000 - 6443.0000 MHz	6K00G1D	70.00 dBW	
6417.5000 - 6443.0000 MHz	7K50G3E	70.00 dBW	
6417.5000 - 6443.0000 MHz	12K0G1D	70.00 dBW	
6417.5000 - 6443.0000 MHz	12K0G3E	70.00 dBW	
6416.0000 - 6418.0000 MHz	900KF2D	75.00 dBW	TT&C

6170.0000 - 6180.0000 MHz	900KF2D	90.00 dBW	TT&C
5925.0000 - 6425.0000 MHz	36M0F8F	83.50 dBW	ANALOG VIDEO
5925.0000 - 6425.0000 MHz	18M0F8F-	83.50 dBW	ANALOG VIDEO
5925.0000 - 6425.0000 MHz	36M0G7F	88.80 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	4M00G7F-	84.30 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	72M0G7W	88.80 dBW	DIGITAL VOICE, AND DATA
5925.0000 - 6425.0000 MHz	21K9G7W-	61.70 dBW	DIGITAL VOICE, AND DATA
4192.5000 - 4200.0000 MHz	3K00G1D		
4192.5000 - 4200.0000 MHz	4K00G1D		
4192.5000 - 4200.0000 MHz	4K00G3E		
4192.5000 - 4200.0000 MHz	7K50G3E		
4192.5000 - 4200.0000 MHz	12K0G1D		
4192.5000 - 4200.0000 MHz	12K0G3E		
4188.0000 - 4189.0000 MHz	1K00G1D		TT&C
3945.0000 - 3955.0000 MHz	1K00G1D		TT&C
3700.0000 - 4200.0000 MHz	36M0F8F		ANALOG VIDEO
3700.0000 - 4200.0000 MHz	18M0F8F-		ANALOG VIDEO
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	4M00G7F-		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	72M0G7W		DIGITAL VOICE AND DATA
3700.0000 - 4200.0000 MHz	21K9G7W-		DIGITAL VOICE AND DATA
3600.0000 - 3629.0000 MHz	2M20G1D		DIGITAL CARRIER
3600.0000 - 3623.0000 MHz	NON		Communications Systems Monitoring & test Signals
3600.0000 - 3623.0000 MHz	300KFXN		Communications Systems Monitoring & test Signals

3600.0000 - 3623.0000 MHz	3K00G1D			
3600.0000 - 3623.0000 MHz	4K00G1D			
3600.0000 - 3623.0000 MHz	4K00G3E			
3600.0000 - 3623.0000 MHz	7K50G3E			
3600.0000 - 3623.0000 MHz	12K0G1D			
3600.0000 - 3623.0000 MHz	12K0G3E			
1626.5000 - 1660.5000 MHz	24K0F3E	36.00 dBW		ANALOG CARRIER
1626.5000 - 1660.5000 MHz	NON	31.00 dBW		PILOT
1626.5000 - 1660.5000 MHz	2K40G2D	36.00 dBW		DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	1K20G1D	36.00 dBW		DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	600HG1D	36.00 dBW		DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	600HG2D	36.00 dBW		DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	1K20G2D	36.00 dBW		DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	10K5G2F	36.00 dBW		DIGITAL CARRIER
1626.5000 - 1649.5000 MHz	300KFXN	70.00 dBW		Communications Systems Monitoring & test Signals
1574.4000 - 1576.6000 MHz	2K40G2D			DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	1K20G1D			DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	600HG1D			DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	600HG2D			DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	1K20G2D			DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	10K5G2F			DIGITAL CARRIER
1530.0000 - 1548.0000 MHz	600KFXN			Communications Systems Monitoring & test Signals
1530.0000 - 1548.0000 MHz	NON			Communications Systems Monitoring & test Signals

1525.0000 - 1559.0000 MHz	2K40G2D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	1K20G1D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	600HG1D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	600HG2D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	1K20G2D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	10K5G2F		DIGITAL CARRIER
ANTENNA ID: 14.2M	14.2 meters	TIW (L-band)	DUAL
ANTENNA ID: 14.2M	14.2 meters	TIW	14.2M
ANTENNA ID: 1.2M	1.2 meters	PRODELIN	1123
14000.0000 - 14500.0000 MHz	36M0G7W	63.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	64K0G7W	41.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	169KG7W	55.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	1M62G7W	55.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	64K0G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
SITE ID:	REMOTE 2		
LOCATION:	CONUS 1,000 (1.8M ANTENNAS)		
ANTENNA ID: 1.8M	1.8 meters	ANDREW	183
14000.0000 - 14500.0000 MHz	169KG7W	58.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA

14000.0000 - 14500.0000 MHz	1M62G7W	58.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE 1
LOCATION: CONUS 1,000 (1.2M ANTENNAS)

ANTENNA ID: 1.2M 1.2 meters ANDREW 123/124

SITE ID: REMOTE 3 (2.4M)
LOCATION: CONUS 500 (2.4M ANTENNAS)

ANTENNA ID: 2.4M 2.4 meters ANDREW 243

14000.0000 - 14500.0000 MHz	169KG7W	61.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	1M62G7W	61.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE .75 M
LOCATION: CONUS 100 (.75 meter antennas)

ANTENNA ID: .75M 0.75 meters VISIOSAT VISIOSAT 75

14000.0000 - 14500.0000 MHz	1M52G7W	49.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	342KG7W	43.00 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE .90 M
LOCATION: CONUS (250 .90 meter antennas)

ANTENNA ID: .90M	0.9 meters	VISIOSAT	VISIOSAT 90
14000.0000 - 14500.0000 MHz	1M52G7W	50.60 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	342KG7W	44.10 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE .96 M
LOCATION: CONUS (500 .96 meter antennas)

ANTENNA ID: .96M	0.96 meters	ANDREW	TYPE 960
14000.0000 - 14500.0000 MHz	1M52G7W	51.70 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	342KG7W	45.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: HUB 6.1 M
LOCATION: 2120 River Road, New Haven, Southbury, CT
41 ° 27 ' 6.30 " N LAT. 73 ° 17 ' 16.40 " W LONG.

ANTENNA ID: 6.1M	6.1 meters	VERTEX	KPK
11700.0000 - 12200.0000 MHz	36M0F8W		ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F8W	80.14 dBW	ANALOG VIDEO
11700.0000 - 12200.0000 MHz	100KG7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	20M0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	2M29G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	32K0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	36M0G7W		QPSK, DIGITAL DATA

11700.0000 - 12200.0000 MHz	43K8G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	45K0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	76K8G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	9K00G7W		QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	100KG7W	57.07 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	20M0G7W	80.08 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	2M29G7W	70.67 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	32K0G7W	52.13 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	36M0G7W	76.93 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	43K8G7W	53.49 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	45K0G7W	53.61 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	76K8G7W	55.93 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	9K00G7W	46.62 dBW	QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	36M0G7W		QPSK, DIGITAL TELEPHONY
14000.0000 - 14500.0000 MHz	36M0G7W	71.70 dBW	QPSK, DIGITAL TELEPHONY
11700.0000 - 12200.0000 MHz	1M60G1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
11700.0000 - 12200.0000 MHz	200KG1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
11700.0000 - 12200.0000 MHz	400KG1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
11700.0000 - 12200.0000 MHz	800KG1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
14000.0000 - 14500.0000 MHz	1M60G1F	69.12 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
14000.0000 - 14500.0000 MHz	200KG1F	60.08 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
14000.0000 - 14500.0000 MHz	400KG1F	63.10 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO

14000.0000 - 14500.0000 MHz	800KG1F	66.11 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
-----------------------------	---------	-----------	-------------------------------------------------

Points of Communication:

HUB 6.1 M - ALSAT - (ALSAT)
REMOTE .75 M - NSS-7 - (338.5 E.L.)
REMOTE .90 M - NSS-7 - (338.5 E.L.)
REMOTE .96 M - NSS-7 - (338.5 E.L.)
REMOTE 1 - ALSAT - (ALSAT)
REMOTE 2 - ALSAT - (ALSAT)
REMOTE 3 (2.4M) - ALSAT - (ALSAT)
SOUTHBURY - ALSAT - (ALSAT)
SOUTHBURY - INMARSAT Ltd-3 - (178 E.L.)
SOUTHBURY - INMARSAT Ltd-3 - (178 E.L.)
SOUTHBURY - INMARSAT-2 AOR-EAST - (17 W.L.)
SOUTHBURY - INMARSAT-2 AOR-WEST - (98 W.L.)
SOUTHBURY - MARISAT-F2 - (33.9 W.L.)

SES-MOD-20060808-01336 E E060085 Loral Skynet Network Services, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to increase the total input power at the flange from 5 to 10 watts, and to add new emission designators.

SITE ID: Scot 1

LOCATION: 7499 E. Paradise Lane, Maricopa, Scottsdale, AZ

33 ° 37 ' 58.08 " N LAT.

111 ° 55 ' 5.88 " W LONG.

ANTENNA ID: 1	3.8 meters	Prodelin Corporation	1383
6331.0000 - 6425.0000 MHz	308KG7D	41.00 dBW	QPSK 1/2 FEC Digital data
6331.0000 - 6425.0000 MHz	157KG7D	40.10 dBW	QPSK 1/2 FEC Digital data
6331.0000 - 6425.0000 MHz	103KG7D	37.60 dBW	QPSK 1/2 FEC Digital data
5925.0000 - 6300.5000 MHz	308KG7D	41.00 dBW	QPSK 1/2 FEC Digital data

5925.0000 - 6300.5000 MHz	157KG7D	40.10 dBW	QPSK 1/2 FEC Digital data
5925.0000 - 6300.5000 MHz	103KG7D	37.60 dBW	QPSK 1/2 FEC Digital data
3700.0000 - 4200.0000 MHz	308KG7D		QPSK 1/2 FEC Digital data
3700.0000 - 4200.0000 MHz	157KG7D		QPSK 1/2 FEC Digital data
3700.0000 - 4200.0000 MHz	103KG7D		QPSK 1/2 FEC Digital data
6331.0000 - 6425.0000 MHz	230KG7W	41.90 dBW	192 QPSK 1/2 FEC Digital data
3700.0000 - 4200.0000 MHz	230KG7W		192 QPSK 1/2 FEC Digital data
3700.0000 - 4200.0000 MHz	384KG7W		320 QPSK 1/2 FEC Digital data
6331.0000 - 6425.0000 MHz	384KG7W	42.00 dBW	320 QPSK 1/2 FEC Digital data
5925.0000 - 6300.5000 MHz	230KG7W	41.90 dBW	192 QPSK 1/2 FEC Digital data
5925.0000 - 6300.5000 MHz	384KG7W	42.00 dBW	320 QPSK 1/2 FEC Digital data

Points of Communication:

Scot 1 - ALSAT - (ALSAT)

Scot 1 - SATMEX-5 - (116.8 W.L.)

SES-MOD-20060811-01352 E E940447 MEDIA GENERAL COMMUNICATIONS, INC.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

"MOD" to replace antenna and related service.

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID: 1	1.8 meters	AVL TECHNOLOGIES	1800 SNG
14000.0000 - 14500.0000 MHz	36M0F8W	73.70 dBW	ANALOG VIDEO
14000.0000 - 14500.0000 MHz	25K0F3E	40.70 dBW	NARROWBAND ANALOG AURAL

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060808-01327 E E060306 Christian Faith Broadcast, Inc.

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: EAST SIDE OF STATE ROUTE 511, ASHLAND, WIDOWVILLE, OH
40 ° 44 ' 50.00 " N LAT. 82 ° 18 ' 54.00 " W LONG.

ANTENNA ID: 1 3.8 meters PATRIOT PRT-380AZ
3700.0000 - 4200.0000 MHz 2M20G7W 8PSK 2/3FEC DIGITAL VIDEO
WITH AUXILIARY DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060808-01328 E E060307 Christian Faith Broadcast, Inc.

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 7048 EAST KILGORE RD, KALAMAZOO, KALAMAZOO, MI
42 ° 14 ' 40.00 " N LAT. 85 ° 29 ' 27.00 " W LONG.

ANTENNA ID: 1 3.8 meters PATRIOT PRT-380AZ
3700.0000 - 4200.0000 MHz 2M20G7W 8PSK, 2/3FEC DIGITAL VIDEO
WITH AUXILIARY DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20060808-01329 E E060308 ACE TELEPHONE ASSOCIATION **EZ**

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: site 1

LOCATION: 901 enterprise drive, Fillmore, Rushford, MN
43 ° 49 ' 17.50 " N LAT. 91 ° 45 ' 51.60 " W LONG.

ANTENNA ID: Ant 1 5 meters ATci Simulsat 5

3720.0000 - 4180.0000 MHz

36M0F8W

QPSK Modulation of Video Services
for AMC-3,AMC-4,AMC-10, AM

Points of Communication:

site 1 - PERMITTED LIST - ()

SES-REG-20060814-01361 E E060314 KTSU

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 3100 CLEBURNE (KTSU), HARRIS, HOUSTON, TX

29 ° 43 ' 12.10 " N LAT.

95 ° 21 ' 34.50 " W LONG.

ANTENNA ID: 1

3.8 meters

COMTECH ANTENNA SYSTEMS 3.8 METER PF

3700.0000 - 4200.0000 MHz

30K0F1D

DIGITAL AUDIO CARRIER

3700.0000 - 4200.0000 MHz

10M3G7W

DIGITAL AUDIO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-STA-20060807-01318 E E060236 DIRECTV Enterprises, LLC

Special Temporary Authority

Class of Station:

DIRECTV Enterprises, LLC requests Special Temporary Authority to operate this earth station E060236 for approximately 40 days between about September 27, 2006 and November 6, 2006 to conduct telemetry, tracking and control operations and in-orbit testing of the DIRECTV 9S satellite.

Points of Communication:

SES-STA-20060807-01319 E E930304 DIRECTV Enterprises, LLC

Special Temporary Authority

Class of Station:

DIRECTV Enterprises, LLC requests Special Temporary Authority to operate this earth station E930304 for approximately 40 days between about September 27, 2006 and November 6, 2006 to conduct telemetry, tracking and control operations and in-orbit testing of the DIRECTV 9S satellite.

Points of Communication:

SES-STA-20060807-01320 E E990159 DIRECTV Enterprises, LLC

Special Temporary Authority

Class of Station:

DIRECTV Enterprises, LLC requests Special Temporary Authority to operate this earth station E990159 for approximately 40 days between about September 27, 2006 and November 6, 2006 to conduct telemetry, tracking and control operations and in-orbit testing of the DIRECTV 9S satellite.

Points of Communication:

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.