PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: http://www.fcc.gov (or ftp.fcc.gov)
TTY (202) 418-2555

Report No. SES-00891 **Wednesday January 17, 2007**

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AFS-20061130-02065 E E060335 SES Americom, Inc.
Amendment
Class of Station: Other

Nature of Service: Earth Stations on-board Vessels, Other

Amendment filed to add NSS-7 satellite as a point of communication, to replace antenna type, and to increase EIRP and EIRP density.

SITE ID: MMBESV1
LOCATION: 2323 Grimville Road, Mount Airy, MD

ANTENNA ID: KVH7 0.6 meters KVH V7

14000.0000 - 14500.0000 MHz	22M0G7D	42.40 dBW	Direct Sequence Spread Spectrum (DSSS) technique using a random access method called code reuse multiple access (CRMA) to access the satellite. Data Services
11700.0000 - 12200.0000 MHz	30M0G7D		Spread outbound 10 MBPS carrier, data services

Points of Communication:

MMBESV1 - AMC-6 - (72 W.L.)

MMBESV1 - NSS-7 - (22 W.L.)

SES-AFS-20070105-00020 E E010016 Hawaii Pacific Teleport, L.P.
Amendment
Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, International Fixed Satellite Service

Amendment to provide interference attachments to Section 25.114(d) exhibit for application (SES-MFS-20061109-01976).

SITE ID: 1
LOCATION: 91-340 FARRINGTON HIGHWAY, KAPOLEI, HI
21 ° 20 ' 8.00 " N LAT. 158 ° 5 ' 25.00 " W LONG.

ANTENNA ID: 9.3M	9.3 meters	ANDREW CORP.		ESA93L
6681.0000 - 6723.0000 MHz		1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6681.0000 - 6723.0000 MHz		36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6651.0000 - 6669.0000 MHz		1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6651.0000 - 6669.0000 MHz		36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6633.0000 - 6639.0000 MHz		1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6633.0000 - 6639.0000 MHz		36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6587.0000 - 6627.0000 MHz		1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6587.0000 - 6627.0000 MHz		36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
3600.0000 - 3698.0000 MHz		1M23G7W-		DIGITAL, VARIOUS COMBINATION OF CARRIERS
3600.0000 - 3698.0000 MHz		36M0G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS
ANTENNA ID: 11M	11 meters	VERTEX		KPC
5925.0000 - 6425.0000 MHz		51K2G7D-	59.50 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK.
5925.0000 - 6425.0000 MHz		36M0G7D	84.00 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK.

5925.0000 - 6425.0000 MHz	36M0G7W	82.40 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
5925.0000 - 6425.0000 MHz	51K2G7W	59.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
5925.0000 - 6425.0000 MHz	36M0G7D	82.40 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK. MESAT-2 only
5925.0000 - 6425.0000 MHz	51K2G7D	59.50 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK. Emission Range: 51K2G7D- 36M0G7D. MESAT-2 only
3700.0000 - 4200.0000 MHz	51K2G7D-		DIGITAL, QPSK, 3/4 1/2 FEC
3700.0000 - 4200.0000 MHz	36M0G7D		DIGITAL, QPSK, 3/4 1/2 FEC
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS
3700.0000 - 4200.0000 MHz	51K2G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
3700.0000 - 4200.0000 MHz	36M0G7D		DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK. Emission Range: 51K2G7D- 36M0G7D.
3700.0000 - 4200.0000 MHz	51K2G7D		DIGITAL DATA, VARIOUS FEC, 3/4, 1/2 ETC., VARIOUS MOD., QPSK, ETC.

ANTENNA ID: 9.3M-2nd 9.3 meters ANDREW CORP. ESA9.3-46

5925.0000 - 6425.0000 MHz	36M0G7F	77.40 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	3M00G7F	73.40 dBW	DIGITAL VIDEO. Emission range: 3M00G7F to 36M0G7F
5925.0000 - 6425.0000 MHz	36M0G7W	80.43 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
5925.0000 - 6425.0000 MHz	51K2G7W	57.97 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
5925.0000 - 6425.0000 MHz	36M0G7D	80.43 dBW	DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC.

5925.0000 - 6425.0000 MHz	51K2G7D	57.97 dBW	DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC. Emission range: 51K2G7D to 36M0G7D
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	3M00G7F		DIGITAL VIDEO. Emission range: 3M00G7F to 36M0G7F
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS
3700.0000 - 4200.0000 MHz	51K2G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
3700.0000 - 4200.0000 MHz	36M0G7D		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC.
3700.0000 - 4200.0000 MHz	51K2G7D		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC. Emission range: 51K2G7D to 36M0G7D

Points of Communication:

1 - ALSAT - (ALSAT)

1 - APSTAR V - (138 E.L.)

1 - JCSAT 5A - (132 E.L.)

1 - Mabuhay (AGILA 2) - (146 E.L.)

1 - MEASAT-2 - (148 E.L.)

SES-AMD-20070104-00009 E E040024 DIRECTV Enterprises, LLC

Amendment

Class of Station: Other

Nature of Service: Other

Amendment filed to reflect technical clarifications to the Schedule S, that was submitted in application File No. SES-LIC-20070104-00010.

SITE ID: 1

LOCATION: 1,000,000 (.45 meters antennas)

ANTENNA ID:	.45 M	0.45 meters	Various - All using the following specs.	Various

12200.0000 - 12700.0000 MHz	N/A	0.00 dBW	Digital video and Audio

Points of Communication:

1 - DIRECTV-1 - (72.5 W.L.)

1 - DIRECTV-5 - (72.5 WL)

SES-LIC-20061226-02232 E E060445 HNS License Sub, LLC

Application for Authority

Class of Station: Other

Nature of Service: Fixed Satellite Service

SITE ID: TF TR 74CM

LOCATION:

0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: 74CM-1	0.74 meters	Prodelin		HNS1031929
29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW		512 KBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W			500 MHz WIDE, PSK, DIGITAL CARRIER
ANTENNA ID: 74CM-2	0.74 meters	Raven		AN8-074R
29500.0000 - 30000.0000 MHz	650MG7W	42.00 dBW		512 KSPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W			500 MHZ, PSK, DIGITAL CARRIER
ANTENNA ID: 74CM-3	0.74 meters	Prodelin		AN8-074P
29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW		512 KSPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W			500 MHZ, PSK, DIGITAL CARRIER

SITE ID: TR 74CM

LOCATION:

0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: 74CM-1	0.74 meters	Prodelin		HNS1031929
29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW		512 KBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W			500 MHz WIDE, PSK, DIGITAL CARRIER
ANTENNA ID: 74CM-2	0.74 meters	Raven		AN8-074R

19700.0000 - 20200.0000 MHz	500MG7D			500 MHZ, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW		512 KSPS, PSK, DIGITAL CARRIER

ANTENNA ID: 74CM-3 0.74 meters Prodelin AN8-074P

19700.0000 - 20200.0000 MHz	500MG7W		500 MHZ WIDE, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW	512 KSPS, PSK, DIGITAL CARRIER

SITE ID: TR 1.8M
LOCATION:
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: TR 1.8 1.8 meters Prodelin 3180-131

29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW	512 KBPS, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M61G7W	48.00 dBW	2.048 MBPS, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	20M9G7W	57.00 dBW	16.348 MBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W		500 MHz WIDE, PSK, DIGITAL CARRIER

SITE ID: TR 1.2M
LOCATION:
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: TR 1.2 1.2 meters Prodelin 3120-131

29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW	512 KBPS, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M61G7W	48.00 dBW	2.048 MBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W		500 MHz WIDE, PSK, DIGITAL CARRIER

SITE ID: TF TR 98CM
LOCATION:
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: TF TR 98CM 0.98 meters Prodelin 3980-131

29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW	512 KBPS, PSK, DIGITAL CARRIER

29500.0000 - 30000.0000 MHz	2M61G7W	48.00 dBW	2.048 MBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W		500 MHz WIDE, PSK, DIGITAL CARRIER

SITE ID: TR 98CM
LOCATION:
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: TR 98CM 0.98 meters Prodelin 3980-131

29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW	512 KBPS, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M61G7W	48.00 dBW	2.048 MBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W		500 MHz WIDE, PSK, DIGITAL CARRIER

ANTENNA ID: N/A 0 meters N/A N/A

ANTENNA ID: N/A 0 meters N/A N/A

SITE ID: TR 3.5M
LOCATION:
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: TR 3.5M 3.5 meters Andrew ES35SRT-1

29500.0000 - 30000.0000 MHz	650KG7W	42.00 dBW	512 KBPS, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M61G7W	48.00 dBW	2.048 MBPS, PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	20M9G7W	57.00 dBW	16.348 MBPS, PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	500MG7W		500 MHz WIDE, PSK, DIGITAL CARRIER

Points of Communication:

TF TR 74CM - SPACEWAY 1 - (103 W.L.)

TF TR 74CM - SPACEWAY 2 - (99 W.L.)

TF TR 74CM - SPACEWAY 3 - (94.95 W.L.)

TF TR 98CM - SPACEWAY 1 - (103 W.L.)

TF TR 98CM - SPACEWAY 2 - (99 W.L.)

TF TR 98CM - SPACEWAY 3 - (94.95 W.L.)

TR 1.2M - SPACEWAY 1 - (103 W.L.)

TR 1.2M - SPACEWAY 2 - (99 W.L.)

TR 1.2M - SPACEWAY 3 - (94.95 W.L.)

TR 1.8M - SPACEWAY 1 - (103 W.L.)

TR 1.8M - SPACEWAY 2 - (99 W.L.)

TR 1.8M - SPACEWAY 3 - (94.95 W.L.)

TR 3.5M - SPACEWAY 1 - (103 W.L.)

TR 3.5M - SPACEWAY 2 - (99 W.L.)

TR 3.5M - SPACEWAY 3 - (94.95 W.L.)

TR 74CM - SPACEWAY 1 - (103 W.L.)

TR 74CM - SPACEWAY 2 - (99 W.L.)

TR 74CM - SPACEWAY 3 - (94.95 W.L.)

TR 98CM - SPACEWAY 1 - (103 W.L.)

TR 98CM - SPACEWAY 2 - (99 W.L.)

TR 98CM - SPACEWAY 3 - (94.95 W.L.)

SES-LIC-20070108-00064 E E070008 Maryland Public Broadcasting Commission
Application for Authority
Class of Station: Temporary Fixed Earth Station

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: VARIOUS

ANTENNA ID: 1.5M	1.5 meters	AvL Technologies		1510K
11700.0000 - 12200.0000 MHz	26M5D1F			Digital, QAM, Video
11700.0000 - 12200.0000 MHz	36M0F3F			Analog video carrier
14000.0000 - 14500.0000 MHz	26M5G1F	66.49 dBW		Digital, QPSK, Video
14000.0000 - 14500.0000 MHz	36M0F3F	64.00 dBW		Analog Video carrier

14000.0000 - 14500.0000 MHz	26M5D1F	66.49 dBW	Digital, QAM, Video
11700.0000 - 12200.0000 MHz	26M5G1F		Digital QPSK Video

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MFS-20061109-01976 E E010016 Hawaii Pacific Teleport, L.P.

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, International Fixed Satellite Service

Application to modify license to delete 7 meter antenna on JSCAT-3 and replace with 9.3 meter antenna on JCSAT-5A at Kapolei, Hawaii. See SES-AFS-20070105-00020.

SITE ID: 1

LOCATION: 91-340 FARRINGTON HIGHWAY, KAPOLEI, HI

21 ° 20 ' 8.00 " N LAT. 158 ° 5 ' 25.00 " W LONG.

ANTENNA ID: 9.3M 9.3 meters ANDREW CORP. ESA93L

6681.0000 - 6723.0000 MHz	1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6681.0000 - 6723.0000 MHz	36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6651.0000 - 6669.0000 MHz	1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6651.0000 - 6669.0000 MHz	36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6633.0000 - 6639.0000 MHz	1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6633.0000 - 6639.0000 MHz	36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6587.0000 - 6627.0000 MHz	1M23G7W-	63.80 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
6587.0000 - 6627.0000 MHz	36M0G7W	78.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
3600.0000 - 3698.0000 MHz	1M23G7W-		DIGITAL, VARIOUS COMBINATION OF CARRIERS
3600.0000 - 3698.0000 MHz	36M0G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS

ANTENNA ID: 11M	11 meters	VERTEX		KPC
5925.0000 - 6425.0000 MHz		51K2G7D-	59.50 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK.
5925.0000 - 6425.0000 MHz		36M0G7D	84.00 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK.
5925.0000 - 6425.0000 MHz		36M0G7W	82.40 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
5925.0000 - 6425.0000 MHz		51K2G7W	59.50 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS
5925.0000 - 6425.0000 MHz		36M0G7D	82.40 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK. MESAT-2 only
5925.0000 - 6425.0000 MHz		51K2G7D	59.50 dBW	DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK. Emission Range: 51K2G7D- 36M0G7D. MESAT-2 only
3700.0000 - 4200.0000 MHz		51K2G7D-		DIGITAL, QPSK, 3/4 1/2 FEC
3700.0000 - 4200.0000 MHz		36M0G7D		DIGITAL, QPSK, 3/4 1/2 FEC
3700.0000 - 4200.0000 MHz		36M0G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS
3700.0000 - 4200.0000 MHz		51K2G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
3700.0000 - 4200.0000 MHz		36M0G7D		DIGITAL DATA, FEC, 3/4, 1/2 ETC., QPSK. Emission Range: 51K2G7D- 36M0G7D.
3700.0000 - 4200.0000 MHz		51K2G7D		DIGITAL DATA, VARIOUS FEC, 3/4, 1/2 ETC., VARIOUS MOD., QPSK, ETC.
ANTENNA ID: 9.3M-2nd	9.3 meters	ANDREW CORP.		ESA9.3-46
5925.0000 - 6425.0000 MHz		36M0G7F	77.40 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz		3M00G7F	73.40 dBW	DIGITAL VIDEO. Emission range: 3M00G7F to 36M0G7F
5925.0000 - 6425.0000 MHz		36M0G7W	80.43 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS

5925.0000 - 6425.0000 MHz	51K2G7W	57.97 dBW	DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
5925.0000 - 6425.0000 MHz	36M0G7D	80.43 dBW	DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC.
5925.0000 - 6425.0000 MHz	51K2G7D	57.97 dBW	DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC. Emission range: 51K2G7D to 36M0G7D
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	3M00G7F		DIGITAL VIDEO. Emission range: 3M00G7F to 36M0G7F
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS
3700.0000 - 4200.0000 MHz	51K2G7W		DIGITAL, VARIOUS COMBINATION OF CARRIERS. Emission range: 51K2G7W to 36M0G7W
3700.0000 - 4200.0000 MHz	36M0G7D		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC.
3700.0000 - 4200.0000 MHz	51K2G7D		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC VARIOUS MOD QPSK, ETC. Emission range: 51K2G7D to 36M0G7D

Points of Communication:

1 - ALSAT - (ALSAT)

1 - APSTAR V - (138 E.L.)

1 - JCSAT 5A - (132 E.L.)

1 - Mabuhay (AGILA 2) - (146 E.L.)

1 - MEASAT-2 - (148 E.L.)

SES-MFS-20061213-02156 E E020172 DIRECTV Enterprises, LLC

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Direct Broadcast Satellite Service, Feeder Link for DBS in Fixed Satellite Service, Other

DIRECTV Enterprises, LLC seeks to add DIRECTV 9S as a point of communication.

SITE ID: CRBC
LOCATION: 5454 Garton Rd., Douglas, Castle Rock, CO
39 ° 16 ' 38.00 " N LAT. 104 ° 48 ' 20.50 " W LONG.

ANTENNA ID: CD3/CD4	13 meters	TIW		10600000
12200.0000 - 12700.0000 MHz		24M0G7W		QPSK digital television and FM telemetry
17300.0000 - 17800.0000 MHz		24M0G7W	87.00 dBW	QPSK digital television and FM Command

Points of Communication:

CRBC - DIRECTV- 2 - (101 W.L.)

CRBC - DIRECTV- 3 - (101 W.L.)

CRBC - DIRECTV 8 - (101 W.L.)

CRBC - DIRECTV 9S - (101 W.L.)

CRBC - DIRECTV 9S - (101 W.L.)

CRBC - DIRECTV-1 - (101.0 W.L.)

CRBC - DIRECTV-1 - (72.5 W.L.)

CRBC - DIRECTV-1R - (101 W.L.)

CRBC - DIRECTV-2 - (91 W.L.)

CRBC - DIRECTV-4S - (101.0 W.L.)

CRBC - DIRECTV-5 - (119 W.L.)

CRBC - DIRECTV-6 - (110.0 W.L.)

CRBC - DIRECTV-7S - (119 W.L.)

SES-MOD-20061213-02160 E E970361 Globecomm Systems, Inc.
Application for Modification
Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to add new 4.5 meter and a 9.0 meter C-band transmit/receive earth stations to provide analog video, and digital video, with associated audio.

SITE ID: 1

LOCATION: 45 OSER AVE., SUFFOLK, HAUPPAUGE, NY

40 ° 48 ' 53.60 " N LAT. 73 ° 14 ' 18.40 " W LONG.

ANTENNA ID: AOT-16	4.5 meters	ANDREW CORP.		4.5M
3700.0000 - 4200.0000 MHz	36M0G7W			DIGITAL VIDEO, AUDIO, AND DATA
3700.0000 - 4200.0000 MHz	64K0G7W			DIGITAL VIDEO, AUDIO, AND DATA
3700.0000 - 4200.0000 MHz	36M0F8W			ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
5925.0000 - 6425.0000 MHz	36M0G7W	73.00 dBW		DIGITAL VIDEO, AUDIO, AND DATA
5925.0000 - 6425.0000 MHz	64K0G7W	45.50 dBW		DIGITAL VIDEO, AUDIO, AND DATA
5925.0000 - 6425.0000 MHz	36M0F8W	60.50 dBW		ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
ANTENNA ID: AOT-11	9 meters	VERTEX COMM.		9 KPC
3700.0000 - 4200.0000 MHz	36M0G7W			DIGITAL VIDEO, AUDIO, AND DATA
3700.0000 - 4200.0000 MHz	64K0G7W			DIGITAL VIDEO, AUDIO, AND DATA
3700.0000 - 4200.0000 MHz	36M0F8W			ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
5925.0000 - 6425.0000 MHz	36M0G7W	80.00 dBW		DIGITAL VIDEO, AUDIO, AND DATA
5925.0000 - 6425.0000 MHz	64K0G7W	52.50 dBW		DIGITAL VIDEO, AUDIO, AND DATA
5925.0000 - 6425.0000 MHz	36M0F8W	67.50 dBW		ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
ANTENNA ID: AOT6/9.3M	9.3 meters	VERTEX		9.3 KPC
5925.0000 - 6425.0000 MHz	36M0G7F	80.40 dBW		Digital Video / SATMEX-5

5925.0000 - 6425.0000 MHz	983KG7D	57.00 dBW	Digital data / SATMEX-5
5925.0000 - 6122.0000 MHz	4M80G7W	79.00 dBW	IBS
3700.0000 - 4200.0000 MHz	36M0G7F		Digital Video / SATMEX-5
3700.0000 - 4200.0000 MHz	983KG7D		Digital data / SATMEX-5
3700.0000 - 4200.0000 MHz	4M80G7W		IBS

ANTENNA ID: AOT9/9.3M 9.3 meters VERTEX 9.3 KPC

5925.0000 - 6425.0000 MHz	36M0G7F	80.40 dBW	DIGITAL VIDEO, 8 PSK FEC 5/6 2048 KBPS
5925.0000 - 6425.0000 MHz	983KG7D	57.80 dBW	DIGITAL DATA, 8 PSK FEC 5/6 2048 KBPS
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO, 8 PSK FEC 5/6 2048 KBPS
3700.0000 - 4200.0000 MHz	983KG7D		DIGITAL DATA, 8 PSK FEC 5/6 2048 KBPS

ANTENNA ID: AOT7/9M 9 meters VERTEX 9KPC

5925.0000 - 6425.0000 MHz	36M0G7F	80.40 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	51K2G7D	51.80 dBW	DIGITAL DATA, QPSK 3/4 FEC 64.0 KBPS
5850.0000 - 6425.0000 MHz	51K2G7D	51.80 dBW	DIGITAL CARRIER, QPSK
5850.0000 - 6425.0000 MHz	36M0G7F	80.40 dBW	DIGITAL COMPRESSED VIDEO
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	51K2G7D		DIGITAL DATA, QPSK 3/4 FEC 64.0 KBPS
3625.0000 - 4200.0000 MHz	51K2G7D		DIGITAL CARRIER, QPSK
3625.0000 - 4200.0000 MHz	36M0G7F		DIGITAL COMPRESSED VIDEO

Points of Communication:

1 - ALSAT - (ALSAT)

1 - ANIK E1 - (118.7 W.L.)

1 - ANIK E2 - (111.1 W.L)

1 - COL515 - (37.7 W.L.)

1 - INTELSAT 805 - (304.5 E.L.)

1 - INTELSAT AOR - (307.0 E.L.)

1 - INTELSAT AOR - (310.0 E.L.)

1 - INTELSAT AOR - (325.5 E.L.)

1 - INTELSAT AOR - (328.5 E.L.)

1 - INTELSAT AOR - (330.5 E.L.)

1 - INTELSAT AOR - (332.5 E.L.)

1 - INTELSAT AOR - (335.5 E.L.)

1 - INTELSAT AOR - (342.0 E.L.)

1 - NSS-5 - (183 E.L.)

1 - PAS-1R - (45.0 W.L.)

1 - PAS-3R - (43.0 W.L.)

1 - PAS-9 - (58.0 W.L.)

1 - SATMEX-5 - (116.8 W.L.)

1 - TDRS-6 - (47.0 W.L.)

SES-MOD-20070108-00038 E E920425 FAMILY STATIONS INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

"MOD" to add a new 3.8 meter antenna, frequency band, and emission designator and related services to its' existing ku-band earth station license.

SITE ID: 1

LOCATION: 290 HEGENBERGER ROAD, ALAMEDA, OAKLAND, CA

37 ° 43 ' 43.00 " N LAT. 122 ° 11 ' 26.00 " W LONG.

ANTENNA ID: 2 3.6 meters ANTENNAS FOR COMM. PR-12K-T/R

14016.5000 - 14016.8000 MHz	300KGXW	40.70 dBW
14016.2000 - 14016.5000 MHz	300KGXW	40.70 dBW
14016.1000 - 14016.1000 MHz	200KGXW	39.00 dBW

14015.9000 - 14015.9000 MHz 200KGXW 42.00 dBW

11716.5000 - 11716.8000 MHz 300KGXW

11716.2000 - 11716.5000 MHz

11716.0000 - 11716.2000 MHz 200KGXW

11715.8000 - 11716.0000 MHz 200KGXW

ANTENNA ID: 1 2.44 meters PRODELIN 1246-500

14016.5000 - 14016.8000 MHz 300KGXW 40.70 dBW

14016.2000 - 14016.5000 MHz 300KGXW 40.70 dBW

14016.1000 - 14016.1000 MHz 200KGXW 39.00 dBW

14015.9000 - 14015.9000 MHz 200KGXW 42.00 dBW

11716.5000 - 11716.8000 MHz 300KGXW

11716.2000 - 11716.5000 MHz

11716.0000 - 11716.2000 MHz 200KGXW

11715.8000 - 11716.0000 MHz 200KGXW

ANTENNA ID: 3 3.8 meters PRODELIN 1383

14190.0250 - 14192.4260 MHz 2M40G1W 63.20 dBW DIGITAL QPSK

11890.0250 - 11892.4250 MHz 2M40G1W DIGITAL QPSK

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20070108-00051 E E980183 BT Americas Inc.
Application for Modification
Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to correct the regulatory status from common carrier to non-common carrier. This call sign has always been operated as a non-common carrier facility. However, in a previous modification application (SES-MOD-20031022-01455), it appear that the common carrier status box was checked in error by applicant.

SITE ID: 1

LOCATION: 2025 M STREET, N.W., WASHINGTON, DC

38 ° 54 ' 21.40 " N LAT. 77 ° 2 ' 44.90 " W LONG.

ANTENNA ID: VBSNA1	6.3 meters	VERTEX		6.3 KXK
14000.0000 - 14500.0000 MHz	27M0F3F	70.30 dBW	ANALOG VIDEO	
14000.0000 - 14500.0000 MHz	7M00G1F	75.73 dBW	DIGITAL VIDEO	
11700.0000 - 12200.0000 MHz	27M0F3F		ANALOG VIDEO	
11700.0000 - 12200.0000 MHz	7M00G1F		DIGITAL VIDEO	
11450.0000 - 12200.0000 MHz	27M0F3F		ANALOG VIDEO	
11450.0000 - 12200.0000 MHz	7M00G1F		DIGITAL VIDEO	
10950.0000 - 11200.0000 MHz	27M0F3F		ANALOG VIDEO	
10950.0000 - 11200.0000 MHz	7M00G1F		DIGITAL VIDEO	
ANTENNA ID: VBSNA2	4.8 meters	VERTEX		4.8 KPK
14000.0000 - 14500.0000 MHz	27M0F3F	67.90 dBW	ANALOG VIDEO	
14000.0000 - 14500.0000 MHz	27M0F3F	73.33 dBW	ANALOG VIDEO	
13750.0000 - 14000.0000 MHz	27M0F3F	79.70 dBW	ANALOG VIDEO	
13750.0000 - 14000.0000 MHz	7M00G1F	73.70 dBW	DIGITAL VIDEO	
11700.0000 - 12200.0000 MHz	27M0F3F		ANALOG VIDEO	
11700.0000 - 12200.0000 MHz	7M00G1F		DIGITAL VIDEO	
11700.0000 - 12200.0000 MHz	27M0F3F		ANALOG VIDEO	
11700.0000 - 12200.0000 MHz	7M00G1F		DIGITAL VIDEO	
11450.0000 - 12200.0000 MHz	7M00G1F		DIGITAL VIDEO	
11450.0000 - 12200.0000 MHz	27M0F3F		ANALOG VIDEO	
10950.0000 - 11200.0000 MHz	7M00G1F		DIGITAL VIDEO	
10950.0000 - 11200.0000 MHz	27M0F3F		ANALOG VIDEO	
ANTENNA ID: VBSNA3	2.4 meters	CHANNEL MASTER		244

14000.0000 - 14500.0000 MHz	9M00G7W	66.50 dBW	DIGITAL, Compressed Video
14000.0000 - 14500.0000 MHz	72K0G7D	47.80 dBW	DIGITAL, Data
14000.0000 - 14500.0000 MHz	143KG7D	50.80 dBW	DIGITAL, Data
11700.0000 - 12200.0000 MHz	9M00G7W		DIGITAL, Compressed Video
11700.0000 - 12200.0000 MHz	72K0G7D		DIGITAL, Data
11700.0000 - 12200.0000 MHz	143KG7D		DIGITAL, Data

Points of Communication:

1 - ALSAT - (ALSAT)

1 - ANIK E1 - (118.7 W.L.)

1 - ANIK E2 - (111.1 W.L)

1 - EUTELSAT AB-2 - (8.0 W.L.)

1 - EUTELSAT II-F-2 - (12.5 W.L.)

1 - New Skies K - (338.5 E.L.)

1 - PAS-1R - (45.0 W.L.)

1 - PAS-3R - (43.0 W.L.)

1 - TELSTAR 11 - (37.5 W.L.)

SES-REG-20070109-00050 E E070007 CMCG Puerto Rico License LLC
Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 1095 WILSON STREET, SAN JUAN, SANTURCE, PR
18 ° 27 ' 14.00 " N LAT. 66 ° 4 ' 27.00 " W LONG.

ANTENNA ID: 5.0 5 meters SIMULSAT 5.0

3700.0000 - 4200.0000 MHz	36M0F8W	Analog Video
3700.0000 - 4200.0000 MHz	36M0G7F	Digital Compressed Video

Points of Communication:

1 - ALSAT - (ALSAT)

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.