

QUALITY OF SERVICE OF INCUMBENT LOCAL EXCHANGE CARRIERS

FEBRUARY 2007

Industry Analysis and Technology Division
Wireline Competition Bureau
Federal Communications Commission



This report was authored by Jonathan M. Kraushaar of the Industry Analysis and Technology Division of the FCC's Wireline Competition Bureau. The author can be reached at (202) 418-0947; e-mail address: jonathan.kraushaar@fcc.gov; TTY: (202) 418-0484. This report is available for reference in the FCC's Reference Information Center, Courtyard Level, 445 12th Street, S.W. Copies may be purchased by calling Best Copy and Printing, Inc. at (202) 488-5300. The report can be downloaded from the Wireline Competition Bureau Statistical Reports Internet site at <http://www.fcc.gov/wcb/stats>.

Quality of Service of Incumbent Local Exchange Carriers

1. Executive Summary

1.1 Overview

This report summarizes the Automated Reporting Management Information System (ARMIS) service quality data filed by the regional Bell companies, Sprint¹ and other price-cap regulated incumbent local exchange carriers (ILECs) for calendar year 2005.² The data track the quality of service provided to both retail customers (business and residential) and access customers (interexchange carriers).

The Federal Communications Commission (FCC or Commission) does not impose service quality standards on communications common carriers. Rather, the Commission monitors quality of service data submitted by incumbent local exchange carriers that are regulated as price-cap carriers. The Commission summarizes these data and publishes a report on quality of service trends annually.³ The tables of this report present comparative data on key company performance indicators. These data include several objective indicators of installation, maintenance, switch outage and trunk blocking performance for each reporting company. The tables also present data on customer perception of service and the level of consumer complaints. A number of indicators are charted over time to present a multi-year view. In addition, the Commission uses statistical methods to analyze the data for long term trends and to establish patterns of industry performance. The results of these analyses are also contained in this report.

1.2 Key Findings for 2005

The quality of service report tracks industry performance over time on eight key quality of service indicators: average complaints per million lines, percent of installation commitments met, lengths of installation intervals, lengths of repair intervals, percent of switches with outages,

1 In May 2006, Sprint spun off its Local Telecommunications Division as an independent entity under the new name Embarq. Sprint filed its 2005 ARMIS data prior to the effective date of that change. In this report, we use the name Sprint to refer to the company prior to the spin-off, and our findings are for that entity, unless otherwise stated.

2 See *Revision of ARMIS Annual Summary Report (FCC Report 43-01)*, *ARMIS USOA Report (FCC Report 43-02)*, *ARMIS Joint Cost Report (FCC Report 43-03)*, *ARMIS Access Report (FCC Report 43-04)*, *ARMIS Service Quality Report (FCC Report 43-05)*, *ARMIS Customer Satisfaction Report (FCC Report 43-06)*, *ARMIS Infrastructure Report (FCC Report 43-07)*, *ARMIS Operating Data Report (FCC Report 43-08)*, *ARMIS Forecast of Investment Usage Report (FCC Report 495A)*, and *ARMIS Actual Usage of Investment Report (FCC Report 495B) for Certain Class A and Tier 1 Telephone Companies*, CC Docket No. 86-182, Order, 20 FCC Rcd 19377 (2005).

3 The last report, which included data for 2004, was released in November 2005. See Industry Analysis and Technology Division, Wireline Competition Bureau, Federal Communications Commission, *Quality of Service of Incumbent Local Exchange Carriers* (November, 2005). That report can be found on the Commission's website at www.fcc.gov/wcb/stats under the file name QUAL04.ZIP. Source data used to prepare this report may be useful for further investigation and can be extracted from the ARMIS 43-05 and 43-06 tables on the online database maintained on the FCC website at www.fcc.gov/wcb/eafs.

trouble report rate per thousand access lines, percent dissatisfied with installation, and percent dissatisfied with repair. Since our last report, there have been only small changes in the values of most of these indicators. However, our analysis, which incorporated performance data from the most recent six years, identified the presence of statistically significant long term upward or downward trends⁴ in a number of industry performance indicators (i.e., with data for large and small companies combined) and in a number of large and small company performance indicators, when these data were analyzed separately.⁵ Most of these trends are indicative of long-term improvement.⁶ In particular, since 2000:

- the average (number of) complaints per million lines is decreasing on average 5.1% per year for the industry as a whole, and 16.1 % for large companies;
- the length of installation intervals is also decreasing on average 4.2% annually for the industry, and 7.4% for large companies;
- the trouble report rate per thousand lines is declining on average 3.7 % annually for the large companies; and
- the percent of switches with outages is declining on average 10.9% per year for the industry as a whole, and 13.2 % for the large companies.

We also found a few statistically significant long-term trends toward declining service quality. Notably, since 2000,

- the trouble report rate per thousand access lines is increasing on average 6.8% per year for the smaller companies; and
- the length of repair intervals is increasing on average 5.1 % per year for the industry as a whole, 4.6 % per year for the large companies, and 7.5 % per year for the smaller companies.

In spite of the noted significant trends toward decreasing lengths of installation intervals and increasing lengths of repair intervals, we found no significant long-term trends toward increasing or decreasing customer dissatisfaction with installations or repairs for the large companies. (Small companies are not required to report data on customer dissatisfaction with repairs and installations.) Nonetheless, large-company customer dissatisfaction with repairs did increase in 2005 after three relatively stable years.⁷

Independent of trend behavior, which considers changes in performance over time, and considering performance alone, we found that, as in 2004, large company performance continued to

4 A trend is the average (or expected) annual percentage decline or increase in the value of the indicator. Our statistical analysis shows that, for many indicators, the probability that these trends occurred by chance is very small (i.e., less than one chance in one thousand for some indicators, and less than one chance in one hundred for others). In these cases, we say the trend is statistically significant. For further discussion of the statistical techniques employed in this report and detailed results, *see infra* Section 5.2.

5 For a list of large and small companies, *see infra* note 27 and note 28.

6 Many factors in addition to actual company performance may impact these data. *See infra* discussion in Section 4. Thus, the causes for trends and other statistical results reported in this document must be considered in a broader context, and cannot be determined by examination of these data alone.

7 Customer dissatisfaction data are based on company-designed survey methodologies and procedures. This data is collected in the ARMIS 43-06 reports filed only by the larger incumbent local exchange carriers.

differ significantly from small company performance on all indicators, except for the length of repair intervals and the trouble report rate per thousand lines. In these two areas, the performance of large and small companies was statistically indistinguishable.

We found that the average length of repair intervals rose from 2004 to 2005, and is now at the highest level in the six-year period covered by this report. In addition, when data were aggregated to the holding company level, the average length of repair intervals increased in 2005 for every large holding company and for most of the seven smaller companies included in this report. Weather related problems were of particular note in 2005 and may have been a factor in the length of repair intervals for that year. However, the observed increases in average length of repair intervals for 2005 are also directionally consistent with longer term statistically significant upward trends in this indicator, which were identified by our analysis and discussed earlier in this section.

2. Report History

At the end of 1983, anticipating AT&T's imminent divestiture of its local operating companies, the Commission directed the Common Carrier Bureau⁸ to establish a monitoring program that would provide a basis for detecting adverse trends in Bell operating company network service quality. The Bureau subsequently worked with industry to refine the reporting requirements, ensuring that the data were provided in a uniform format. Initially, the data were filed twice yearly. The data collected for 1989 and 1990 formed the basis for FCC service quality reports published in June 1990 and July 1991, respectively. These reports highlighted five basic service quality measurements collected at that time.⁹

With the implementation of price-cap regulation for certain local exchange carriers, the Commission made several major changes to the service quality monitoring program. These changes first affected data filed for calendar year 1991. First, the Commission expanded the class of companies required to file quality of service data to include non-Bell carriers that elected to be subject to price-cap regulation.¹⁰ These carriers are known collectively as non-mandatory price-cap carriers, and most of them are much smaller than the Bell operating companies. Second, the Commission included service quality reporting in the ARMIS data collection system.¹¹ Finally, the Commission

8 As the result of a reorganization in March 2002, the Wireline Competition Bureau now performs Common Carrier Bureau functions described in this report. In this report, references to the Common Carrier Bureau apply to activities prior to the above date.

9 These were customer satisfaction level, dial tone delay, transmission quality, on time service orders, and percentage of call blocking due to equipment failure.

10 *Policy and Rules Concerning Rates for Dominant Carriers*, CC Docket No. 87-313, Second Report and Order, 5 FCC Rcd 6786, 6827-31 (1990) (*LEC Price-Cap Order*) (establishing the current service quality monitoring program and incorporating the service quality reports into the ARMIS program), Erratum, 5 FCC Rcd 7664 (1990), *modified on recon.*, 6 FCC Rcd 2637 (1991), *aff'd sub nom.*, *Nat'l Rural Telecom Ass'n v. FCC*, 988 F.2d 174 (D.C. Cir. 1993). The incumbent local exchange carriers that are rate-of-return regulated are not subject to federal service quality reporting requirements.

11 *LEC Price-Cap Order*, 5 FCC Rcd at 6827-30. The ARMIS database includes a variety of mechanized company financial and infrastructure reports in addition to the quality-of-service reports. Most data are available disaggregated to a study area level which generally represents operations within a given state.

ordered significant changes to the kinds of data carriers had to report.¹² Following these developments, the Commission released service quality reports in February 1993, March 1994, and March 1996.

In 1996, pursuant to requirements in the Telecommunications Act of 1996,¹³ the Commission reduced the frequency of ARMIS data reporting to annual submissions, and in May 1997, clarified relevant definitions.¹⁴ The raw data are now filed in April of each year. The Commission summarizes these data and publishes the quality of service report annually.¹⁵

3. The Data

3.1 Tables

The data presented in this report summarize the most recent ARMIS 43-05 and 43-06 carrier reports.¹⁶ Included are data from the regional Bell companies, Sprint and all other reporting incumbent local exchange carriers.¹⁷ Tables 1(a) through 1(e) cover data from the regional Bell companies, or

-
- 12 *Id.*; *Policy and Rules Concerning Rates for Dominant Carriers*, CC Docket No. 87-313, Memorandum Opinion and Order, 6 FCC Rcd 2974 (1991) (*Service Quality Order*), recon., 6 FCC Rcd 7482 (1991). Previously the Common Carrier Bureau had collected data on five basic service quality measurements from the Bell operating companies, described earlier.
- 13 *Telecommunications Act of 1996*, Pub. L. No. 104-104, 110 Stat. 56.
- 14 Orders implementing filing frequency and other reporting requirement changes associated with implementation of the Telecommunications Act of 1996 are as follows: *Implementation of the Telecommunications Act of 1996: Reform of Filing Requirements and Carrier Classifications*, CC Docket No. 96-193, Order and Notice of Proposed Rulemaking, 11 FCC Rcd 11716 (1996); *Revision of ARMIS Quarterly Report (FCC Report 43-01) et al.*, CC Docket No. 96-193, Order, 11 FCC Rcd 22508 (1996); *Policy and Rules Concerning Rates for Dominant Carriers*, CC Docket No. 87-313, Memorandum Opinion and Order, 12 FCC Rcd 8115 (1997); *Revision of ARMIS Annual Summary Report (FCC Report 43-01) et al.*, AAD No. 95-91, Order, 12 FCC Rcd 21831 (1997).
- 15 These quality of service reports have included data from the mandatory price-cap companies and the largest non-mandatory carriers, GTE and Sprint. GTE is now a part of Verizon, a mandatory price-cap carrier. Beginning with the December 2004 report, the following smaller non-mandatory price-cap companies that file ARMIS 43-05 data are included: Alltel Corp., Century Tel., Cincinnati Bell, Citizens, Citizens Frontier, Iowa Telecom, and Valor Telecommunications. Non-mandatory carriers are not required to file customer satisfaction data that appear in the ARMIS 43-06 report.
- 16 Source data used in preparing this report may be useful for further investigation and can be extracted from the ARMIS 43-05 and 43-06 tables on the online database maintained on the FCC website at www.fcc.gov/wcb/eafs. The data are also available from Best Copy and Printing, Inc at (202) 488-5300. A number of prior-year data summary reports are available through the FCC's Reference Information Center (Courtyard Level) at 445 12th Street, S.W., Washington, D.C. 20554, and the Wireline Competition Bureau Statistical Reports website at www.fcc.gov/wcb/stats.
- 17 In February 1992, United Telecommunications Inc. became Sprint Corporation (Local Division); and in March 1993, Sprint Corporation acquired Centel Corporation. Bell Atlantic and NYNEX merged in August 1997, and then merged with GTE in 2000. Verizon Communications is shown separately for GTE, Verizon North (the former NYNEX companies), and Verizon South (the former Bell Atlantic Companies). Similarly, SBC and Pacific Telesis merged in April 1997, SBC and SNET merged in October 1998, and SBC and SBC

mandatory price-cap companies. Tables 2(a) through 2(c) cover data from the smaller non-mandatory price-cap companies. These companies report quality of service data at a study area level which generally represents operations within a given state. Although reporting companies provide selected company aggregate data, the tables of this report contain summary data that have been recalculated by FCC staff as the composite aggregate of all study areas for each listed entity. This report also includes a fairly extensive summary of data about individual switching outages, including outage durations and numbers of lines affected, for which no company calculated aggregates are provided. Switch outage data have also been aggregated to the company level for inclusion in the tables.

The company-level quality of service data included in Tables 1(a)-1(e) and Tables 2(a)-2(c) are derived by calculating sums or weighted averages of data reported at the study area level. In particular, where companies report study area information in terms of percentages or average time intervals, this report presents company composites that are calculated by weighting the percentage or time interval figures from all study areas within that company. For example, we weight the percent of commitments met by the corresponding number of orders provided in the filed data.¹⁸

In the case of outage data summarized in Tables 1(b), 1(c), 2(b), and 2(c), we calculate a number of useful statistics from raw data records for individual switches with outages lasting more than two minutes. These statistics include the total number of events lasting more than two minutes, the average outage duration, the average number of outages per hundred switches, the average number of outages per million access lines, and the average outage line-minutes per thousand access lines and per event. Outage line-minutes is a measure that combines both duration and number of lines affected in a single parameter. We derive this parameter from the raw data by multiplying the number of lines involved in each outage by the duration of the outage and summing the resulting values. We then divide the resulting sum by the total number of thousands of access lines or of events to obtain average outage line-minutes per access line and average outage line minutes per event, respectively.

The tables contained in this report cover data for 2005. Tables 1(a) and 2(a) provide installation, maintenance and customer complaint data. The installation and maintenance data are presented separately for local services provided to end users and access services provided to interexchange carriers. Tables 1(b) and 2(b) show switch downtime and trunk servicing data. Tables 1(c) and 2(c) show outage data by cause. Table 1(d) presents the percentages of residential, small business and large business customers indicating dissatisfaction with BOC installations, repairs and business offices, as determined by BOC customer perception surveys.¹⁹ Table 1(e) shows the

and Ameritech merged in October 1999. SBC and AT&T then merged at the end of 2005 and the merged company retained the name AT&T. Data from the entities originally known as SBC Southwestern, Ameritech, Pacific Telesis and SNET are shown separately in the charts and tables with the AT&T company name. This report reflects data filed prior to the merger of BellSouth and AT&T.

18 Although companies file their own company composites, we have recalculated a number of them from study area data for presentation in the tables to assure that company averages are calculated in a consistent manner. We weight data involving percentages or time intervals in order to arrive at consistent composite data shown in the tables. Parameters used for weighting in this report were appropriate for the composite being calculated and were based on the raw data filed by the carriers but are not necessarily shown in the tables. For example, we calculate composite installation interval data by multiplying the average installation interval at the individual study area level by the number of orders in that study area, summing the results for all study areas, and then dividing that sum by the total number of orders.

19 Customer satisfaction data collected in the 43-06 report and summarized in Tables 1(d) and 1(e) are required to be reported only by the mandatory price-cap carriers.

underlying survey sample sizes.

3.2 Charts

This report displays data elements that have remained roughly comparable over the past few years. Such data are useful in identifying and assessing trends. In addition to the tables, this report contains charts that highlight company trends for the last 6 years. Unlike the tables for which the company composites are recalculated, the data in the charts are presented or derived from company provided rollup or composite data.²⁰ Charts 1 through 7 graphically illustrate trends in complaint levels, initial trouble reports, residential installation dissatisfaction, percent of residential installation commitments met, residential installation intervals, residential repair dissatisfaction, and residential initial out-of-service repair intervals, respectively. Chart 8 displays trends among the larger price-cap carriers in the percentage of switches with outages. Data for Sprint, the largest non-mandatory price-cap company at the time it filed its 2005 ARMIS data, are included only in those charts displaying ARMIS 43-05 data that it is required to file.

This report charts the performance of the smaller price-cap carriers only on selected quality of service indicators including the trouble report rate per thousand lines, lengths of repair intervals and lengths of installation intervals. These indicators were selected for charting because they are generally less volatile than the others, thus allowing better comparison with similar trended data from the larger companies. (In the cases where we chart both large and small company performance, the larger companies are tracked on the chart with an ‘A’ designation, e.g., Chart 7A, while the smaller companies are tracked on the chart with a ‘B’ designation, e.g., Chart 7B.) Filed data are not available for all of the past six years for several of the smaller companies, which accounts for the truncated trend lines in some of the charts. Since the most current access line counts are used as weighting factors in calculation of industry composites in the charts, small changes in these composites from year-to-year may be accounted for by changes in the relative number of company access lines. For example, this accounted for a reduction in composite complaint levels in 2004 of less than one percent.

3.3 For More Information about the Data

More detailed information about the raw data from which this report has been developed may be found on the Commission’s ARMIS web page cited earlier. Descriptions of the raw ARMIS 43-05 source data items from which Tables 1(a), 1(b), 1(c), 2(a), 2(b), and 2(c) were prepared can be found in Appendix A of this report. Tables 1(d) and 1(e) were prepared from data filed only by the Bell operating companies in the ARMIS 43-06 report. The statistics presented in Tables 1(d) and 1(e) are straightforward and reflect the data in the format filed. Complete data descriptions are available in several Commission orders.²¹

4. Qualifications

20 Calculations to normalize data and derive percentages in charts 1, 2A, 2B and 8 in this year’s report were performed directly on company provided composite data rather than from recalculated composites in the attached tables. Other charts contain data that were taken directly from company provided composite data.

21 See *supra* note 14.

Overall, we caution readers to be aware of potential inconsistencies in the service quality data and methodological shortcomings affecting both the collection and interpretation of the data. Some common sources of issues are described below.

4.1 Data Re-filings

Commission staff generally screen company-filed service quality data for irregularities and provide feedback to reporting companies on suspected problems. The reporting companies are then given an opportunity to re-file. Re-filed data appear in this report if they are received in time to be included in the Commission's recalculation of holding company totals and other data aggregates described in Section 3.1 prior to publication. However, it is expected that the process of data correction continues beyond the date of publication of this report, as new problems are identified. Reporting companies frequently re-file data, not only for the current reporting period, but also occasionally for previous reporting periods. Hence, users of the quality of service report data may find some inconsistencies with data extracted from the ARMIS database at a later or earlier date.

4.2 Commission Recalculation of Holding Company Aggregate Statistics

Commission staff do not typically delete or adjust company-filed data for presentation in the quality of service report, except for recalculating holding company totals and other data aggregates as described in Section 3.1. Recalculated aggregates appear in the tables of the quality of service report. These may not match corresponding company-filed totals and composites.²² Such inconsistencies are due primarily to differences in the way we and the reporting company derive the data element, for example, in the use of percentages or average intervals that require weighting in the calculations.

4.3 Company-specific Variations

Users conducting further analysis of the data should be aware that variations in service quality measurements may occur among companies and even within the same company over time for reasons other than differences in company performance. For example, data definitions must be properly and consistently interpreted. The Commission has, on occasion, provided clarifications when it became apparent that reporting companies had interpreted reporting requirements inconsistently.²³ Changes in a company's internal data collection procedures or measurement technology may also result in fluctuations in its service quality measurements over time. In some cases, procedural changes in the data measurement and collection process may be subtle enough so that they are not immediately noticeable in the data. However, significant changes in company data collection procedures usually

22 Data presented in the charts are company-filed composites, except where noted.

23 For example, because of data problems resulting from the various classifications of trouble reports, the Commission addressed problems relating to subtleties in the definitions associated with the terms "initial" and "repeat" trouble reports. See *Policy and Rules Concerning Rates for Dominant Carriers*, CC Docket No. 87-313, Memorandum Opinion and Order, 12 FCC Rcd 8115, 8133, para. 40 (1997); *Policy and Rules Concerning Rates for Dominant Carriers*, AAD No. 92-47, Memorandum Opinion and Order, 8 FCC Rcd 7474, 7478, para. 26, 7487-7549, Attachment (1993); *Revision of ARMIS Annual Summary Report (FCC Report 43-01) et al.*, AAD 95-91, Order, 12 FCC Rcd 21831, 21835, para. 10 (1997) (introducing reporting of "subsequent" troubles). This issue was discussed at greater length in a prior summary report. See Industry Analysis Division, Common Carrier Bureau, Federal Communications Commission, *Quality of Service for the Local Operating Companies Aggregated to the Holding Company Level* (March 1996).

result in noticeable and abrupt changes in the data.²⁴ It appears that at least some of these changes have not been reported to the Commission. These factors tend to limit the number of years of reliable data available to track service quality trends.

Although the Commission has made considerable efforts to standardize data reporting requirements over the years, given the number of changes to the reporting regimes and predictable future changes, one should not assume exact comparability on all measurements for data sets as they are presented year by year. In spite of all of the foregoing, deteriorating or improving service quality trends that persist for more than a year or two usually become obvious and can provide a critical record for state regulators and others.

4.4 Trend Analysis and Data Volatility

Because measurements of any particular quality of service indicator may fluctuate over time, trend analysis can be an effective tool in helping to evaluate longer-term company and industry performance. Consideration of trends may also provide insight into typical lead times that might be needed to correct certain problems once they have been identified. In addition, adverse trends in complaint levels of significant duration, when identified, can serve as warning indicators of problems not included in the more specific objective measurements. For these reasons we identify statistically significant trends in the data. Identification of such trends assists in evaluating the significance of year-to-year changes in the data.

With respect to individual measures of company performance, it is our experience that service reliability and to a lesser extent customer satisfaction data are, by their nature, subject to greater volatility than other types of company data. For these measures, in particular, data interpretation must consider longer term trends and take into consideration filing intervals and lag times in data preparation and filing.

4.5 Interpretation of Outage Statistics

Statistics describing the impact of outages should be considered in context. For example, a statistic representing the average number of lines affected per event would tend to favor a company with a larger number of smaller or remote switches and lower line counts per switch, while a statistic representing the average outage duration might favor a company with a few larger switches. Thus, using the average number of lines per event measurement, one 25,000 line switch that is out of service for five minutes would appear to have a greater service impact than ten 2,500 line switches that are each out of service for five minutes. To provide a consistent basis for comparison of performance of companies having different switch size characteristics, we present a grouping of outage statistics that can capture the impact of both the number of lines affected and the duration of the outage. These

24 For example, SBC (now AT&T) reported changes for 2003 in its complaint data which were designed to normalize disparate reporting methodologies in its Ameritech region. Resulting declines in complaint levels are at least partially attributable to these changes, which involved elimination of several complaint data reporting subcategories previously included by Ameritech. At our request, the company restated 2002 data for Ameritech to conform to new procedures that were introduced for the 2003 data collection and reporting. The restated Ameritech data were not formally filed as a revision but would have shown 43.9 residential complaints per million residential lines and 15.9 business complaints per million business lines. This would have resulted in an average of 29.9 complaints per million lines instead of the 213.4 complaints per million lines shown for the year 2002 Chart 1. Although improvement in 2003 is still indicated, the improvement appears to be more modest if we assume that the procedural change took place in 2002 instead of 2003.

statistics include outage line-minutes per event and per 1,000 access lines.

4.6 External Factors

We note that external factors, including economic conditions and natural disasters, the level of competitive activity, and changes in regulation have the potential to affect the quality of service available in specific regions of the country or in the industry as a whole, and these effects may be manifested in the quality of service data.²⁵ The Commission does not currently consider these effects in its analysis.

5. Observations and Statistical Analysis

5.1 Observations from the Current Year Summary Data

Charts 1 to 8 track service quality summary data for the large and small price-cap carriers for the last six years. In 2005, repair intervals increased for every large holding company, with the average initial out-of-service repair interval climbing from 26.7 hours in 2004 to 31.3 hours in 2005. This is the highest level in the six-year period and continues an overall upward trend.²⁶ Concurrently, the weighted average residential customer dissatisfaction associated with repairs by large companies increased slightly from 12.3 to 13.0 percent dissatisfied. This follows three years with very little change. The length of repair intervals also increased for most of the seven smaller companies, with the average interval increasing to 19.2 hours in 2005. By way of contrast, the average length of the residential installation interval remained near its 2004 level for both large and small carriers, and dissatisfaction with large company residential installations also remained near its 2004 level.

Small increases were observed in the number of initial trouble reports per thousand lines for both small and large price-cap carriers from 2004 to 2005. In addition, after several years of decline the weighted average number of complaints per million access lines among the large price cap carriers increased slightly from 93.4 in 2004 to 102.1 in 2005. However, this number remains well below 258.6 complaints per million access lines, the high-point for the six-year period, observed in 2000.

5.2 Statistical Analysis

The FCC's quality of service report presents graphical analysis of several key indicators of industry and company performance. The graphs in the current report contain data for the most recent six-year period. The indicators currently tracked are complaints per million lines, length of installation intervals, length of repair intervals, percent of installation commitments met, trouble

25 For example, the outage statistics for BellSouth, found in Table 1(b), which are significantly higher than that of the other companies, appear to illustrate the impact of Hurricane Katrina in 2005. Also, footnotes contained in the filed 2005 data suggest that actions of the California Public Utilities Commission to clear a complaint backlog may have affected complaint levels in that state.

26 Severe weather-related problems may in fact account for some of the increase in average repair interval lengths in 2005. However, our analysis also indicates the presence of a statistically significant six-year trend toward declining performance for this indicator. See *infra* Section 5.2.

reports per thousand lines, percent installation dissatisfaction, percent repair dissatisfaction and percent of switches with outages. In this year's report we update the results of the statistical analysis of these indicators from raw data samples received from reporting companies. The overall goals of our statistical analysis are to:

- determine if there were any discernable trends in performance as tracked by these indicators across the years,
- determine if reporting companies performed differently from each other,
- determine whether the large reporting companies performed differently or had different trend behavior from small reporting companies, and
- develop models of trends in performance that could be used to predict next year's performance.

For the purpose of our analysis, we classified companies as "large" or "small." This classification is largely the same as that used earlier in creating the charts -- the larger companies²⁷ are tracked on the charts with an 'A' designation (e.g., chart 2A), and the smaller companies²⁸ are tracked on the charts with a 'B' designation (e.g., chart 2B). However, even though Iowa Telecom was classified as a small company in the charts, it was included as a large company for the statistical analysis, since its performance was very close to that of the larger companies.

We used several types of statistical techniques in analyzing the data. These included ANOVA (Analysis of Variance), ANCOVA (Analysis of Covariance) and simple linear regression. They allowed us to analyze small-versus-large company effects, individual company effects, and year effects (i.e., does performance vary from year-to-year) in the performance data for each of the key indicators. We tested for the existence of overall trends,²⁹ trends for only the large companies, and trends for only the small companies. If a trend existed, we then determined its direction and magnitude. In addition, the statistical testing allowed us to determine if the trends varied widely across companies, if there were performance differences across companies, and if large company performance differed from small company performance.

The following table summarizes the results of our statistical analysis on data filed by reporting companies since the year 2000, representing the most recent six-year reporting period.³⁰ (Note that smaller non-mandatory price cap carriers are not required to file data on all performance indicators. These are designated as "NA" in the table.)

27 The larger companies in the charts of this report are BellSouth, Qwest, AT&T Ameritech, AT&T Pacific, AT&T Southwestern, AT&T SNET, Verizon GTE, Verizon North, Verizon South and Sprint.

28 The smaller companies in the charts of this report are Alltel Corp., Cincinnati Bell, Citizens, Citizens Frontier, Century Tel., Iowa Telecom and Valor.

29 A trend is the expected annual change in the value of the performance indicator. For example, a negative trend of -5.2% means that every year the value of the indicator is expected to decrease by 5.2%. A positive trend (e.g. +6.3%), means that every year the value of the indicator is expected to increase by 6.3%. The magnitude and direction of the trend for a particular performance indicator is estimated by fitting a linear regression model to the logarithms of the values of that performance indicator for the past six years.

30 The table is based on individual raw study area samples from the ARMIS database which have not been weighted. The trends calculated from these samples may therefore differ from composite trends calculated as weighted company totals.

The rows of the table contain the key indicators of company performance tracked by this report. The columns contain the effects described above. A “Yes” entry in the table means that we have concluded with a high level of statistical confidence that the effect for which we have tested is indeed present. A “No” entry means that the data did not support such a conclusion. For example, we tested to determine whether large company performance differs from small company performance on the average complaints per million lines indicator, and we concluded with a high degree of statistical confidence that large company performance does differ from small company performance on this indicator. We included the direction and magnitude of a trend in the table if our statistical testing indicated that there was a low probability the trend occurred as a result of random fluctuations in the data. A number of the trends were found significant at less than the 0.001 level, meaning there was less than one chance in 1000 that these trends occurred as a result of random data fluctuations. However, asterisked trends were found significant at less than the 0.01 level, but not at the 0.001 level, meaning that there was a greater probability—between one chance in 100 and one chance in 1000—that these trends happened by chance. The word “No” appearing in any of the first three columns of the table indicates that a trend could not be established at the 0.01 level of significance. In the last three columns of the table the word “Yes” indicates that statistically significant differences were found between companies or groups of companies, and the word “No” indicates that such differences could not be established statistically.

Results of Statistical Testing of Key Industry Performance Indicators

	Trend Over All Companies	Trend For Large Companies	Trend for Small Companies	Trends Vary Widely Across Companies	Performance Differences Across Companies	Large Company Performance Differs From Small
Average complaints per million lines	-5.1%*	-16.1%	No	Yes	Yes	Yes
Installation intervals	-4.2%*	-7.4%	No	Yes	Yes	Yes
Repair intervals	+5.1%	+4.6%	+7.5%	Yes	Yes	No*
Percent commitments met	No	No	No	No	No*	Yes
Trouble report rate per 1000 lines	No	-3.7%*	6.8%	No	No	No
Percent installation dissatisfaction	No	No	NA	Yes	Yes	NA
Percent repair dissatisfaction	No	No	NA	Yes	Yes	NA
Percent switches with outages	-10.9%*	-13.2%	No	Yes	Yes	Yes

All results are significant at less than the 0.001 level except as noted below.

* Indicates a result which was significant at less than the 0.01 level.

As noted earlier, a trend represents the expected or average change in the value of the performance indicator from year to year. Considering columns 1 through 3, we note our analysis has allowed us to conclude with a high degree of confidence that statistically significant trends do exist in the data for many indicators of performance. Factors other than random data variability are likely to be responsible for these trends. However, what those factors are cannot be determined from our data alone. (Section 4 of this report discusses factors that may impact the data in addition to company performance.) Also, recent observed annual performance changes may not necessarily be in a direction or magnitude consistent with calculated trends of the


previous five years. This may occur, for example, when significant underlying events or changes occur.³¹

Considering column 4, we find that trends vary widely across companies, except for the “percentage of installation commitments met” indicator and the “trouble reports per 1000 lines” indicator. Column 5 shows that there are significant statistical differences across companies in all performance measures except for the “percent of installation commitments met” and “trouble reports per thousand lines” indicators. Finally, column 6 shows that there is virtually no statistical difference between large and small company performance in the “length of repair interval” and “trouble reports per 1000 lines” entries.

Overall, our analysis shows that there are statistically significant trends for several of the performance measures. These trends are typically indicative of longer-term improvement. However, the overall upward trend in the length of repair intervals with all companies included in the analysis, and for both large and small companies considered separately; as well as the trend toward higher trouble report rates, for the smaller companies, provide evidence of longer-term declining performance in these areas. Nonetheless, our analysis finds no statistically significant trends in customer repair dissatisfaction levels, a somewhat surprising result. While reasons for declines or improvements in performance cannot be determined from these data alone, we have found that reported complaint levels exhibit a higher correlation with installation intervals than with repair intervals. In closing, we note that although the highlighted trends reflect longer term patterns in company performance than simply looking at year over year changes, their direction in the future may change as companies respond or fail to respond to quality of service issues.

31 For example, in chart 2A covering trouble reports per thousand lines for large companies, the data show an increase in the trouble report rate for the last two years, while there is a downward trend in the trouble report rate for the entire period of observation. In another example, although the average number of complaints per million lines indicator shows a statistically significant downward trend since 2000, the average number of complaints rose from 93.4 in 2004 to 102.1 in 2005. This is the first annual increase in the average complaints indicator after four consecutive years of decline.

Chart 1




**Average of Residential and Business Complaints per Million Access Lines
(Calculated Using Data from Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
BellSouth	241.6	192.7	131.5	128.0	131.4	137.7
Qwest	379.2	203.4	149.2	103.5	89.1	80.8
AT&T Ameritech	613.2	382.8	213.4	13.2	11.2	12.0
AT&T Pacific	39.2	19.6	12.5	10.6	10.4	23.3
AT&T Southwestern	28.0	23.9	17.0	13.4	21.9	21.9
AT&T SNET	326.3	231.6	186.6	87.1	88.5	20.4
Verizon GTE	106.7	80.1	60.3	79.1	104.8	161.0
Verizon North (Combined with Verizon South)						
Verizon South	299.4	197.3	151.8	190.7	184.7	191.9
Sprint	287.9	136.4	75.3	78.9	43.3	46.0
Weighted BOC/Sprint Composite*	258.6	166.5	113.3	94.3	93.4	102.1

*Weighted composite is calculated using access line counts.

Chart 2A




**Total Initial Trouble Reports per Thousand Lines (Residence + Business)
(Calculated Using Data from Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
BellSouth	290.9	300.1	285.0	278.5	298.2	307.3
Qwest	163.0	131.3	111.4	113.4	117.6	112.6
AT&T Ameritech	177.5	200.4	171.4	149.7	146.2	144.3
AT&T Pacific	157.7	146.8	129.0	119.4	116.1	129.4
AT&T Southwestern	212.8	222.0	197.8	175.4	190.5	173.3
AT&T SNET	194.0	195.6	173.2	180.3	165.8	184.9
Verizon GTE	177.1	164.5	146.4	153.0	167.2	191.7
Verizon North (Combined with Verizon South)						
Verizon South	168.3	160.6	151.5	169.4	157.8	164.1
Sprint	223.7	206.3	165.6	192.2	216.1	221.1
Weighted BOC/Sprint Composite*	194.2	190.8	172.1	172.1	175.7	180.9

* Weighted composite is calculated using access line counts.

Chart 2B




**Total Initial Trouble Reports per Thousand Lines (Residence + Business)
(Calculated Using Data from Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
Alltel Corp.				233.5	193.1	128.2
Cincinnati Bell	136.6	136.0	118.7	114.6	113.6	131.4
Citizens	313.3	286.0	264.0	260.2	296.0	325.1
Citizens (Frontier)	305.6	252.6	345.8	266.6	257.2	252.4
Century Tel.				266.9	265.0	231.1
Iowa Telecom			135.9	132.6	157.2	155.4
Valor			397.7	368.0	422.6	479.8
Weighted BOC/Sprint Composite*	194.2	190.8	172.1	172.1	175.7	180.9
Weighted Small Co. Composite*	259.6	232.5	258.9	237.6	244.6	245.5

* Weighted composite is calculated using access line counts.

Chart 3




**Percent Dissatisfied --BOC Residential Installations
(Using Company Provided Composites)**

ARMIS 43-06 Report	2000	2001	2002	2003	2004	2005
BellSouth	12.8	11.2	10.3	6.7	6.4	5.7
Qwest	7.4	6.4	7.0	5.5	3.9	3.7
AT&T Ameritech	16.4	15.5	10.7	8.1	7.6	6.7
AT&T Pacific	13.5	8.8	6.4	6.1	6.1	6.4
AT&T Southwestern	6.8	8.0	8.1	7.9	8.4	7.1
AT&T SNET	18.7	8.3	7.3	7.6	8.6	8.4
Verizon GTE	4.4	4.8	4.1	3.5	5.3	6.9
Verizon North (Combined with Verizon South)						
Verizon South	5.2	4.8	5.2	6.2	6.4	6.2
Weighted BOC Composite*	9.3	8.2	7.2	6.3	6.4	6.2

*Weighted composite is calculated using access line counts.

Chart 4




Percent Installation Commitments Met -- Residential Services
(Using Company Provided Composites)

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
BellSouth	100.0	100.0	100.0	98.2	98.7	98.7
Qwest	98.9	99.3	99.5	99.7	99.7	99.6
AT&T Ameritech	98.9	98.8	99.1	98.9	98.6	98.6
AT&T Pacific	99.1	99.5	99.6	99.6	99.4	99.2
AT&T Southwestern	98.8	98.8	98.9	99.1	99.0	99.1
AT&T SNET	98.9	100.0	100.0	99.5	99.6	99.6
Verizon GTE	96.2	95.5	98.5	98.3	98.4	98.0
Verizon North (Combined with Verizon South)						
Verizon South	98.5	98.9	98.7	98.7	98.8	98.9
Sprint	97.7	98.8	98.2	97.5	96.8	97.2
Weighted BOC/Sprint Composite*	98.6	98.8	99.1	98.8	98.8	98.8

*Weighted composite is calculated using access line counts.

Chart 5A




**Average BOC Residential Installation Interval in Days
(Using Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
BellSouth	1.3	1.2	1.1	1.1	1.1	1.3
Qwest	1.0	0.6	0.5	0.4	0.3	0.3
AT&T Ameritech	2.1	2.0	2.1	1.5	1.4	1.4
AT&T Pacific	1.8	1.3	1.2	1.5	1.6	1.5
AT&T Southwestern	0.8	2.2	1.8	1.9	2.0	2.1
AT&T SNET	2.2	1.8	1.0	1.0	1.0	1.0
Verizon GTE	1.0	0.8	0.6	0.6	0.6	0.9
Verizon North (Combined with Verizon South)						
Verizon South	1.5	1.1	1.0	1.1	1.1	1.0
Sprint	3.9	3.2	1.5	1.4	1.7	1.7
Weighted BOC/Sprint Composite*	1.5	1.4	1.2	1.2	1.2	1.2

* Weighted composite is calculated using access line counts.

Chart 5B




**Average BOC Residential Installation Interval in Days
(Using Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
Alltel Corp.				1.8	1.6	2.6
Cincinnati Bell	1.9	2.3	1.7	4.5	1.7	2.1
Citizens	4.8	4.6	4.8	5.3	4.1	2.7
Citizens (Frontier)	5.6	3.5	5.3	4.8	5.1	5.0
Century Tel.				3.3	1.6	1.3
Iowa Telecom			2.1	1.8	1.9	1.7
Valor			3.0	2.0	1.6	2.2
Weighted BOC/Sprint Composite*	1.5	1.4	1.2	1.2	1.2	1.2
Weighted Small Co. Composite*	4.2	3.6	3.8	3.8	2.8	2.7

* Weighted composite is calculated using access line counts.

Chart 6




**Percent Dissatisfied -- BOC Residential Repairs
(Using Company Provided Composites)**

ARMIS 43-06 Report	2000	2001	2002	2003	2004	2005
BellSouth	18.8	17.6	14.6	10.1	10.0	10.1
Qwest	8.0	10.0	9.3	6.5	5.9	6.2
AT&T Ameritech	26.5	19.2	14.6	11.4	11.0	11.1
AT&T Pacific	23.6	10.0	7.3	7.6	7.4	8.9
AT&T Southwestern	9.6	11.7	9.6	9.9	10.4	9.2
AT&T SNET	18.7	14.2	14.5	11.9	11.6	11.2
Verizon GTE	9.4	10.1	11.9	11.2	14.0	16.1
Verizon North (Combined with Verizon South)						
Verizon South	15.0	13.4	15.3	20.8	19.0	20.4
Weighted BOC Composite*	16.3	13.5	12.5	12.6	12.3	13.0

* Weighted composite is calculated using access line counts.

Chart 7A




Average Initial Out-of-Service Repair Interval in Hours -- Residential Services
(Using Company Provided Composites)

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
BellSouth	23.1	20.8	20.0	21.5	33.5	44.8
Qwest	19.0	14.1	13.6	14.7	16.3	18.8
AT&T Ameritech	49.0	22.7	18.9	16.8	17.2	16.3
AT&T Pacific	42.1	26.8	25.9	25.8	28.8	45.2
AT&T Southwestern	23.2	24.9	21.0	22.1	29.0	24.6
AT&T SNET	38.2	27.2	27.4	26.7	27.2	30.6
Verizon GTE	13.0	13.5	15.5	15.7	28.9	28.5
Verizon North (Combined with Verizon South)						
Verizon South	27.0	22.0	24.1	34.5	29.2	34.3
Sprint	16.3	13.9	15.2	17.3	22.6	23.8
Weighted BOC/Sprint Composite*	27.8	20.7	20.4	23.3	26.7	31.3

* Weighted composite is calculated using access line counts.

Chart 7B




**Average Initial Out-of-Service Repair Interval in Hours -- Residential Services
(Using Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
Alltel Corp.				25.9	15.4	13.6
Cincinnati Bell	36.7	49.3	36.1	37.5	28.2	30.3
Citizens	14.3	14.7	14.4	16.3	16.7	18.1
Citizens (Frontier)	20.7	16.4	17.7	28.1	22.3	17.6
Century Tel.				14.9	13.9	16.4
Iowa Telecom			11.3	10.1	11.1	11.3
Valor			21.8	16.8	17.3	21.1
Weighted BOC/Sprint Composite*	27.8	20.7	20.4	23.3	26.7	31.3
Weighted Small Co.Composite*	22.7	25.3	21.0	23.1	18.9	19.2

* Weighted composite is calculated using access line counts.

Chart 8



**Percentage of Switches with Downtime
(Calculated Using Data from Company Provided Composites)**

ARMIS 43-05 Report	2000	2001	2002	2003	2004	2005
BellSouth	6.4	5.9	4.2	2.5	1.6	2.3
Qwest	42.1	36.0	18.8	11.1	20.0	13.7
AT&T Ameritech	3.7	3.4	4.5	1.5	1.0	0.3
AT&T Pacific	10.1	15.4	2.3	3.3	3.7	2.3
AT&T Southwestern	12.0	10.3	4.3	3.9	1.5	1.2
AT&T SNET	28.8	42.3	4.4	0.6	6.2	1.3
Verizon GTE	2.9	1.6	1.3	2.7	1.5	1.5
Verizon North (Combined with Verizon South)						
Verizon South	8.6	5.6	2.4	4.4	0.9	0.8
Sprint	10.2	8.8	10.2	3.5	7.5	13.8
Weighted BOC/Sprint Composite*	11.2	10.2	5.0	3.9	3.7	3.2

*Weighted composite is calculated using access line counts.

**Table 1(a):
Installation, Maintenance, & Customer Complaints
Mandatory Price-Cap Company Comparison -- 2005**

	BellSouth	Qwest	SBC Ameritech	SBC Pacific	SBC Southwestern	SBC SNET	Verizon North	Verizon South	Verizon GTE
Access Services Provided to Carriers-- Switched Access									
Percent Installation Commitments Met	100.0	99.1	99.3	99.1	96.2	98.0	99.9	99.7	91.9
Average Installation Interval (days)	18.8	14.9	24.9	29.5	22.5	26.4	37.7	16.9	26.7
Average Repair Interval (hours)	0.6	1.4	8.7	7.0	3.5	2.6	13.6	5.6	14.7
Access Services Provided to Carriers -- Special Access									
Percent Installation Commitments Met	99.8	97.2	96.3	97.0	97.7	99.3	91.7	91.7	91.3
Average Installation Interval (days)	15.1	9.5	18.7	17.0	17.8	15.8	22.6	16.7	19.8
Average Repair Interval (hours)	3.1	3.4	4.3	5.7	3.7	3.6	5.2	3.7	12.1
Local Services Provided to Res. and Business Customers									
Percent Installation Commitments Met	97.4	99.5	98.5	99.1	99.1	99.6	99.1	98.5	97.7
Residence	98.7	99.6	98.6	99.2	99.1	99.6	99.1	98.7	98.0
Business	88.5	98.9	98.5	98.3	98.8	99.3	98.5	97.0	94.7
Average Installation Interval (days)	1.7	0.3	1.4	1.6	2.2	1.5	0.8	1.3	0.9
Residence	1.3	0.3	1.4	1.5	2.1	1.0	0.7	1.2	0.7
Business	2.0	0.7	1.3	2.2	2.4	3.8	1.2	2.0	2.3
Avg. Out of Svc. Repair Interval (hours)	42.2	18.2	15.9	43.4	23.5	29.7	29.0	34.1	26.0
Total Residence	44.8	18.8	16.3	45.3	24.5	30.6	31.1	37.8	28.5
Total Business	29.2	16.0	13.6	33.9	17.3	23.6	20.7	15.2	12.9
Initial Trouble Reports per Thousand Lines									
Total MSA	307.3	112.6	144.3	129.4	173.3	184.9	189.1	145.2	191.7
Total Non MSA	302.2	127.8	143.9	128.9	166.7	183.5	181.3	139.9	182.4
Total Residence	336.8	39.3	149.0	145.3	206.8	199.4	267.8	216.3	231.4
Total Business	358.8	132.3	203.5	182.7	227.2	238.8	235.4	196.7	225.5
Troubles Found per Thousand Lines	182.6	70.1	58.6	49.6	74.8	73.4	106.3	63.8	111.4
Repeat Troubles as a Pct. of Trouble Rpts.	208.4	87.9	109.2	106.2	139.1	110.4	147.5	109.7	152.6
	18.8%	20.2%	15.0%	11.4%	21.2%	17.4%	20.9%	21.8%	16.5%
Residential Complaints per Million Res. Access Lines									
	209.1	124.1	16.6	38.6	36.1	31.3	111.9	514.2	252.0
Business Complaints per Million Business Access Lines									
	66.1	37.5	7.3	8.0	7.8	9.5	33.0	56.2	70.1
* Please refer to text for notes and data qualifications.									

**Table 1(b):
Switch Downtime & Trunk Blocking
Mandatory Price-Cap Company Comparison -- 2005**

	BellSouth	Qwest	SBC Ameritech	SBC Pacific	SBC Southwestern	SBC SNET	Verizon North	Verizon South	Verizon GTE
Total Access Lines in Thousands	19,625	12,817	16,050	15,589	13,034	1,941	14,370	19,150	14,131
Total Trunk Groups	2,538	1,531	890	1,204	687	89	741	940	1,539
Total Switches	1,614	1,318	1,439	779	1,639	160	1,285	1,352	2,378
Switches with Downtime									
Number of Switches	37	181	5	18	19	2	13	7	37
As a percentage of Total Switches	2.3%	13.7%	0.3%	2.3%	1.2%	1.3%	1.0%	0.5%	1.6%
Average Switch Downtime in seconds per Switch*									
For All Events (including events over 2 minutes)	17,195.5	79.2	4.3	0.3	646.7	0.2	39.6	20.0	128.1
For Unscheduled Events Over 2 Minutes	17,193.2	75.1	4.3	NA	646.5	NA	39.6	19.8	127.6
For Unscheduled Downtime More than 2 Minutes									
Number of Occurrences or Events	29	37	6	0	18	0	13	6	31
Events per Hundred Switches	2	3	0	0	1	0	1	0	1
Events per Million Access Lines	1	3	0	0	1	0	1	0	2
Average Outage Duration in Minutes	15,948	45	17	NA	981	NA	65	74	163.1
Average Lines Affected per Event in Thousands	12.4	7.7	13.6	NA	17.7	NA	8.1	14.7	6.0
Outage Line-Minutes per Event in Thousands	219,618.1	125.5	171.9	NA	678.5	NA	247.6	334.9	486.9
Outage Line-Minutes per 1,000 Access Lines	324,525.7	362.3	64.3	0.0	936.9	0.0	224.0	104.9	1,068.2
For Scheduled Downtime More than 2 Minutes									
Number of Occurrences or Events	2	8	0	0	0	0	0	0	0
Events per Hundred Switches	0.1	0.6	0.0	0	0.0	0	0.0	0.0	0
Events per Million Access Lines	0.10	0.62	0.00	0	0.00	0	0.00	0.00	0
Average Outage Duration in Minutes	3.5	4.0	NA	NA	NA	NA	NA	NA	NA
Avg. Lines Affected per Event in Thousands	29.7	15.1	NA	NA	NA	NA	NA	NA	NA
Outage Line-Minutes per Event in Thousands	102.8	58.6	NA	NA	NA	NA	NA	NA	NA
Outage Line-Minutes per 1,000 Access Lines	10.5	36.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% Trunk Grps. Exceeding Blocking Objectives	2.17%	5.94%	0.22%	4.98%	0.58%	0.00%	1.89%	8.19%	0.00%
* Aggregate downtime divided by total number of company switches. Please refer to text for notes and data qualifications.									

**Table 1(c):
Switch Downtime Causes -- Outages more than 2 Minutes in Duration
Mandatory Price-Cap Company Comparison -- 2005**

	BellSouth	Qwest	SBC Ameritech	SBC Pacific	SBC Southwestern	SBC SNET	Verizon North	Verizon South	Verizon GTE
Total Number of Outages									
1. Scheduled	2	8	0	0	0	0	0	0	0
2. Proced. Errors -- Telco. (Inst./Maint.)	0	0	1	0	0	0	1	0	0
3. Proced. Errors -- Telco. (Other)	0	0	0	0	0	0	0	0	0
4. Procedural Errors -- System Vendors	0	0	0	0	0	0	0	0	1
5. Procedural Errors -- Other Vendors	0	1	0	0	1	0	0	0	0
6. Software Design	1	0	1	0	3	0	4	0	8
7. Hardware design	2	0	0	0	0	0	1	1	1
8. Hardware Failure	5	30	4	0	13	0	5	3	4
9. Natural Causes	14	1	0	0	1	0	0	0	4
10. Traffic Overload	0	0	0	0	0	0	0	0	0
11. Environmental	0	0	0	0	0	0	0	0	0
12. External Power Failure	2	1	0	0	0	0	0	0	7
13. Massive Line Outage	0	0	0	0	0	0	0	0	2
14. Remote	2	8	0	0	0	0	0	0	0
15. Other/Unknown	0	0	0	0	0	0	2	1	0
Total Outage Line-Minutes per Thousand Access Lines									
1. Scheduled	10.5	36.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2. Proced. Errors -- Telco. (Inst./Maint.)	0.0	0.0	5.1	0.0	0.0	0.0	7.2	0.0	0.0
3. Proced. Errors -- Telco. (Other)	4.7	12.6	0.0	0.0	0.0	0.0	0.0	0.0	227.9
4. Procedural Errors -- System Vendors	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.0
5. Procedural Errors -- Other Vendors	0.0	29.6	0.0	0.0	0.3	0.0	0.0	0.0	0.0
6. Software Design	1	0	16	0	8	0	20	0	323
7. Hardware design	628.9	0.0	0.0	0.0	0.0	0.0	77.9	2.9	3.8
8. Hardware Failure	13.5	301.9	43.1	0.0	108.4	0.0	19.2	98.2	36.4
9. Natural Causes	323,295.6	13.1	0.0	0.0	820.3	0.0	0.0	0.0	261.9
10. Traffic Overload	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11. Environmental	0	0	0	0	0	0	0	0	0
12. External Power Failure	580.4	5.1	0.0	0.0	0.0	0.0	0.0	0.0	171.1
13. Massive Line Outage	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8
14. Remote	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1
15. Other/Unknown	0.0	0.0	0.0	0.0	0.0	0.0	99.5	3.3	0.0
* Please refer to text for notes and data qualifications.									

**Table 1(d):
Company Comparison -- 2005 Customer Perception Surveys**

Mandatory Price-Cap Companies:	BellSouth	Qwest	SBC Ameritech	SBC Pacific	SBC Southwestern	SBC SNET	Verizon North	Verizon South	Verizon GTE
Percentage of Customers Dissatisfied									
Installations:									
Residential	5.74%	3.73%	6.68%	6.44%	7.14%	8.41%	5.49%	7.08%	6.86%
Small Business	8.14%	7.13%	9.23%	7.36%	7.27%	8.87%	9.45%	12.07%	11.39%
Large Business	5.78%	NA	NA	NA	NA	NA	8.88%	6.62%	7.58%
Repairs:									
Residential	10.10%	6.25%	11.10%	8.89%	9.18%	11.16%	18.85%	22.48%	16.14%
Small Business	6.91%	6.90%	10.49%	7.19%	7.17%	8.02%	11.78%	12.02%	11.19%
Large Business	5.76%	NA	NA	NA	NA	NA	10.92%	8.29%	5.96%
Business Office:									
Residential	7.13%	1.62%	7.38%	4.89%	8.23%	8.49%	5.54%	6.64%	8.22%
Small Business	9.97%	2.82%	7.20%	4.90%	6.21%	8.41%	5.99%	7.69%	9.13%
Large Business	9.52%	NA	NA	NA	NA	NA	15.98%	14.86%	11.65%
* Please refer to text for notes and data qualifications									

**Table 1(e):
Company Comparison -- 2005 Customer Perception Surveys**

Mandatory Price-Cap Companies:	BellSouth	Qwest	SBC Ameritech	SBC Pacific	SBC Southwestern	SBC SNET	Verizon North	Verizon South	Verizon GTE
Sample Sizes -- Customer Perception Surveys									
Installations:									
Residential	45,440	48,800	10,744	10,760	10,586	4,779	20,399	15,909	17,164
Small Business	45,051	24,160	12,672	13,163	12,460	2,265	19,680	15,448	17,566
Large Business	9,360	0	0	0	0	0	428	559	396
Repairs:									
Residential	30,923	38,335	10,793	11,827	10,693	2,402	20,399	15,375	17,719
Small Business	44,335	28,642	13,088	12,945	12,988	1,783	20,151	15,137	17,842
Large Business	6,963	0	0	0	0	0	421	507	386
Business Office:									
Residential	42,117	45,601	21,453	21,626	21,403	2,955	3,701	9,250	11,472
Small Business	10,249	23,926	21,133	20,645	21,300	1,082	1,268	3,447	2,640
Large Business	557	0	0	0	0	0	169	471	309

* Please refer to text for notes and data qualifications

**Table 2(a):
Installation, Maintenance, & Customer Complaints
Non-Mandatory Price-Cap Company Comparison -- 2005**

	Alltel	Century Tel.	Cincinnati	Citizens	Citizens Frontier	Iowa	Sprint	Valor
Access Services Provided to Carriers-- Switched Access								
Percent Installation Commitments Met	99.8	91.5	99.9	76.8	98.7	67.2	89.6	85.8
Average Installation Interval (days)	4.6	16.1	16.0	22.1	24.0	14.3	13.2	25.3
Average Repair Interval (hours)	3.4	21.2	NA	7.4	3.8	27.6	2.3	3.0
Access Services Provided to Carriers -- Special Access								
Percent Installation Commitments Met	96.6	91.9	98.2	79.2	89.7	75.7	93.6	89.5
Average Installation Interval (days)	7.5	17.1	17.4	13.3	20.6	3.9	11.3	17.5
Average Repair Interval (hours)	3.0	24.6	3.4	15.4	13.6	22.9	4.8	3.1
Local Services Provided to Res. and Business Customers								
Percent Installation Commitments Met	98.5	94.9	99.5	93.8	99.2	97.8	97.0	97.6
Residence	98.8	94.8	99.6	93.8	99.2	97.8	97.2	97.6
Business	94.3	95.3	99.0	94.1	99.1	96.5	95.3	97.6
Average Installation Interval (days)	2.7	1.4	2.4	2.9	5.3	1.8	1.8	2.2
Residence	2.6	1.4	2.0	2.7	5.0	1.7	1.6	2.2
Business	3.6	1.4	5.0	3.8	6.9	2.6	2.7	2.2
Avg. Out of Svc. Repair Interval (hours)	13.4	16.4	28.7	18.0	17.3	11.1	23.6	20.4
Total Residence	13.6	16.4	29.3	18.1	17.6	11.3	23.8	21.1
Total Business	11.3	15.6	18.1	17.4	15.5	8.8	22.2	15.4
Initial Trouble Reports per Thousand Lines								
Total MSA	128.2	231.1	131.4	325.1	252.4	155.4	221.1	479.8
Total Non MSA	115.6	217.2	131.4	NA	235.8	159.1	200.1	447.2
Total Residence	140.2	243.8	NA	325.1	269.0	154.4	268.4	506.3
Total Business	181.6	272.5	166.1	358.2	309.2	177.7	270.2	570.8
Troubles Found per Thousand Lines	41.9	110.5	55.0	223.0	129.4	79.2	99.3	239.6
Repeat Troubles as a Pct. of Trouble Rpts.	106.9	194.4	122.8	272.8	202.2	140.3	149.2	455.8
	15.3%	31.3%	12.0%	20.3%	11.5%	18.1%	22.7%	6.4%
Residential Complaints per Million Res. Access Lines								
	186.6	721.5	292.6	896.5	621.1	16.6	74.8	223.4
Business Complaints per Million Bus. Access Lines								
	33.5	316.0	54.9	179.7	53.9	0.0	17.3	81.1
* Please refer to text for notes and data qualifications								

**Table 2(b):
Switch Downtime & Trunk Blocking
Non-Mandatory Price-Cap Company Comparison -- 2005**

	Alltel	Century Tel.	Cincinnati	Citizens	Citizens Frontier	Iowa	Sprint	Valor
Total Access Lines in Thousands	780	583	875	1,249	880	234	7,226	494
Total Trunk Groups	93	278	44	248	96	68	499	238
Total Switches	243	188	86	205	72	272	1,345	291
Switches with Downtime								
Number of Switches	53	0	10	13	7	16	185	21
As a percentage of Total Switches	21.8%	0.0%	11.6%	6.3%	9.7%	5.9%	13.8%	7.2%
Average Switch Downtime in seconds per Switch *								
For All Events (including events over 2 minutes)	2,500.6	0.0	30.1	901.8	1,660.8	483.1	3,299.1	8,919.4
For Unscheduled Events Over 2 Minutes	2,500.6	NA	NA	607.0	115.8	483.1	3,201.5	8,919.4
For Unscheduled Downtime More than 2 Minutes								
Number of Occurrences or Events	24	0	0	14	3	15	179	29
Events per Hundred Switches	9.9	0.0	0.0	6.8	4.2	5.5	13.3	10.0
Events per Million Access Lines	30.75	0.00	0.00	11.21	3.41	64.16	24.77	58.74
Average Outage Duration in Minutes	422.0	NA	NA	148.1	46.3	146.0	400.9	1491.7
Average Lines Affected per Event in Thousands	4.6	NA	NA	2.8	2.8	0.4	6.0	1.3
Outage Line-Minutes per Event in Thousands	1,557.9	NA	NA	320.2	71.9	67.7	2,147.6	907.8
Outage Line-Minutes per 1,000 Access Lines	47,907.2	0.0	0.0	3,590.0	245.0	4,342.4	53,197.5	53,325.3
For Scheduled Downtime More than 2 Minutes								
Number of Occurrences or Events	0	0	0	1	0	0	6	0
Events per Hundred Switches	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.0
Events per Million Access Lines	0.00	0.00	0.00	0.80	0.00	0.00	0.83	0.00
Average Outage Duration in Minutes	NA	NA	NA	6.0	NA	NA	364.7	NA
Avg. Lines Affected per Event in Thousands	NA	NA	NA	20.9	NA	NA	7.0	NA
Outage Line-Minutes per Event in Thousands	NA	NA	NA	125.6	NA	NA	3,390.8	NA
Outage Line-Minutes per 1,000 Access Lines	0.0	0.0	0.0	100.6	0.0	0.0	2,815.4	0.0
% Trunk Grps. Exceeding Blocking Objectives	1.08%	22.66%	9.09%	0.00%	0.00%	0.00%	4.01%	0.00%
* Aggregate downtime divided by total number of company switches. Please refer to text for notes and data qualifications.								

**Table 2(c):
Switch Downtime Causes -- Outages More than 2 Minutes in Duration
Non-Mandatory Price-Cap Company Comparison -- 2005**

	Alltel	Century Tel.	Cincinnati	Citizens	Citizens Frontier	Iowa	Sprint	Valor
Total Number of Outages								
1. Scheduled	0	0	0	1	0	0	6	0
2. Proced. Errors -- Telco. (Inst./Maint.)	0	0	0	0	0	0	14	3
3. Proced. Errors -- Telco. (Other)	0	0	0	0	0	0	0	0
4. Procedural Errors -- System Vendors	0	0	0	1	0	0	2	0
5. Procedural Errors -- Other Vendors	1	0	0	0	0	5	6	0
6. Software Design	2	0	0	2	0	0	11	0
7. Hardware design	0	0	0	0	0	0	2	0
8. Hardware Failure	10	0	0	3	3	4	35	3
9. Natural Causes	1	0	0	0	0	0	16	11
10. Traffic Overload	0	0	0	0	0	0	0	0
11. Environmental	0	0	0	0	0	0	2	0
12. External Power Failure	2	0	0	6	0	0	8	0
13. Massive Line Outage	5	0	0	0	0	6	59	0
14. Remote	0	0	0	1	0	0	6	0
15. Other/Unknown	0	0	0	0	0	0	7	0
Total Outage Line-Minutes per Thousand Access Lines								
1. Scheduled	0.0	0.0	0.0	100.6	0.0	0.0	2,815.4	0.0
2. Proced. Errors -- Telco. (Inst./Maint.)	0.0	0.0	0.0	0.0	0.0	0.0	4,855.5	754.4
3. Proced. Errors -- Telco. (Other)	0.0	0.0	0.0	199.6	0.0	0.0	1,507.2	2,437.8
4. Procedural Errors -- System Vendors	0.0	0.0	0.0	142.1	0.0	0.0	2,848.1	0.0
5. Procedural Errors -- Other Vendors	42.3	0.0	0.0	0.0	0.0	1,497.2	273.1	0.0
6. Software Design	23714	0	0	62	0	0	3697	0
7. Hardware design	0.0	0.0	0.0	0.0	0.0	0.0	1,175.1	0.0
8. Hardware Failure	10,343.7	0.0	0.0	394.2	245.0	2,200.2	12,691.1	3,638.7
9. Natural Causes	244.6	0.0	0.0	0.0	0.0	0.0	4,466.9	46,494.4
10. Traffic Overload	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11. Environmental	0	0	0	0	0	0	195	0
12. External Power Failure	4,774.2	0.0	0.0	2,791.8	0.0	0.0	1,484.9	0.0
13. Massive Line Outage	3,845.4	0.0	0.0	0.0	0.0	645.0	15,643.8	0.0
14. Remote	4,943.4	0.0	0.0	0.0	0.0	0.0	984.5	0.0
15. Other/Unknown	0.0	0.0	0.0	0.0	0.0	0.0	3,374.8	0.0
* Please refer to text for notes and data qualifications								

Appendix A – Description of Key Terminology in the Tables

This Appendix contains descriptions of key terms that appear in the tables and charts of the Quality of Service Report. The data elements in the tables are derived from raw source data for individual study areas submitted by carriers in the ARMIS 43-05 reports. A detailed specification of each element used in the tables of this summary report follows this general description. Data in the charts are derived from composite data provided by the companies.

1. Percent of Installation Commitments Met

This term represents the percent of installations that were met by the date promised by the company to the customer. The associated data are presented separately for residential and business customers' local service in the tables. These data are also summarized in the accompanying charts.

2. Average Installation Interval (in days)

This term represents the average interval (in days) between the installation service order and completion of installation. The associated ARMIS 43-05 report data are highlighted in the accompanying charts along with customer installation dissatisfaction data from the ARMIS 43-06 report.

3. Average Repair Interval (in hours)

This term represents the average time (in hours) for the company to repair access lines with service subcategories for switched access, high-speed special access, and all special access. Repair interval data are also highlighted in the accompanying charts along with results from company conducted surveys relating to customer repair dissatisfaction. This customer feedback is extracted from the ARMIS 43-06 report.

4. Initial Trouble Reports per Thousand Access Lines

This term is calculated as the total count of trouble reports reported as "initial trouble reports," divided by the number of access lines in thousands. (Note that multiple calls within a 30 day period associated with the same problem are counted as a single initial trouble, and the number of access lines reported and used in the calculation is the total number of access lines divided by 1,000.)

5. Found or Verified Troubles per Thousand Access Lines

This term is calculated as 1000 times the number of verified troubles divided by the number of access lines. Only those trouble reports for which the company identified a problem are included.

6. Repeat Troubles as a percent of Initial Trouble Reports

This term is calculated as the number of initial trouble reports cleared by the company that recur, or remain unresolved, within 30 days of the initial trouble report, divided by the number of initial trouble reports as described above.

7. Complaints per Million Access Lines

This term is calculated as 1 million times the number of residential and business customer complaints divided by the number of access lines, reported to state or federal regulatory bodies during the reporting period.

8. Number of Access Lines, Trunk Groups and Switches

These terms represent the numbers of in-service access lines, trunk groups, and switches, respectively, as shown in the ARMIS 43-05 report. Trunk groups only include common trunk groups between Incumbent Local Exchange Carrier (ILEC) access tandems and ILEC end offices. When comparing current data herein with data in prior reports the reader should note that access lines were reported in thousands in pre-1997 data submissions. Starting with 1997 data submissions, access line information in the raw carrier data filings has been reported in whole numbers.

9. Switches with Downtime

This term represents the number of network switches experiencing downtime and the percentage of the total number of company network switches experiencing downtime.

10. Average Switch Downtime in Seconds per Switch

This term includes (1) the total switch downtime divided by the total number of company network switches and (2) the total switch downtime for outages longer than 2 minutes divided by the total number of switches. Results for average overall switch downtime are shown in seconds per switch.

11. Unscheduled Downtime Over 2 Minutes per Occurrence

This term presents several summary statistics including, (1) the number of occurrences of more than 2 minutes in duration that were unscheduled, (2) the number of occurrences per million access lines, (3) the average number of minutes per occurrence, (4) the average number of lines affected per occurrence, (5) the average number of line-minutes per occurrence in thousands, and (6) the outage line-minutes per access line. For each outage, the number of lines affected was multiplied by the duration of the outage to provide the line-minutes of outage. The resulting sums of these data represent total outage line-minutes. This number was divided by the total number of access lines to provide line-minutes-per-access-line, and, by the number of occurrences, to provide the line-minutes-per-occurrence. This categorizes the normalized magnitude of the outage in two ways and provides a realistic means to compare the impact of such outages between companies. Data is presented for each company showing the number of outages and outage line-minutes by cause.

12. Scheduled Downtime Over 2 Minutes per Occurrence

This term is determined as in item 11, above, except that it consists of scheduled occurrences.

13. Percent of Trunk Groups Meeting Design Objectives

This term relates to the percentage of trunk groups exceeding the design blocking objectives (typically 0.5 percent for trunk groups that include feature group D and 1.0 percent for other trunk groups) for three or more consecutive months. The trunk groups measured and reported are interexchange access facilities. These represent only a small portion of the total trunk groups in service.

Appendix A
Detailed Quality of Service Report Table Specifications

Report Tables 1(a) and 2(a) (ARMIS 43-05 data)

Statistic	
Access Services Provided to Carriers-- Switched Access	
Percent Installation Commitments Met	row 112 weighted by row 110 (column aa)
Average Installation Interval (days)	row 114 weighted by row 110 (column aa)
Average Repair Interval (hours)	row 121 weighted by row 120 (column aa)
Access Services Provided to Carriers -- Special Access	
Percent Installation Commitments Met	row 112 weighted by row 110 (column ac)
Average Installation Interval (days)	row 114 weighted by row 110 (column ac)
Average Repair Interval (hours)	row 121 weighted by row 120 (column ac)
Local Services Provided to Res. and Business Customers	
Percent Installation Commitments Met	row 132 weighted by row 130 (column aj)
Residence	row 132 weighted by row 130 (column af)
Business	row 132 weighted by row 130 (column ai)
Average Installation Interval (days)	row 134 weighted by row 130 (column aj)
Residence	row 134 weighted by row 130 (column af)
Business	row 134 weighted by row 130 (column ai)
Avg. Out of Svc. Repair Interval (hours)	row 145 weighted by row 144 (column aj)
Total Residence	row 145 weighted by row 144 (column af)
Total Business	row 145 weighted by row 144 (column ai)
Initial Trouble Reports per Thousand Lines	
Total MSA	1000 * (row 141 column ad + column ag) / (row 140 column ad + column ag)
Total Non MSA	1000 * (row 141 column ae + column ah) / (row 140 column ae + column ah)
Total Residence	1000 * (row 141 column af) / (row 140 column af)
Total Business	1000 * (row 141 column ai) / (row 140 column ai)
Troubles Found per Thousand Lines	1000 * (row 141 column aj - row 143 column aj) / row 140 column aj
Repeat Troubles as a Pct. of Trouble Rpts.	(row 142 column aj) / (row 141 column aj)
Residential Complaints per Million Res. Access Lines	
	(row 331 column da + row 332 column da) / (row 330 column da)
Business Complaints per Million Bus. Access Lines	
	(row 321 column da + row 322 column da) / (row 320 column da)

Appendix A--Detailed Quality of Service Report Table Specifications

Report Table 1(b) and 2(b) (ARMIS 43-05 data)

Statistic	
Total Access Lines in Thousands	row 140 column aj
Total Trunk Groups	row 180 column ak
Total Switches	row 200 column an + row 201 column an
Switches with Downtime	row 200 column ao + row 201 column ao
Number of Switches	row 200 column ao + row 201 column ao
As a percentage of Total Switches	(row 200 column ao + row 201 column ao)/ (row 200 column an + row 201 column an)
Average Switch Downtime in seconds per Switch*	
For All Events (including events over 2 minutes)	60 * (row 200 column ap + row 201 column ap)/ (row 200 column an + row 201 column an)
For Unscheduled Events Over 2 Minutes	60 * (unscheduled events * average duration in min.)/ (row 200 column an + row 201 column an)
For Unscheduled Downtime More than 2 Minutes	Items where rows 220 to 500 column t > 1
Number of Occurrences or Events	E = Number of records in row 220 to row 500 excluding rows 320, 321, 322, 330, 331 and 332
Events per Hundred Switches	100 * E/ (row 200 column an + row 201 column an)
Events per Million Access Lines	E/ 1,000,000
Average Outage Duration in Minutes	(sum of rows 220 to 500 column x)/ E
Average Lines Affected per Event in Thousands	(sum of rows 220 to 500 column v)/ E
Outage Line-Minutes per Event in Thousands	(sum of rows 220 to 500 column x * column v)/ E
Outage Line-Minutes per 1,000 Access Lines	1000 * (sum of rows 220 to 500 column x * column v)/ (row 140 column aj)
For Scheduled Downtime More than 2 Minutes	Items where rows 220 to 500 column t = 1
Number of Occurrences or Events	E = Number of records in row 220 to row 500 excluding rows 320, 321, 322, 330, 331 and 332
Events per Hundred Switches	100 * E/ (row 200 column an + row 201 column an)
Events per Million Access Lines	E/ 1,000,000
Average Outage Duration in Minutes	(sum of rows 220 to 500 column x)/ E
Avg. Lines Affected per Event in Thousands	(sum of rows 220 to 500 column v)/ E
Outage Line-Minutes per Event in Thousands	(sum of rows 220 to 500 column x * column v)/ E
Outage Line-Minutes per 1,000 Access Lines	1000 * (sum of rows 220 to 500 column x * column v)/ (row 140 column aj)
% Trunk Grps. Exceeding Blocking Objectives	(row 189 column ak + row 190 column ak)/ (row 180 column ak)

Notes:

ARMIS 43-05 database rows 110-121 are contained in database table I
 ARMIS 43-05 database rows 130-170 are contained in database table II
 ARMIS 43-05 database rows 180-190 are contained in database table III
 ARMIS 43-05 database rows 200-214 are contained in database table IV
 ARMIS 43-05 database rows 220- 319 are contained in database table IVa
 ARMIS 43-05 database rows 320-332 are contained in database table V

Appendix A
Detailed Quality of Service Report Table Specifications

Report Table 1(c) and 2(c) (ARMIS 43-05 data)

Total Number of Outages	Number of rows between 220 and 500 for each value of column t
1. Scheduled	
2. Proced. Errors -- Telco. (Inst./Maint.)	
3. Proced. Errors -- Telco. (Other)	
4. Procedural Errors -- System Vendors	
5. Procedural Errors -- Other Vendors	
6. Software Design	
7. Hardware design	
8. Hardware Failure	
9. Natural Causes	
10. Traffic Overload	
11. Environmental	
12. External Power Failure	
13. Massive Line Outage	
14. Remote	
15. Other/Unknown	
Total Outage Line-Minutes per Thousand Access Lines	(Sum of rows 200 to 500 column v * column x for each value of column t) /row 140 col aj
-	
1. Scheduled	
2. Proced. Errors -- Telco. (Inst./Maint.)	
3. Proced. Errors -- Telco. (Other)	
4. Procedural Errors -- System Vendors	
5. Procedural Errors -- Other Vendors	
6. Software Design	
7. Hardware design	
8. Hardware Failure	
9. Natural Causes	
10. Traffic Overload	
11. Environmental	
12. External Power Failure	
13. Massive Line Outage	
14. Remote	
15. Other/Unknown	

Notes:

ARMIS 43-05 database rows 110-121 are contained in database table I
 ARMIS 43-05 database rows 130-170 are contained in database table II
 ARMIS 43-05 database rows 180-190 are contained in database table III
 ARMIS 43-05 database rows 200-214 are contained in database table IV
 ARMIS 43-05 database rows 220- 319 are contained in database table IVa
 ARMIS 43-05 database rows 320-332 are contained in database table V

Appendix A
Detailed Quality of Service Report Table Specifications

Report Table 1(d) (ARMIS 43-06 data)

Percentage of Customers Dissatisfied

Installations:

Residential	Row 40 column ac weighted by column ab
Small Business	Row 40 column ae weighted by column ad
Large Business	Row 40 column ag weighted by column af

Repairs:

Residential	Row 60 column ac weighted by column ab
Small Business	Row 60 column ae weighted by column ad
Large Business	Row 60 column ag weighted by column af

Business Office:

Residential	Row 80 column ac weighted by column ab
Small Business	Row 80 column ae weighted by column ad
Large Business	Row 80 column ag weighted by column af

Note:

ARMIS 43-06 database rows 40-80 are contained in database table I

Appendix A
Detailed Quality of Service Report Table Specifications

Report Table 1(e) (ARMIS 43-06 data)

Sample Sizes -- Customer Perception Surveys

Installations:

Residential	Sum of Row 40 column ab
Small Business	Sum of Row 40 column ad
Large Business	Sum of Row 40 column af

Repairs:

Residential	Sum of Row 60 column ab
Small Business	Sum of Row 60 column ad
Large Business	Sum of Row 60 column af

Business Office:

Residential	Sum of Row 80 column ab
Small Business	Sum of Row 80 column ad
Large Business	Sum of Row 80 column af

Note:

ARMIS 43-06 database rows 40-80 are contained in database table I

Customer Response

Publication: Quality of Service of Incumbent Local Exchange Carriers Report (February 2007)

You can help us provide the best possible information to the public by completing this form and returning it to the Industry Analysis and Technology Division of the FCC's Wireline Competition Bureau.

1. Please check the category that best describes you:

- press
- current telecommunications carrier
- potential telecommunications carrier
- business customer evaluating vendors/service options
- consultant, law firm, lobbyist
- other business customer
- academic/student
- residential customer
- FCC employee
- other federal government employee
- state or local government employee
- Other (please specify)

2. Please rate the report:

	Excellent	Good	Satisfactory	Poor	No opinion
Data accuracy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Data presentation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Timeliness of data	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Completeness of data	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Text clarity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Completeness of text	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. Overall, how do you rate this report?

Excellent	Good	Satisfactory	Poor	No opinion
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

4. How can this report be improved?

5. May we contact you to discuss possible improvements?

Name:

Telephone #:

To discuss this report contact Jonathan Kraushaar at 202-418-0947		
Fax this response to	or	Mail this response to
202-418-0520		FCC/WCB/IATD Washington, DC 20554