



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00939

Wednesday June 27, 2007

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20070620-00839 E E060101 RaySat Antenna Systems, LLC

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

The purpose of this amendment is to change the applicant in the proceeding, reduce the number of terminals for which operating authority is requested and provide certain supplemental information regarding the technical and operational characteristics of the proposed LMSS network.

See File No. SES-LIC-20060629-01083

SITE ID: Remote1

LOCATION: various

ANTENNA ID:	Remote1	0.124 meters	RaySat	StealthRay
	14000.0000 - 14500.0000 MHz	2M07G7W	30.50 dBW	BPSK Rate 1/3 digital carrier
	14000.0000 - 14500.0000 MHz	518KG7W	30.50 dBW	BPSK, Rate 1/3 digital carrier
	11700.0000 - 12200.0000 MHz	512KG7W		Narrowband digital data receive
	11700.0000 - 12200.0000 MHz	36M0G7W		Broadband digital data receive

Points of Communication:

Remote1 - AMC-4 (formerl GE-4 - (101 W.L.)

Remote1 - AMC-5 (formerl GE-5 - (79 W.L.)

Remote1 - AMC-6 - (72 W.L.)

Remote1 - HORIZONS 1 - (127 DEG WL)

Remote1 - IA-7 - (129 W.L.)

Remote1 - INTELSAT 8 - (89 W.L.)

Remote1 - SBS-6 - (74 DEG. WL)

SES-ASG-20070425-00515 E E010177 Globecomm Systems, Inc.

Application for Consent to Assignment

Current Licensee: LYMAN BROS., INC. d/b/A GLOBALSAT TELEPORT

FROM: LYMON BROS. INC. D/B/A/ GLOBALSAT TELEPORT

TO: Globecomm Systems, Inc.

No. of Station(s) listed: 2

SES-ASG-20070608-00778 E KA306 TowerStream Corp

Application for Consent to Assignment

Current Licensee: Megastar Inc

FROM: MEGASTAR, INC.

TO: TowerStream Corp

No. of Station(s) listed: 1

SES-ASG-20070615-00822 E E000316 Crawford Communications, Inc.

Application for Consent to Assignment

Current Licensee: STARLINK, INC.

FROM: STARLINK, INC.

TO: Crawford Communications, Inc.

No. of Station(s) listed: 4

SES-ASG-20070620-00835 E E980346 Citicasters Co.

Application for Consent to Assignment

Current Licensee: Citicasters Co.

FROM: CITICASTERS CO.

TO: Aloha Station Trust, LLC

No. of Station(s) listed: 1

SES-ASG-20070620-00836 E E8047 Clear Channel Broadcasting, Inc.

Application for Consent to Assignment

Current Licensee: Clear Channel Broadcasting, Inc.

FROM: CLEAR CHANNEL BROADCASTING, INC.

TO: Aloha Station Trust, LLC

No. of Station(s) listed: 1

SES-ASG-20070620-00837 E E010161 Clear Channel Broadcasting Licenses, Inc.

Application for Consent to Assignment

Current Licensee: Clear Channel Broadcasting Licenses, Inc.

FROM: CLEAR CHANNEL BROADCASTING LICENSES, INC.

TO: Aloha Station Trust, LLC

No. of Station(s) listed: 2

SES-LIC-20060629-01083 E E060101 RaySat Antenna Systems, LLC

Application for Authority

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

The purpose of this amendment is to change the applicant in the proceeding, reduce the number of terminals for which operating authority is requested and provide certain supplemental information regarding the technical and operational characteristics of the proposed LMSS network.

See File No. SES-AMD-20070620-00839

SITE ID: Remote1
LOCATION: various

ANTENNA ID:	Remote1	0.124 meters	RaySat	StealthRay
	11700.0000 - 12200.0000 MHz	36M0G7W		Broadband digital data receive
	14000.0000 - 14500.0000 MHz	518KG7W	30.50 dBW	BPSK, Rate 1/3 digital carrier
	11700.0000 - 12200.0000 MHz	512KG7W		Narrowband digital data receive
	14000.0000 - 14500.0000 MHz	2M07G7W	30.50 dBW	BPSK Rate 1/3 digital carrier

Points of Communication:

Remote1 - AMC-4 (formerl GE-4 - (101 W.L.)

Remote1 - AMC-5 (formerl GE-5 - (79 W.L.)

Remote1 - AMC-6 - (72 W.L.)

Remote1 - HORIZONS 1 - (127 DEG WL)

Remote1 - IA-7 - (129 W.L.)

Remote1 - INTELSAT 8 - (89 W.L.)

Remote1 - SBS-6 - (74 DEG. WL)

SES-LIC-20070622-00852 E E070119 PetroCom License Corporation

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Tahiti - GC 640

LOCATION: Tahiti - Green Canyon 640 Oil Platform in Gulf of Mexico

27 ° 19 ' 33.30 " N LAT.

90 ° 42 ' 51.00 " W LONG.

ANTENNA ID:	1	2.4 meters	SEATEL	9797
	3700.0000 - 4200.0000 MHz	2M47G7W		Digital, QPSK, 3/4 FEC, 3088 kbps
	5925.0000 - 6425.0000 MHz	2M47G7W	52.20 dBW	Digital, QPSK, 3/4 FEC, 3088 kbps

Points of Communication:

Tahiti - GC 640 - ALSAT - (ALSAT)

SES-MFS-20070530-00731 E E990143 COMTECH MOBILE DATACOM CORP.

Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Comtech Mobile Data Corp. filed a modification application to request to add the lower L-band frequencies, to add AMSC-1 @101 W.L. as a point of communication, to add new antennas and related services. Comtech, also requests waiver of footnotes US308 and US315 to the U.S. Table of Frequency Allocations and Section 25.136(d) of the Commission's rules.

SITE ID: 1

LOCATION: 25,000 half-duplex data METs CONUS, ALASKA, HAWAII

ANTENNA ID:	A1/INTNAL	0.15 meters	SCI SYSTEMS, INC. Quadrafilar helix	MT-20101 Internal
	1646.5000 - 1660.0000 MHz		168KG1D 9.00 dBW	DIRECT SEQUENCE SPREAD SPECTRUM (DSSS), BPSK, 84.375 KHz CHIP RATE, DATA
	1545.0000 - 1558.5000 MHz		168KG1D	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA
ANTENNA ID:	A2/EXTNAL	0.15 meters	SENSOR SYSTEMS quadrafilar helix	S65-8282-101
	1545.0000 - 1558.5000 MHz		168KG1D	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA
	1646.5000 - 1660.0000 MHz		168KG1D 9.00 dBW	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA
ANTENNA ID:	A3/EX/AK	0.25 meters	SCI SYSTEMS, INC. quadrafilar helix	MT-20101 External
	1646.5000 - 1660.0000 MHz		168KG1D 10.00 dBW	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA
	1545.0000 - 1558.5000 MHz		168KG1D	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA
ANTENNA ID:	A4-INTNAL	0.01 meters	SCI SYSTEMS, INC. Conformal patch	MT-2010 Internal
	1545.0000 - 1558.5000 MHz		168KG1D	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA
	1646.5000 - 1660.0000 MHz		168KG1D 11.00 dBW	DSSS, BPSK, 84.375 KHz CHIP RATE, DATA

SITE ID: N/A

LOCATION: CONUS, U.S., ALASKA, HAWAII

ANTENNA ID:	A1/INT	0.15 meters	SCI SYSTEMS, INC.	MT-2010 Internal
	1530.0000 - 1544.0000 MHz		168KG1D	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1545.0000 - 1559.0000 MHz		168KG1D	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE

	1631.5000 - 1645.5000 MHz	168KG1D	10.20 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1646.5000 - 1660.5000 MHz	168KG1D	10.20 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
ANTENNA ID:	A2/EXT	0.15 meters	SENSOR SYSTEMS	S65-8282-101
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
	1631.5000 - 1645.5000 MHz	168KG1D	12.10 dBW	DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
	1646.5000 - 1660.5000 MHz	168KG1D	12.10 dBW	DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
ANTENNA ID:	A3/EXT	0.06 meters	SCI SYSTEMS, INC.	MT-2010 External
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1631.5000 - 1645.5000 MHz	168KG1D	11.30 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1646.5000 - 1660.5000 MHz	168KG1D	11.30 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
ANTENNA ID:	A4/INT	0.15 meters	SCI SYSTEMS, INC.	MT-2010 rl Internal
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1631.5000 - 1645.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
	1646.5000 - 1660.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
ANTENNA ID:	A5/EXT	0.27 meters	SENSOR SYSTEMS	S65-8282-301
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
	1545.0000 - 1559.0000 MHz	166KG1D		DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL

1631.5000 - 1645.5000 MHz	168KG1D	11.20 dBW	DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
1646.5000 - 1660.5000 MHz	168KG1D	11.20 dBW	DSSS, BPSK, 84, 375 CPS, DATA, AERONAUTICAL
ANTENNA ID: A6/INT	0.18 meters	PCTEL	3481IZ-3
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1646.6000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
ANTENNA ID: A7/INT	0.18 meters	PCTEL	3491IZ-3
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1646.5000 - 1660.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
ANTENNA ID: A8/EXT	0.19 meters	PCTEL	3561AW-1/A
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 84, 375 CPS, DATA, MARINE & LAND MOBILE

Points of Communication:

1 - MSAT-1 - (106.5 W.L.)

N/A - AMSC 1 - (101 W.L.)

SES-MOD-20070625-00854 E E060097 The Boeing Company
 Application for Modification
 Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to add/change emissions, as well as add United Kingdom as a destination points of communications.

SITE ID: Herndon 3.8 M

LOCATION: 460 Herndon Parkway, Fairfax, Herndon, VA

38 ° 57 ' 32.00 " N LAT.

77 ° 22 ' 32.00 " W LONG.

ANTENNA ID:	3.8M	3.8 meters	Vertex RSI	3.8 DPK
	14000.0000 - 14500.0000 MHz		921KG7D 57.00 dBW	Digital Data Carrier
	14000.0000 - 14500.0000 MHz		1M85G7D 60.00 dBW	Digital Data Carrier
	14000.0000 - 14500.0000 MHz		3M70G7D 60.00 dBW	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		921KG7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		1M85G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		3M70G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		128KG7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		1M00G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		1M50G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		256KG7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		2M00G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		32K0G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		3M00G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		4M00G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		512KG7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		5M00G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		64K0G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		768KG7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		8M00G7D	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		922KG7D	Digital Data Carrier
	14000.0000 - 14500.0000 MHz		128KG7D 54.00 dBW	Digital Data Carrier

14000.0000 - 14500.0000 MHz	1M00G7D	62.00 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	1M50G7D	64.50 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	256KG7D	57.00 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	2M00G7D	65.04 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	32K0G7D	48.00 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	3M00G7D	65.04 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	4M00G7D	65.04 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	512KG7D	60.00 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	5M00G7D	65.04 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	64K0G7D	51.00 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	768KG7D	60.50 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	8M00G7D	65.04 dBW	Digital Data Carrier
14000.0000 - 14500.0000 MHz	922KG7D	62.00 dBW	Digital Data Carrier

Points of Communication:

Herndon 3.8 M - ALSAT - (ALSAT)

SES-MOD-20070625-00855 E E000670 The Boeing Company

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to add/change emissions, as well as add United Kingdom as a destination points of communications.

SITE ID: Herndon

LOCATION: 460 HERNDON PARKWAY, FAIRFAX, HERNDON, VA

38 ° 57 ' 32.00 " N LAT.

77 ° 22 ' 32.00 " W LONG.

ANTENNA ID: Prod 2.4	2.4 meters	PRODELIN	1251
14000.0000 - 14500.0000 MHz	922KG1D	58.20 dBW	QPSK DATA
11700.0000 - 12200.0000 MHz	922KG1D		QPSK DATA
11700.0000 - 12200.0000 MHz	128KG7D	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M00G7D		DIGITAL DATA CARRIER

11700.0000 - 12200.0000 MHz	1M50G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	256KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	32K0G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	3M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	4M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	512KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	5M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	64K0G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	768KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	8M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	922KG7D		DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7D	50.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M00G7D	58.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M50G7D	60.70 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7D	53.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	2M00G7D	61.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	32K0G7D	44.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	3M00G7D	61.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	4M00G7D	61.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	512KG7D	56.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	5M00G7D	61.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	64K0G7D	47.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	768KG7D	56.70 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	8M00G7D	61.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	922KG7D	58.20 dBW	DIGITAL DATA CARRIER

ANTENNA ID:	Vertex 3.8	3.8 meters	VERTEX RSI	3.8 DPK
	11700.0000 - 12200.0000 MHz		128KG7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		1M00G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		1M50G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		256KG7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		2M00G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		32K0G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		3M00G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		4M00G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		512KG7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		5M00G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		64K0G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		768KG7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		8M00G7D	DIGITAL DATA CARRIER
	11700.0000 - 12200.0000 MHz		922KG7D	DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		128KG7D	54.00 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		1M00G7D	62.00 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		1M50G7D	64.50 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		256KG7D	57.00 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		2M00G7D	65.04 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		32K0G7D	48.00 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		3M00G7D	65.04 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		4M00G7D	65.04 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		512KG7D	60.00 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		5M00G7D	65.04 dBW DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		64K0G7D	51.00 dBW DIGITAL DATA CARRIER

14000.0000 - 14500.0000 MHz	768KG7D	60.50 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	8M00G7D	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	922KG7D	62.00 dBW	DIGITAL DATA CARRIER

Points of Communication:

Herndon - ALSAT - (ALSAT)

SES-MOD-20070625-00856 E E990098 The Boeing Company

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to add/change emissions and to add United Kingdom as a destination point of communications.

SITE ID: Herndon

LOCATION: 460 HERNDON PARKWAY, FAIRFAX, HERNDON, VA

38 ° 57 ' 32.00 " N LAT.

77 ° 22 ' 32.00 " W LONG.

ANTENNA ID: Prod 3.8	3.8 meters	PRODELIN	1383
14000.0000 - 14500.0000 MHz	38K4G1D	49.00 dBW	QPSK DATA
14000.0000 - 14500.0000 MHz	3M00G1D	62.20 dBW	QPSK DATA
11700.0000 - 12200.0000 MHz	38K4G1D		QPSK DATA
11700.0000 - 12200.0000 MHz	3M00G1D		QPSK DATA
11700.0000 - 12200.0000 MHz	128KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M50G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	256KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	32K0G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	38K4G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	3M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	4M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	512KG7D		DIGITAL DATA CARRIER

11700.0000 - 12200.0000 MHz	5M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	64K0G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	768KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	8M00G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	922KG7D		DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7D	54.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M00G7D	62.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M50G7D	64.70 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7D	57.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	2M00G7D	65.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	32K0G7D	48.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	38K4G7D	48.70 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	3M00G7D	65.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	4M00G7D	65.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	512KG7D	60.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	5M00G7D	65.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	64K0G7D	51.20 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	768KG7D	60.70 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	8M00G7D	65.24 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	922KG7D	62.20 dBW	DIGITAL DATA CARRIER

Points of Communication:

Herndon - ALSAT - (ALSAT)

SES-REG-20070621-00840	E E070115	Hoak Media of South Dakota License, LLC	EZ
Registration			
Class of Station:	Fixed Earth Stations		
Nature of Service:	Fixed Satellite Service		

SITE ID: KSFY
LOCATION: 300 N. Dakota Ave, Minnehaha, Sioux Falls, SD
43 ° 33 ' 2.00 " N LAT. 96 ° 43 ' 45.00 " W LONG.

ANTENNA ID: 7.3 7.3 meters Andrew Corp ESA73
3700.0000 - 4200.0000 MHz 36M0F3F Analog video
3700.0000 - 4200.0000 MHz 36M0G7F Digital Video

Points of Communication:

KSFY - PERMITTED LIST - ()

SES-REG-20070621-00841 E E070116 Charter Communications, LLC

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 2500 NORTH FORD STREET, MONTGOMERY, CLARKSVILLE, TN
36 ° 33 ' 21.00 " N LAT. 87 ° 21 ' 48.00 " W LONG.

ANTENNA ID: 1 4.5 meters SCIENTIFIC ATLANTA 4.5 M PRIME FOCUS
3700.0000 - 4200.0000 MHz 36M0F8W DIGITAL VIDEO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20070621-00842 E E070117 Graceba Total Communications, Inc.

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1
LOCATION: 7372 E US HIGHWAY 84, HOUSTON, ASHFORD, AL
31 ° 11 ' 18.60 " N LAT. 85 ° 16 ' 53.80 " W LONG.

ANTENNA ID: 1 3.7 meters SCIENTIFIC ATLANTA 9037
3700.0000 - 4200.0000 MHz 36M0F8W ANALOG

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20070625-00853 E E070120 Forum Communications Company

Registration

Class of Station: Fixed Earth Stations

EZ

Nature of Service: Fixed Satellite Service

SITE ID: 4.5M

LOCATION: 301 8th Street South, Cass, Fargo, ND
46 ° 52 ' 15.10 " N LAT.

96 ° 47 ' 32.80 " W LONG.

ANTENNA ID: 4.5 4.5 meters Andrew Corp. ESA45

3700.0000 - 4200.0000 MHz 36M0F3F Standard Analog Video

3700.0000 - 4200.0000 MHz 36M0G7F Compressed Digital Video

Points of Communication:

4.5M - PERMITTED LIST - ()

SES-REG-20070625-00857 E E070121 KBMY-KMCY, LLC **EZ**

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 4.5M

LOCATION: 1328 East Broadway Ave, Burleigh, Bismark, ND
46 ° 48 ' 22.90 " N LAT.

100 ° 44 ' 38.20 " W LONG.

ANTENNA ID: 4.5M 4.5 meters Andrew Corp. ESA45

3700.0000 - 4200.0000 MHz 36M0F3F Standard Analog Video

3700.0000 - 4200.0000 MHz 36M0G7F Compressed Digital Video

Points of Communication:

4.5M - PERMITTED LIST - ()

SES-REG-20070626-00866 E E070125 Freedom Broadcasting of Tennessee Licensee, L.L.C. **EZ**

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 4.5M

LOCATION: Taft Highway Signal Mountain, Hamilton, Chattanooga, TN
35 ° 9 ' 14.30 " N LAT.

85 ° 19 ' 2.90 " W LONG.

ANTENNA ID: 4.5M 4.5 meters Andrew Corp. ESA45

3700.0000 - 4200.0000 MHz 36M0F3F Standard Analog Video

3700.0000 - 4200.0000 MHz 36M0G7F Compressed Digital Video

Points of Communication:

4.5M - PERMITTED LIST - ()

SES-REG-20070626-00867 E E070126 PAPPAS TELECASTING OF CENTRAL NEBRASKA, A CALIFORNIA LIMITEZ
PARTNERSHIP

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 4.5M

LOCATION: 1078 25th Road, Kearny, Axtell, NE
40 ° 29 ' 34.50 " N LAT.

99 ° 5 ' 5.00 " W LONG.

ANTENNA ID: 4.5M 4.5 meters Andrew Corp. ESA45

3700.0000 - 4200.0000 MHz 36M0G7F Compressed Digital Video

3700.0000 - 4200.0000 MHz 36M0F3F Standard Analog Video

Points of Communication:

4.5M - PERMITTED LIST - ()

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.