



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-00986

Wednesday December 5, 2007

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20071129-01631 E E030120 Amtech Systems LLC

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Amendment filed to changes the response to Schedule B Question E55 from 139 WL to 142 WL, and makes corresponding changes to the elevation and azimuth angles. Additionally, this application provides an updated reference to Schedule S information for the Inmarat 3F4 satellite that has previously been filed with the FCC.

SITE ID: 1

LOCATION: 70,000 half-duplex METs in the United States, VARIOUS

ANTENNA ID:	A4	0.1 meters	Transcore Link Logistics Corporation	MT-3000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA
ANTENNA ID:	A3	0.1 meters	Transcore Link Logistics Corporation	MT-2000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA

Points of Communication:

1 - AMSC 1 - (101 W.L.)

1 - INMARSAT 3F4 - (142 W.L.)

1 - MSAT-1 - (106.5 W.L.)

SES-AMD-20071129-01632 E E990316 Amtech Systems LLC

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Amendment to changes the response to Schedule B Question E55 from 139 WL to 142 WL, and makes corresponding changes to the elevation and azimuth angles. Additionally, this application provides an updated reference to Schedule S information for the Inmarat 3F4 satellite that has previously been filed with the FCC.

SITE ID: 1

LOCATION: 30,000 half-duplex METs in the United States, VARIOUS

ANTENNA ID:	A2	0.1 meters	Vistar Telecommunication Inc.	MT-1000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA
ANTENNA ID:	A1	0.1 meters	Transcore Link Logistics Corporation	MT-2000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D	0.00 dBW	BPSK/DATA

Points of Communication:

1 - AMSC 1 - (101 W.L.)

1 - INMARSAT 3F4 - (142 W.L.)

1 - MSAT-1 - (106.5 W.L.)

SES-AMD-20071130-01642 E E070098 TerreStar Networks Inc.

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Amendment application filed to change point of communications from 111.1 W.L. to 111.0 W.L.

SITE ID: North Las Vegas

LOCATION: One Aerojet Way, Clark, North Las Vegas, NV

36 ° 14 ' 9.90 " N LAT.

115 ° 7 ' 1.30 " W LONG.

ANTENNA ID:	A3	9.3 meters	Vertex	9.3-KPK
	13752.5000 - 13752.5000 MHz	700KF9D	85.00 dBW	Command
	13750.5000 - 13750.5000 MHz	700KF9D	85.00 dBW	Command

12999.0000 - 12999.0000 MHz	700KF9D	54.02 dBW	Command
12992.0000 - 12992.0000 MHz	1H00N0N	61.60 dBW	Pilot
12751.0000 - 12751.0000 MHz	700KF9D	54.02 dBW	Command
12750.0000 - 13000.0000 MHz	1M25G7D	55.13 dBW	Data, PSK, 964 kbps, outroute
12750.0000 - 13000.0000 MHz	313KG7D	55.13 dBW	Data, 16QAM, 624 kbps, outroute
12750.0000 - 13000.0000 MHz	50K0G7D	51.40 dBW	Data, PSK, 43.1 kbps, outroute
12750.0000 - 13000.0000 MHz	31K3G7D	45.70 dBW	Data, PSK, 23.4 KSPS, outroute
11449.5000 - 11449.5000 MHz	138KGXD		TT&C
11448.0000 - 11448.0000 MHz	1H00N0N		Beacon
11200.5000 - 11200.5000 MHz	138KGXD		TT&C
11200.0000 - 11450.0000 MHz	1M25G7D		Data, PSK, 64kbps, inroute
11200.0000 - 11450.0000 MHz	31K3G7D		Data, PSK, 23.4 KSPS, inroute
10700.0000 - 10950.0000 MHz	1M25G7D		Data, PSK, 64kbps, inroute
10700.0000 - 10950.0000 MHz	31K3G7D		Data, PSK, 23.4 KSPS, inroute
ANTENNA ID: A4	6.3 meters	Vertex	6.3-KXK
13752.5000 - 13752.5000 MHz	700KF9D	85.00 dBW	Command
13750.5000 - 13750.5000 MHz	700KF9D	85.00 dBW	Command
12999.0000 - 12999.0000 MHz	700KF9D	54.02 dBW	Command
12992.0000 - 12992.0000 MHz	1H00N0N	61.60 dBW	Pilot
12751.0000 - 12751.0000 MHz	700KF9D	54.02 dBW	Command
12750.0000 - 13000.0000 MHz	313KG7D	51.93 dBW	Data, 16QAM, 624 kbps, outroute
12750.0000 - 13000.0000 MHz	50K0G7D	47.98 dBW	Data, PSK, 43.1 kbps, outroute
12750.0000 - 13000.0000 MHz	31K3G7D	42.50 dBW	Data, PSK, 23.4 KSPS, outroute
12750.0000 - 13000.0000 MHz	1M25G7D	51.93 dBW	Data, PSK, 964 kbps, outroute
11449.5000 - 11449.5000 MHz	138KGXD		TT&C
11448.0000 - 11448.0000 MHz	1H00N0N		Beacon

11200.5000 - 11200.5000 MHz	138KGXD	TT&C
11200.0000 - 11450.0000 MHz	1M25G7D	Data, PSK, 64 kbps, inroute
11200.0000 - 11450.0000 MHz	31K3G7D	Data, PSK, 23.4 KSPS, inroute
10700.0000 - 10950.0000 MHz	1M25G7D	Data, PSK, 64 kbps, inroute
10700.0000 - 10950.0000 MHz	31K3G7D	Data, PSK, 23.4 KSPS, inroute

Points of Communication:

North Las Vegas - TERRESTAR 1 - (111.0 W.L.)

SES-LIC-20070530-00732 E E070098 TerreStar Networks Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Amendment filed to change point of communications from TerreStar 1 @ 111.1 W.L. to TerreStar 1 @ 111.0 W.L. (See SES-AMD-20071130-01642)

SITE ID: North Las Vegas

LOCATION: One Aerojet Way, Clark, North Las Vegas, NV

36 ° 14 ' 9.90 " N LAT.

115 ° 7 ' 1.30 " W LONG.

ANTENNA ID:	A3	9.3 meters	Vertex	9.3-KPK
12751.0000 - 12751.0000 MHz	700KF9D	54.02 dBW	Command	
12750.0000 - 13000.0000 MHz	31K3G7D	45.70 dBW	Data, PSK, 23.4 KSPS, outroute	
12992.0000 - 12992.0000 MHz	1H00N0N	61.60 dBW	Pilot	
10700.0000 - 10950.0000 MHz	31K3G7D		Data, PSK, 23.4 KSPS, inroute	
10700.0000 - 10950.0000 MHz	1M25G7D		Data, PSK, 64kbps, inroute	
11448.0000 - 11448.0000 MHz	1H00N0N		Beacon	
11200.0000 - 11450.0000 MHz	31K3G7D		Data, PSK, 23.4 KSPS, inroute	
11200.0000 - 11450.0000 MHz	1M25G7D		Data, PSK, 64kbps, inroute	
12750.0000 - 13000.0000 MHz	313KG7D	55.13 dBW	Data, 16QAM, 624 kbps, outroute	
12750.0000 - 13000.0000 MHz	1M25G7D	55.13 dBW	Data, PSK, 964 kbps, outroute	
11449.5000 - 11449.5000 MHz	138KGXD		TT&C	
13750.5000 - 13750.5000 MHz	700KF9D	85.00 dBW	Command	

13752.5000 - 13752.5000 MHz	700KF9D	85.00 dBW	Command
12999.0000 - 12999.0000 MHz	700KF9D	54.02 dBW	Command
12750.0000 - 13000.0000 MHz	50K0G7D	51.40 dBW	Data, PSK, 43.1 kbps, outroute
11200.5000 - 11200.5000 MHz	138KGXD		TT&C
ANTENNA ID: A4	6.3 meters	Vertex	6.3-KXX
12750.0000 - 13000.0000 MHz	31K3G7D	42.50 dBW	Data, PSK, 23.4 KSPS, outroute
12750.0000 - 13000.0000 MHz	50K0G7D	47.98 dBW	Data, PSK, 43.1 kbps, outroute
12750.0000 - 13000.0000 MHz	313KG7D	51.93 dBW	Data, 16QAM, 624 kbps, outroute
10700.0000 - 10950.0000 MHz	31K3G7D		Data, PSK, 23.4 KSPS, inroute
10700.0000 - 10950.0000 MHz	1M25G7D		Data, PSK, 64 kbps, inroute
11448.0000 - 11448.0000 MHz	1H00N0N		Beacon
11200.0000 - 11450.0000 MHz	31K3G7D		Data, PSK, 23.4 KSPS, inroute
11200.0000 - 11450.0000 MHz	1M25G7D		Data, PSK, 64 kbps, inroute
12992.0000 - 12992.0000 MHz	1H00N0N	61.60 dBW	Pilot
12999.0000 - 12999.0000 MHz	700KF9D	54.02 dBW	Command
11449.5000 - 11449.5000 MHz	138KGXD		TT&C
13750.5000 - 13750.5000 MHz	700KF9D	85.00 dBW	Command
13752.5000 - 13752.5000 MHz	700KF9D	85.00 dBW	Command
12751.0000 - 12751.0000 MHz	700KF9D	54.02 dBW	Command
12750.0000 - 13000.0000 MHz	1M25G7D	51.93 dBW	Data, PSK, 964 kbps, outroute
11200.5000 - 11200.5000 MHz	138KGXD		TT&C

Points of Communication:

North Las Vegas - TERRESTAR 1 - (111.0 W.L.)

SES-LIC-20071107-01539 E E070257 Nexstar Broadcasting, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: SNG Vertex
LOCATION:

ANTENNA ID:	VRSI	2.4 meters	Vertex RSI	2.4MDMK
	14000.0000 - 14500.0000 MHz	24M0G7W	72.00 dBW	Compressed Audio and Video

Points of Communication:

SNG Vertex - PERMITTED LIST - ()

SES-LIC-20071129-01635 E E070268 SCRIPPS HOWARD BROADCASTING COMPANY

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1
LOCATION: 3001 EUCLID AVE. (WEWS-TV), VARIOUS
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID:	1	2.4 meters	PRODELIN	SERIES 1244
	14000.0000 - 14500.0000 MHz	36M0G7W	66.40 dBW	MCPC DIGITAL CARRIERS FOR VIDEO/VOICE/DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		MCPC DIGITAL CARRIERS FOR VIDEO/VOICE/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20071129-01637 E E070269 USFR Equity Drive Property, LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1
LOCATION: 11150 Equity Drive, Harris, Houston, TX
29 ° 50 ' 26.00 " N LAT. 95 ° 33 ' 40.00 " W LONG.

ANTENNA ID:	1	9 meters	General Dynamics	9M
	3700.0000 - 4200.0000 MHz	36M0F8W		Analog Video with Associated Audio Subcarriers
	3700.0000 - 4200.0000 MHz	4M00G7W -		Digital Video and Audio
	3700.0000 - 4200.0000 MHz	36M0G7W		Digital Video and Audio
	5925.0000 - 5959.0000 MHz	32M0F8W	73.60 dBW	Analog Video with Associated Audio Subcarriers

6243.0000 - 6300.6000 MHz	36M0F8W	73.60 dBW	Analog Video with Associated Audio Subcarriers
5925.0000 - 5969.5000 MHz	4M00G7W -	67.10 dBW	Digital Video and Audio
5925.0000 - 5969.5000 MHz	36M0G7W	76.60 dBW	Digital Video and Audio
6049.4000 - 6137.5000 MHz	4M00G7W -	67.10 dBW	Digital Video and Audio
6049.4000 - 6137.5000 MHz	36M0G7W	76.60 dBW	Digital Video and Audio
6242.0000 - 6425.0000 MHz	4M00G7W -	67.10 dBW	Digital Video and Audio
6242.0000 - 6425.0000 MHz	36M0G7W	76.60 dBW	Digital Video and Audio

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20071203-01643 E E070270 Pacific Satellite Connection, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: KU_21

LOCATION:

ANTENNA ID:	KU_21	4.5 meters	ANDREW	ESA46M-124
14000.0000 - 14500.0000 MHz	16M0G7F	67.90 dBW	Digital TV- QPSK, 8PSK	
14000.0000 - 14500.0000 MHz	25M0F3F	69.50 dBW	FM TV - Analog	
14000.0000 - 14500.0000 MHz	36M0F3F	72.00 dBW	FM TV - Analog	
14000.0000 - 14500.0000 MHz	7M70G7F	64.74 dBW	Digital TV - QPSK, 8PSK, MPEG-2	
14000.0000 - 14500.0000 MHz	35M9G7W	71.32 dBW	Digital TV - MPEG-2 - QPSK, 8PSK	

Points of Communication:

KU_21 - PERMITTED LIST - ()

SES-LIC-20071203-01644 E E070271 Pacific Satellite Connection, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: C_21

LOCATION:

ANTENNA ID:	C_21	4.5 meters	ANDREW	ESA45AAPT-1
	5925.0000 - 6425.0000 MHz	16M0G7F	68.00 dBW	QPSK, 8PSK Digital TV
	5925.0000 - 6425.0000 MHz	7M70G7F	64.00 dBW	QPSK,8PSK Digital TV
	5925.0000 - 6425.0000 MHz	36M0F3F	71.50 dBW	QPSK, 8PSK Digital TV - HDTV
Points of Communication:				
C_21 - PERMITTED LIST - ()				

SES-MFS-20070511-00637 E E990316 Amtech Systems LLC

Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Modification filed to add the Inmarsat 3F4 satellite as a backup point of communication to maintain continuity of service to customers in the event of outages experienced by MSAT-2 (AMSC-1).

SITE ID: 1

LOCATION: 30,000 half-duplex METs in the United States, VARIOUS

ANTENNA ID:	A2	0.1 meters	Vistar Telecommunication Inc.	MT-1000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA
ANTENNA ID:	A1	0.1 meters	Transcore Link Logistics Corporation	MT-2000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D	0.00 dBW	BPSK/DATA
Points of Communication:				
1 - AMSC 1 - (101 W.L.)				
1 - INMARSAT 3F4 - (142 W.L.)				
1 - MSAT-1 - (106.5 W.L.)				

SES-MFS-20070511-00638 E E030120 Amtech Systems LLC

Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Modification filed to add the Inmarsat 3F4 satellite as a backup point of communication to maintain continuity of service to customers in the event of outages experienced by MSAT-2 (AMSC-1).

SITE ID: 1
LOCATION: 70,000 half-duplex METs in the United States, VARIOUS

ANTENNA ID:	A4	0.1 meters	Transcore Link Logistics Corporation	MT-3000
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
ANTENNA ID:	A3	0.1 meters	Transcore Link Logistics Corporation	MT-2000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA

Points of Communication:

1 - AMSC 1 - (101 W.L.)
1 - INMARSAT 3F4 - (142 W.L.)
1 - MSAT-1 - (106.5 W.L.)

SES-MOD-20071126-01615 E E000642 Fox Television Stations, Inc.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1
LOCATION: VARIOUS

ANTENNA ID:	1	1.8 meters	AVL TECHNOLOGIES	1800
	14000.0000 - 14500.0000 MHz	36M0F3F	72.24 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	36M0G7W	72.24 dBW	DATA VIDEO/VOICE/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20071128-01624 E E070190 GO2TEL.COM., INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to add 2 new C-band transmit-receive earth stations antennas, emission designators, points of communications, and frequency to their existing Ku-band earth station license (Call Sign: E070190).

SITE ID: 1
LOCATION: 1100 NW 163 DRIVE, MIAMI-DADE, N. MIAMI BEACH, FL
25 ° 55 ' 25.70 " N LAT. 80 ° 13 ' 4.60 " W LONG.

ANTENNA ID:	K1	9.2 meters	VERTEX CORPORATION		9.2M.
14000.0000 - 14500.0000 MHz		12M0G7W	80.90 dBW	DIGITAL AUDIO AND DATA	
14000.0000 - 14500.0000 MHz		4M00G7W	76.10 dBW	DIGITAL AUDIO AND DATA	
11450.0000 - 11700.0000 MHz		2M00G7W		DIGITAL AUDIO AND DATA	
11450.0000 - 11700.0000 MHz		64K0G7W		DIGITAL AUDIO AND DATA	
10950.0000 - 11200.0000 MHz		2M00G7W		DIGITAL AUDIO AND DATA	
10950.0000 - 11200.0000 MHz		64K0G7W		DIGITAL AUDIO AND DATA	
ANTENNA ID:	C1 & C2	7.3 meters	ANDREW CORPORATION		ESA73
5925.0000 - 6425.0000 MHz		420KG7W-	47.80 dBW	DIGITAL AUDIO AND DATA	
5925.0000 - 6425.0000 MHz		2M20G7W	55.00 dBW	DIGITAL AUDIO AND DATA	
3700.0000 - 4200.0000 MHz		420KG7W-		DIGITAL AUDIO AND DATA	
3700.0000 - 4200.0000 MHz		2M20G7W		DIGITAL AUDIO AND DATA	

SES-MOD-20071129-01636 E E030228 CapRock Communications, Inc.

Class of Station: Fixed Earth Stations

Modification filed to change emission designator and related service, and to increase EIRP and EIRP density.

ANTENNA ID:	1	2.4 meters	Seatel	9797
5925.0000 - 6425.0000 MHz		4M47G7W	50.05 dBW	DIGITAL
3700.0000 - 4200.0000 MHz		4M47G7W		DIGITAL

Red Hawk - SATMEX-5 - (116.8 W.L.)

SES-MOD-20071130-01639 E E050335 Anadarko Petroleum Corporation

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to change emission designator and related service, and to increase EIRP and EIRP density.

SITE ID: Independence

LOCATION: Offshore Oil Platform in the Gulf of Mexico

28 ° 5 ' 5.20 " N LAT.

87 ° 59 ' 9.80 " W LONG.

ANTENNA ID: A1 2.4 meters SeaTel 9797

5925.0000 - 6425.0000 MHz 4M47G7W 50.05 dBW Digital

3700.0000 - 4200.0000 MHz 4M47G7W Digital

Points of Communication:

Independence - SATMEX-5 - (116.8 W.L.)

SES-MOD-20071130-01640 E E030159 CapRock Communications, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to change emission designator and related service, and to increase EIRP and EIRP density.

SITE ID: 1

LOCATION: Offshore Louisiana, N/A, Gulf of Mexico

27 ° 18 ' 19.00 " N LAT.

93 ° 32 ' 20.00 " W LONG.

ANTENNA ID: 1 2.4 meters GUNNISON 9797

5925.0000 - 6425.0000 MHz 1M00G1W 48.97 dBW Digital Data, QPSK

5925.0000 - 6425.0000 MHz 4M47G7W 50.05 dBW DIGITAL

3700.0000 - 4200.0000 MHz 1M00G1W Digital Data, QPSK

3700.0000 - 4200.0000 MHz 4M47G7W DIGITAL

Points of Communication:

1 - AMSC-9 - (85 W.L.)

1 - PAS-9 - (58.0 W.L.)

1 - SATMEX-5 - (116.8 W.L.)

SES-MOD-20071130-01641 E E050331 CapRock Communications, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to change emission designator and related service, and to increase EIRP and EIRP density.

SITE ID: Boomvang

LOCATION: East Breaks 643 (Boomvang) Oil Platform in Gulf of Mexico

27 ° 21 ' 12.80 " N LAT.

94 ° 37 ' 31.10 " W LONG.

ANTENNA ID:	A1	2.4 meters	Sea Tel	9797
5925.0000 - 6425.0000 MHz		4M47G7W	50.05 dBW	Digital
5925.0000 - 6425.0000 MHz		341KG7W	35.30 dBW	Digital Voice and Data
3700.0000 - 4200.0000 MHz		4M47G7W		Digital
3700.0000 - 4200.0000 MHz		341KG7W		Digital Voice and Data

Points of Communication:

Boomvang - SATMEX-5 - (116.8 W.L.)

SES-MOD-20071130-01649 E E030197 SWE-DISH Satellite Systems, Inc.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SWE-DISH has filed a modification application to add a new emission designator to reflect the capability of operating these transportable earth stations using up to a 16 MHz channel.

SITE ID: 1

LOCATION: SWE-DISH IPT TITLE 111, VARIOUS

ANTENNA ID:	S1	0.66 meters	SWE-DISH	XC90-66K
14000.0000 - 14500.0000 MHz		2M04G7W	49.40 dBW	DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
14000.0000 - 14500.0000 MHz		2M04G7W	49.40 dBW	COMPRESSED DIGITAL DATA AND VIDEO
11700.0000 - 12200.0000 MHz		2M04G7W		DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
11700.0000 - 12200.0000 MHz		2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO

11450.0000 - 11700.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
11450.0000 - 11700.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
10950.0000 - 11200.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
10950.0000 - 11200.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
10950.0000 - 12750.0000 MHz	16M0G7W		VARIOIUS
11450.0000 - 11700.0000 MHz	16M0G7W		VARIOUS
11700.0000 - 12200.0000 MHz	16M0G7W		VARIOUS
14000.0000 - 14500.0000 MHz	16M0G7W	49.40 dBW	VAROUS
ANTENNA ID: S2-4	0.66 meters	SWE-DISH	XC90-66K
14000.0000 - 14500.0000 MHz	2M04G7W	49.40 dBW	DIGITAL, VARIOUS FEC DATA RATES
14000.0000 - 14500.0000 MHz	2M04G7W	49.40 dBW	COMPRESSED DIGITAL DATA AND VIDEO
11700.0000 - 12200.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC DATA RATES
11700.0000 - 12200.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
11450.0000 - 11700.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC DATA RATES
11450.0000 - 11700.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
10950.0000 - 11200.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC DATA RATES
10950.0000 - 11200.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
10950.0000 - 12750.0000 MHz	16M0G7W		VARIOUS
11450.0000 - 11700.0000 MHz	16M0G7W		VARIOUS
11700.0000 - 12200.0000 MHz	16M0G7W		VARIOUS
14000.0000 - 14500.0000 MHz	16M0G7W	49.40 dBW	VARIOUS

Points of Communication:

1 - AMC-3 - (87 W.L.)

1 - AMC-4 (formerl GE-4 - (101 W.L.)

1 - AMC-5 (formerl GE-5 - (79 W.L.)

1 - AMC-6 - (72 W.L.)

1 - AMSC 1 - (103 W.L.)

1 - GALAXY 10R - (123 W.L.)

1 - GALAXY III-C - (95 W.L.)

1 - GALAXY XI - (91 W.L.)

1 - HORIZONS 1 - (127 DEG WL)

1 - IA-8 - (89 W.L.)

1 - PAS-1R - (45.0 W.L.)

1 - SBS-6 - (74 DEG. WL)

1 - TELSTAR 11 - (37.5 W.L.)

1 - TELSTAR 6 - (93 W.L.)

SES-REG-20071129-01634	E	E070267	Skyline Telephone Membership Corporation	EZ
Registration				

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 1200 NC Highway 194 North, Ashe, West Jefferson, NC
36 ° 24 ' 53.30 " N LAT. 81 ° 29 ' 52.40 " W LONG.

ANTENNA ID:	5.0M	5 meters	Antenna Tech Corp	Simulsat
	3700.0000 - 4200.0000 MHz		36M0F3F	Standard Analog Video
	3700.0000 - 4200.0000 MHz		36M0G7W	Digital Video

Points of Communication:

1 - PERMITTED LIST - ()

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.