



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01032

Wednesday May 14, 2008

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20080501-00518 E E000669 TeleCommunication Systems
Amendment
Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

This amendment filed to correct the antenna polarization from "Left Hand Circular" to "Horizontal and Vertical". All of the other technical information remains the same. (See File No. SES-MOD-20080318-00322)

SITE ID: HUB-C
LOCATION: 10211 PIPER LANE, PRINCE WILLIAM, MANASSAS, VA
 38 ° 43 ' 49.00 " N LAT. 77 ° 31 ' 49.00 " W LONG.

SITE ID: REMOTE-1B
LOCATION: CONUS (500 UNITS)

ANTENNA ID:	R-1B	1.2 meters	CHANNEL MASTER	123
	14000.0000 - 14500.0000 MHz		405KG7W 49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	14000.0000 - 14500.0000 MHz		8M00G7W 49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE

SITE ID: REMOTE-2B
LOCATION: CONUS (500 UNITS)

ANTENNA ID:	R-2B	1.8 meters	CHANNEL MASTER	184
	14000.0000 - 14500.0000 MHz		405KG7W 52.65 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	14000.0000 - 14500.0000 MHz		8M00G7W 52.60 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE

SITE ID: REMOTE-3B
LOCATION: CONUS (500 UNITS)

ANTENNA ID:	R-3B	2.4 meters	CHANNEL MASTER	244
	14000.0000 - 14500.0000 MHz		405KG7W 55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	14000.0000 - 14500.0000 MHz		8M00G7W 55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE

SITE ID: Manassas Hub-Ku
LOCATION: 10211 Piper Lane, VARIOUS

ANTENNA ID:	R-4A	1 meters	AVL TECHNOLOGIES	1010 iSGN
	14000.0000 - 14500.0000 MHz		2M04G7W 54.00 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE

ANTENNA ID:	R-5A	2 meters	AVL TECHNOLOGIES	2062
	14000.0000 - 14500.0000 MHz		5M00G7D 61.00 dBW	QPSK, DATA ONLY
	11700.0000 - 12200.0000 MHz		5M00G7D	QPSK, DATA ONLY

SITE ID: Manassas Hub-A
LOCATION: 10211 Piper Lane, Prince William, Manassas, VA
38 ° 43 ' 47.00 " N LAT. 77 ° 31 ' 49.00 " W LONG.

ANTENNA ID:	HUB-A	9.3 meters	VERTEX	9.3 KP
	14000.0000 - 14500.0000 MHz		30M0G7W 85.20 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		405KG7W	QPSK, DIGITAL DATA, VIDEO, VOICE

11700.0000 - 12200.0000 MHz	8M00G7W		QPSK, DIGITAL DATA, VIDEO, VOICE
ANTENNA ID: HUB-C	9.3 meters	VERTEX	9.3 KP
14000.0000 - 14500.0000 MHz	30M0G7W	85.20 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
11700.0000 - 12200.0000 MHz	405KG7W		QPSK, DIGITAL DATA, VIDEO, VOICE
11700.0000 - 12200.0000 MHz	8M00G7W		QPSK, DIGITAL DATA, VIDEO, VOICE
ANTENNA ID: HUB-B	9.3 meters	VERTEX	9.3 KP
14000.0000 - 14500.0000 MHz	30M0G7W	85.20 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
11700.0000 - 12200.0000 MHz	405KG7W		QPSK, DIGITAL DATA, VIDEO, VOICE
11700.0000 - 12200.0000 MHz	8M00G7W		QPSK, DIGITAL DATA, VIDEO, VOICE
SITE ID: REMOTE-2A			
LOCATION: CONUS (500 UNITS)			
ANTENNA ID: R-2A	1.8 meters	CHANNEL MASTER	184
14000.0000 - 14500.0000 MHz	405KG7W	52.60 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
14000.0000 - 14500.0000 MHz	8M00G7W	52.60 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
11700.0000 - 12200.0000 MHz	30M0G7W		QPSK, DIGITAL DATA, VIDEO, VOICE
SITE ID: REMOTE-3A			
LOCATION: CONUS (500 UNITS)			
ANTENNA ID: R-3A	2.4 meters	CHANNEL MASTER	244
14000.0000 - 14500.0000 MHz	405KG7W	55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
14000.0000 - 14500.0000 MHz	8M00G7W	55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
11700.0000 - 12200.0000 MHz	30M0G7W		QPSK, DIGITAL DATA, VIDEO, VOICE
SITE ID: REMOTE-1A			
LOCATION: CONUS (500 UNITS)			

ANTENNA ID:	R-1A	1.2 meters	CHANNEL MASTER	123	
	14000.0000 - 14500.0000 MHz		405KG7W	49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	14000.0000 - 14500.0000 MHz		8M00G7W	49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		30M0G7W		QPSK, DIGITAL DATA, VIDEO, VOICE

SITE ID: HUB-B
LOCATION: 10211 PIPER LANE, PRINCE WILLIAM, MANASSAS, VA
38 ° 43 ' 47.00 " N LAT. 77 ° 31 ' 49.00 " W LONG.

SITE ID: Manassas Hub-Ku
LOCATION: VARIOUS

Points of Communication:

- Manassas Hub-A - ALSAT - (ALSAT)
- Manassas Hub-A - ANIK E1 - (118.7 W.L.)
- Manassas Hub-A - INTELSAT 605 - (332.5 E.L.)
- Manassas Hub-A - SATMEX-5 - (116.8 W.L.)
- Manassas Hub-Ku - ALSAT - (ALSAT)
- Manassas Hub-Ku - INTELSAT 8 - (89 W.L.)
- Manassas Hub-Ku - INTELSAT AMERICAS-6 - (93 W.L.)
- Manassas Hub-Ku - INTELSAT AMERICAS-7 - (129 W.L.)
- Manassas Hub-Ku - SATMEX-5 - (116.8 W.L.)

SES-AMD-20080502-00527 E E990094 PTI Pacifica Inc.

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Amendment to submit updated Petition for Declaratory Ruling. (See File No. SES-ASG-20080404-00423)

Points of Communication:

SES-AMD-20080506-00551 E E030055 SkyWave Mobile Communications, Corp.

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Amendment filed to add the Schedule S for the Inmarsat 3F4 satellite. This Schedule S includes information for the Inmarsat D+ service. (See File SES-MFS-20080324-00342)

SITE ID: 1
LOCATION: 25,000 INMARSAT D+ half duplex METs, IN US

ANTENNA ID: 1	0.11 meters	SKYWAVE MOBILE COMMUNICATIONS, INC.	DMR-200C
1626.5000 - 1645.5000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHAS 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 2	0.11 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.	DMR-800D
1626.5000 - 1645.5000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHAS 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 3	0.11 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.	DMR-800L
1626.5000 - 1645.0000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHAS 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 4	0.1 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.	DMR-800S
1626.5000 - 1645.0000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHAS 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.

ANTENNA ID: 5	0.1 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.	SURELINX 8100 MET
1626.5000 - 1645.0000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHASE 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.

Points of Communication:

- 1 - INMARSAT 3F4 - (142 W.L.)
- 1 - INMARSAT 4F2 - (52.75)
- 1 - INMARSAT Ltd-3 - (15.5 W.L.)
- 1 - INMARSAT Ltd-3 - (178 E.L.)
- 1 - INMARSAT Ltd-3 - (54 W.L.)

SES-ASG-20080317-00320 E E861045 Media General Communications Holdings, LLC
 Application for Consent to Assignment
Current Licensee: Media General Communications Holdings, LLC
FROM: MEDIA GENERAL COMMUNICATIONS HOLDINGS, LLC
TO: WTVQ-TV, Inc.

No. of Station(s) listed: 3

SES-ASG-20080404-00423 E E990094 PTI Pacifica Inc.
 Application for Consent to Assignment
Current Licensee: IT&E Overseas, Inc.
FROM: IT&E OVERSEAS, INC.
TO: PTI Pacifica Inc.

No. of Station(s) listed: 1

See amendment to submit updated Petition for Declaratory Ruling. File No. (SES-AMD-20080502-00527)

SES-LIC-20080506-00543 E E080095 ANGEL CHRISTIAN TELEVISION TRUST, INC. D/B/A GOD TV
 Application for Authority
Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1
 LOCATION: (ANTENNA 2), VARIOUS

ANTENNA ID: Antenna 2	2.4 meters	VERTEX	DMK
11700.0000 - 12200.0000 MHz	25M0G7W		FM ANALOG AUDIO
14000.0000 - 14500.0000 MHz	36M0F3F	76.16 dBW	ANALOG TV WITH ASSOCIATED AUDIO

11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TV WITH ASSOCIATED AUDIO
11700.0000 - 12200.0000 MHz	36M0F3F		ANALOG TV WITH ASSOCIATED AUDIO
14000.0000 - 14500.0000 MHz	36M0G7W	61.99 dBW	DIGITAL TV WITH ASSOCIATED AUDIO
14000.0000 - 14500.0000 MHz	25M0G7W	71.84 dBW	FM ANALOG AUDIO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080506-00547 E E080096 ANGEL CHRISTIAN TELEVISION TRUST, INC. D/B/A GOD TV

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: (ANTENNA 1), VARIOUS

ANTENNA ID: ANTENNA 1	2.4 meters	VERTEX	DMK
14000.0000 - 14500.0000 MHz	36M0G7W	61.99 dBW	DIGITAL TV WITH ASSOCIATED AUDIO
14000.0000 - 14500.0000 MHz	25M0G7W	71.84 dBW	FM ANALOG AUDIO
14000.0000 - 14500.0000 MHz	36M0F3F	76.16 dBW	ANALOG TV WITH ASSOCIATED AUDIO
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TV WITH ASSOCIATED AUDIO
11700.0000 - 12200.0000 MHz	25M0G7W		FM ANALOG AUDIO
11700.0000 - 12200.0000 MHz	36M0F3F		ANALOG TV WITH ASSOCIATED AUDIO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080507-00557 E E080097 WBAL Hearst-Argyle Television, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID:	1	1.5 meters	ADVENT	NEWSWIFT 150	
	14000.0000 - 14500.0000 MHz		24M0G7W	64.97 dBW	PSK DIGITAL VIDEO AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080508-00566 E E080098 Crawford Communications, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: VARIOUS

ANTENNA ID:	Comtech	4.1 meters	COMTECH	OFFSAT	
	5925.0000 - 6425.0000 MHz		3M20G7W	61.92 dBW	BPSK, QPSK, 8PSK, QAM, FEC Rates 1/2-7/8, Various Data Rates from 64kbps, Various Information.
	5925.0000 - 6425.0000 MHz		36M0G7W	72.43 dBW	BPSK, QPSK, 8PSK, QAM, FEC Rates 1/2-7/8, Various Data Rates from 64kbps, Various Information.
	5925.0000 - 6425.0000 MHz		36M0F3F	72.40 dBW	Standard Analog Video

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080508-00567 E E080099 Crawford Communications, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: Earth Station

LOCATION:

ANTENNA ID:	Andrew	4.5 meters	Andrew	ESA-45A	
	5925.0000 - 6425.0000 MHz		3M20G7W	62.52 dBW	BPSK, QPSK, 8PSK, QAM, FEC Rates 1/2-7/8, Various Data Rates from 64kbps, Various Information.
	5925.0000 - 6425.0000 MHz		36M0G7W	73.03 dBW	BPSK, QPSK, 8PSK, QAM, FEC Rates 1/2-7/8, Various Data Rates from 64kbps, Various Information.
	5925.0000 - 6425.0000 MHz		36M0F3F	73.00 dBW	Standard Analog Video

Points of Communication:

Earth Station - ALSAT - (ALSAT)

SES-LIC-20080509-00579 E E080102 CapRock Communications, Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: Mississippi Canyon, LA

28 ° 2 ' 0.60 " N LAT.

89 ° 6 ' 2.20 " W LONG.

ANTENNA ID: 1 2.4 meters Seatel 9797

3700.0000 - 4200.0000 MHz 1M40G7W 0.00 dBW Digital

5925.0000 - 6425.0000 MHz 1M40G7W 48.33 dBW Digital

Points of Communication:

1 - ALSAT - (ALSAT)

1 - SATMEX-5 - (116.8 W.L.)

SES-LIC-20080509-00580 E E080103 The Boeing Company

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 20403 68th Ave S, King, Kent, WA

ANTENNA ID: 1 1.2 meters AVL 1296K

14000.0000 - 14500.0000 MHz 30M0G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 25M0G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 20M0G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 15M0G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 10M0G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 8M00G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 6M00G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 5M00G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz 4M00G7W 57.18 dBW Digital Data Signal

14000.0000 - 14500.0000 MHz	3M00G7W	57.18 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	2M00G7W	55.24 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	1M50G7W	54.70 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	1M00G7W	52.20 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	768KG7W	50.70 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	512KG7W	50.20 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	256KG7W	47.20 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	128KG7W	44.20 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	64K0G7W	41.20 dBW	Digital Data Signal
14000.0000 - 14500.0000 MHz	32K0G7W	38.20 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	32K0G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	64K0G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	128KG7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	256KG7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	512KG7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	768KG7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	1M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	1M50G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	2M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	3M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	4M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	5M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	6M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	8M00G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	10M0G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	15M0G7W	0.00 dBW	Digital Data Signal

11700.0000 - 12200.0000 MHz	20M0G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	25M0G7W	0.00 dBW	Digital Data Signal
11700.0000 - 12200.0000 MHz	30M0G7W	0.00 dBW	Digital Data Signal

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080512-00585 E E080104 RCN LICENSE SUBSIDIARY, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 2717 Delta Downs, Calcasieu Parish, Vinton, LA
30 ° 11 ' 40.40 " N LAT.

93 ° 37 ' 29.10 " W LONG.

ANTENNA ID: 1	4.1 meters	Comtech	Offsat
3700.0000 - 4200.0000 MHz	3M00G7W		Digital, QPSK, Various FEC, Various Data Rates, Various Info.
3700.0000 - 4200.0000 MHz	36M0G7W		Digital, QPSK, Various FEC, Various Data Rates, Various Info.
5925.0000 - 6425.0000 MHz	3M00G7W	64.65 dBW	Digital, QPSK, Various FEC, Various Data Rates, Various Info.
5925.0000 - 6425.0000 MHz	36M0G7W	72.43 dBW	Digital, QPSK, Various FEC, Various Data Rates, Various Info.

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080512-00586 E E080105 RCN LICENSE SUBSIDIARY, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 301 Dog Track Road, Seminole, Longwood, FL
28 ° 41 ' 3.30 " N LAT.

81 ° 20 ' 27.70 " W LONG.

ANTENNA ID: 1	4.1 meters	Comtech	Offsat
3700.0000 - 4200.0000 MHz	3M00G7W		Digital, QPSK, Various FEC, Various Data Rates, Various Info.
3700.0000 - 4200.0000 MHz	36M0G7W		Digital, QPSK, Various FEC, Various Data Rates, Various Info.

5925.0000 - 6425.0000 MHz	3M00G7W	64.65 dBW	Digital, QPSK, Various FEC, Various Data Rates, Various Info.
5925.0000 - 6425.0000 MHz	36M0G7W	72.43 dBW	Digital, QPSK, Various FEC, Various Data Rates, Various Info.

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080512-00587 E E080106 RCN LICENSE SUBSIDIARY, INC.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 960 S. WILLIAMSON BLVD., VOLUSIA, DAYTONA BEACH, FL
 29 ° 9 ' 59.00 " N LAT. 81 ° 4 ' 49.00 " W LONG.

ANTENNA ID: 1 4.1 meters COMTECH ANTENNA SYSTEMS 5 M. "18FT" OFFSAT

3700.0000 - 4200.0000 MHz	36M0G7W	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
---------------------------	---------	---

3700.0000 - 4200.0000 MHz	3M00G7W	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
---------------------------	---------	---

5925.0000 - 6425.0000 MHz	36M0G7W	72.43 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
---------------------------	---------	-----------	---

5925.0000 - 6425.0000 MHz	3M00G7W	64.65 dBW	DIGITAL, QPSK, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFO.
---------------------------	---------	-----------	---

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MFS-20080324-00342 E E030055 SkyWave Mobile Communications, Corp.

Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Modification filed to add Inmarsat 3F4 satellite @ 142 degrees W.L as a point of communications. The applicant also, filed an amendment to add Schedule S. (See File No. SES-AMD-20080506-00551)

SITE ID: 1

LOCATION: 25,000 INMARSAT D+ half duplex METs, IN US

ANTENNA ID: 1 0.11 meters SKYWAVE MOBILE COMMUNICATIONS, INC. DMR-200C

	1626.5000 - 1645.5000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
	1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHASE 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 2	0.11 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.		DMR-800D
	1626.5000 - 1645.5000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
	1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHASE 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 3	0.11 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.		DMR-800L
	1626.5000 - 1645.0000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
	1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHASE 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 4	0.1 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.		DMR-800S
	1626.5000 - 1645.0000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC
	1525.0000 - 1544.0000 MHz	2K50F1D		MODULATION: CONTINUOUS-PHASE 32-ARY FSK, 20HZ TONE SPACING, SYMBOL RATE: 4 SYMBOLS/SEC OR CONTINUOUS-PHASE 32-ARY FSK, 32HZ TONE SPACING, SYMBOL RATE: 16 SYSMOBL/SEC.
ANTENNA ID: 5	0.1 meters	SKYWAVE MOBIEL COMMUNICATIONS, INC.		SURELINX 8100 MET
	1626.5000 - 1645.0000 MHz	2K50F1D	9.00 dBW	MODULATION: 2 LEVEL FSK, 256HZ TONE SPACING, SYMBOL RATES OF 4, 16, 32, 64, OR 128 SYMBOLS/SEC

1525.0000 - 1544.0000 MHz

2K50F1D

MODULATION:
CONTINUOUS-PHASE 32-ARY FSK,
20HZ TONE SPACING, SYMBOL
RATE: 4 SYMBOLS/SEC OR
CONTINUOUS-PHASE 32-ARY FSK,
32HZ TONE SPACING, SYMBOL
RATE: 16 SYMSOBL/SEC.

Points of Communication:

1 - INMARSAT 3F4 - (142 W.L.)

1 - INMARSAT 4F2 - (52.75)

1 - INMARSAT Ltd-3 - (15.5 W.L.)

1 - INMARSAT Ltd-3 - (178 E.L.)

1 - INMARSAT Ltd-3 - (54 W.L.)

SES-MFS-20080508-00564 E E990316 Amtech Systems LLC

Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Modification filed to add the Inmarsat 3F4 and 4F2 satellites as a regularly authorized permanent or back-up points of communication and to expand the visible range of the satellite arc and make associated changes to the elevation and azimuth angles. Applicant requests waiver of Footnote US315 to Section 2.106 of the Commission's rules.

SITE ID: 1

LOCATION: 30,000 half-duplex METs in the United States, VARIOUS

ANTENNA ID:	A2	0.1 meters	Vistar Telecommunication Inc.	MT-1000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D		BPSK/DATA
ANTENNA ID:	A1	0.1 meters	Transcore Link Logistics Corporation	MT-2000
	1626.5000 - 1645.5000 MHz	20K0G1D	5.00 dBW	OQPSK/DATA
	1530.0000 - 1544.0000 MHz	5K00G1D	0.00 dBW	BPSK/DATA

Points of Communication:

1 - AMSC 1 - (101 W.L.)

1 - INMARSAT 3F4 - (142 W.L.)

1 - INMARSAT 4F2 - (52.75)

1 - MSAT-1 - (106.5 W.L.)

SES-MFS-20080508-00565 E E030120 Amtech Systems LLC

Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Modification filed to add the Inmarsat 3F4 and 4F2 satellites as a regularly authorized permanent or back-up points of communication and to expand the visible range of the satellite arc and make associated changes to the elevation and azimuth angles.

SITE ID: 1

LOCATION: 70,000 half-duplex METs in the United States, VARIOUS

ANTENNA ID:	A4	0.1 meters	Transcore Link Logistics Corporation	MT-3000
	1530.0000 - 1544.0000 MHz		5K00G1D	BPSK/DATA
	1626.5000 - 1645.5000 MHz		20K0G1D	5.00 dBW
				OQPSK/DATA
ANTENNA ID:	A3	0.1 meters	Transcore Link Logistics Corporation	MT-2000
	1626.5000 - 1645.5000 MHz		20K0G1D	5.00 dBW
				OQPSK/DATA
	1530.0000 - 1544.0000 MHz		5K00G1D	BPSK/DATA

Points of Communication:

1 - AMSC 1 - (101 W.L.)

1 - INMARSAT 3F4 - (142 W.L.)

1 - INMARSAT 4F2 - (52.75)

1 - MSAT-1 - (106.5 W.L.)

SES-MOD-20080318-00322 E E000669 TeleCommunication Systems

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

This amendment filed to correct the antenna polarization from "Left Hand Circular" to "Horizontal and Vertical". All of the other technical information remains the same. (See File No. SES-AMD-20080501-00518)

SITE ID: HUB-C

LOCATION: 10211 PIPER LANE, PRINCE WILLIAM, MANASSAS, VA
38 ° 43 ' 49.00 " N LAT. 77 ° 31 ' 49.00 " W LONG.

SITE ID: REMOTE-1B

LOCATION: CONUS (500 UNITS)

ANTENNA ID:	R-1B	1.2 meters	CHANNEL MASTER	123
	14000.0000 - 14500.0000 MHz		405KG7W	49.30 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE

14000.0000 - 14500.0000 MHz	8M00G7W	49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	----------------------------------

11700.0000 - 12200.0000 MHz	30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	----------------------------------

SITE ID: REMOTE-2B
LOCATION: CONUS (500 UNITS)

ANTENNA ID: R-2B	1.8 meters	CHANNEL MASTER	184
------------------	------------	----------------	-----

14000.0000 - 14500.0000 MHz	405KG7W	52.65 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	----------------------------------

14000.0000 - 14500.0000 MHz	8M00G7W	52.60 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	----------------------------------

11700.0000 - 12200.0000 MHz	30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	----------------------------------

SITE ID: REMOTE-3B
LOCATION: CONUS (500 UNITS)

ANTENNA ID: R-3B	2.4 meters	CHANNEL MASTER	244
------------------	------------	----------------	-----

14000.0000 - 14500.0000 MHz	405KG7W	55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	----------------------------------

14000.0000 - 14500.0000 MHz	8M00G7W	55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	----------------------------------

11700.0000 - 12200.0000 MHz	30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	----------------------------------

SITE ID: Manassas Hub-Ku
LOCATION: 10211 Piper Lane, VARIOUS

ANTENNA ID: R-4A	1 meters	AVL TECHNOLOGIES	1010 iSGN
------------------	----------	------------------	-----------

14000.0000 - 14500.0000 MHz	2M04G7W	54.00 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	----------------------------------

11700.0000 - 12200.0000 MHz	30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	----------------------------------

ANTENNA ID: R-5A	2 meters	AVL TECHNOLOGIES	2062
------------------	----------	------------------	------

11700.0000 - 12200.0000 MHz	5M00G7D	QPSK, DATA ONLY
-----------------------------	---------	-----------------

14000.0000 - 14500.0000 MHz	5M00G7D	61.00 dBW	QPSK, DATA ONLY
-----------------------------	---------	-----------	-----------------

SITE ID: Manassas Hub-A
LOCATION: 10211 Piper Lane, Prince William, Manassas, VA
38 ° 43 ' 47.00 " N LAT.

77 ° 31 ' 49.00 " W LONG.

ANTENNA ID:	HUB-A	9.3 meters	VERTEX	9.3 KP
	14000.0000 - 14500.0000 MHz		30M0G7W	85.20 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		405KG7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		8M00G7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
ANTENNA ID:	HUB-C	9.3 meters	VERTEX	9.3 KP
	14000.0000 - 14500.0000 MHz		30M0G7W	85.20 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		405KG7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		8M00G7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
ANTENNA ID:	HUB-B	9.3 meters	VERTEX	9.3 KP
	14000.0000 - 14500.0000 MHz		30M0G7W	85.20 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		405KG7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		8M00G7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
SITE ID:	REMOTE-2A			
LOCATION:	CONUS (500 UNITS)			
ANTENNA ID:	R-2A	1.8 meters	CHANNEL MASTER	184
	14000.0000 - 14500.0000 MHz		405KG7W	52.60 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE
	14000.0000 - 14500.0000 MHz		8M00G7W	52.60 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE
	11700.0000 - 12200.0000 MHz		30M0G7W	
				QPSK, DIGITAL DATA, VIDEO, VOICE
SITE ID:	REMOTE-3A			
LOCATION:	CONUS (500 UNITS)			
ANTENNA ID:	R-3A	2.4 meters	CHANNEL MASTER	244
	14000.0000 - 14500.0000 MHz		405KG7W	55.10 dBW
				QPSK, DIGITAL DATA, VIDEO, VOICE

14000.0000 - 14500.0000 MHz	8M00G7W	55.10 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	-------------------------------------

11700.0000 - 12200.0000 MHz	30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-------------------------------------

SITE ID: REMOTE-1A
LOCATION: CONUS (500 UNITS)

ANTENNA ID: R-1A	1.2 meters	CHANNEL MASTER	123
------------------	------------	----------------	-----

14000.0000 - 14500.0000 MHz	405KG7W	49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	-------------------------------------

14000.0000 - 14500.0000 MHz	8M00G7W	49.30 dBW	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-----------	-------------------------------------

11700.0000 - 12200.0000 MHz	30M0G7W	QPSK, DIGITAL DATA, VIDEO, VOICE
-----------------------------	---------	-------------------------------------

SITE ID: HUB-B
LOCATION: 10211 PIPER LANE, PRINCE WILLIAM, MANASSAS, VA
38 ° 43 ' 47.00 " N LAT. 77 ° 31 ' 49.00 " W LONG.

SITE ID: Manassas Hub-Ku
LOCATION: VARIOUS

Points of Communication:

Manassas Hub-A - ALSAT - (ALSAT)

Manassas Hub-A - ANIK E1 - (118.7 W.L.)

Manassas Hub-A - INTELSAT 605 - (332.5 E.L.)

Manassas Hub-A - SATMEX-5 - (116.8 W.L.)

Manassas Hub-Ku - ALSAT - (ALSAT)

Manassas Hub-Ku - INTELSAT 8 - (89 W.L.)

Manassas Hub-Ku - INTELSAT AMERICAS-6 - (93 W.L.)

Manassas Hub-Ku - INTELSAT AMERICAS-7 - (129 W.L.)

Manassas Hub-Ku - SATMEX-5 - (116.8 W.L.)

SES-MOD-20080502-00526 E E880611 WPXI, Inc.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

"MOD" to modify its earth station license to change to a different antenna and to specify digital only emission type.

SITE ID: 1
LOCATION: 49 OLD HICKORY LANE JOHNSTOWN, CAMBRIA, PA, VARIOUS

ANTENNA ID: 1 1.2 meters AVL 1210K 2-PORT

14000.0000 - 14500.0000 MHz 24M0G7F 61.35 dBW QPSK DIGITAL VIDEO WITH
DIGITAL AUDIO/DATA.

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20080505-00535 E E950490 CBS Corporation

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to replace antenna and to relocate fixed station.

SITE ID: 1
LOCATION: 15555 HAMILTON ST., PHILADELPHIA, PHILADELPHIA, PA
39 ° 57 ' 44.40 " N LAT. 75 ° 9 ' 51.50 " W LONG.

ANTENNA ID: 1 4.5 meters ANDREW CORP. ES45MPJ

3700.0000 - 4200.0000 MHz 36M0F8W ANALOG VIDEO, AUDIO

ANTENNA ID: 2 3.1 meters PATRIOT ANTENNA SYSTEMS PRT-310AZ

3700.0000 - 4200.0000 MHz 36M0F8W ANALOG VIDEO, AUDIO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-T/C-20080505-00534 E E000129 Ascent Media Systems and Technology Services, LLC

Application for Consent to Transfer of Control

Current Licensee: Ascent Media Systems and Technology Services, LLC

FROM: DISCOVERY HOLDING COMPANY

TO: National Service Source, Inc. d/b/a United Service Source, Inc.

No. of Station(s) listed: 186

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.