



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01040

Wednesday June 11, 2008

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20080513-00611 E KA313 Vizada, Inc.

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, Other

Amendment filed in response to the FCC's March 5, 2008, dismissal letter. Vizada corrects the inadvertent error in response to item E48 of Schedule B for both emissions and specifies a lower maximum EIRP per carrier of 52.0 for the 1M43G1 W and 2M35G1 W emissions in the 14.0-14.5 GHz band which is consistent with the 52.0 dBW Total EIRP for all carriers listed in response to item E40 of Schedule B. (See File No. SES-MOD-20080310-00256)

SITE ID: SOUTHBURY

LOCATION: 2120 RIVER RD., NEW HAVEN, SOUTHBURY, CT

41 ° 27 ' 6.30 " N LAT.

73 ° 17 ' 16.40 " W LONG.

ANTENNA ID:	14.2M	14.2 meters	TIW (C-band)	DUAL
6454.4000 - 6456.6000 MHz		1K20G1D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz		600HG1D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz		600HG2D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz		1K20G2D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz		2K40G2D	44.50 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz		10K5G2F	44.50 dBW	DIGITAL CARRIER

6454.4000 - 6456.6000 MHz	2M20G1D	78.00 dBW	DIGITAL CARRIER
6454.4000 - 6456.6000 MHz	2M20G1D	82.30 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	1K20G1D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	600HG1D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	600HG2D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	1K20G2D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	2K40G2D	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	10K5G2F	44.50 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	2M20G1D	78.00 dBW	DIGITAL CARRIER
6425.0000 - 6454.0000 MHz	2M20G1D	82.30 dBW	DIGITAL CARRIER
6425.0000 - 6443.0000 MHz	NON	70.00 dBW	Communications Systems Monitoring & test Signals
6425.0000 - 6443.0000 MHz	600KFXN	70.00 dBW	Communications Systems Monitoring & test Signals
6417.5000 - 6443.0000 MHz	4K00G1D	70.00 dBW	
6417.5000 - 6443.0000 MHz	4K00G3E	70.00 dBW	
6417.5000 - 6443.0000 MHz	6K00G1D	70.00 dBW	
6417.5000 - 6443.0000 MHz	7K50G3E	70.00 dBW	
6417.5000 - 6443.0000 MHz	12K0G1D	70.00 dBW	
6417.5000 - 6443.0000 MHz	12K0G3E	70.00 dBW	
6416.0000 - 6418.0000 MHz	900KF2D	75.00 dBW	TT&C
6170.0000 - 6180.0000 MHz	900KF2D	90.00 dBW	TT&C
5925.0000 - 6425.0000 MHz	36M0F8F	83.50 dBW	ANALOG VIDEO
5925.0000 - 6425.0000 MHz	18M0F8F-	83.50 dBW	ANALOG VIDEO
5925.0000 - 6425.0000 MHz	36M0G7F	88.80 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	4M00G7F-	84.30 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	72M0G7W	88.80 dBW	DIGITAL VOICE, AND DATA

5925.0000 - 6425.0000 MHz	21K9G7W-	61.70 dBW	DIGITAL VOICE, AND DATA
4192.5000 - 4200.0000 MHz	3K00G1D		
4192.5000 - 4200.0000 MHz	4K00G1D		
4192.5000 - 4200.0000 MHz	4K00G3E		
4192.5000 - 4200.0000 MHz	7K50G3E		
4192.5000 - 4200.0000 MHz	12K0G1D		
4192.5000 - 4200.0000 MHz	12K0G3E		
4188.0000 - 4189.0000 MHz	1K00G1D		TT&C
3945.0000 - 3955.0000 MHz	1K00G1D		TT&C
3700.0000 - 4200.0000 MHz	36M0F8F		ANALOG VIDEO
3700.0000 - 4200.0000 MHz	18M0F8F-		ANALOG VIDEO
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	4M00G7F-		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	72M0G7W		DIGITAL VOICE AND DATA
3700.0000 - 4200.0000 MHz	21K9G7W-		DIGITAL VOICE AND DATA
3600.0000 - 3629.0000 MHz	2M20G1D		DIGITAL CARRIER
3600.0000 - 3623.0000 MHz	NON		Communications Systems Monitoring & test Signals
3600.0000 - 3623.0000 MHz	300KFXN		Communications Systems Monitoring & test Signals
3600.0000 - 3623.0000 MHz	3K00G1D		
3600.0000 - 3623.0000 MHz	4K00G1D		
3600.0000 - 3623.0000 MHz	4K00G3E		
3600.0000 - 3623.0000 MHz	7K50G3E		
3600.0000 - 3623.0000 MHz	12K0G1D		
3600.0000 - 3623.0000 MHz	12K0G3E		
1626.5000 - 1660.5000 MHz	24K0F3E	36.00 dBW	ANALOG CARRIER

1626.5000 - 1660.5000 MHz	NON	31.00 dBW	PILOT
1626.5000 - 1660.5000 MHz	2K40G2D	36.00 dBW	DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	1K20G1D	36.00 dBW	DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	600HG1D	36.00 dBW	DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	600HG2D	36.00 dBW	DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	1K20G2D	36.00 dBW	DIGITAL CARRIER
1626.5000 - 1660.5000 MHz	10K5G2F	36.00 dBW	DIGITAL CARRIER
1626.5000 - 1649.5000 MHz	300KFXN	70.00 dBW	Communications Systems Monitoring & test Signals
1574.4000 - 1576.6000 MHz	2K40G2D		DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	1K20G1D		DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	600HG1D		DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	600HG2D		DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	1K20G2D		DIGITAL CARRIER
1574.4000 - 1576.6000 MHz	10K5G2F		DIGITAL CARRIER
1530.0000 - 1548.0000 MHz	600KFXN		Communications Systems Monitoring & test Signals
1530.0000 - 1548.0000 MHz	NON		Communications Systems Monitoring & test Signals
1525.0000 - 1559.0000 MHz	2K40G2D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	1K20G1D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	600HG1D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	600HG2D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	1K20G2D		DIGITAL CARRIER
1525.0000 - 1559.0000 MHz	10K5G2F		DIGITAL CARRIER
ANTENNA ID: 14.2M	14.2 meters	TIW (L-band)	DUAL
ANTENNA ID: 14.2M	14.2 meters	TIW	14.2M
ANTENNA ID: 1.2M	1.2 meters	PRODELIN	1123

14000.0000 - 14500.0000 MHz	36M0G7W	63.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	64K0G7W	41.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	169KG7W	55.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	1M62G7W	55.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	64K0G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE 2
LOCATION: CONUS 1,000 (1.8M ANTENNAS)

ANTENNA ID:	1.8M	1.8 meters	ANDREW	183
14000.0000 - 14500.0000 MHz	169KG7W	58.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA	
14000.0000 - 14500.0000 MHz	1M62G7W	58.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA	
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA	
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA	

SITE ID: REMOTE 1
LOCATION: CONUS 1,000 (1.2M ANTENNAS)

ANTENNA ID:	1.2M	1.2 meters	ANDREW	123/124
-------------	------	------------	--------	---------

SITE ID: REMOTE 3 (2.4M)
LOCATION: CONUS 500 (2.4M ANTENNAS)

ANTENNA ID:	2.4M	2.4 meters	ANDREW	243
14000.0000 - 14500.0000 MHz	169KG7W	61.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA	
14000.0000 - 14500.0000 MHz	1M62G7W	61.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA	
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA	
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA	

SITE ID: REMOTE .75 M
LOCATION: CONUS 100 (.75 meter antennas)

ANTENNA ID:	.75M	0.75 meters	VISIOSAT	VISIOSAT 75
-------------	------	-------------	----------	-------------

14000.0000 - 14500.0000 MHz	1M52G7W	49.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	342KG7W	43.00 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE .90 M
LOCATION: CONUS (250 .90 meter antennas)

ANTENNA ID: .90M	0.9 meters	VISIOSAT	VISIOSAT 90
14000.0000 - 14500.0000 MHz	1M52G7W	50.60 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	342KG7W	44.10 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE .96 M
LOCATION: CONUS (500 .96 meter antennas)

ANTENNA ID: .96M	0.96 meters	ANDREW	TYPE 960
14000.0000 - 14500.0000 MHz	1M52G7W	51.70 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	342KG7W	45.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	3M00G7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: HUB 6.1 M
LOCATION: 2120 River Road, New Haven, Southbury, CT
41 ° 27 ' 6.30 " N LAT. 73 ° 17 ' 16.40 " W LONG.

ANTENNA ID: 6.1M	6.1 meters	VERTEX	KPK
14000.0000 - 14500.0000 MHz	36M0F8W	80.14 dBW	ANALOG VIDEO
14000.0000 - 14500.0000 MHz	100KG7W	57.07 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	20M0G7W	80.08 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	2M29G7W	70.67 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	32K0G7W	52.13 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	36M0G7W	76.93 dBW	QPSK, DIGITAL DATA

14000.0000 - 14500.0000 MHz	43K8G7W	53.49 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	45K0G7W	53.61 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	76K8G7W	55.93 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	9K00G7W	46.62 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	36M0G7W	71.70 dBW	QPSK, DIGITAL TELEPHONY
14000.0000 - 14500.0000 MHz	1M60G1F	69.12 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
14000.0000 - 14500.0000 MHz	200KG1F	60.08 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
14000.0000 - 14500.0000 MHz	400KG1F	63.10 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
14000.0000 - 14500.0000 MHz	800KG1F	66.11 dBW	PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
11700.0000 - 12200.0000 MHz	36M0F8W		ANALOG VIDEO
11700.0000 - 12200.0000 MHz	100KG7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	20M0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	2M29G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	32K0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	36M0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	43K8G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	45K0G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	76K8G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	9K00G7W		QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	36M0G7W		QPSK, DIGITAL TELEPHONY
11700.0000 - 12200.0000 MHz	1M60G1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
11700.0000 - 12200.0000 MHz	200KG1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
11700.0000 - 12200.0000 MHz	400KG1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO

11700.0000 - 12200.0000 MHz		800KG1F		PSK DIGITAL VIDEO WITH ASSOCIATED DIGITAL AUDIO
SITE ID:	REMOTES- ESV			
LOCATION:	Operate up to 550 remotes, Various			
ANTENNA ID:	4003A	1 meters	SEATEL	4003A
14000.0000 - 14500.0000 MHz		44K8G1W	34.40 dBW	SPCP USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		538KG1W	45.20 dBW	SPCP USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		89K6G1W	37.40 dBW	SPCP USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		227KG7W	41.50 dBW	TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		340KG7W	43.20 dBW	TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		378KG7W	43.60 dBW	TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		454KG7W	44.50 dBW	TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		908KG7W	45.80 dBW	TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		1M40G7W	45.80 dBW	DVB/MFTDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		316KG7W	42.80 dBW	DVB/MFTDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		607KG7W	45.70 dBW	DVB/MFTDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz		378KG7W	43.60 dBW	TDM/TDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz		151KG7W		TDM/TDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz		44K8G1W		SPCP USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz		717KG1W		SPCP USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz		89K6G1W		SPCP USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	54M0G7W			TDM/TDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	2M60G7W			DVB/MFTDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DVB/MFTDMA USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			SPCP USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	717KG1W			SPCP USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	89K6G1W			SPCP USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			TDM/TDMA USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	151KG7W			TDM/TDMA USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	2M60G7W			DVB/MFTDMA USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DVB/MFTDMA USING QPSK AND BPSK MODULATION
ANTENNA ID: 4006	1 meters	SEATEL		4006
14000.0000 - 14500.0000 MHz	44K8G1W	34.40 dBW		SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	717KG1W	46.40 dBW		SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	89K6G1W	37.40 dBW		SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	227KG7W	41.50 dBW		TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	340KG7W	43.20 dBW		TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	378KG7W	43.60 dBW		TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	454KG7W	44.50 dBW		TDM/TDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	908KG7W	47.40 dBW		TDM/TDMA USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	1M40G7W	47.40 dBW	DVB/MFTDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	316KG7W	42.80 dBW	DVB/MFTDMA USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	607KG7W	45.70 dBW	DVB/MFTDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	151KG7W		TDM/TDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		TDM/TDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	2M60G7W		DVB/MFTDMA USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DVB/MFTDMA USING QPSK AND BPSK MODULATION
11450.0000 - 11200.0000 MHz	44K8G1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 11200.0000 MHz	717KG1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 11200.0000 MHz	89K6G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	717KG1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	89K6G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	151KG7W		TDM/TDMA USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	2M60G7W		DVB/MFTDMA USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DVB/MFTDMA USING QPSK AND BPSK MODULATION
ANTENNA ID: 4996T	1.2 meters	SEATEL	4996T
14000.0000 - 14500.0000 MHz	1M43G1W	51.10 dBW	SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	36.10 dBW	SCPC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	717KG1W	48.10 dBW	SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	89K6G1W	39.10 dBW	SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	1M43G1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	717KG1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	89K6G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	1M43G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	717KG1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	89K6G1W		SCPC USING QPSK AND BPSK MODULATION
SITE ID: Ku-band Remotes ESV			
LOCATION: 400 (1.5 meters), CONUS			
ANTENNA ID: 6006	1.5 meters	SEATEL	6006
14000.0000 - 14500.0000 MHz	44K8G1W	40.00 dBW	SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	717KG1W	52.00 dBW	SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	89K6G1W	43.00 dBW	SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	151KG7W	45.30 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	194KG7W	46.40 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	291KG7W	48.10 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	388KG7W	49.10 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS

14000.0000 - 14500.0000 MHz	445KG7W	49.10 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	452KG7W	49.10 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	81K0G7W	42.50 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	97K0G7W	43.40 dBW	SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
11450.0000 - 12200.0000 MHz	717KG1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	89K6G1W		SCPC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
11450.0000 - 12200.0000 MHz	81K0G7W		SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
11450.0000 - 1200.0000 MHz	44K8G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	717KG1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	89K6G1W		SCPC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
10950.0000 - 11200.0000 MHz	81K0G7W		SCPC AND TDM/TDMA USING QPSK AND BPSK MODULATIONS
14000.0000 - 14500.0000 MHz	1M43G1W	52.00 dBW	SCPC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M35G1W	52.00 dBW	SCPC USING QPSK AND BPSK MODULATION

Points of Communication:

HUB 6.1 M - ALSAT - (ALSAT)

Ku-band Remotes ESV - ALSAT - (ALSAT)

Ku-band Remotes ESV - GALAXY 10R - (123 W.L.)

Ku-band Remotes ESV - INTELSAT 705 - (50 W.L.)

REMOTE .75 M - NSS-7 - (338.5 E.L.)

REMOTE .90 M - NSS-7 - (338.5 E.L.)

REMOTE .96 M - NSS-7 - (338.5 E.L.)

REMOTE 1 - ALSAT - (ALSAT)

REMOTE 2 - ALSAT - (ALSAT)

REMOTE 3 (2.4M) - ALSAT - (ALSAT)

REMOTES- ESV - ALSAT - (ALSAT)

REMOTES- ESV - GALAXY 10R - (123 W.L.)

REMOTES- ESV - INTELSAT 705 - (50 W.L.)

SOUTHBURY - ALSAT - (ALSAT)

SOUTHBURY - INMARSAT Ltd-3 - (178 E.L.)

SOUTHBURY - INMARSAT Ltd-3 - (178 E.L.)

SOUTHBURY - INMARSAT-2 AOR-EAST - (17 W.L.)

SOUTHBURY - INMARSAT-2 AOR-WEST - (98 W.L.)

SOUTHBURY - MARISAT-F2 - (33.9 W.L.)

SES-LIC-20080607-00716 E E080138 CapRock Communications, Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: BHP Shenzi

LOCATION: Gulf of Mexico

27 ° 18 ' 2.20 " N LAT.

90 ° 8 ' 6.00 " W LONG.

ANTENNA ID: Ant 1 2.4 meters Seatel 9797

3700.0000 - 4200.0000 MHz 1M76G7W 0.00 dBW Digital

5925.0000 - 6425.0000 MHz 1M76G7W 49.00 dBW Digital

Points of Communication:

BHP Shenzi - SATMEX 6 - (113 W.L.)

BHP Shenzi - SATMEX-5 - (116.8 W.L.)

SES-LIC-20080607-00717 E E080139 Shell Communications, Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Shell Perdido

LOCATION: Gulf of Mexico

26 ° 7 ' 44.00 " N LAT.

94 ° 53 ' 52.50 " W LONG.

ANTENNA ID: Seatel9797 2.4 meters Seatel 9797

3700.0000 - 4200.0000 MHz 3M47G7W 0.00 dBW Digital

5925.0000 - 6425.0000 MHz 3M47G7W 55.93 dBW Digital

Points of Communication:

Shell Perdido - SATMEX-5 - (116.8 W.L.)

SES-MOD-20080531-00695 E E980383 Middle Tennessee State University

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 1400 GREENLAND, RUTHERFORD, MURFREESBORO, TN

35 ° 51 ' 0.20 " N LAT.

86 ° 21 ' 42.00 " W LONG.

ANTENNA ID: 1 3.8 meters PRODELIN CORPORATION 1383

5925.0000 - 6425.0000 MHz 36M0G7W 62.20 dBW DIGITAL VIDEO, AUDIO, AND DATA

5925.0000 - 6425.0000 MHz 2M35G7W- 59.20 dBW DIGITAL VIDEO, AUDIO, AND DATA

3700.0000 - 4200.0000 MHz 36M0G7W DIGITAL VIDEO, AUDIO, AND DATA

3700.0000 - 4200.0000 MHz 2M35G7W- DIGITAL VIDEO, AUDIO, AND DATA

ANTENNA ID: 2 4.5 meters ANDREW CORPORATION ESA45

5925.0000 - 6425.0000 MHz 36M0G7W 66.60 dBW DIGITAL VIDEO, AUDIO, AND DATA

5925.0000 - 6425.0000 MHz 2M35G7W- 59.60 dBW DIGITAL VIDEO, AUDIO, AND DATA

3700.0000 - 4200.0000 MHz 36M0G7W DIGITAL VIDEO, AUDIO, AND DATA

3700.0000 - 4200.0000 MHz 2M35G7W- DIGITAL VIDEO, AUDIO, AND DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20080603-00698 E E030197 SWE-DISH Satellite Systems, Inc.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SWE-DISH Satellite Systems, Inc. seeks authority to add ten new 0.66 meter antennas, model Suitcase CCT90, for which the applicant indicates that the antennas satisfy the antenna performance standards in Section 25.209(a) and (b) of the Commission's rules. Applicant submits antenna patterns.

SITE ID: 1

LOCATION: SWE-DISH IPT TITLE 111, VARIOUS

ANTENNA ID:	S1	0.66 meters	SWE-DISH	XC90-66K
	14000.0000 - 14500.0000 MHz	2M04G7W	49.40 dBW	DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
	14000.0000 - 14500.0000 MHz	2M04G7W	49.40 dBW	COMPRESSED DIGITAL DATA AND VIDEO
	14000.0000 - 14500.0000 MHz	16M0G7W	49.40 dBW	VARIOUS
	11700.0000 - 12200.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
	11700.0000 - 12200.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
	11700.0000 - 12200.0000 MHz	16M0G7W		VARIOUS
	11450.0000 - 11700.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
	11450.0000 - 11700.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
	11450.0000 - 11700.0000 MHz	16M0G7W		VARIOUS
	10950.0000 - 12750.0000 MHz	16M0G7W		VARIOUS
	10950.0000 - 11200.0000 MHz	2M04G7W		DIGITAL, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
	10950.0000 - 11200.0000 MHz	2M04G7W		COMPRESSED DIGITAL DATA AND VIDEO
ANTENNA ID:	S2-4	0.66 meters	SWE-DISH	XC90-66K
	14000.0000 - 14500.0000 MHz	2M04G7W	49.40 dBW	DIGITAL, VARIOUS FEC DATA RATES
	14000.0000 - 14500.0000 MHz	2M04G7W	49.40 dBW	COMPRESSED DIGITAL DATA AND VIDEO
	14000.0000 - 14500.0000 MHz	16M0G7W	49.40 dBW	VARIOUS

11700.0000 - 12200.0000 MHz	2M04G7W	DIGITAL, VARIOUS FEC DATA RATES
11700.0000 - 12200.0000 MHz	2M04G7W	COMPRESSED DIGITAL DATA AND VIDEO
11700.0000 - 12200.0000 MHz	16M0G7W	VARIOUS
11450.0000 - 11700.0000 MHz	2M04G7W	DIGITAL, VARIOUS FEC DATA RATES
11450.0000 - 11700.0000 MHz	2M04G7W	COMPRESSED DIGITAL DATA AND VIDEO
11450.0000 - 11700.0000 MHz	16M0G7W	VARIOUS
10950.0000 - 12750.0000 MHz	16M0G7W	VARIOUS
10950.0000 - 11200.0000 MHz	2M04G7W	DIGITAL, VARIOUS FEC DATA RATES
10950.0000 - 11200.0000 MHz	2M04G7W	COMPRESSED DIGITAL DATA AND VIDEO

SITE ID: CCT90
LOCATION: VARIOUS

ANTENNA ID: CCT90 1-10	0.66 meters	SWE-DISH	SUITCASE CCT90
10950.0000 - 12750.0000 MHz	16M04G7W	VARIOUS	
11450.0000 - 11700.0000 MHz	16M04G7W	VARIOUS	
11700.0000 - 12200.0000 MHz	16M04G7W	VARIOUS	
14000.0000 - 14500.0000 MHz	16M04G7W	54.10 dBW	VARIOUS

Points of Communication:

- 1 - AMC-3 - (87 W.L.)
- 1 - AMC-4 (formerl GE-4 - (101 W.L.)
- 1 - AMC-5 (formerl GE-5 - (79 W.L.)
- 1 - AMC-6 - (72 W.L.)
- 1 - AMSC 1 - (103 W.L.)
- 1 - GALAXY 10R - (123 W.L.)
- 1 - GALAXY III-C - (95 W.L.)
- 1 - GALAXY XI - (91 W.L.)
- 1 - HORIZONS 1 - (127 DEG WL)

1 - IA-8 - (89 W.L.)

1 - PAS-1R - (45.0 W.L.)

1 - SBS-6 - (74 DEG. WL)

1 - TELSTAR 11 - (37.5 W.L.)

1 - TELSTAR 6 - (93 W.L.)

CCT90 - AMC 1 - (103 W.L.)

CCT90 - AMC-3 - (87 W.L.)

CCT90 - AMC-4 (formerl GE-4 - (101 W.L.)

CCT90 - AMC-5 (formerl GE-5 - (79 W.L.)

CCT90 - AMC-6 - (72 W.L.)

CCT90 - GALAXY 10R - (123 W.L.)

CCT90 - GALAXY III-C - (95 W.L.)

CCT90 - GALAXY XI - (91 W.L.)

CCT90 - HORIZONS 1 - (127 DEG WL)

CCT90 - INTELSAT 8 - (89 W.L.)

CCT90 - PAS-1R - (45.0 W.L.)

CCT90 - SBS-6 - (74 DEG. WL)

CCT90 - TELSTAR 11 - (37.5 W.L.)

CCT90 - TELSTAR 6 - (93 W.L.)

SES-MOD-20080604-00701 E E960401 GCI Communication Corp.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: POINT LAY, AK
69 ° 44 ' 28.00 " N LAT.

163 ° 0 ' 33.00 " W LONG.

ANTENNA ID:	1	3.6 meters	VIASAT	8136
	5925.0000 - 6425.0000 MHz	6K72D7W	45.15 dBW	AMPLITUDE AND ANGLE MODULATED VOICE, VIDEO AND DATA SERVICE
	5925.0000 - 6425.0000 MHz	36M0D7W	68.61 dBW	AMPLITUDE AND ANGLE MODULATED VOICE, VIDEO AND DATA SERVICES

5925.0000 - 6425.0000 MHz	6K72G7W	45.15 dBW	PHASE MODULATED VOICE, VIDEO AND DATA SERVICES
5925.0000 - 6425.0000 MHz	36M0G7W	68.61 dBW	PHASE MODULATED VOICE, VIDEO AND DATA SERVICES
3700.0000 - 4200.0000 MHz	6K72D7W		AMPLITUDE AND ANGLE MODULATED VOICE, VIDEO AND DATA SERVICE
3700.0000 - 4200.0000 MHz	36M0D7W		AMPLITUDE AND ANGLE MODULATED VOICE, VIDEO AND DATA SERVICE
3700.0000 - 4200.0000 MHz	6K72G7W		PHASE MODULATED VOICE, VIDEO AND DATA SERVICES
3700.0000 - 4200.0000 MHz	36M0G7W		PHASE MODULATED VOICE, VIDEO AND DATA SERVICES

Points of Communication:

1 - ALSAT - (ALSAT)

SES-REG-20080605-00705 E E080134 Southwest Arkansas Telephone Cooperative Inc

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Fouke

LOCATION: 107 E. Main Street, Miller, Fouke, AR

33 ° 15 ' 39.90 " N LAT.

93 ° 53 ' 6.00 " W LONG.

ANTENNA ID: A1 5 meters Antenna Tech. Corp. Simulsat

3700.0000 - 4200.0000 MHz 36M0F8W Analog Video with Associated Audio Subcarriers

3700.0000 - 4200.0000 MHz 36M0G7W Digital Video and Audio

Points of Communication:

Fouke - ALSAT - (ALSAT)

SES-STA-20080605-00709 E E040267 Newcom International, Inc.

Special Temporary Authority

Class of Station:

Newcom International, Inc. requests an extension of 180 days to continue to operate its 3.7 meter C-band antenna on Express 3A satellite.

Points of Communication:

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.