



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or ftp.fcc.gov)
TTY (202) 418-2555

Report No. SES-01042

Wednesday June 18, 2008

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-ASG-20080506-00550 E KA407 TowerStream Corp
Application for Consent to Assignment
Current Licensee: AMERICATEL CORPORATION
FROM: AMERICATEL CORPORATION
TO: TowerStream Corp

No. of Station(s) listed: 2

SES-ASG-20080509-00574 E E980499 Fox Television Stations, Inc.
Application for Consent to Assignment
Current Licensee: Fox Television Stations, Inc.
FROM: FOX TELEVISION STATIONS INC.
TO: FoxCo Acquisition Sub, LLC

No. of Station(s) listed: 1

SES-LIC-20080606-00714 E E080137 Guardian Enterprise Group, Inc.
Application for Authority
Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1
LOCATION: 3948 Townsfair Way, Frankltn, Columbus, OH
40 ° 2 ' 56.70 " N LAT. 82 ° 54 ' 56.90 " W LONG.

ANTENNA ID:	1	3.8 meters	General Dynamics	1383
	5927.0000 - 5983.0000 MHz		9M00G7W 65.70 dBW	Digital Video
	6007.0000 - 6043.0000 MHz		9M00G7W 65.70 dBW	Digital Video

6047.0000 - 6083.0000 MHz	9M00G7W	65.70 dBW	Digital Video
6167.0000 - 6243.0000 MHz	9M00G7W	65.70 dBW	Digital Video
6267.0000 - 6383.0000 MHz	9M00G7W	65.70 dBW	Digital Video
3700.0000 - 4200.0000 MHz	9M00G7W		Digital Video

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080610-00738 E E080140 Fox Television Stations, Inc.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: TRUCK 9, VARIOUS

ANTENNA ID: 1	1.2 meters	AVL Technologies	1200K DSNG
14000.0000 - 14500.0000 MHz	20M0G7W	65.50 dBW	DIGITAL CARRIER FOR VIDEO/VOICE/DATA.
11700.0000 - 12200.0000 MHz	20M0G7W		DIGITAL CARRIER FOR VIDEO/VOICE/DATA.

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080612-00751 E E080143 ASCENT MEDIA SYSTEMS AND TECHNOLOGY SERVICES, LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 918 FRONTAGE ROAD, HORRY, MYRTLE BEACH, SC
33 ° 42 ' 44.00 " N LAT. 78 ° 54 ' 11.00 " W LONG.

ANTENNA ID: 1	5.6 meters	ANDREW	ES56-1
14000.0000 - 14500.0000 MHz	36M0G7W	78.80 dBW	PSK, COMPRESSED VIDEO AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		PSK, COMPRESSED VIDEO AND DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20080613-00772 E E872070 Saga Radio Networks, LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Lansing

LOCATION: 600 W. Cavanaugh, Ingham, Lansing, MI

42 ° 41 ' 26.50 " N LAT.

84 ° 33 ' 36.00 " W LONG.

ANTENNA ID:	AI	4.1 meters	Comtech Antenna Systems, Inc.	OFFSAT	
	3700.0000 - 4200.0000 MHz		154KG7W	128 KB Digital Coded SCPC Voice	
	5925.0000 - 6425.0000 MHz		154KG7W	55.85 dBW	128 KB Digital Coded SCPC Voice
	3700.0000 - 4200.0000 MHz		230KG7W	256 KB Digital Coded SCPC Voice	
	5925.0000 - 6425.0000 MHz		230KG7W	55.85 dBW	256 KB Digital Coded SCPC Voice

Points of Communication:

Lansing - ALSAT - (ALSAT)

SES-LIC-20080616-00780 E E080144 Nippon Television Network Corporation

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: Remote

LOCATION: Various -- portable

ANTENNA ID:	SD	0.8 meters	Swe-Dish	XC90-66K	
	14000.0000 - 14500.0000 MHz		5M00G7W	49.40 dBW	Digital, various FEC, various data rates

Points of Communication:

Remote - SUPERBIRD B2 - (162 W.L.)

Remote - SUPERBIRD C - (144 E.L.)

SES-MFS-20080616-00785 E E000156 Honeywell International

Modification

Class of Station: Mobile Earth Station

Nature of Service: Domestic Aeronautical Mobile-Satellite Service, International Aeronautical Mobile-Satellite Serv., Mobile Satellite Service

Modification filed to add Inmarsat 4F2 as a point of communication.

SITE ID: 1

LOCATION: Up to 500 SCS-1000 Minin-M Aero SATCOM Full-Duplex METs on U.S. Aircrafts

ANTENNA ID:	A	0.085 meters	OMNIPLESS	677-A0002
	1626.5000 - 1646.5000 MHz	20K0G1W	16.00 dBW	BPSK, DATA TELEPHONY & FACSIMILE
	1626.5000 - 1646.5000 MHz	7K68G1W	16.00 dBW	O-QPSK, DATA TELEPHONY & FACSIMILE
	1525.0000 - 1545.0000 MHz	28K5G1W		BPSK, DATA TELEPHONY & FACSIMILE
	1525.0000 - 1545.0000 MHz	7K68G1W		O-QPSK, DATA TELEPHONY & FACSIMILE

Points of Communication:

- 1 - INMARSAT 4F2 - (52.75)
- 1 - INMARSAT Ltd-3 - (15.5 W.L.)
- 1 - INMARSAT Ltd-3 - (178 E.L.)
- 1 - INMARSAT Ltd-3 - (54 W.L.)

SES-MOD-20080611-00755 E KB34 Vizada, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Mobile Satellite Service

Modification filed to add emission designators and increase EIRP and EIRP densities.

SITE ID: SANTA PAULA

LOCATION: 7676 PINE GROVE ROAD, VENTURA, SANTA PAULA, CA

34 ° 24 ' 5.00 " N LAT.

119 ° 4 ' 29.40 " W LONG.

ANTENNA ID:	12.8M	12.8 meters	PHILCO-FORD	
	5925.0000 - 6425.0000 MHz	36M0F8F	82.50 dBW	ANALOG VIDEO
	5925.0000 - 6425.0000 MHz	18M0F8F-	82.50 dBW	ANALOG VIDEO
	5925.0000 - 6425.0000 MHz	36M0G7F	87.80 dBW	DIGITAL VIDEO
	5925.0000 - 6425.0000 MHz	4M00G7F-	83.30 dBW	DIGITAL VIDEO
	5925.0000 - 6425.0000 MHz	72M0G7W	87.80 dBW	DIGITAL VOICE, AND DATA
	5925.0000 - 6425.0000 MHz	21K9G7W-	60.70 dBW	DIGITAL VOICE, AND DATA
	3700.0000 - 4200.0000 MHz	36M0F8F		ANALOG VIDEO
	3700.0000 - 4200.0000 MHz	18M0F8F-		ANALOG VIDEO

3700.0000 - 4200.0000 MHz	36M0G7F			DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	4M00G7F-			DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	72M0G7W			DIGITAL VOICE, AND DATA
3700.0000 - 4200.0000 MHz	21K9G7W-			DIGITAL VOICE, AND DATA
ANTENNA ID: 12.8M	12.8 meters	PHILCO-FORD		42 FT.
6454.4000 - 6456.6000 MHz				
6443.0000 - 6454.0000 MHz				
6440.0000 - 6443.0000 MHz	600HG1D	70.00 dBW		AERO
6440.0000 - 6443.0000 MHz	1K20G1D	70.00 dBW		AERO
6440.0000 - 6443.0000 MHz	2K40G1D	70.00 dBW		AERO
6440.0000 - 6443.0000 MHz	10K5G1E	70.00 dBW		AERO
6425.0000 - 6443.0000 MHz	NON	70.00 dBW		Communications System Monitoring (CSM)
6425.0000 - 6443.0000 MHz	600KFXN	70.00 dBW		CSM
6425.0000 - 6440.0000 MHz	NON	77.00 dBW		PILOT
6425.0000 - 6440.0000 MHz	30K0F3E	77.00 dBW		
6425.0000 - 6440.0000 MHz	600HG1D	77.00 dBW		
6425.0000 - 6440.0000 MHz	1K20G1D	77.00 dBW		
6420.0000 - 6424.0000 MHz	24K0F3E	67.00 dBW		
6420.0000 - 6424.0000 MHz	2K50G1D	68.00 dBW		
6420.0000 - 6424.0000 MHz	24K0G1D	65.00 dBW		
6420.0000 - 6424.0000 MHz	24K0F3E	77.00 dBW		AFRTS audio program channel services vis satellite at 176.5 degrees East
6417.0000 - 6443.0000 MHz	4K00G3E	77.00 dBW		
6417.0000 - 6443.0000 MHz	4K00G1D	77.00 dBW		
6417.0000 - 6443.0000 MHz	6K00G1D	77.00 dBW		
6417.0000 - 6443.0000 MHz	7K50G3E	77.00 dBW		

6417.0000 - 6443.0000 MHz	12K0G3E	77.00 dBW	
6417.0000 - 6443.0000 MHz	12K0G1D	77.00 dBW	
6416.0000 - 6418.0000 MHz	600KFXN	75.00 dBW	TT&C / MARECS
6416.0000 - 6418.0000 MHz	900KF2D	75.00 dBW	TT&C / MARECS
6174.6000 - 6175.4000 MHz	800KFXD	85.00 dBW	
6170.0000 - 6180.0000 MHz	900KF2D	89.00 dBW	TT&C / INMARSAT II
5927.0000 - 5927.0000 MHz	800KFXD	85.00 dBW	
5925.0000 - 6425.0000 MHz	34M0FXN	85.00 dBW	
4195.0000 - 4199.0000 MHz	24K0F3E		
4195.0000 - 4199.0000 MHz	2K50G1D		
4195.0000 - 4199.0000 MHz	24K0G1D		
4192.5000 - 4200.0000 MHz	3K00G1D		
4192.5000 - 4200.0000 MHz	4K00G1D		
4192.5000 - 4200.0000 MHz	4K00G3E		
4192.5000 - 4200.0000 MHz	7K50G3E		
4192.5000 - 4200.0000 MHz	12K0G1D		
4192.5000 - 4200.0000 MHz	12K0G3E		
4192.5000 - 4200.0000 MHz	NON		PILOT
4192.5000 - 4200.0000 MHz	600HG1D		
4192.5000 - 4200.0000 MHz	1K20G1D		
4192.5000 - 4200.0000 MHz	4K80G1D		
4188.0000 - 4189.0000 MHz	1K00G1D		TT&C / MARECS
3954.5000 - 3954.5000 MHz	1K00G1D		
3954.5000 - 3954.5000 MHz	14K5F2D		
3945.5000 - 3945.5000 MHz	1K00G1D		
3945.5000 - 3945.5000 MHz	1K00G1D		

3945.5000 - 3945.5000 MHz	14K5F2D		
3945.0000 - 3955.0000 MHz	1K00G1D		TT&C / INMARSAT II
3700.5000 - 3700.5000 MHz	1K00G1D		
3620.0000 - 3623.0000 MHz	600HG1D		AERO
3620.0000 - 3623.0000 MHz	1K20G1D		AERO
3620.0000 - 3623.0000 MHz	2K40G1D		AERO
3620.0000 - 3623.0000 MHz	10K5G1E		AERO
3600.0000 - 3629.0000 MHz			
3600.0000 - 3623.0000 MHz	NON		CSM
3600.0000 - 3623.0000 MHz	300KFXN		CSM
3600.0000 - 3623.0000 MHz	3K00G1D		
3600.0000 - 3623.0000 MHz	4K00G1D		
3600.0000 - 3623.0000 MHz	4K00G3E		
3600.0000 - 3623.0000 MHz	7K50G3E		
3600.0000 - 3623.0000 MHz	12K0G1D		
3600.0000 - 3623.0000 MHz	12K0G3E		
3600.0000 - 3620.0000 MHz	NON		PILOT
3600.0000 - 3620.0000 MHz	600HG1D		
3600.0000 - 3620.0000 MHz	4K80G1D		
3600.0000 - 3620.0000 MHz	30K0F3E		
1646.5000 - 1649.5000 MHz	600HG1D	15.00 dBW	AERO
1646.5000 - 1649.5000 MHz	1K20G1D	18.00 dBW	AERO
1646.5000 - 1649.5000 MHz	2K40G1D	21.00 dBW	AERO
1646.5000 - 1649.5000 MHz	10K5G1E	27.00 dBW	AERO
1638.5000 - 1642.5000 MHz	NON	37.00 dBW	
1626.5000 - 1660.5000 MHz			

1626.5000 - 1649.5000 MHz	300KFXN	62.00 dBW	CSM
1626.5000 - 1649.5000 MHz	NON	62.00 dBW	PILOT
1626.5000 - 1646.5000 MHz	NON	37.00 dBW	PILOT
1626.5000 - 1646.5000 MHz	600HG1D	16.00 dBW	CSM
1626.5000 - 1646.5000 MHz	1K20G1D	16.00 dBW	CSM
1626.5000 - 1646.5000 MHz	4K80G1D	37.00 dBW	CSM
1626.5000 - 1646.5000 MHz	30K0F3E	37.00 dBW	CSM
1574.4000 - 1576.6000 MHz			
1545.0000 - 1548.0000 MHz	600HG1D		AERO
1545.0000 - 1548.0000 MHz	1K20G1D		AERO
1545.0000 - 1548.0000 MHz	2K40G1D		AERO
1545.0000 - 1548.0000 MHz	10K5G1E		AERO
1541.5000 - 1541.5000 MHz	NON		
1530.0000 - 1548.0000 MHz	NON		CSM
1530.0000 - 1548.0000 MHz	600KFXN		CSM
1530.0000 - 1545.0000 MHz	NON		PILOT
1530.0000 - 1545.0000 MHz	600HG1D		CSM
1530.0000 - 1545.0000 MHz	1K20G1D		CSM
1530.0000 - 1545.0000 MHz	30K0F3E		CSM
1525.0000 - 1559.0000 MHz			
ANTENNA ID: 10.4M	10.4 meters	NEC	34 FT.
6420.0000 - 6424.0000 MHz	24K0F3E	67.00 dBW	
6420.0000 - 6424.0000 MHz	2K50G1D	68.00 dBW	
6420.0000 - 6424.0000 MHz	24K0G1D	65.00 dBW	
6174.6000 - 6175.4000 MHz	800KFXD	85.00 dBW	
5927.0000 - 5927.0000 MHz	800KFXD	85.00 dBW	

5925.0000 - 6425.0000 MHz	34M0FXN	85.00 dBW	
5925.0000 - 6425.0000 MHz	36M0F8F	80.00 dBW	ANALOG VIDEO
5925.0000 - 6425.0000 MHz	18M0F8F-	80.00 dBW	ANALOG VIDEO
5925.0000 - 6425.0000 MHz	36M0G7F	85.30 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	4M00G7F-	80.80 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	72M0G7W	85.30 dBW	DIGITAL VOICE, AND DATA
5925.0000 - 6425.0000 MHz	21K9G7W-	58.20 dBW	DIGITAL VOICE, AND DATA
4195.0000 - 4199.0000 MHz	24K0F3E		
4195.0000 - 4199.0000 MHz	2K50G1D		
4195.0000 - 4199.0000 MHz	24K0G1D		
3954.5000 - 3954.5000 MHz	1K00G1D		
3954.5000 - 3954.5000 MHz	14K5F2D		
3945.5000 - 3945.5000 MHz	1K00G1D		
3945.5000 - 3945.5000 MHz	1K00G1D		
3945.5000 - 3945.5000 MHz	14K5F2D		
3700.5000 - 3700.5000 MHz	1K00G1D		
3700.0000 - 4200.0000 MHz	36M0F8F		ANALOG VIDEO
3700.0000 - 4200.0000 MHz	18M0F8F-		ANALOG VIDEO
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	4M00G7F-		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	72M0G7W		DIGITAL VOICE, AND DATA
3700.0000 - 4200.0000 MHz	21K9G7W-		DIGITAL VOICE, AND DATA
1638.5000 - 1642.5000 MHz	NON	37.00 dBW	
1541.5000 - 1541.5000 MHz	NON		

ANTENNA ID: 12.8M 12.8 meters PHILCO-FORD 42 FT

ANTENNA ID: SAPA 13 10.4 meters NEC 34 FT

6425.0000 - 6454.0000 MHz	100KG1X	61.80 dBW	O-QPSK, 64 KBPS DATA
6425.0000 - 6454.0000 MHz	1K65G1D	52.30 dBW	DIFFERENTIAL GPS DATA
6425.0000 - 6454.0000 MHz	20K0G1E	58.60 dBW	O-QPSK, VOICE TELEPHONY
6425.0000 - 6454.0000 MHz	10K0G1X	51.60 dBW	BPSK, 9.6 KBPS FAX AND DATA
3600.0000 - 3629.0000 MHz	100KG1X		O-QPSK, 64 KBPS DATA
3600.0000 - 3629.0000 MHz	20K0G1E		O-QPSK, VOICE TELEPHONY
3600.0000 - 3629.0000 MHz	20K0G1X		BPSK, 9.6 KBPS FAX AND DATA
3600.0000 - 3629.0000 MHz	100KG1X		DIGITAL DATA
3600.0000 - 3629.0000 MHz	10K0G1W		DIGITAL DATA
3600.0000 - 3629.0000 MHz	17K5G1D		DIGITAL DATA
3600.0000 - 3629.0000 MHz	20K0G1E		DIGITAL DATA
3600.0000 - 3629.0000 MHz	20K0G1X		DIGITAL DATA
3600.0000 - 3629.0000 MHz	2K50F1D		DIGITAL DATA
3600.0000 - 3629.0000 MHz	2K50G1D		DIGITAL DATA
3600.0000 - 3629.0000 MHz	45K0G7D		DIGITAL DATA
3600.0000 - 3629.0000 MHz	5K00G1D		DIGITAL DATA
3600.0000 - 3629.0000 MHz	5K00G1E		DIGITAL DATA
3600.0000 - 3629.0000 MHz	5K00G1W		DIGITAL DATA
3600.0000 - 3629.0000 MHz	60K0D1W		DIGITAL DATA
3600.0000 - 3629.0000 MHz	7K50G1D		DIGITAL DATA
3600.0000 - 3629.0000 MHz	7K50G1E		DIGITAL DATA
3600.0000 - 3629.0000 MHz	7K50G1W		DIGITAL DATA
6425.0000 - 6454.0000 MHz	100KG1X	60.80 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	10K0G1W	59.70 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	10K0G1X	61.20 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	17K5G1D	61.40 dBW	DIGITAL DATA

6425.0000 - 6454.0000 MHz	20K0G1E	56.80 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	2K50F1D	58.80 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	2K50G1D	65.70 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	45K0G7D	66.00 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	5K00G1D	61.80 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	5K00G1E	51.90 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	5K00G1W	51.90 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	60K0D1W	65.90 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	7K50G1D	59.10 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	7K50G1E	62.20 dBW	DIGITAL DATA
6425.0000 - 6454.0000 MHz	7K50G1W	58.40 dBW	DIGITAL DATA

Points of Communication:

SANTA PAULA - ALSAT - (ALSAT)

SANTA PAULA - INMARSAT 3F4 - (142 W.L.)

SANTA PAULA - INMARSAT AOR-W -

SANTA PAULA - INMARSAT POR -

SANTA PAULA - KS29 - (76 W.L.)

SES-MOD-20080612-00750 E E9121 ASCENT MEDIA SYSTEMS AND TECHNOLOGY SERVICES, LLC
Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to change emission designator and related service, to replace antenna and to relocate fixed station.

SITE ID: 1

LOCATION: 1 MONROE PLACE, N.E., FULTON, ATLANTA, GA

33 ° 48 ' 34.00 " N LAT.

84 ° 22 ' 22.00 " W LONG.

ANTENNA ID: 1 5.6 meters ANDREW ES56-1

14000.0000 - 14500.0000 MHz 36M0G7W 78.80 dBW PSK, COMPRESSED VIDEO AND DATA

11700.0000 - 12200.0000 MHz 36M0G7W PSK, COMPRESSED VIDEO AND DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SBS-MOD-20080612-00765 E E920417 EDUCATIONAL MEDIA FOUNDATION

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

"MOD" to change and add new emission designators, and to add additional of antennas to it's existing VSAT Network License.

SITE ID: HUB1

LOCATION: 5700 WEST OAKS BLVD. (3.8M.HUB), PLACER, ROCKLIN, CA

38 ° 48 ' 54.00 " N LAT.

121 ° 16 ' 40.00 " W LONG.

ANTENNA ID:	HUB1	3.8 meters	PRODELIN	1383
	14000.0000 - 14500.0000 MHz		4M20G7D	58.90 dBW
				QPSK, DIGITAL
	11700.0000 - 12200.0000 MHz		208KG7D	
				QPSK, DIGITAL

SITE ID: REMOTE 1

LOCATION: VSAT 1.2M., (50 UNITS), CONUS, AK, HI

ANTENNA ID:	REMT 1	1.2 meters	ASC SIGNAL CORPORATION	TYPE 123
	14000.0000 - 14500.0000 MHz		4M20G7D	43.40 dBW
				QPSK, DIGITAL
	11700.0000 - 12200.0000 MHz		208KG7D	
				QPSK, DIGITAL

SITE ID: REMOTE 2

LOCATION: VSAT 1.8M., (450 UNITS), CONUS, AK, HI

ANTENNA ID:	REMT 2	1.8 meters	ASC SIGNAL CORPORATION	TYPE 180TX
	14000.0000 - 14500.0000 MHz		4M20G7D	47.30 dBW
				QPSK, DIGITAL
	11700.0000 - 12200.0000 MHz		208KG7D	
				QPSK, DIGITAL

SITE ID: REMOTE 3

LOCATION: VSAT 2.4M., (1 UNITS), CONUS, AK, HI

ANTENNA ID:	REMT 3	2.4 meters	ASC SIGNAL CORPORATION	TYPE 243
	14000.0000 - 14500.0000 MHz		4M20G7D	50.00 dBW
				QPSK, DIGITAL
	11700.0000 - 12200.0000 MHz		208KG7D	
				QPSK, DIGITAL

Points of Communication:

HUB1 - ALSAT - (ALSAT)

REMOTE 1 - ALSAT - (ALSAT)

REMOTE 2 - ALSAT - (ALSAT)

REMOTE 3 - ALSAT - (ALSAT)

SES-REG-20080611-00746 E E080141 CoxCom,Inc

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 43 Peninsula Center, Palos Verdes, CA

33 ° 46 ' 30.10 " N LAT.

118 ° 22 ' 33.70 " W LONG.

ANTENNA ID: 1 5 meters Antenna Tech Corp Simulsat 5M

3700.0000 - 4200.0000 MHz 36M0F8W 0.00 dBW

Points of Communication:

1 - ALSAT - (ALSAT)

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.