



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01086

Wednesday November 19, 2008

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20081107-01457 E E080230 WQBA-AM License Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 17500 SW 41st Street, Broward, Miramar, FL

25 ° 58 ' 8.00 " N LAT.

80 ° 22 ' 41.00 " W LONG.

ANTENNA ID: 1 3.8 meters Prodelin 1383

3700.0000 - 4200.0000 MHz 230KG7W OPSK, 192 kbps, 1/2 FEC

5925.0000 - 6425.0000 MHz 230KG7W 50.25 dBW OPSK, 192 kbps, 1/2 FEC

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20081113-01480 E E080232 NATIONAL PUBLIC RADIO

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1
 LOCATION: 1111 NORTH CAPITOL, District of Columbia, WASHINGTON, DC
 38 ° 54 ' 14.80 " N LAT. 77 ° 0 ' 31.80 " W LONG.

ANTENNA ID:	3.8M.	3.8 meters	PRODELIN	1383
	3700.0000 - 4200.0000 MHz		150KF3D	ANALOG SCPC CARRIER
	3700.0000 - 4200.0000 MHz		76K8G1D	DIGITAL TRAFFIC VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
	3700.0000 - 4200.0000 MHz		76K8G7W	DIGITAL TRAFFIC VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
	5925.0000 - 6425.0000 MHz		150KF3D	55.94 dBW ANALOG SCPC CARRIER
	5925.0000 - 6425.0000 MHz		1M85G7W	60.06 dBW DIGITAL TRAFFIC VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
	5925.0000 - 6425.0000 MHz		76K8G1D	55.83 dBW DIGITAL TRAFFIC VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
	5925.0000 - 6425.0000 MHz		76K8G7W	55.83 dBW DIGITAL TRAFFIC VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
	3700.0000 - 4200.0000 MHz		1M85G7W	DIGITAL TRAFFIC VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20081113-01485 E E080233 NATIONAL PUBLIC RADIO

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: Offsat1
 LOCATION: VARIOUS

ANTENNA ID:	OffSat1	5.5 meters	Comtech	OFFSAT
	5925.0000 - 6425.0000 MHz		51K2G7W	44.47 dBW Digital traffic, various information, various data rates, various FEC
	5925.0000 - 6425.0000 MHz		36M0G7W	71.34 dBW Digital traffic, various information, various data rates, various FEC
	5925.0000 - 6425.0000 MHz		30K0F1D	51.95 dBW Digital SCPC

5925.0000 - 6425.0000 MHz	1M85G7W	60.06 dBW	Digital T1 Carrier
5925.0000 - 6425.0000 MHz	180KF3F	58.53 dBW	Analog SCPC

Points of Communication:

Offsat1 - ALSAT - (ALSAT)

SES-LIC-20081113-01486 E E080234 NATIONAL PUBLIC RADIO

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: Offsat2

LOCATION: VARIOUS

ANTENNA ID:	OffSat1	5.5 meters	Comtech	OFFSAT
5925.0000 - 6425.0000 MHz	51K2G7W	44.47 dBW	Digital traffic, various information, various data rates, various FEC	
5925.0000 - 6425.0000 MHz	36M0G7W	71.34 dBW	Digital traffic, various information, various data rates, various FEC	
5925.0000 - 6425.0000 MHz	180KF3F	58.53 dBW	Analog SCPC	
5925.0000 - 6425.0000 MHz	1M85G7W	60.06 dBW	Digital T1 Carrier	
5925.0000 - 6425.0000 MHz	30K0F1D	51.95 dBW	Digital SCPC	

Points of Communication:

Offsat2 - ALSAT - (ALSAT)

SES-LIC-20081113-01487 E E080235 NATIONAL PUBLIC RADIO

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: Offsat2

LOCATION: VARIOUS

ANTENNA ID:	OffSat1	5.5 meters	Comtech	OFFSAT
5925.0000 - 6425.0000 MHz	51K2G7W	44.47 dBW	Digital traffic, various information, various data rates, various FEC	
5925.0000 - 6425.0000 MHz	36M0G7W	71.34 dBW	Digital traffic, various information, various data rates, various FEC	
5925.0000 - 6425.0000 MHz	180KF3F	58.53 dBW	Analog SCPC	

5925.0000 - 6425.0000 MHz	30K0F1D	51.95 dBW	Digital SCPC
5925.0000 - 6425.0000 MHz	1M85G7W	60.06 dBW	Digital T1 Carrier

Points of Communication:

Offsat2 - ALSAT - (ALSAT)

SES-MFS-20081029-01419 E E030216 Anadarko Petroleum Corporation

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Modification filed to change emission designator, to increase the EIRP and EIRP density, and to add Satmex 6 as a point of communication.

SITE ID: 1

LOCATION: Marco Polo Oil Platform, Offshore
27 ° 21 ' 43.30 " N LAT.

90 ° 10 ' 53.00 " W LONG.

ANTENNA ID: 1 2.4 meters Channel Master 2.4 Meter

5925.0000 - 6425.0000 MHz 5K12G7W 54.00 dBW Digital

3700.0000 - 4200.0000 MHz 5K12G7W Digital

ANTENNA ID: 9797 2.4 meters Sea Tel 9797

5925.0000 - 6425.0000 MHz 292KG7W 34.20 dBW Digital Voice and Data

3700.0000 - 4200.0000 MHz 292KG7W Digital Voice and Data

3700.0000 - 4200.0000 MHz 478KG7W Digital

5925.0000 - 6425.0000 MHz 478KG7W 44.87 dBW Digital

3700.0000 - 4200.0000 MHz 4M47G7W Digital

5925.0000 - 6425.0000 MHz 4M47G7W 50.05 dBW Digital

Points of Communication:

1 - ALSAT - (ALSAT)

1 - AMC-3 - (87 W.L.)

1 - SATMEX 6 - (113 W.L.)

1 - SATMEX-5 - (116.8 W.L.)

SES-MFS-20081107-01453 E E000725 SkyBitz, Inc.

Modification

Class of Station: Mobile Earth Station

Nature of Service: Domestic Mobile-Satellite Service, International Mobile Satellite Service, Mobile Satellite Service

Modification application filed to increase the total number of mobile terminals in its current blanket authorization from 100,000 to 450,000, and to include additional points of communications.

SITE ID: MOBILE

LOCATION: 100,000 half-duplex METs CONUS, Alaska, HI & surrounding US water, VARIOUS

ANTENNA ID: MT1	0.042 meters	Eagle Eye, Inc. (ant. size:4.2cm Square)	Ant. Type: Patch
1626.5000 - 1660.5000 MHz	4K00F1D	4.00 dBW	MSK at 3600 bps; digital; data
1574.4200 - 1576.4200 MHz	1M00G1D		reception of GPS L1 CA signal
1525.0000 - 1559.0000 MHz	4K00F1D		MSK at 3600 bps; digital; data
1525.0000 - 1559.0000 MHz	4K7G1D		MSK at 3600 bps; digital; data
1626.5000 - 1660.5000 MHz	4K7G1D	4.00 dBW	MSK at 3600 bps; digital; data
1574.4200 - 1576.4200 MHz	1M00G1D		Reception of GPS L1 CA signal

Points of Communication:

MOBILE - AMC-1 - (101.0 W.L.)

MOBILE - INMARSAT 4F3 - (97.65 W.L.)

MOBILE - INMARSAT 4F3 - (98 W.L.)

MOBILE - INMARSAT 4F3 - (98.25 W.L.)

MOBILE - ISAT List -

MOBILE - MSAT-1 - (106.5 W.L.)

MOBILE - MSAT-2 - (100.95 W.L.)

MOBILE - MSV-1 - (101 W.L.)

SES-MOD-20081003-01290 E E020306 EchoStar Corporation

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Direct Broadcast Satellite Service

Modification application filed to add EchoStar 5 at the 148 W.L. orbital location as a point of communication and to make other related technical changes.

SITE ID: GD2

LOCATION: 801 North American Sky Blvd., Maricopa, Gilbert, AZ

33 ° 21 ' 59.80 " N LAT.

111 ° 48 ' 52.30 " W LONG.

ANTENNA ID: GD2 9 meters Vertex 9M

17308.0000 - 17309.0000 MHz	1M50G2D	73.70 dBW	Telemetry Beacon (TT&C)
17300.0000 - 17800.0000 MHz	24M0G1F	85.78 dBW	Digital Carrier
12698.0000 - 12698.0000 MHz	300KG2D	0.00 dBW	Telemetry Beacon (TT&C)
12202.0000 - 12202.0000 MHz	300KG2D	0.00 dBW	Telemetry Beacon (TT&C)
12200.0000 - 12700.0000 MHz	24M0G1F	0.00 dBW	Digital Carrier
12200.0000 - 12200.0000 MHz	300KG2D	0.00 dBW	Telemetry Beacon (TT&C)
12200.0000 - 12210.0000 MHz	800KG2D		TT&C
12690.0000 - 12700.0000 MHz	800KG2D		TT&C
17300.0000 - 17310.0000 MHz	800KG2D	71.01 dBW	TT&C
17790.0000 - 17800.0000 MHz	800KG2D	71.01 dBW	TT&C
17300.0000 - 17800.0000 MHz	24M0G7W	85.78 dBW	Digital Video and Data

Points of Communication:

GD2 - ALSAT - (ALSAT)

GD2 - ECHOSTAR 2 - (148 W.L.)

GD2 - ECHOSTAR 3 - (61.5 W.L.)

GD2 - ECHOSTAR 4 - (157 W.L.)

GD2 - ECHOSTAR 4 - (77 W.L.)

GD2 - ECHOSTAR 5 - (119 W.L.)

GD2 - ECHOSTAR 5 - (148 W.L.)

GD2 - ECHOSTAR 6 - (110 W.L.)

GD2 - ECHOSTAR 7 - (119 W.L.)

GD2 - ECHOSTAR 8 - (110 W.L.)

GD2 - ECHOSTAR I - (148.0 W.L.)

SES-MOD-20081003-01291 E E980142 EchoStar Corporation

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Direct Broadcast Satellite Service

Modification filed to add EchoStar 5 at the 148 W.L. orbital location as a point of communication and to make other related technical changes.

SITE ID: 1
 LOCATION: 530 EHOSTAR DRIVE, LARAMIE, CHEYENNE, WY
 41 ° 7 ' 56.60 " N LAT. 104 ° 44 ' 15.60 " W LONG.

ANTENNA ID:	1	13.2 meters	TIW	13.2 METER
	17308.2500 - 17309.7500 MHz	1M50G2D	87.40 dBW	COMMAND BEACON (TT&C)
	17300.0000 - 17800.0000 MHz	24M0G1W	85.00 dBW	DIGITAL VIDEO, FEC 3/4, feederlink for DBS
	12698.3500 - 12698.6500 MHz	300KG2D		TELEMETRY & TRACKING BEACON (TT&C)
	12202.3500 - 12202.6500 MHz	300KG2D		TELEMETRY & TRACKING BEACON (TT&C)
	12200.3500 - 12200.6500 MHz	300KG2D		TELEMETRY & TRACKING BEACON (TT&C)
	12200.0000 - 12700.0000 MHz	24M0G1W		DIGITAL VIDEO, FEC 3/4 (DBS)
	12200.0000 - 12210.0000 MHz	800KG2D		TT&C
	12690.0000 - 12700.0000 MHz	800KG2D		TT&C
	17300.0000 - 17310.0000 MHz	800KG2D	70.23 dBW	TT&C
	17790.0000 - 17800.0000 MHz	800KG2D	70.23 dBW	TT&C
	17300.0000 - 17800.0000 MHz	24M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA

Points of Communication:

- 1 - EHOSTAR 10 - (110 W.L.)
- 1 - EHOSTAR 2 - (119 W.L.)
- 1 - EHOSTAR 2 - (148 W.L.)
- 1 - EHOSTAR 3 - (61.5 W.L.)
- 1 - EHOSTAR 4 - (157 W.L.)
- 1 - EHOSTAR 4 - (77 W.L.)
- 1 - EHOSTAR 5 - (129 W.L.)
- 1 - EHOSTAR 5 - (148 W.L.)
- 1 - EHOSTAR 6 - (110 W.L.)
- 1 - EHOSTAR 7 - (119 W.L.)
- 1 - EHOSTAR 8 - (110 W.L.)

1 - EHOSTAR I - (148.0 W.L.)

1 - RAINBOW1 - (61.5 W.L.)

SES-MOD-20081003-01297 E E980143 EchoStar Corporation

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Direct Broadcast Satellite Service

Modification filed to add EchoStar 5 at the 148 W.L. orbital location as a point of communication and to make other related technical changes.

SITE ID: 1

LOCATION: 530 EHOSTAR DRIVE, LARAMIE, CHEYENNE, WY

41 ° 7 ' 57.50 " N LAT.

104 ° 44 ' 14.30 " W LONG.

ANTENNA ID:	1	13.2 meters	TIW	13.2 METER
	17308.2500 - 17309.7500 MHz	1M50G2D	87.40 dBW	COMMAND BEACON (TT&C)
	17300.0000 - 17800.0000 MHz	24M0M1F	85.00 dBW	DIGITAL VIDEO (DBS)
	12698.3500 - 12698.6500 MHz	300KG2D		
	12202.3500 - 12202.6500 MHz	300KG2D		
	12200.3500 - 12200.6500 MHz	300KG2D		
	17300.0000 - 17310.0000 MHz	800KG2D	70.23 dBW	TT&C
	17790.0000 - 17800.0000 MHz	800KG2D	70.23 dBW	TT&C
	17300.0000 - 17800.0000 MHz	24M0G7W	85.00 dBW	DIGITAL, VIDEO AND DATA
	12200.0000 - 12210.0000 MHz	800KG2D		TT&C
	12690.0000 - 12700.0000 MHz	800KG2D		TT&C

Points of Communication:

1 - EHOSTAR 2 - (118.8 W.L.)

1 - EHOSTAR 5 - (119 W.L.)

1 - EHOSTAR 5 - (148 W.L.)

1 - EHOSTAR 6 - (110 W.L.)

1 - EHOSTAR I - (148.0 W.L.)

1 - EHOSTAR-4 - (119 W.L.)

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, Mobile Satellite Service

Mobile Satellite Ventures Subsidiary LLC requests an extension of time until May 26, 2010, the deadline to certify construction completion and commencement of operations of the earth station.

SITE ID: Site 1

LOCATION: 961 Anselmo Court, Napa, Napa, CA
38 ° 14 ' 41.50 " N LAT.

122 ° 16 ' 47.50 " W LONG.

ANTENNA ID:	7.3M	7.3 meters	Viasat	7.3 Meter	
	13248.0000 - 13250.0000 MHz		1M20G7D	82.50 dBW	Digital Data Carrier
	13240.5000 - 13245.5000 MHz		N0N	82.50 dBW	CW
	12780.0000 - 13140.0000 MHz		N0N	68.70 dBW	CW
	12780.0000 - 13140.0000 MHz		6K00G7D	28.76 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz		312KG7D	56.50 dBW	Digital Data Carrier
	12750.0000 - 12752.0000 MHz		1M20G7D	71.00 dBW	Digital Data Carrier
	11200.0000 - 11450.0000 MHz		312KG7D		Digital Data Carrier
	11200.0000 - 11450.0000 MHz		6K00G7D		Digital Data Carrier
	11200.0000 - 11450.0000 MHz		N0N		CW
	11200.0000 - 11205.0000 MHz		1M20G7D		Digital Data Carrier
	10700.0000 - 10950.0000 MHz		312KG7D		Digital Data Carrier
	10700.0000 - 10950.0000 MHz		6K00G7D		Digital Data Carrier
	10700.0000 - 10950.0000 MHz		N0N		CW
ANTENNA ID:	L-band 1	0.35 meters	Viasat	Horn antenna	
	1646.5000 - 1660.5000 MHz		1M25G7D	9.00 dBW	Digital Data Carrier
	1646.5000 - 1660.5000 MHz		625KG7D	9.00 dBW	Digital Data Carrier
	1646.5000 - 1660.5000 MHz		312KG7D	9.00 dBW	Digital Data Carrier
	1626.5000 - 1645.5000 MHz		1M25G7D	9.00 dBW	Digital Data Carrier
	1626.5000 - 1645.5000 MHz		625KG7D	9.00 dBW	Digital Data Carrier

	1626.5000 - 1645.5000 MHz	312KG7D	9.00 dBW	Digital Data Carrier
	1545.0000 - 1559.0000 MHz	1M25G7D		Digital Data Carrier
	1545.0000 - 1559.0000 MHz	625KG7D		Digital Data Carrier
	1545.0000 - 1559.0000 MHz	312KG7D		Digital Data Carrier
	1525.0000 - 1544.0000 MHz	1M25G7D		Digital Data Carrier
	1525.0000 - 1544.0000 MHz	625KG7D		Digital Data Carrier
	1525.0000 - 1544.0000 MHz	312KG7D		Digital Data Carrier
ANTENNA ID:	L-band 2	0.35 meters	Viasat	Horn antenna
	1646.5000 - 1660.5000 MHz	1M25G7D	9.00 dBW	Digital Data Carrier
	1646.5000 - 1660.5000 MHz	625KG7D	9.00 dBW	Digital Data Carrier
	1646.5000 - 1660.5000 MHz	312KG7D	9.00 dBW	Digital Data Carrier
	1626.5000 - 1645.5000 MHz	1M25G7D	9.00 dBW	Digital Data Carrier
	1626.5000 - 1645.5000 MHz	625KG7D	9.00 dBW	Digital Data Carrier
	1626.5000 - 1645.5000 MHz	312KG7D	9.00 dBW	Digital Data Carrier
	1545.0000 - 1559.0000 MHz	1M25G7D		Digital Data Carrier
	1545.0000 - 1559.0000 MHz	625KG7D		Digital Data Carrier
	1545.0000 - 1559.0000 MHz	312KG7D		Digital Data Carrier
	1525.0000 - 1544.0000 MHz	1M25G7D		Digital Data Carrier
	1525.0000 - 1544.0000 MHz	625KG7D		Digital Data Carrier
	1525.0000 - 1544.0000 MHz	312KG7D		Digital Data Carrier
ANTENNA ID:	11.3M - 2	11.3 meters	Viasat	11.3 Meter
	13248.0000 - 13250.0000 MHz	1M20G7D	85.00 dBW	Digital Data Carrier
	13240.5000 - 13245.5000 MHz	N0N	85.00 dBW	CW
	12780.0000 - 13140.0000 MHz	6K00G7D	32.26 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz	312KG7D	60.00 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW

12750.0000 - 12752.0000 MHz	1M20G7D	73.50 dBW	Digital Data Carrier
11200.0000 - 11450.0000 MHz	312KG7D		Digital Data Carrier
11200.0000 - 11450.0000 MHz	6K00G7D		Digital Data Carrier
11200.0000 - 11450.0000 MHz	N0N		CW
11200.0000 - 11205.0000 MHz	1M20G7D		Digital Data Carrier
10700.0000 - 10950.0000 MHz	312KG7D		Digital Data Carrier
10700.0000 - 10950.0000 MHz	6K00G7D		Digital Data Carrier
10700.0000 - 10950.0000 MHz	N0N		CW
ANTENNA ID: 11.3M -1	11.3 meters	Viasat	11.3 Meter
13248.0000 - 13250.0000 MHz	1M20G7D	85.00 dBW	Digital Data Carrier
13240.5000 - 13245.5000 MHz	N0N	85.00 dBW	CW
12780.0000 - 13140.0000 MHz	6K00G7D	32.26 dBW	Digital Data Carrier
12780.0000 - 13140.0000 MHz	312KG7D	60.00 dBW	Digital Data Carrier
12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW
12750.0000 - 12752.0000 MHz	1M20G7D	73.50 dBW	Digital Data Carrier
11200.0000 - 11450.0000 MHz	312KG7D		Digital Data Carrier
11200.0000 - 11450.0000 MHz	6K00G7D		Digital Data Carrier
11200.0000 - 11450.0000 MHz	N0N		CW
11200.0000 - 11205.0000 MHz	1M20G7D		Digital Data Carrier
10700.0000 - 10950.0000 MHz	312KG7D		Digital Data Carrier
10700.0000 - 10950.0000 MHz	6K00G7D		Digital Data Carrier
10700.0000 - 10950.0000 MHz	N0N		CW

Points of Communication:

Site 1 - MSAT-1 - (106.5 W.L.)

Site 1 - MSAT-2 - (100.95 W.L.)

Site 1 - MSV-1 - (101 W.L.)

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, Mobile Satellite Service

Mobile Satellite Ventures Subsidiary LLC requests an extension of time until May 26, 2010, the deadline to certify construction completion and commencement of operations of the earth station.

SITE ID: Site 1

LOCATION: 777 Westar Lane, Dallas, Cedar Hill, TX

32 ° 34 ' 40.80 " N LAT.

96 ° 58 ' 55.20 " W LONG.

ANTENNA ID:	11.3M - 2	11.3 meters	Viasat	11.3 Meter
	13240.5000 - 13245.5000 MHz	N0N	85.00 dBW	CW
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW
	12780.0000 - 13140.0000 MHz	6K00G7D	32.26 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz	312KG7D	60.00 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW
	11200.0000 - 11450.0000 MHz	312KG7D		Digital Data Carrier
	11200.0000 - 11450.0000 MHz	6K00G7D		Digital Data Carrier
	11200.0000 - 11450.0000 MHz	N0N		CW
	10700.0000 - 10950.0000 MHz	312KG7D		Digital Data Carrier
	10700.0000 - 10950.0000 MHz	6K00G7D		Digital Data Carrier
	10700.0000 - 10950.0000 MHz	N0N		CW
ANTENNA ID:	11.3M - 1	11.3 meters	Viasat	11.3 Meter
	13240.5000 - 13245.5000 MHz	N0N	85.00 dBW	CW
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW
	12780.0000 - 13140.0000 MHz	6K00G7D	32.26 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW
	12780.0000 - 13140.0000 MHz	312KG7D	60.00 dBW	Digital Data Carrier
	12780.0000 - 13140.0000 MHz	N0N	71.20 dBW	CW

11200.0000 - 11450.0000 MHz	312KG7D			Digital Data Carrier
11200.0000 - 11450.0000 MHz	6K00G7D			Digital Data Carrier
11200.0000 - 11450.0000 MHz	N0N			CW
10700.0000 - 10950.0000 MHz	312KG7D			Digital Data Carrier
10700.0000 - 10950.0000 MHz	6K00G7D			Digital Data Carrier
10700.0000 - 10950.0000 MHz	N0N			CW
ANTENNA ID: 7.3M	7.3 meters	Viasat		7.3 Meter
13240.5000 - 13245.5000 MHz	N0N	82.50 dBW		CW
12780.0000 - 13140.0000 MHz	N0N	68.70 dBW		CW
12780.0000 - 13140.0000 MHz	N0N	68.70 dBW		CW
12780.0000 - 13140.0000 MHz	N0N	68.70 dBW		CW
12780.0000 - 13140.0000 MHz	6K00G7D	28.76 dBW		Digital Data Carrier
12780.0000 - 13140.0000 MHz	312KG7D	56.50 dBW		Digital Data Carrier
11200.0000 - 11450.0000 MHz	312KG7D			Digital Data Carrier
11200.0000 - 11450.0000 MHz	6K00G7D			Digital Data Carrier
11200.0000 - 11450.0000 MHz	N0N			CW
10700.0000 - 10950.0000 MHz	312KG7D			Digital Data Carrier
10700.0000 - 10950.0000 MHz	6K00G7D			Digital Data Carrier
10700.0000 - 10950.0000 MHz	N0N			CW
ANTENNA ID: L-band 1	0.35 meters	Viasat		Horn antenna
1646.5000 - 1660.5000 MHz	1M25G7D	9.00 dBW		Digital Data Carrier
1646.5000 - 1660.5000 MHz	625KG7D	9.00 dBW		Digital Data Carrier
1646.5000 - 1660.5000 MHz	312KG7D	9.00 dBW		Digital Data Carrier
1626.5000 - 1645.5000 MHz	1M25G7D	9.00 dBW		Digital Data Carrier
1626.5000 - 1645.5000 MHz	625KG7D	9.00 dBW		Digital Data Carrier
1626.5000 - 1645.5000 MHz	312KG7D	9.00 dBW		Digital Data Carrier

1545.0000 - 1559.0000 MHz	1M25G7D		Digital Data Carrier
1545.0000 - 1559.0000 MHz	625KG7D		Digital Data Carrier
1545.0000 - 1559.0000 MHz	312KG7D		Digital Data Carrier
1525.0000 - 1544.0000 MHz	1M25G7D		Digital Data Carrier
1525.0000 - 1544.0000 MHz	625KG7D		Digital Data Carrier
1525.0000 - 1544.0000 MHz	312KG7D		Digital Data Carrier
ANTENNA ID: L-band 2	0.35 meters	Viasat	Horn antenna
1646.5000 - 1660.5000 MHz	1M25G7D	9.00 dBW	Digital Data Carrier
1646.5000 - 1660.5000 MHz	625KG7D	9.00 dBW	Digital Data Carrier
1646.5000 - 1660.5000 MHz	312KG7D	9.00 dBW	Digital Data Carrier
1626.5000 - 1645.5000 MHz	1M25G7D	9.00 dBW	Digital Data Carrier
1626.5000 - 1645.5000 MHz	625KG7D	9.00 dBW	Digital Data Carrier
1626.5000 - 1645.5000 MHz	312KG7D	9.00 dBW	Digital Data Carrier
1545.0000 - 1559.0000 MHz	1M25G7D		Digital Data Carrier
1545.0000 - 1559.0000 MHz	625KG7D		Digital Data Carrier
1545.0000 - 1559.0000 MHz	312KG7D		Digital Data Carrier
1525.0000 - 1544.0000 MHz	1M25G7D		Digital Data Carrier
1525.0000 - 1544.0000 MHz	625KG7D		Digital Data Carrier
1525.0000 - 1544.0000 MHz	312KG7D		Digital Data Carrier

Points of Communication:

Site 1 - MSAT-1 - (106.5 W.L.)

Site 1 - MSAT-2 - (100.95 W.L.)

Site 1 - MSV-1 - (101 W.L.)

SES-MOD-20081112-01475 E E050244 GRUPO W COM, S.A. DE C.V.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

"MOD" to add 2 additional remote antenna sets to their VSAT network.

SITE ID: REMOTE 1
LOCATION: 0.98M. VSAT (1000 UNITS), VARIOUS, US, PRI

ANTENNA ID:	R1	0.98 meters	ANDREW CORPORATION	0.98M.
	14000.0000 - 14500.0000 MHz	352KG7W	40.00 dBW	DIGITAL VOICE AND DATA
	14000.0000 - 14500.0000 MHz	236KG7W	41.90 dBW	DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	352KG7W		DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	236KG7W		DIGITAL VOICE AND DATA

SITE ID: REMOTE 2
LOCATION: 1.2M. VSAT (1000 UNITS), VARIOUS, US, PRI

ANTENNA ID:	R2	1.2 meters	ANDREW CORPORATION	1.2M.
	14000.0000 - 14500.0000 MHz	352KG7W	46.30 dBW	DIGITAL VOICE AND DATA
	14000.0000 - 14500.0000 MHz	236KG7W	46.30 dBW	DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	352KG7W		DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	236KG7W		DIGITAL VOICE AND DATA

SITE ID: REMOTE 3
LOCATION: 0.89M. VSAT (1000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	R3	0.89 meters	PRODELIN CORPORATION	0.89M.
	14000.0000 - 14500.0000 MHz	361KG7W	38.10 dBW	DIGITAL VOICE AND DATA
	14000.0000 - 14500.0000 MHz	352KG7W	37.90 dBW	DIGITAL VOICE AND DATA
	14000.0000 - 14500.0000 MHz	236KG7W	36.20 dBW	DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	361KG7W		DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	352KG7W		DIGITAL VOICE AND DATA
	11700.0000 - 12200.0000 MHz	236KG7W		DIGITAL VOICE AND DATA

SITE ID: REMOTE 4
LOCATION: 0.74M. VSAT (1000 UNITS), CONUS, AK, HI, PR

ANTENNA ID:	R4	0.74 meters	PRODELIN CORPORATION	0.74M.
	14000.0000 - 14500.0000 MHz	361KG7W	36.90 dBW	DIGITAL VOICE AND DATA
	14000.0000 - 14500.0000 MHz	352KG7W	36.70 dBW	DIGITAL VOICE AND DATA

14000.0000 - 14500.0000 MHz	236KG7W	35.00 dBW	DIGITAL VOICE AND DATA
11700.0000 - 12200.0000 MHz	361KG7W		DIGITAL VOICE AND DATA
11700.0000 - 12200.0000 MHz	352KG7W		DIGITAL VOICE AND DATA
11700.0000 - 12200.0000 MHz	236KG7W		DIGITAL VOICE AND DATA

Points of Communication:

REMOTE 1 - HORIZONS 1 - (127 DEG WL)

REMOTE 1 - INTELSAT 707 - (53 W.L.)

REMOTE 2 - HORIZONS 1 - (127 DEG WL)

REMOTE 2 - INTELSAT 707 - (53 W.L.)

REMOTE 3 - ALSAT - (ALSAT)

REMOTE 4 - ALSAT - (ALSAT)

SES-STA-20081110-01467 E E040267 Newcom International, Inc.
Special Temporary Authority

Class of Station:

Newcom International, Inc. request an extension of its special temporary authority SES-STA-20081110-01466 for a period of 180 days beginning January 8, 2009.

Points of Communication:

CORRECTIONS

SES-MOD-20081104-01445 E020301 NORTHWESTERN COLLEGE

"MOD" to add additional emission designator and relocate site.

"CORRECTION" This MOD application appeared on Action Taken Public Notice Report No. SES-01085 in error; when it should have appeared on Accepted For Filing Public Notice Report No. SES-01084, dated November 12, 2008.

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.