



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Fax-On-Demand 202-418-2830; Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01141

Wednesday May 27, 2009

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20090511-00584 E E090086 VSAT Systems, LLC

Application for Authority

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

SITE ID: Akron (6.3m Hub)

LOCATION: 1520 S. Arlington, Summit, Akron, OH

41 ° 1 ' 51.50 " N LAT.

81 ° 29 ' 33.20 " W LONG.

ANTENNA ID:	Hub 2	6.3 meters	Vertex/RSI	6.3M
	11700.0000 - 12200.0000 MHz		300KG7W	Digital Audio and Data
	11700.0000 - 12200.0000 MHz		2M00G7W	Digital Audio and Data
	14000.0000 - 14500.0000 MHz		2M60G7W	71.60 dBW
	14000.0000 - 14500.0000 MHz		12M0G7W	77.50 dBW

SITE ID: Akron (6.3m Hub)

LOCATION: 1520 S. Arlington, Summit, Akron, OH

41 ° 1 ' 51.50 " N LAT.

81 ° 29 ' 34.10 " W LONG.

ANTENNA ID:	Hub 3	6.3 meters	Vertex/RSI	6.3M
	11700.0000 - 12200.0000 MHz		300KG7W	Digital Audio and Data

11700.0000 - 12200.0000 MHz	2M00G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M60G7W	71.60 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	12M0G7W	77.50 dBW	Digital Audio and Data

SITE ID: Remote 1
 LOCATION: 220 (.75m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-1 0.75 meters Channel Master 0.75M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	37.10 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	44.10 dBW	Digital Audio and Data

SITE ID: Akron (6.3m Hub)
 LOCATION: 1520 S. Arlington, Summit, Akron, OH
 41 ° 1 ' 51.50 " N LAT. 81 ° 29 ' 33.70 " W LONG.

ANTENNA ID: Hub 1 6.3 meters Vertex/RSI 6.3M

11700.0000 - 12200.0000 MHz	300KG7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	2M00G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M60G7W	71.60 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	12M0G7W	77.50 dBW	Digital Audio and Data

SITE ID: Remote 4
 LOCATION: 157 (1.0m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-4 1 meters Patriot Ant. Systems 1M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	38.10 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	46.30 dBW	Digital Audio and Data

SITE ID: Remote 5
 LOCATION: 384 (1.2m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-5 1.2 meters Prodelin Corporation 1.2M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	48.10 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	48.10 dBW	Digital Audio and Data

SITE ID: Remote 6
 LOCATION: 945 (1.2m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-6 1.2 meters Andrew Corporation ESA1.2

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	48.10 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	49.30 dBW	Digital Audio and Data

SITE ID: Remote 2
 LOCATION: 40 (.95m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-2 0.95 meters Prodelin Corporation 0.95M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	41.00 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	46.00 dBW	Digital Audio and Data

SITE ID: Remote 3
 LOCATION: 99 (.98m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-3 0.98 meters Prodelin Corporation 0.98M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	38.60 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	46.10 dBW	Digital Audio and Data

SITE ID: Remote 9
 LOCATION: 200 (1.2m Remotes) CONUS Alaska, and Hawaii

ANTENNA ID: R-9 1.2 meters Patriot Ant. Systems 1.2M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	48.30 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	53.90 dBW	Digital Audio and Data

SITE ID: Remote 10
 LOCATION: 87 (1.8m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-10 1.8 meters Andrew Corporation ASC1.8

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	51.80 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	54.00 dBW	Digital Audio and Data

SITE ID: Remote 11
 LOCATION: 87 (1.8m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-11 1.8 meters Channel Master 1.8M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	51.60 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	52.80 dBW	Digital Audio and Data

SITE ID: Remote 7
 LOCATION: 745 (1.2m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-7 1.2 meters C-COM 1.2M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	47.80 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	47.80 dBW	Digital Audio and Data

SITE ID: Remote 8
 LOCATION: 945 (1.2m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-8 1.2 meters Channel Master 120TX

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	48.10 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	48.10 dBW	Digital Audio and Data

SITE ID: Remote 14
LOCATION: 5 (2.4m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-14 2.4 meters Patriot Ant. Systems 240KU

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	54.40 dBW	Digital Audio and Digital
14000.0000 - 14500.0000 MHz	2M00G7W	54.40 dBW	Digital Audio and Data

SITE ID: Remote 15
LOCATION: 5 (2.4m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-15 2.4 meters Channel Master 2.4M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	54.10 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	54.10 dBW	Digital Audio and Data

SITE ID: Remote 12
LOCATION: 87 (1.8m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-12 1.8 meters Prodelin Corporation 1.8M

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	51.30 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	51.30 dBW	Digital Audio and Data

SITE ID: Remote 13
LOCATION: 87 (1.8m Remotes) CONUS, Alaska, and Hawaii

ANTENNA ID: R-13 1.8 meters Patriot Ant. Systems 180KU

11700.0000 - 12200.0000 MHz	2M60G7W		Digital Audio and Data
-----------------------------	---------	--	------------------------

11700.0000 - 12200.0000 MHz	12M0G7W		Digital Audio and Data
14000.0000 - 14500.0000 MHz	300KG7W	51.80 dBW	Digital Audio and Data
14000.0000 - 14500.0000 MHz	2M00G7W	54.00 dBW	Digital Audio and Data

Points of Communication:

Akron (6.3m Hub) - ALSAT - (ALSAT)

Akron (6.3m Hub) - ALSAT - (ALSAT)

Akron (6.3m Hub) - ALSAT - (ALSAT)

Remote 1 - ALSAT - (ALSAT)

Remote 10 - ALSAT - (ALSAT)

Remote 11 - ALSAT - (ALSAT)

Remote 12 - ALSAT - (ALSAT)

Remote 13 - ALSAT - (ALSAT)

Remote 14 - ALSAT - (ALSAT)

Remote 15 - ALSAT - (ALSAT)

Remote 2 - ALSAT - (ALSAT)

Remote 3 - ALSAT - (ALSAT)

Remote 4 - ALSAT - (ALSAT)

Remote 5 - ALSAT - (ALSAT)

Remote 6 - ALSAT - (ALSAT)

Remote 7 - ALSAT - (ALSAT)

Remote 8 - ALSAT - (ALSAT)

Remote 9 - ALSAT - (ALSAT)

SES-MFS-20090406-00418 E KA278 Hawaii Teleport Holdings, LLC

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, International Fixed Satellite Service

This modification application is being filed to provide broadband communications to United States Naval ships in the Pacific Ocean, and an updated frequency coordination report.

SITE ID: Kapolei

LOCATION: 91-340 Farrington Highway, HONOLULU, Kapolei, HI

21 ° 20 ' 12.00 " N LAT.

158 ° 5 ' 25.10 " W LONG.

ANTENNA ID:	1	15.5 meters	UAI (INTELSAT Standard A)	1155C
	5925.0000 - 6425.0000 MHz	30M0F3F	85.10 dBW	TV with associated audio
	3700.0000 - 4200.0000 MHz	2M05G7E		QPSK, IDR for Digital International telephony
	3700.0000 - 4200.0000 MHz	30M0F3F		TV with associated audio
	5925.0000 - 6425.0000 MHz	1M54G7E	71.60 dBW	(IBS) DIGITAL MODULATION QPSK OR OTHER DIGITAL TYPE
	5925.0000 - 6425.0000 MHz	45K0G1E	66.50 dBW	(SCPC) DIGITAL MODULATION QPSK OR OTHER DIGITAL TYPE
	5925.0000 - 6425.0000 MHz	2M05G7E	80.30 dBW	QPSK, IDR for Digital International telephony
ANTENNA ID:	2	15.5 meters	Universal Antennas	15.5
	3700.0000 - 4200.0000 MHz	2M05G7E		Digital Data, Various FEC, Various Mod., Various Information
	3700.0000 - 4200.0000 MHz	36M0G7W		Digital Data, Various FEC, Various Mod., Various Information
	3700.0000 - 4200.0000 MHz	51K2G7W		Digital Data, Various FEC, Various Mod., Various Information
	5925.0000 - 6425.0000 MHz	1M54G7E	71.65 dBW	Digital Data, Various FEC, Various Mod., Various Information
	5925.0000 - 6425.0000 MHz	2M05G7E	80.30 dBW	Digital Data, Various FEC, Various Mod., Various Information
	5925.0000 - 6425.0000 MHz	36M0G7W	85.00 dBW	Digital Data, Various FEC, Various Mod., Various Information
	5925.0000 - 6425.0000 MHz	45K0G1E	65.82 dBW	Digital Data, Various FEC, Various Mod., Various Information
	5925.0000 - 6425.0000 MHz	51K2G7W	56.62 dBW	Digital Data, Various FEC, Various Mod., Various Information

Points of Communication:

Kapolei - ALSAT - (ALSAT)

Kapolei - INTELSAT POR - (180.0 E.L.)

SES-STA-20090520-00634 E E060335 SES Americom, Inc.

Special Temporary Authority

Class of Station:

SES Americom, Inc. ('SES') requests extension of special temporary authority previously granted SES-STA-20081022-01357 to permit the continued operation of up to 300 earth stations on vessels ('ESV's'), for an additional 180 days.

Points of Communication:

For more information concerning this Notice, contact the Satellite and Radiocommunication Division at 418-0719; TTY 202-418-2555.