



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01184

Wednesday October 21, 2009

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20091015-01324 E E090178 HNS LICENSE SUB, LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 1620 PENDLETON STREET, RICHLAND, COLUMBIA, SC

33 ° 59 ' 59.49 " N LAT.

81 ° 1 ' 28.38 " W LONG.

| | | | | |
|-------------|-----------------------------|------------|-----------|--------------------------------------|
| ANTENNA ID: | 1 | 3.7 meters | ANDREW | ES37MPJK-1 |
| | 11700.0000 - 12200.0000 MHz | 36M0G7W | | QPSK (SCPC COMPRESSED DIGITAL VIDEO) |
| | 11700.0000 - 12200.0000 MHz | 1M00G7W | | QPSK (SCPC COMPRESSED DIGITAL VIDEO) |
| | 14000.0000 - 14500.0000 MHz | 1M00G7W | 63.40 dBW | QPSK (SCPC COMPRESSED DIGITAL VIDEO) |
| | 14000.0000 - 14500.0000 MHz | 10M0G7W | 73.40 dBW | QPSK (SCPC COMPRESSED DIGITAL VIDEO) |
| | 14000.0000 - 14500.0000 MHz | 36M0G7W | 73.40 dBW | QPSK (SCPC COMPRESSED DIGITAL VIDEO) |

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20091016-01334 E E090179 Globecomm Systems, Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 201 North Trinity Street, Mecklenburg, Charlotte, NC

35 ° 12 ' 9.00 " N LAT.

80 ° 56 ' 6.00 " W LONG.

| | | | |
|-----------------------------|------------|-----------|-------------------------------|
| ANTENNA ID: 1 | 3.8 meters | Vertex | 3.8 DPK/DPC |
| 14000.0000 - 14500.0000 MHz | 4M00G1F | 69.50 dBW | QPSK Digital Phase Modulation |
| 11700.0000 - 12200.0000 MHz | 4M00G1F | | QPSK Digital Phase Modulation |
| 14000.0000 - 14500.0000 MHz | 9M60G1F | 55.30 dBW | QPSK Digital Phase Modulation |
| 11700.0000 - 12200.0000 MHz | 9M60G1F | | QPSK Digital Phase Modulation |

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MFS-20090909-01136 E E080011 Intelsat North America LLC

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Intelsat North America LLC requests to modify its Clarksburg, Maryland earth station license, to add new frequencies, new points of communication, new emissions and related service.

SITE ID: Clarksburg

LOCATION: 22021 Comsat Drive, Montgomery, Clarksburg, MD

39 ° 13 ' 5.00 " N LAT.

77 ° 16 ' 25.00 " W LONG.

| | | | |
|---------------------------|-------------|------------|--|
| ANTENNA ID: 1 | 16.4 meters | Comsat/RSI | 16.4M |
| 3700.0000 - 4200.0000 MHz | 36M0G7W | | Digital video, audio and data carriers |
| 3700.0000 - 4200.0000 MHz | 700KG7W | | Digital video, audio and data carriers |
| 5925.0000 - 6425.0000 MHz | 36M0G7W | 83.00 dBW | Digital video, audio and data carriers |
| 6300.6000 - 6330.2000 MHz | 29M0G7F | 88.50 dBW | Digital video |
| 3700.0000 - 4200.0000 MHz | 72M0G7F | | Digital video |
| 5850.0000 - 6182.0000 MHz | 54M0G7F | 88.50 dBW | Digital video |

| | | | |
|---------------------------|----------|-----------|-----------------------|
| 5850.0000 - 6425.0000 MHz | 72M0G7F | 88.50 dBW | Digital video |
| 6182.0000 - 6212.5000 MHz | 29M0G7F | 88.50 dBW | Digital video |
| 6212.5000 - 6300.6000 MHz | 54M0G7F | 88.50 dBW | Digital video |
| 6330.2000 - 6360.7000 MHz | 30M0G7F | 86.00 dBW | Digital video |
| 3700.0000 - 4200.0000 MHz | 5K00G7F- | | Digital video |
| 5850.0000 - 6182.0000 MHz | 5K00G7F- | 57.00 dBW | Digital video |
| 5850.0000 - 6425.0000 MHz | 54M0G7F- | 88.50 dBW | Digital video |
| 6182.0000 - 6212.5000 MHz | 5K00G7F- | 52.60 dBW | Digital video |
| 6212.5000 - 6300.6000 MHz | 5K00G7F- | 57.00 dBW | Digital video |
| 6300.6000 - 6330.2000 MHz | 5K00G7F- | 52.60 dBW | Digital video |
| 6330.2000 - 6360.7000 MHz | 5K00G7F- | 48.20 dBW | Digital video |
| 6360.7000 - 6425.0000 MHz | 54M0G7F- | 88.50 dBW | Digital video |
| 6360.7000 - 6425.0000 MHz | 5K00G7F- | 57.00 dBW | Digital video |
| 3700.0000 - 4200.0000 MHz | 72M0G7D | | Digital Data Carriers |
| 5850.0000 - 6182.0000 MHz | 54M0G7D | 88.50 dBW | Digital Data Carriers |
| 5850.0000 - 6425.0000 MHz | 72M0G7D | 88.50 dBW | Digital Data Carriers |
| 6182.0000 - 6212.5000 MHz | 29M0G7D | 88.50 dBW | Digital Data Carriers |
| 6212.5000 - 6300.6000 MHz | 54M0G7D | 88.50 dBW | Digital Data Carriers |
| 6300.6000 - 6330.2000 MHz | 29M0G7D | 88.50 dBW | Digital Data Carriers |
| 6330.2000 - 6360.7000 MHz | 30M0G7D | 86.00 dBW | Digital Data Carriers |
| 6360.7000 - 6425.0000 MHz | 54M0G7D | 88.50 dBW | Digital Data Carriers |
| 3700.0000 - 4200.0000 MHz | 5K00G7D- | | Digital Data Carriers |
| 5850.0000 - 6182.0000 MHz | 5K00G7D- | 57.00 dBW | Digital Data Carriers |
| 5850.0000 - 6425.0000 MHz | 54M0G7D- | 88.50 dBW | Digital Data Carriers |
| 6182.0000 - 6212.5000 MHz | 5K00G7D- | 52.60 dBW | Digital Data Carriers |
| 6212.5000 - 6300.6000 MHz | 5K00G7D- | 57.00 dBW | Digital Data Carriers |

| | | | |
|---------------------------|----------|-----------|---|
| 6300.6000 - 6330.2000 MHz | 5K00G7D | 52.60 dBW | Digital Data Carriers |
| 6330.2000 - 6360.7000 MHz | 5K00G7D- | 48.20 dBW | Digital Data Carriers |
| 6360.7000 - 6425.0000 MHz | 5K00G7D- | 57.00 dBW | Digital Data Carriers |
| 3700.0000 - 4200.0000 MHz | 72M0G7W | | Digital Video, Audio, and Data Carriers |
| 5850.0000 - 6182.0000 MHz | 54M0G7W | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 5850.0000 - 6425.0000 MHz | 72M0G7W | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 6182.0000 - 6212.5000 MHz | 29M0G7W | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 6212.5000 - 6300.6000 MHz | 54M0G7W | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 6300.6000 - 6330.2000 MHz | 29M0G7W | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 6330.2000 - 6360.7000 MHz | 30M0G7W | 86.00 dBW | Digital Video, Audio, and Data Carriers |
| 6360.7000 - 6425.0000 MHz | 54M0G7W | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 3700.0000 - 4200.0000 MHz | 5K00G7W- | | Digital Video, Audio, and Data Carriers |
| 5850.0000 - 6182.0000 MHz | 5K00G7W- | 57.00 dBW | Digital Video, Audio, and Data Carriers |
| 5850.0000 - 6425.0000 MHz | 54M0G7W- | 88.50 dBW | Digital Video, Audio, and Data Carriers |
| 6182.0000 - 6212.5000 MHz | 5K00G7W- | 52.60 dBW | Digital Video, Audio, and Data Carriers |
| 6212.5000 - 6300.6000 MHz | 5K00G7W- | 57.00 dBW | Digital Video, Audio, and Data Carriers |
| 6300.6000 - 6330.2000 MHz | 5K00G7W- | 52.60 dBW | Digital Video, Audio, and Data Carriers |
| 6330.2000 - 6360.7000 MHz | 5K00G7W- | 48.20 dBW | Digital Video, Audio, and Data Carriers |
| 6360.7000 - 6425.0000 MHz | 5K00G7W- | 57.00 dBW | Digital Video, Audio, and Data Carriers |

Points of Communication:

Clarksburg - ALSAT - (ALSAT)

Clarksburg - INTELSAT 805 - (304.5 E.L.)

Clarksburg - INTELSAT AOR - (325.5 E.L.)

Clarksburg - INTELSAT AOR - (328.5 E.L.)

Clarksburg - INTELSAT AOR - (335.5 E.L.)

Clarksburg - INTELSAT AOR - (340.0 E.L.)

Clarksburg - INTELSAT AOR - (342.0 E.L.)

Clarksburg - NSS 5 - (177 W.L.)

Clarksburg - NSS-7 - (22 W.L.)

SES-MOD-20090609-00714 E E030082 Intelsat LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Intelsat LLC ('Intelsat') seeks a waiver of Section 2.106 of the Commission's rules, Footnote NG169 to the U.S. Table of Frequency Allocations to operate its Hagerstown, MD earth station in the 3650-3700 extended C-band frequencies on a co-primary basis with terrestrial fixed services. The rest of the information in the current authorization (Call Sign E030082, File Nos. SES-LIC-20030416-00489, SES-AMD-20030711-00944) remains unchanged and is incorporated herein by reference.

SITE ID: 1

LOCATION: 17633 TECHNOLOGY BLVD., WASHINGTON, HAGERSTOWN, MD

39 ° 35 ' 57.90 " N LAT.

77 ° 45 ' 21.40 " W LONG.

| ANTENNA ID: | 1 | 16.4 meters | VERTEX | 16.4 THC |
|---------------------------|---|-------------|-----------|---|
| 5925.0000 - 6425.0000 MHz | | 36M0F8W | 83.00 dBW | Analog video with associated audio carriers |
| 5925.0000 - 6425.0000 MHz | | 800KFXW | 79.30 dBW | FM/ AM/ PM modulated Command and Range Signal |
| 5925.0000 - 6425.0000 MHz | | 72M0G7W | 83.00 dBW | DIGITAL, Data |
| 5925.0000 - 6425.0000 MHz | | 100KG7D | 70.30 dBW | DIGITAL, Data |
| 5850.0000 - 5925.0000 MHz | | 36M0F8W | 83.00 dBW | Analog video with associated audio carriers |
| 5850.0000 - 5925.0000 MHz | | 800KFXW | 79.30 dBW | FM/ AM/ PM modulated Command and Range Signal |
| 5850.0000 - 5925.0000 MHz | | 72M0G7W | 83.00 dBW | DIGITAL, Data |
| 5850.0000 - 5925.0000 MHz | | 100KG7D | 70.30 dBW | DIGITAL, Data |
| 3700.0000 - 4200.0000 MHz | | 36M0F8W | | Analog video with associated audio carriers |
| 3700.0000 - 4200.0000 MHz | | 800KFXW | | FM/ AM/ PM modulated Command and Range Signal |
| 3700.0000 - 4200.0000 MHz | | 72M0G7W | | Digital video with associated audio carriers |
| 3700.0000 - 4200.0000 MHz | | 100KG7D | | DIGITAL, data |
| 3625.0000 - 3700.0000 MHz | | 36M0F8W | | Analog video with associated audio carriers |

| | | |
|---------------------------|---------|---|
| 3625.0000 - 3700.0000 MHz | 800KFXW | FM/ AM/ PM modulated Command and Range Signal |
| 3625.0000 - 3700.0000 MHz | 72M0G7W | Digital video with associated audio carriers |
| 3625.0000 - 3700.0000 MHz | 100KG7D | DIGITAL, Data |

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - INTELSAT 805 - (304.5 E.L.)
- 1 - INTELSAT AOR - (307.0 E.L.)
- 1 - INTELSAT AOR - (310.0 E.L.)
- 1 - INTELSAT AOR - (325.5 E.L.)
- 1 - INTELSAT AOR - (328.5 E.L.)
- 1 - INTELSAT AOR - (330.5 E.L.)
- 1 - INTELSAT AOR - (332.5 E.L.)
- 1 - INTELSAT AOR - (335.5 E.L.)
- 1 - INTELSAT AOR - (340.0 E.L.)
- 1 - INTELSAT AOR - (342.0 E.L.)

SES-MOD-20090609-00715 E E030071 Intelsat LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Intelsat LLC ('Intelsat') seeks a waiver of Section 2.106 of the Commission's rules, Footnote NG169 to the U.S. Table of Frequency Allocations to operate its Hagerstown, MD earth station in the 3650-3700 extended C-band frequencies on a co-primary basis with terrestrial fixed services. The rest of the information in the current authorization (Call Sign E030071, File Nos. SES-LIC-20030403-00419, SES-AMD-20030617-00858, SES-AMD-20030711-00945) remains unchanged and is incorporated herein by reference.

SITE ID: 1

LOCATION: 17633 TECHNOLOGY BLVD., WASHINGTON, HAGERSTOWN, MD
 39 ° 35 ' 57.90 " N LAT. 77 ° 45 ' 17.30 " W LONG.

| | | | |
|---------------------------|-------------|-----------|---|
| ANTENNA ID: 1 | 16.4 meters | VERTEX | 16.4 THC |
| 5925.0000 - 6425.0000 MHz | 36M0F8W | 83.00 dBW | ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| 5925.0000 - 6425.0000 MHz | 800KFXW | 79.30 dBW | COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL |
| 5925.0000 - 6425.0000 MHz | 72M0G7W | 83.00 dBW | DIGITAL DATA CARRIER |

| | | | |
|---------------------------|---------|-----------|--|
| 5925.0000 - 6425.0000 MHz | 100KG7D | 70.30 dBW | DIGITAL, DATA |
| 5850.0000 - 5925.0000 MHz | 72M0G7W | 83.00 dBW | DIGITAL DATA CARRIER |
| 5850.0000 - 5925.0000 MHz | 100KG7D | 70.30 dBW | DIGITAL, DATA |
| 5850.0000 - 5925.0000 MHz | 36M0F8W | 83.00 dBW | ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| 5850.0000 - 5925.0000 MHz | 800KFXW | 79.30 dBW | COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL |
| 3700.0000 - 4200.0000 MHz | 36M0F8W | | ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| 3700.0000 - 4200.0000 MHz | 800KFXW | | COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL |
| 3700.0000 - 4200.0000 MHz | 72M0G7W | | DIGITAL, DATA |
| 3700.0000 - 4200.0000 MHz | 100KG7D | | DIGITAL, DATA |
| 3625.0000 - 3700.0000 MHz | 72M0G7W | | DIGITAL VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| 3625.0000 - 3700.0000 MHz | 36M0F8W | | ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| 3625.0000 - 3700.0000 MHz | 100KG7D | | DIGITAL, DATA |
| 3625.0000 - 3700.0000 MHz | 800KFXW | | COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL |

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - INTELSAT 805 - (304.5 E.L.)
- 1 - INTELSAT AOR - (307.0 E.L.)
- 1 - INTELSAT AOR - (310.0 E.L.)
- 1 - INTELSAT AOR - (325.5 E.L.)
- 1 - INTELSAT AOR - (328.5 E.L.)
- 1 - INTELSAT AOR - (330.5 E.L.)
- 1 - INTELSAT AOR - (332.5 E.L.)
- 1 - INTELSAT AOR - (335.5 E.L.)
- 1 - INTELSAT AOR - (340.0 E.L.)
- 1 - INTELSAT AOR - (342.0 E.L.)

SES-MOD-20090609-00716 E E030101 Intelsat LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Intelsat LLC ('Intelsat') seeks a waiver of Section 2.106 of the Commission's rules, Footnote NG169 to the U.S. Table of Frequency Allocations to operate its Hagerstown, MD earth station in the 3650-3700 extended C-band frequencies on a co-primary basis with terrestrial fixed services. The rest of the information in the current authorization (Call Sign E030101, File Nos. SES-LIC-20030505-00599, SES-AMD-20030711-00947) remains unchanged and is incorporated herein by reference.

SITE ID: 1

LOCATION: 17633 TECHNOLOGY BLVD., WASHINGTON, HAGERSTOWN, MD
39 ° 35 ' 59.60 " N LAT. 77 ° 45 ' 17.40 " W LONG.

| ANTENNA ID: | 1 | 16.4 meters | VERTEX | 16.4 THC |
|-------------|---------------------------|-------------|-----------|---|
| | 5925.0000 - 6425.0000 MHz | 36M0F8W | 83.00 dBW | Analog video with associated audio carriers |
| | 5925.0000 - 6425.0000 MHz | 800KFXW | 79.30 dBW | Analog carrier |
| | 5925.0000 - 6425.0000 MHz | 72M0G7W | 83.00 dBW | DIGITAL, Data |
| | 5925.0000 - 6425.0000 MHz | 100KG7D | 70.30 dBW | DIGITAL, Data |
| | 5850.0000 - 5925.0000 MHz | 36M0F8W | 83.00 dBW | Analog video with associated audio carriers |
| | 5850.0000 - 5925.0000 MHz | 800KFXW | 79.30 dBW | Analog carrier |
| | 5850.0000 - 5925.0000 MHz | 72M0G7W | 83.00 dBW | DIGITAL, Data |
| | 5850.0000 - 5925.0000 MHz | 100KG7D | 70.30 dBW | DIGITAL, Data |
| | 3700.0000 - 4200.0000 MHz | 36M0F8W | | Analog video with associated audio carriers |
| | 3700.0000 - 4200.0000 MHz | 800KFXW | | Analog carrier |
| | 3700.0000 - 4200.0000 MHz | 72M0G7W | | DIGITAL, Data |
| | 3700.0000 - 4200.0000 MHz | 100KG7D | | DIGITAL, Data |
| | 3625.0000 - 3700.0000 MHz | 100KG7D | | DIGITAL, Data |
| | 3625.0000 - 3700.0000 MHz | 72M0G7W | | DIGITAL, Data |
| | 3625.0000 - 3700.0000 MHz | 36M0F8W | | Analog video with associated audio carriers |
| | 3625.0000 - 3700.0000 MHz | 800KFXW | | Analog carrier |

Points of Communication:

| ANTENNA ID: | 1 | 16.4 meters | VERTEX | 16.4 THC |
|-------------|---------------------------|-------------|-----------|--|
| | 5925.0000 - 6425.0000 MHz | 36M0F8W | 83.00 dBW | ANALOG VIDEO WITH ASSOCIATED CARRIERS |
| | 5925.0000 - 6425.0000 MHz | 800KFXW | 79.30 dBW | ANALOG CARRIER |
| | 5925.0000 - 6425.0000 MHz | 72M0G7W | 83.00 dBW | DIGITAL VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| | 5925.0000 - 6425.0000 MHz | 100KG7D | 70.30 dBW | DIGITAL, DATA |
| | 5850.0000 - 5925.0000 MHz | 36M0F8W | 83.00 dBW | ANALOG VIDEO WITH ASSOCIATED CARRIERS |
| | 5850.0000 - 5925.0000 MHz | 800KFXW | 79.30 dBW | ANALOG CARRIER |
| | 5850.0000 - 5925.0000 MHz | 72M0G7W | 83.00 dBW | DIGITAL VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| | 5850.0000 - 5925.0000 MHz | 100KG7D | 70.30 dBW | DIGITAL, DATA |
| | 3700.0000 - 4200.0000 MHz | 36M0F8W | | ANALOG VIDEO WITH ASSOCIATED CARRIERS |
| | 3700.0000 - 4200.0000 MHz | 800KFXW | | ANALOG CARRIER |
| | 3700.0000 - 4200.0000 MHz | 72M0G7W | | DIGITAL VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| | 3700.0000 - 4200.0000 MHz | 100KG7D | | DIGITAL, DATA |
| | 3625.0000 - 3700.0000 MHz | 72M0G7W | | DIGITAL VIDEO WITH ASSOCIATED AUDIO CARRIERS |
| | 3625.0000 - 3700.0000 MHz | 36M0F8W | | ANALOG VIDEO WITH ASSOCIATED CARRIERS |
| | 3625.0000 - 3700.0000 MHz | 800KFXW | | ANALOG CARRIER |
| | 3625.0000 - 3700.0000 MHz | 100KG7D | | DIGITAL, DATA |

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - INTELSAT 805 - (304.5 E.L.)
- 1 - INTELSAT AOR - (307.0 E.L.)
- 1 - INTELSAT AOR - (310.0 E.L.)
- 1 - INTELSAT AOR - (325.5 E.L.)
- 1 - INTELSAT AOR - (328.5 E.L.)

1 - INTELSAT AOR - (330.5 E.L.)

1 - INTELSAT AOR - (332.5 E.L.)

1 - INTELSAT AOR - (335.5 E.L.)

1 - INTELSAT AOR - (340.0 E.L.)

1 - INTELSAT AOR - (342.0 E.L.)

SES-MOD-20090924-01231 E E040269 DCI II, INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to add additional of antennas, new emission designators, increase EIRP and EIRP density, environmental assessment and radiation hazard reporting to it's existing earth station license.

SITE ID: 1

LOCATION: 2000 M. STREET NW, WASHINGTON, DC

38 ° 54 ' 19.30 " N LAT.

77 ° 2 ' 42.60 " W LONG.

| | | | | |
|-------------|-----------------------------|------------|-----------|--------------------------|
| ANTENNA ID: | 3.8M.PRO | 3.8 meters | PRODELIN | 1383 |
| | 14000.0000 - 14500.0000 MHz | 16M0G7F | 73.30 dBW | COMPRESSED DIGITAL VIDEO |
| | 14000.0000 - 14500.0000 MHz | 7M70G7F | 70.30 dBW | COMPRESSED DIGITAL VIDEO |
| | 14000.0000 - 14500.0000 MHz | 24M0F3F | 76.30 dBW | ANALOG VIDEO |
| | 14000.0000 - 14500.0000 MHz | 36M0F3F | 76.30 dBW | ANALOG VIDEO |
| | 11700.0000 - 12200.0000 MHz | 16M0G7F | | COMPRESSED DIGITAL VIDEO |
| | 11700.0000 - 12200.0000 MHz | 7M70G7F | | COMPRESSED DIGITAL VIDEO |
| | 11700.0000 - 12200.0000 MHz | 24M0F3F | | ANALOG VIDEO |
| | 11700.0000 - 12200.0000 MHz | 36M0F3F | | ANALOG VIDEO |
| ANTENNA ID: | 2.4M.COM | 2.4 meters | COMTECH | 847-337-G2 |
| | 14000.0000 - 14500.0000 MHz | 230KF9E | 48.30 dBW | NULL |
| | 14000.0000 - 14500.0000 MHz | 50K0F3E | 45.70 dBW | NULL |
| | 14000.0000 - 14500.0000 MHz | 50K0F3D | 45.70 dBW | NULL |
| | 14000.0000 - 14500.0000 MHz | 36M0F3F | 74.30 dBW | NULL |
| | 14000.0000 - 14500.0000 MHz | 24M0F3F | 74.30 dBW | NULL |

| | | | |
|-----------------------------|------------|-----------|---------|
| 11700.0000 - 12200.0000 MHz | 50K0F3E | | NULL |
| 11700.0000 - 12200.0000 MHz | 36M0F3F | | NULL |
| 11700.0000 - 12200.0000 MHz | 24M0F3F | | NULL |
| 11700.0000 - 12200.0000 MHz | 230KF9E | | NULL |
| ANTENNA ID: 4.6M.VER | 4.6 meters | VERTEX | 4.57KPK |
| 14000.0000 - 14500.0000 MHz | 50K0G2D | 50.00 dBW | NULL |
| 14000.0000 - 14500.0000 MHz | 50K0F3E | 50.00 dBW | NULL |
| 14000.0000 - 14500.0000 MHz | 36M0F3F | 76.67 dBW | NULL |
| 14000.0000 - 14500.0000 MHz | 24M0F3F | 76.67 dBW | NULL |
| 11700.0000 - 12200.0000 MHz | 50K0G2D | | NULL |
| 11700.0000 - 12200.0000 MHz | 50K0F3E | | NULL |
| 11700.0000 - 12200.0000 MHz | 36M0F3F | | NULL |
| 11700.0000 - 12200.0000 MHz | 24M0F3F | | NULL |
| ANTENNA ID: 3.8M.PRO2 | 3.8 meters | PRODELIN | 1381 |
| 14000.0000 - 14500.0000 MHz | 7M70G7F | 70.30 dBW | NULL |
| 14000.0000 - 14500.0000 MHz | 36M0F3F | 76.30 dBW | NULL |
| 14000.0000 - 14500.0000 MHz | 24M0F3F | 76.30 dBW | NULL |
| 14000.0000 - 14500.0000 MHz | 16M0G7F | 73.30 dBW | NULL |
| 11700.0000 - 12200.0000 MHz | 7M70G7F | | NULL |
| 11700.0000 - 12200.0000 MHz | 36M0F3F | | NULL |
| 11700.0000 - 12200.0000 MHz | 24M0F3F | | NULL |
| 11700.0000 - 12200.0000 MHz | 16M0G7F | | NULL |

Points of Communication:

1 - ALSAT - (ALSAT)

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.