



# PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION  
445 12th STREET S.W.  
WASHINGTON D.C. 20554

News media information 202-418-0500  
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)  
TTY (202) 418-2555

Report No. SES-01200

Wednesday December 9, 2009

## SATELLITE COMMUNICATIONS SERVICES

### RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

---

SES-AMD-20091201-01508 E E090210 Miami-Dade Fire Rescue

Amendment

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Fixed Satellite Service

This Amendment was filed due to correct minor technical data on License file No. SES-LIC-2009-1123-01491.

SITE ID: 1

LOCATION: 6000 SW 67 AVENUE, VARIOUS

ANTENNA ID: Keystone 1 4.6 meters ASC SIGNAL 4.6M TRIFOLD

14000.0000 - 14500.0000 MHz 36M0F1D 81.43 dBW STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO, AND AUDIO

11700.0000 - 12200.0000 MHz 36M0F1D STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO, AND AUDIO

**Points of Communication:**

1 - AMC-9 - (85 W.L.)

---

SES-AMD-20091201-01509 E E090209 Miami-Dade Fire Rescue

Amendment

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Fixed Satellite Service

---

This Amendment was filed due to correct minor technical data on License file No. SES-LIC-2009-1123-01490.

SITE ID: 1  
LOCATION: 6000 SW 87 AVENUE, VARIOUS

ANTENNA ID:	Keystone 2	4.6 meters	ASC SIGNAL	4.6M TRIFOLD
	14000.0000 - 14500.0000 MHz		36M0F1D 81.43 dBW	STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO AND AUDIO
	11700.0000 - 12200.0000 MHz		36M0F1D	STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO AND AUDIO

**Points of Communication:**

1 - AMC-9 - (85 W.L.)

---

**SES-ASG-20091111-01443** E E050137 WGN Continental Broadcasting Company, Debtor-In-Possession  
Application for Consent to Assignment  
**Current Licensee:** WGN Continental Broadcasting Company, Debtor-In-Possession  
**FROM:** WGN CONTINENTAL BROADCASTING COMPANY, DEBTOR-IN-POSSESSION  
**TO:** Access Washington, LLC

No. of Station(s) listed: 1

---

**SES-LIC-20091123-01490** E E090209 Miami-Dade Fire Rescue  
Application for Authority  
**Class of Station:** Temporary Fixed Earth Station  
**Nature of Service:** Fixed Satellite Service

This License is associated with amendment file No. SES-AMD-20091201-01509.

SITE ID: 1  
LOCATION: 6000 SW 87 AVENUE, VARIOUS

ANTENNA ID:	Keystone 2	4.6 meters	ASC SIGNAL	4.6M TRIFOLD
	14000.0000 - 14500.0000 MHz		36M0F1D 81.43 dBW	STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO, AND AUDIO
	11700.0000 - 12200.0000 MHz		36M0F1D	STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO, AND AUDIO

**Points of Communication:**

1 - AMC-9 - (85 W.L.)

---

**SES-LIC-20091123-01491** E E090210 Miami-Dade Fire Rescue  
Application for Authority  
**Class of Station:** Temporary Fixed Earth Station  
**Nature of Service:** Fixed Satellite Service

This License is associated with amendment file No. SES-AMD-20091201-01508.

SITE ID: 1  
LOCATION: 6000 SW 87 AVENUE, VARIOUS

ANTENNA ID:	Keystone 1	4.6 meters	ASC SIGNAL	4.6M TRIFOLD
	14000.0000 - 14500.0000 MHz		36M0F1D 81.43 dBW	STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO, AND AUDIO
	11700.0000 - 12200.0000 MHz		36M0F1D	STREAMING DATA CONTAINING IP, TELEPHONY, VIDEO, AND AUDIO

**Points of Communication:**

1 - AMC-9 - (85 W.L.)

---

**SES-LIC-20091203-01532** E E090211 AMERICAN FAMILY INSURANCE GROUP **EZ**

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SITE ID: NHQ  
LOCATION: 6000 AMERICAN PARKWAY, DANE, Madison, WI  
43 ° 9 ' 32.00 " N LAT. 83 ° 17 ' 13.00 " W LONG.

ANTENNA ID:	HUB	4.5 meters	ANDREW	ES45MPJ
	14000.0000 - 14500.0000 MHz		2M81M7D 67.60 dBW	QPSK
	11700.0000 - 12200.0000 MHz		790KM7D	QPSK

**Points of Communication:**

NHQ - PERMITTED LIST - ()

---

**SES-MOD-20091105-01418** E E080059 Inmarsat Hawaii Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

Modification filed to add new emission designators and related service.

SITE ID: 1  
LOCATION: P.O. Box 698 58-350 Kamehameha Hwy, Haleiwa, HI  
21 ° 40 ' 10.40 " N LAT. 158 ° 1 ' 59.40 " W LONG.

ANTENNA ID:	16m HAW1	16.4 meters	Vertex	16M
	6538.5500 - 6558.5500 MHz		20M0X2D 85.00 dBW	BPSK/Navigational Carrier
	6532.5200 - 6536.5200 MHz		4M00X2D 85.00 dBW	BPSK/Navigational Carrier

---

6425.0000 - 6575.0000 MHz	750HG7D	63.70 dBW	Digital Data/Feeder link via 4F1 & 4F3
6425.0000 - 6575.0000 MHz	2K50G1D	59.60 dBW	Packet-switched data
6425.0000 - 6575.0000 MHz	2K50G1D	61.00 dBW	Packet-switched data
6425.0000 - 6575.0000 MHz	10K0G1D	63.70 dBW	Circuit-switched data
6425.0000 - 6575.0000 MHz	5K00G1D	60.70 dBW	Circuit-switched data
6425.0000 - 6575.0000 MHz	17K5G1E	63.70 dBW	Circuit-switched voice
6425.0000 - 6475.0000 MHz	5K00G1D	58.60 dBW	Packet-switched data
6338.0000 - 6342.0000 MHz	1M40F2D	89.00 dBW	Digital Data/TTAC (Emergency)
6338.0000 - 6342.0000 MHz	1M40F3X	89.00 dBW	Digital Data/TTAC (Emergency)
6338.0000 - 6342.0000 MHz	1M40F2D	69.00 dBW	Digital Data/TTAC (On-Station)
6338.0000 - 6342.0000 MHz	1M40F3X	69.00 dBW	Digital Data/TTAC (On-Station)
6338.0000 - 6342.0000 MHz	1M40F2D	77.00 dBW	Digital Data/TTAC (On-Station)
6338.0000 - 6342.0000 MHz	1M40F3X	77.00 dBW	Digital Data/TTAC (On-Station)
3945.0000 - 3955.0000 MHz	200KG7D		Digital Data/TTAC
3945.0000 - 3955.0000 MHz	750HG7D		Digital Data/TTAC
3600.0000 - 3700.0000 MHz	750HG7D	0.00 dBW	Digital Data/Feeder link via 4F1 & 4F3
3600.0000 - 3700.0000 MHz	2K50G1D		Packet-switched data
3600.0000 - 3700.0000 MHz	5K00G1D		Packet-switched data
3600.0000 - 3700.0000 MHz	10K0G1D		Circuit-switched data
3600.0000 - 3700.0000 MHz	5K00G1D		Circuit-switched data
3600.0000 - 3700.0000 MHz	17K5G1E		Circuit-switched voice
1626.5000 - 1660.5000 MHz	100KN0N	41.00 dBW	Unmodulated Continuous Wave Pilot Carriers
1525.0000 - 1559.0000 MHz	100KN0N		Unmodulated Continuous Wave Pilot Carriers
6425.0000 - 6575.0000 MHz	45K0G7D	65.50 dBW	Packet-switched and IDSN
3600.0000 - 3700.0000 MHz	45K0G7D		Packet-switched and IDSN

---

SITE ID: 2

LOCATION: P.O. Box 698 58-350 Kamehameha Hwy, Haleiwa, HI  
21 ° 40 ' 11.30 " N LAT.

158 ° 1 ' 59.60 " W LONG.

ANTENNA ID:	16m HAW2	16.4 meters	Vertex	16M
	6538.5500 - 6558.5500 MHz	20M0X2D	85.00 dBW	BPSK/Navigational Carrier
	6532.5200 - 6536.5200 MHz	4M00X2D	85.00 dBW	BPSK/Navigational Carrier
	6425.0000 - 6575.0000 MHz	750HG7D	63.70 dBW	Digital Data/Feeder link via 4F1 & 4F3
	6425.0000 - 6575.0000 MHz	2K50G1D	59.60 dBW	Packet-switched data
	6425.0000 - 6575.0000 MHz	2K50G1D	61.00 dBW	Packet-switched data
	6425.0000 - 6575.0000 MHz	5K00G1D	58.60 dBW	Packet-switched data
	6425.0000 - 6575.0000 MHz	10K0G1D	63.70 dBW	Circuit-switched data
	6425.0000 - 6575.0000 MHz	5K00G1D	60.70 dBW	Circuit-switched data
	6425.0000 - 6575.0000 MHz	17K5G1E	63.70 dBW	Circuit-switched voice
	6338.0000 - 6342.0000 MHz	1M40F2D	89.00 dBW	Digital Data/TTAC (Emergency)
	6338.0000 - 6342.0000 MHz	1M40F3X	89.00 dBW	Digital Data/TTAC (Emergency)
	6338.0000 - 6342.0000 MHz	1M40F2D	69.00 dBW	Digital Data/TTAC (On-Station)
	6338.0000 - 6342.0000 MHz	1M50F3X	69.00 dBW	Digital Data/TTAC (On-Station)
	6338.0000 - 6342.0000 MHz	1M40F2D	77.00 dBW	Digital Data/TTAC (On-Station)
	6338.0000 - 6342.0000 MHz	1M40F3X	77.00 dBW	Digital Data/TTAC (On-Station)
	3945.0000 - 3955.0000 MHz	200KG7D		Digital Data/TTAC
	3945.0000 - 3955.0000 MHz	750HG7D		Digital Data/TTAC
	3600.0000 - 3700.0000 MHz	750HG7D	0.00 dBW	Digital Data/Feeder link via 4F1 & 4F3
	3600.0000 - 3700.0000 MHz	2K50G1D		Packet-switched data
	3600.0000 - 3700.0000 MHz	5K00G1D		Packet-switched data
	3600.0000 - 3700.0000 MHz	10K0G1D		Circuit-switched data
	3600.0000 - 3700.0000 MHz	5K00G1D		Circuit-switched data
	3600.0000 - 3700.0000 MHz	17K5G1E		Circuit-switched voice

---

1626.5000 - 1660.5000 MHz	100KN0N	41.00 dBW	Unmodulated Continuous Wave Pilot Carriers
1525.0000 - 1559.0000 MHz	100KN0N		Unmodulated Continuous Wave Pilot Carriers
3600.0000 - 3700.0000 MHz	45K0G7D		Packet-switched and IDSN
6425.0000 - 6575.0000 MHz	45K0G7D	65.50 dBW	Packet-switched and IDSN

**Points of Communication:**

1 - INMARSAT 4F1 - (143.5 E.L.)

1 - INMARSAT 4F3 - (97.65 W.L.)

2 - INMARSAT 4F1 - (143.5 E.L.)

2 - INMARSAT 4F3 - (97.65 W.L.)

---

**SES-MOD-20091105-01419** E KA25 Inmarsat Hawaii Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

Inmarsat Hawaii Inc. (Inmarsat) is filing this notification of minor modification to inform the Commission that Inmarsat's Paumalu, Hawaii earth stations are using an emission designator not currently listed on the licenses for those earth stations. As compared to the carriers associated with the emission designators that are listed, the carriers associated with the new emission designators: (i) are of the same modulation type and (ii) have the same or lower associated values for maximum EIRP and EIRP density.

**SITE ID:** 1

**LOCATION:** KAM HIGHWAY, P.O. BOX 215, HONOLULU, HALEIWA, HI

21 ° 40 ' 14.60 " N LAT.

158 ° 2 ' 3.10 " W LONG.

<b>ANTENNA ID:</b> 1	19 meters	TIW (CFPA19M)	19M
6538.5500 - 6558.5500 MHz	20M0X2D	85.00 dBW	NAVIGATIONAL CARRIER via 4F1 and 4F3
6532.5200 - 6536.5200 MHz	4M00X2D	85.00 dBW	NAVIGATIONAL CARRIER via 4F1 and 4F3
6425.0000 - 6575.0000 MHz	200KG7D	80.70 dBW	DIGITAL DATA
6425.0000 - 6575.0000 MHz	750HG7D	63.70 dBW	DIGITAL DATA
6425.0000 - 6575.0000 MHz	200KG7D	80.70 dBW	DIGITAL DATA/Feeder Link & AFC via 4F1 and 4F3
6425.0000 - 6575.0000 MHz	750HG7D	63.70 dBW	DIGITAL DATA/Feeder Link & AFC via 4F1 and 4F3
6425.0000 - 6575.0000 MHz	2K50G1D	59.60 dBW	Packet-switched data
6425.0000 - 6575.0000 MHz	2K50G1D	61.00 dBW	Packet-switched data

---

6425.0000 - 6575.0000 MHz	10K0G1D	63.70 dBW	Circuit-switched data
6425.0000 - 6575.0000 MHz	5K00G1D	60.70 dBW	Circuit-switched data
6425.0000 - 6575.0000 MHz	17K5G1E	63.70 dBW	Circuit-switched voice
6425.0000 - 6475.0000 MHz	5K00G1D	58.60 dBW	Packet-switched data
6390.3000 - 6425.0000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6390.3000 - 6425.0000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6350.6000 - 6360.0000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6338.4000 - 6340.3000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6338.0000 - 6342.0000 MHz	1M40F2D	89.00 dBW	DIGITAL DATA/TTAC (EMERGENCY)
6338.0000 - 6342.0000 MHz	1M40F3X	89.00 dBW	DIGITAL DATA/TTAC (EMERGENCY)
6338.0000 - 6342.0000 MHz	1M40F2D	69.00 dBW	DIGITAL DATA/TTAC (ON-STATION)
6338.0000 - 6342.0000 MHz	1M40F3X	69.00 dBW	DIGITAL DATA/TTAC (ON-STATION)
6338.0000 - 6342.0000 MHz	1M40F2D	77.00 dBW	DIGITAL DATA/TTAC (EMERGENCY)
6338.0000 - 6342.0000 MHz	1M40F3X	77.00 dBW	DIGITAL DATA /TTAC (ON-STATION)
6242.0000 - 6308.1000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6172.0000 - 6178.0000 MHz	800KFXD	93.00 dBW	COMMAND/TTC&M
6172.0000 - 6178.0000 MHz	800KFXD	93.00 dBW	TRACKING, TELEMETRY AND RANGING CARRIER
6145.7000 - 6189.5000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6098.6000 - 6115.4000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
6027.1000 - 6088.3000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER

---

5990.0000 - 5996.8000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
5925.0000 - 6425.0000 MHz	1M50F3X	93.00 dBW	TEST/TTC&M
5925.0000 - 5930.0000 MHz	800KFXD	93.00 dBW	TTC&M COMMAND AND RANGING CARRIER
5850.0000 - 5925.0000 MHz	1M50F3X	93.00 dBW	TEST/TTC&M
3947.0000 - 3953.0000 MHz	800KGXD		TELEMETRY/TTC&M
3945.0000 - 3955.0000 MHz	200KG7D		DIGITAL DATA
3945.0000 - 3955.0000 MHz	750HG7D		DIGITAL DATA
3945.0000 - 3955.0000 MHz	200KG7D		DIGITAL DATA/TTAC
3945.0000 - 3955.0000 MHz	750HG7D		DIGITAL DATA/TTAC
3700.0000 - 4200.0000 MHz	1M50F3X		TEST/TTC&M
3700.0000 - 4200.0000 MHz	800KFXD		TRACKING, TELEMETRY AND RANGING CARRIER
3625.0000 - 3700.0000 MHz	1M50F3X		TEST/TTC&M
3600.0000 - 3700.0000 MHz	200KG7D		DIGITAL DATA
3600.0000 - 3700.0000 MHz	750HG7D		DIGITAL DATA
3600.0000 - 3700.0000 MHz	200KG7D		DIGITAL DATA/Feeder Link & AFC via 4F1 & 4F3
3600.0000 - 3700.0000 MHz	750HG7D		DIGITAL DATA/Feeder Link & AFC via 4F1 & 4F3
3600.0000 - 3700.0000 MHz	2K50G1D		Packet-switched data
3600.0000 - 3700.0000 MHz	2K50G1D		Packet-switched data
3600.0000 - 3700.0000 MHz	5K00G1D		Packet-switched data
3600.0000 - 3700.0000 MHz	10K0G1D		Circuit-switched data
3600.0000 - 3700.0000 MHz	5K00G1D		Circuit-switched data
3600.0000 - 3700.0000 MHz	17K5G1E		Circuit-switched voice
1626.5000 - 1660.5000 MHz	100KN0N	41.00 dBW	UNMODULATED CONTINUOUS WAVE PILOT CARRIERS



---

1626.5000 - 1660.5000 MHz	100KNON	41.00 dBW	Unmodulated continuous wave pilot carriers/Automatic Frequency compensation (AFC) via 4F1 & 4F3
1525.0000 - 1559.0000 MHz	100KNON		UNMODULATED CONTINUOUS WAVE PILOT CARRIERS
1525.0000 - 1559.0000 MHz	100KNON		Unmodulated continuous wave pilot carriers/Automatic Frequency compensation (AFC) via 4F1 & 4F3
3600.0000 - 3700.0000 MHz	45K0G7D		Packet-switched data and ISDN
6425.0000 - 6575.0000 MHz	45K0G7D	65.50 dBW	Packet-switched data and ISDN

**Points of Communication:**

- 1 - ALSAT - (ALSAT)
- 1 - INMARSAT 4F1 - (143.5 E.L.)
- 1 - INMARSAT 4F3 - (98 W.L.)
- 1 - INTELSAT POR - (157.0 E.L.)
- 1 - INTELSAT POR - (174.0 E.L.)
- 1 - INTELSAT POR - (176.0 E.L.)
- 1 - INTELSAT POR - (178.0 E.L.)
- 1 - INTELSAT POR - (180.0 E.L.)
- 1 - New Skies 513 - (183 E.L.)

---

**SES-MOD-20091124-01493** E E3131 CBS Corporation

Application for Modification

**Class of Station:** Temporary Fixed Earth Station

**Nature of Service:** Fixed Satellite Service

"MOD" to change emission designator and related service, to increase EIRP AND EIRP density, to relocate fixed station, and to change frequencies.

SITE ID: 1

LOCATION:

0 ° 0 ' 0.00 " N LAT.

0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: 1 1.2 meters AVL TECHNOLOGIES 1200

14000.0000 - 14500.0000 MHz 36M0G7W 64.50 dBW ONE 36 MBIT MCPC DIGITAL CARRIER FOR VOICE DATA

**Points of Communication:**

- 1 - ALSAT - (ALSAT)
-

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

"MOD" to add antenna.

SITE ID: 1

LOCATION: 3030 ANDRITA STREET, LOS ANGELES, LOS ANGELES, CA

34 ° 6 ' 58.50 " N LAT.

118 ° 14 ' 39.70 " W LONG.

ANTENNA ID:	1	4.1 meters	Comtech	5 Meter Offsat	
	5925.0000 - 6425.0000 MHz		36M0G7D	72.40 dBW	Digital Data
	5925.0000 - 6425.0000 MHz		4M00G7D	68.90 dBW	Digital Data
	5925.0000 - 6425.0000 MHz		36M0G7W	72.40 dBW	Digital Video and Data
	5925.0000 - 6425.0000 MHz		4M00G7W	68.90 dBW	Digital Video and Data
	5925.0000 - 6425.0000 MHz		36M0F3F	72.40 dBW	Standard Video
	3700.0000 - 4200.0000 MHz		36M0G7D		Digital Data
	3700.0000 - 4200.0000 MHz		4M00G7D		Digital Datal
	3700.0000 - 4200.0000 MHz		36M0G7W		Digital Video and Data Carrier
	3700.0000 - 4200.0000 MHz		4M00G7W		Compressed Digital Video and data carrier
	3700.0000 - 4200.0000 MHz		36M0F3F		Standard Video
ANTENNA ID:	2	4.8 meters	VERTEX	RSI 4.8 KPC-120	
	5925.0000 - 6425.0000 MHz		36M0G7W	74.33 dBW	DIGITAL VIDEO AND DATA
	5925.0000 - 6425.0000 MHz		4M00G7W	64.78 dBW	DIGITAL VIDEO AND DATA
	3700.0000 - 4200.0000 MHz		36M0G7W		DIGITAL VIDEO AND DATA
	3700.0000 - 4200.0000 MHz		4M00G7W		DIGITAL VIDEO AND DATA
ANTENNA ID:	3	4.1 meters	COMTECH	5 METER OFFSAT	
	5925.0000 - 6425.0000 MHz		36M0G7D	72.40 dBW	DIGITAL DATA
	5925.0000 - 6425.0000 MHz		4M00G7D	68.90 dBW	DIGITAL DATA
	5925.0000 - 6425.0000 MHz		36M0F3F	72.40 dBW	STANDARD VIDEO

---

5925.0000 - 6425.0000 MHz	36M0G7W	72.40 dBW	DIGITAL VIDEO AND DATA
5925.0000 - 6425.0000 MHz	4M00G7W	68.90 dBW	DIGITAL VIDEO AND DATA
3700.0000 - 4200.0000 MHz	36M0G7D		DIGITAL DATA
3700.0000 - 4200.0000 MHz	4M00G7D		DIGITAL DATA
3700.0000 - 4200.0000 MHz	36M0F3F		STANDARD VIDEO
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL VIDEO AND DATA
3700.0000 - 4200.0000 MHz	4M00G7W		DIGITAL VIDEO AND DATA

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-T/C-20091110-01447** E E000689 Convergent Media Systems Corporation  
Application for Consent to Transfer of Control  
**Current Licensee:** Convergent Media Systems Corporation  
**FROM:** THOMSON INC.  
**TO:** Sony Electronics Inc.

No. of Station(s) listed: 3

---

**SES-T/C-20091118-01476** E E060305 NVT BIRMINGHAM LICENSEE, LLC  
Application for Consent to Transfer of Control  
**Current Licensee:** NVT BIRMINGHAM LICENSEE, LLC  
**FROM:** HBK NV LLC  
**TO:** C. THOMAS MCMILLEN

No. of Station(s) listed: 3

---

**SES-T/C-20091118-01477** E E950385 NVT Portland Licensee, LLC  
Application for Consent to Transfer of Control  
**Current Licensee:** NVT Portland Licensee, LLC  
**FROM:** HBK NV LLC  
**TO:** C. THOMAS MCMILLEN

No. of Station(s) listed: 3

---

**SES-T/C-20091118-01478** E E940295 NVT Wichita Licensee, LLC  
Application for Consent to Transfer of Control  
**Current Licensee:** NVT Wichita Licensee, LLC  
**FROM:** HBK NV LLC  
**TO:** C. THOMAS MCMILLEN

No. of Station(s) listed: 2

---

**SES-T/C-20091201-01512** E E040264 DG Consents Sub, Inc.  
Application for Consent to Transfer of Control  
**Current Licensee:** DG Consents Sub, Inc.  
**FROM:** MORGAN STANLEY & CO. INCORPORATED  
**TO:** DigitalGlobe, Inc.

No. of Station(s) listed: 2

---

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.