



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01259

Wednesday July 7, 2010

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AMD-20100628-00834 E E100060 Kaufman Broadcast Services Corporation

Amendment

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

Kaufman Broadcast Services Corporation is filing this amendment to remove C-band operations from their original earth station license application. The earth station will still be used for satellite news gathering and event coverage operations. It will only operate in the Ku-band and will provide analog and digital video services. See related File No. SES-LIC-20100505-00523.

SITE ID: Transportable

LOCATION: CONUS, Alaska, and Hawaii

ANTENNA ID:	T1	2.4 meters	Vertex Corporation	SM-LT
	14000.0000 - 14500.0000 MHz		36M0F8W 74.40 dBW	Analog Video with Associated Audio Subcarriers
	14000.0000 - 14500.0000 MHz		36M0G7W 74.40 dBW	Digital Video and Audio

Points of Communication:

Transportable - ALSAT - (ALSAT)

SES-LIC-20100505-00523 E E100060 Kaufman Broadcast Services Corporation

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

Kaufman Broadcast Services Corporation is filing this amendment to remove C-band operations from their original earth station license application. The earth station will still be used for satellite news gathering and event coverage operations. It will only operate in the Ku-band and will provide analog and digital video services. See related File No. SES-AMD-20100628-00834.

SITE ID: Transportable
 LOCATION: CONUS, Alaska, and Hawaii

ANTENNA ID:	T1	2.4 meters	Vertex Corporation	SM-LT
	14000.0000 - 14500.0000 MHz		36M0G7W 74.40 dBW	Digital Video and Audio
	14000.0000 - 14500.0000 MHz		36M0F8W 74.40 dBW	Analog Video with Associated Audio Subcarriers

Points of Communication:

Transportable - ALSAT - (ALSAT)

SES-LIC-20100615-00705 E E990444 WATERFALL GROUP LTD
 Application for Authority
Class of Station: Fixed Earth Stations
Nature of Service: Fixed Satellite Service

A REINSTATEMENT OF AN EXPIRED C-BAND EARTH STATION LICENSE.

SITE ID: 1
 LOCATION: 320 DOCK STREET (Waterfall Resort), KETCHIKAN, WATERFALL, AK
 55 ° 17 ' 47.80 " N LAT. 133 ° 14 ' 36.00 " W LONG.

ANTENNA ID:	1	3.6 meters	SCIENTIFIC ATLANTA, INC.	8136
	5925.0000 - 6425.0000 MHz		36M0G7W 65.50 dBW	TRANSMIT DATA, FACSIMILE & TELEPHONY
	5925.0000 - 6425.0000 MHz		6K72G7W 45.15 dBW	TRANSMIT DATA, FACSIMILE & TELEPHONY
	5925.0000 - 6425.0000 MHz		6K72D7W 45.15 dBW	TRANSMIT DATA, FACSIMILE & TELEPHONY
	5925.0000 - 6425.0000 MHz		36M0D7W 65.50 dBW	TRANSMIT DATA, FACSIMILE & TELEPHONY
	3700.0000 - 4200.0000 MHz		6K72G7W	TRANSMIT DATA, FACSIMILE & TELEPHONY
	3700.0000 - 4200.0000 MHz		36M0G7W	TRANSMIT DATA, FACSIMILE & TELEPHONY
	3700.0000 - 4200.0000 MHz		6K72D7W	TRANSMIT DATA, FACSIMILE & TELEPHONY
	3700.0000 - 4200.0000 MHz		36M0D7W	TRANSMIT DATA, FACSIMILE & TELEPHONY

Points of Communication:

1 - ALSAT - (ALSAT)

1 - ANIK E2R - (111.1 W.L.)

1 - ANIK F3 - (118.7 W.L.)

SES-LIC-20100628-00832 E E100082 EDUCATIONAL MEDIA FOUNDATION

Application for Authority

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

SITE ID: Remotes 1_8

LOCATION: 5700 WEST OAKS BLVD. 2 (1.8M VSAT), 550 UNITS, CONUS, Alaska Hawaii, CA

ANTENNA ID:	REMOTES1_8	1.8 meters	ASC SIGNAL	Type 18(0/3)Tx
	11700.0000 - 12200.0000 MHz		4M20G7D	QPSK, DIGITAL
	14000.0000 - 14500.0000 MHz		540KG7D 50.60 dBW	QPSK, DIGITAL

ANTENNA ID:	REMOTES1_8	1.8 meters	ASC SIGNAL	TYPE 18(0/3)Tx
	11700.0000 - 12200.0000 MHz		4M20G7D	QPSK, DIGITAL
	14000.0000 - 14500.0000 MHz		540KG7D 50.60 dBW	QPSK, DIGITAL

SITE ID: Remotes2_4

LOCATION: 5700 WEST OAKS BLVD. (2.4M VSAT), 25 UNITS, CONUS, Alaska Hawaii

ANTENNA ID:	REMOTES2_4	2.4 meters	ASC SIGNAL	TYPE 243
	11700.0000 - 12200.0000 MHz		4M20G7D	QPSK, DIGITAL
	14000.0000 - 14500.0000 MHz		540KG7D 52.70 dBW	QPSK, DIGITAL

SITE ID: REMOTES1_2

LOCATION: 5700 WEST OAKS BLVD. (1.2M VSAT), 25 UNITS, CONUS, Alaska Hawaii

ANTENNA ID:	REMOTES1_2	1.2 meters	ASC SIGNAL	TYPE 123
	11700.0000 - 12200.0000 MHz		4M20G7D	QPSK, DIGITAL
	14000.0000 - 14500.0000 MHz		540KG7D 47.10 dBW	QPSK, DIGITAL

SITE ID: HUB-INDYIN

LOCATION: 8120 KNUE ROAD (5.6M. HUB1), MARION, INDIANAPOLIS, IN
39 ° 54 ' 13.00 " N LAT. 86 ° 3 ' 38.50 " W LONG.

ANTENNA ID:	HUB1	5.6 meters	ASC SIGNAL	ES56-1
-------------	------	------------	------------	--------

11700.0000 - 12200.0000 MHz	540KG7D		QPSK, DIGITAL
14000.0000 - 14500.0000 MHz	4M20G7D	58.90 dBW	QPSK, DIGITAL

Points of Communication:

HUB-INDYIN - ALSAT - (ALSAT)
 Remotes 1_8 - ALSAT - (ALSAT)
 REMOTES1_2 - ALSAT - (ALSAT)
 Remotes2_4 - ALSAT - (ALSAT)

SES-MOD-20100626-00836 E E000015 CapRock Communications, Inc.
 Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: HUB 3.7M
LOCATION: 10200 BELLAIRE BLVD., HARRIS, HOUSTON, TX
 29 ° 42 ' 27.00 " N LAT. 95 ° 33 ' 45.00 " W LONG.

ANTENNA ID: HUB1	3.7 meters	ANDREW	ES37PK-1
14000.0000 - 14500.0000 MHz	7K50G7D	33.30 dBW	DIGITAL, DATA QPSK, FEC 3/4
14000.0000 - 14500.0000 MHz	30K0G7D	39.40 dBW	DIGITAL, DATA QPSK, FEC 3/4
14000.0000 - 14500.0000 MHz	135KG7D	44.40 dBW	DIGITAL, DATA QPSK, FEC 3/4
14000.0000 - 14500.0000 MHz	269KG7D	47.40 dBW	DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	7K50G7D		DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	30K0G7D		DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	135KG7D		DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	269KG7D		DIGITAL, DATA QPSK, FEC 3/4

SITE ID: REMOTE 1
LOCATION: VSAT (1.2 M) (136 UNITS), CONUS

ANTENNA ID: REMT1	1.2 meters	PRODELIN	1125
14000.0000 - 14500.0000 MHz	7K50G7D	31.10 dBW	DIGITAL, DATA QPSK, FEC 3/4
14000.0000 - 14500.0000 MHz	30K0G7D	37.10 dBW	DIGITAL, DATA QPSK, FEC 3/4
14000.0000 - 14500.0000 MHz	135KG7D	42.10 dBW	DIGITAL, DATA QPSK, FEC 3/4

14000.0000 - 14500.0000 MHz	269KG7D	45.10 dBW	DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	7K50G7D		DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	30K0G7D		DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	135KG7D		DIGITAL, DATA QPSK, FEC 3/4
11700.0000 - 12200.0000 MHz	269KG7D		DIGITAL, DATA QPSK, FEC 3/4

SITE ID: REMOTE2
LOCATION: VSAT (1.2 M.) (200 UNITS), CONUS

ANTENNA ID: REMT2	1.2 meters	CHANNEL MASTER	TYPE 121
14000.0000 - 14500.0000 MHz	7K50G7D	31.10 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	30K0G7D	37.10 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	269KG7D	45.10 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	135KG7D	42.10 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	7K50G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	30K0G7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	269KG7D		DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	135KG7D		DIGITAL DATA CARRIER

SITE ID: REMOTE 3
LOCATION: VSAT (1.2 M) (200 UNITS), CONUS

ANTENNA ID: REMT3	1.2 meters	VERTEX	1126
14000.0000 - 14500.0000 MHz	807KG7D	49.47 dBW	DIGITAL
11700.0000 - 12200.0000 MHz	807KG7D		DIGITAL

SITE ID: REMOTE 4
LOCATION: (VSAT 1.2)

ANTENNA ID: REMT4	1.2 meters	PRODELIN	1134
14000.0000 - 14500.0000 MHz	2M40G7W	53.90 dBW	DIGITAL
14000.0000 - 14500.0000 MHz	600KG7W	47.90 dBW	DIGITAL
11700.0000 - 12200.0000 MHz	2M40G7W		DIGITAL
11700.0000 - 12200.0000 MHz	600KG7W		DIGITAL

11700.0000 - 12200.0000 MHz

4M00G7W

DIGITAL

Points of Communication:

HUB 3.7M - ALSAT - (ALSAT)

REMOTE 1 - ALSAT - (ALSAT)

REMOTE 3 - ALSAT - (ALSAT)

REMOTE 4 - ALSAT - (ALSAT)

REMOTE2 - ALSAT - (ALSAT)

SES-MOD-20100628-00838 E E030232 PANAMSAT LICENSEE CORP.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to increase maximum input power at antenna flange and add new emission designators. All other parameters remain the same.

SITE ID: 1

LOCATION: 5281 EAST GARTON ROAD, DOUGLAS, CASTLE ROCK, CO

39 ° 16 ' 38.00 " N LAT.

104 ° 48 ' 36.00 " W LONG.

ANTENNA ID: 1

4.6 meters

VERTEX

4.6 KPC

5925.0000 - 6425.0000 MHz

200KG3D

60.00 dBW

DIGITAL VIDEO AND DATA

5925.0000 - 6425.0000 MHz

64K0G3D

56.00 dBW

DIGITAL VIDEO AND DATA

3700.0000 - 4200.0000 MHz

200KG3D

DIGITAL VIDEO AND DATA

3700.0000 - 4200.0000 MHz

64K0G3D

DIGITAL VIDEO AND DATA

5925.0000 - 6425.0000 MHz

9M00G7W

64.00 dBW

DIGITAL VIDEO, VOICE AND DATA

5925.0000 - 6425.0000 MHz

36M0G7W

64.00 dBW

DIGITAL VIDEO, VOICE AND DATA

5925.0000 - 6425.0000 MHz

18M0G7W

66.00 dBW

DIGITAL VIDEO, VOICE AND DATA

3700.0000 - 4200.0000 MHz

9M00G7W

DIGITAL VIDEO, VOICE AND DATA

3700.0000 - 4200.0000 MHz

36M0G7W

DIGITAL VIDEO, VOICE AND DATA

3700.0000 - 4200.0000 MHz

18M0G7W

DIGITAL VIDEO, VOICE AND DATA

Points of Communication:

1 - ALSAT - (ALSAT)

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.