



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01291

Wednesday November 3, 2010

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20101029-01368 E E100118 INTELSAT NORTH AMERICA LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 17625 Technology Blvd., Washington, Hagerstown, MD

39 ° 35 ' 55.00 " N LAT.

77 ° 45 ' 22.00 " W LONG.

ANTENNA ID:	MTN-C65	16.4 meters	VERTEX	16.4 Meter
	3625.0000 - 4200.0000 MHz		1M50G7D	DIGITAL DATA
	3625.0000 - 4200.0000 MHz		36M0F8F	Analog Video with Associated AudioSubcarriers
	3625.0000 - 4200.0000 MHz		2M00G7F	Digital Video
	3625.0000 - 4200.0000 MHz		36M0G7F	Digital Video
	3625.0000 - 4200.0000 MHz		100KG7W	Digital Audio and Data
	3625.0000 - 4200.0000 MHz		72M0G7W	Digital Audio and Data
	5850.0000 - 6425.0000 MHz		1M50G7D	81.70 dBW Digital Data

5850.0000 - 6425.0000 MHz	36M0F8F	82.00 dBW	Analog Video with Associated Audio Subcarriers
5850.0000 - 6425.0000 MHz	36M0G7F	85.20 dBW	Digital Video
5850.0000 - 6425.0000 MHz	100KG7W	76.00 dBW	Digital Audio Data
5850.0000 - 6425.0000 MHz	72M0G7W	88.70 dBW	Digital Audio and Data
5850.0000 - 6425.0000 MHz	2M00G7F	83.00 dBW	DIGITAL VIDEO

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - AMC 10 - (135 W.L.)
- 1 - GALAXY 13 - (127 W.L.)
- 1 - INTEL 903 - (34.5 W.L.)
- 1 - INTEL 905 - (24.5 W.L.)
- 1 - INTEL 907 - (27.5 W.L.)

SES-MOD-20100903-01140 E E090163 CENTER OF INNOVATION AND EXCELLENCE

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

"MOD" to add (five) 0.45 meter Ku-band remote terminals, and new emission designators to the existing VSAT Network licensed under Call Sign E090163.

SITE ID: REMOTE 3

LOCATION: VARIOUS LOCATIONS (1.2M. VSAT), 50 UNITS, CONUS, AK, HI

ANTENNA ID: Remote 3	1.2 meters	PRODELIN CORP.	1134
14000.0000 - 14500.0000 MHz	1M06G7D	53.30 dBW	Digital Data
14000.0000 - 14500.0000 MHz	647KG7D	51.20 dBW	Digital Data
14000.0000 - 14500.0000 MHz	596KG7D	50.80 dBW	Digital Data
14000.0000 - 14500.0000 MHz	461KG7D	49.70 dBW	Digital Data
14000.0000 - 14500.0000 MHz	44K0G7D	39.50 dBW	Digital Data
11700.0000 - 12200.0000 MHz	11M7G7D		Digital Data
11700.0000 - 12200.0000 MHz	1M06G7D		Digital Data
11700.0000 - 12200.0000 MHz	647KG7D		Digital Data

11700.0000 - 12200.0000 MHz	596KG7D	Digital Data
11700.0000 - 12200.0000 MHz	461KG7D	Digital Data
11700.0000 - 12200.0000 MHz	44K0G7D	Digital Data

SITE ID: REMOTE 2
LOCATION: VARIOUS LOCATIONS (1.8M. VSAT), 50 UNITS, CONUS, AK, HI

ANTENNA ID: Remote 2	1.8 meters	PRODELIN CORP.	1184
14000.0000 - 14500.0000 MHz	1M06G7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	647KG7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	596KG7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	461KG7D	53.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	44K0G7D	42.80 dBW	Digital Data
11700.0000 - 12200.0000 MHz	11M7G7D		Digital Data
11700.0000 - 12200.0000 MHz	1M06G7D		Digital Data
11700.0000 - 12200.0000 MHz	647KG7D		Digital Data
11700.0000 - 12200.0000 MHz	596KG7D		Digital Data
11700.0000 - 12200.0000 MHz	461KG7D		Digital Data
11700.0000 - 12200.0000 MHz	44K0G7D		Digital Data

SITE ID: REMOTE 1
LOCATION: VARIOUS LOCATIONS (2.4M. VSAT), 50 UNITS, CONUS, AK, HI

ANTENNA ID: Remote 1	2.4 meters	PRODELIN CORP.	1244
14000.0000 - 14500.0000 MHz	1M06G7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	647KG7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	596KG7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	461KG7D	53.40 dBW	Digital Data
14000.0000 - 14500.0000 MHz	44K0G7D	45.50 dBW	Digital Data
11700.0000 - 12200.0000 MHz	11M7G7D		Digital Data
11700.0000 - 12200.0000 MHz	1M06G7D		Digital Data

11700.0000 - 12200.0000 MHz	647KG7D	Digital Data
11700.0000 - 12200.0000 MHz	596KG7D	Digital Data
11700.0000 - 12200.0000 MHz	461KG7D	DIGITAL, DATA
11700.0000 - 12200.0000 MHz	44K0G7D	DIGITAL, DATA

SITE ID: HUB 1
LOCATION: 510 GRUMMAN DRIVE, WEST (3.7M. HUB), NASSAU, BETHPAGE, NY
40 ° 44 ' 55.10 " N LAT. 73 ° 29 ' 56.70 " W LONG.

ANTENNA ID:	Hub 1	3.7 meters	ASC SIGNAL	3.7M
14000.0000 - 14500.0000 MHz	11M7G7D	68.80 dBW	DIGITAL, DATA	
14000.0000 - 14500.0000 MHz	1M06G7D	63.30 dBW	DIGITAL, DATA	
14000.0000 - 14500.0000 MHz	647KG7D	61.20 dBW	DIGITAL, DATA	
14000.0000 - 14500.0000 MHz	596KG7D	60.80 dBW	DIGITAL, DATA	
14000.0000 - 14500.0000 MHz	461KG7D	59.70 dBW	DIGITAL, DATA	
14000.0000 - 14500.0000 MHz	44K0G7D	49.50 dBW	DIGITAL, DATA	
11700.0000 - 12200.0000 MHz	1M06G7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	647KG7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	596KG7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	461KG7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	44K0G7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	11M7G7D	DIGITAL, DATA		

SITE ID: REMOTE 4
LOCATION: 510 GRUMMAN ROAD WEST (0.45M. VSAT),, CONUS, (5 UNITS)

ANTENNA ID:	Remote 4	0.45 meters	TRACSTAR	I45M
14000.0000 - 14500.0000 MHz	592KG7D	39.20 dBW	DIGITAL, DATA	
14000.0000 - 14500.0000 MHz	409KG7D	37.60 dBW	DIGITAL, DATA	
11700.0000 - 12200.0000 MHz	592KG7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	409KG7D	DIGITAL, DATA		
11700.0000 - 12200.0000 MHz	1M06G7D	DIGITAL, DATA		

Points of Communication:

HUB 1 - ALSAT - (ALSAT)

REMOTE 1 - ALSAT - (ALSAT)

REMOTE 2 - ALSAT - (ALSAT)

REMOTE 3 - ALSAT - (ALSAT)

REMOTE 4 - ALSAT - (ALSAT)

SES-MOD-20100930-01240 E E100060 KAUFMAN BROADCAST SERVICES CORPORATION

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

"MOD" to add C-band capabilities to their existing KU-band earth station license.

SITE ID: 1

LOCATION: VARIOUS LOCATIONS THROUGHOUT, CONUS, AK, HI

ANTENNA ID:	T1KU	2.4 meters	VERTEX CORPORATION	SM-LT
	14000.0000 - 14500.0000 MHz		36M0F8W 74.40 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
	14000.0000 - 14500.0000 MHz		36M0G7W 74.40 dBW	DIGITAL VIDEO AND AUDIO
ANTENNA ID:	C-2	2.4 meters	VERTEX CORPORATION	SM-LT
	5925.0000 - 6425.0000 MHz		36M0G7W 67.50 dBW	DIGITAL VIDEO AND AUDIO

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20101004-01271 E E000048 PanAmSat Licensee Corp.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to add new emission designator and related service, add frequencies and points of communications.

SITE ID: PAS Atlanta

LOCATION: 2857 FORK CREEK CHURCH ROAD, DEKALB, ELLENWOOD, GA
33 ° 39 ' 52.00 " N LAT. 84 ° 16 ' 14.00 " W LONG.

ANTENNA ID:	AK-10	13 meters	RSI	1130
	14000.0000 - 14500.0000 MHz		64K0G7W 58.00 dBW	Digital video and data

14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	Digital video and data
14000.0000 - 14500.0000 MHz	18M0F8F	82.00 dBW	Analog video
14000.0000 - 14500.0000 MHz	36M0F8F	85.00 dBW	Analog video
14000.0000 - 14500.0000 MHz	750KF2D	72.40 dBW	Command carrier
11700.0000 - 12200.0000 MHz	64K0G7W		
11700.0000 - 12200.0000 MHz	36M0G7W		
11700.0000 - 12200.0000 MHz	18M0F8F		
11700.0000 - 12200.0000 MHz	36M0F8W		
11700.0000 - 12200.0000 MHz	750KF2D		
12750.0000 - 13250.0000 MHz	850KF2D	88.20 dBW	COMMAND CARRIER
12750.0000 - 13250.0000 MHz	64K0G7W	61.80 dBW	DIGITAL VIDEO AND DATA
12750.0000 - 13250.0000 MHz	72M0G7W	89.00 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	850KF2D	72.40 dBW	COMMAND CARRIER
14000.0000 - 14500.0000 MHz	72M0G7W	89.00 dBW	DIGITAL VIDEO AND DATA
13750.0000 - 13770.0000 MHz	850KF2D	68.00 dBW	COMMAND CARRIER
13750.0000 - 13770.0000 MHz	265KG7W	68.00 dBW	DIGITAL VIDEO AND DATA
13750.0000 - 13770.0000 MHz	72M0G7W	84.00 dBW	DIGITAL VIDEO AND DATA
13780.0000 - 14000.0000 MHz	850KF2D	68.00 dBW	COMMAND CARRIER
13780.0000 - 14000.0000 MHz	265KG7W	68.00 dBW	DIGITAL VIDEO AND DATA
13780.0000 - 14000.0000 MHz	72M0G7W	84.00 dBW	DIGITAL VIDEO AND DATA
10700.0000 - 10950.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
10700.0000 - 10950.0000 MHz	72M0G7W		DIGITAL VIDEO AND DATA
11200.0000 - 11450.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
11200.0000 - 11450.0000 MHz	72M0G7W		DIGITAL VIDEO AND DATA
10950.0000 - 11200.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
10950.0000 - 11200.0000 MHz	72M0G7W		DIGITAL VIDEO AND DATA

11450.0000 - 11700.0000 MHz	64K0G7W	DIGITAL VIDEO AND DATA
11450.0000 - 11700.0000 MHz	72M0G7W	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	72M0G7W	DIGITAL VIDEO AND DATA
12200.0000 - 12750.0000 MHz	64K0G7W	DIGITAL VIDEO AND DATA
12200.0000 - 12750.0000 MHz	72M0G7W	DIGITAL VIDEO AND DATA

Points of Communication:

PAS Atlanta - ALSAT - (ALSAT)

PAS Atlanta - INTELSAT 11 - (43.0 W.L.)

PAS Atlanta - INTELSAT 705 - (50 W.L.)

PAS Atlanta - INTELSAT 707 - (53 W.L.)

PAS Atlanta - IS 14 - (45 W.L.)

PAS Atlanta - IS 16 - (58 W.L.)

SES-MOD-20101006-01257 E E090136 MEREDITH CORPORATION - KPHO

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to replace the transmit antenna on it's existing ku-band license.

SITE ID: 1

LOCATION: 4016 N BLACK CANYON HWY (KPHO), MARICOPA, PHOENIX, AZ
 33 ° 29 ' 36.50 " N LAT. 112 ° 6 ' 50.50 " W LONG.

ANTENNA ID: 1 2.4 meters SKYWARE GLOBAL 62-2435611

14000.0000 - 14500.0000 MHz 36M0G7W 68.20 dBW ONE DIGITAL CARRIER FOR VIDEO/VOICE/DATA

11700.0000 - 12200.0000 MHz 36M0G7W NULL

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20101012-01281 E E950307 PanAmSat Licensee Corp.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to modify the license for its Napa, California earth station, call sign E950307, to add a new polarization and new emission designators.

SITE ID: 1
 LOCATION: 961 ANSELMO COURT, NAPA, CA
 38 ° 14 ' 43.70 " N LAT. 122 ° 16 ' 50.90 " W LONG.

ANTENNA ID:	1	15.2 meters	VERTEX	15.2 KPC
	5925.0000 - 6425.0000 MHz	36M0F8F	84.00 dBW	ANALOG TV
	5925.0000 - 6425.0000 MHz	30M0F8F	83.20 dBW	ANALOG TV
	5925.0000 - 6425.0000 MHz	27M0F8F	82.80 dBW	ANALOG TV
	5925.0000 - 6425.0000 MHz	54M0G7F	84.00 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz	24M0G7F	80.50 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz	9M80G7F	76.60 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz	8M00G7F	75.70 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz	6M50G7F	74.80 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz	2M70G7F	71.00 dBW	DIGITAL TV
	5925.0000 - 6425.0000 MHz	1M36G7W	68.00 dBW	DATA
	3700.0000 - 4200.0000 MHz	1M36G7W		DATA
	5925.0000 - 6425.0000 MHz	1M00G7W	64.00 dBW	DIGITAL DATA, VIDEO OR VOICE
	5925.0000 - 6425.0000 MHz	72M0G7W	73.00 dBW	DIGITAL DATA, VIDEO OR VOICE
	3700.0000 - 4200.0000 MHz	1M00G7W		DIGITAL DATA, VIDEO OR VOICE
	3700.0000 - 4200.0000 MHz	72M0G7W		DIGITAL DATA, VIDEO OR VOICE

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - PAS-4 - (191.0 W.L.)
- 1 - PAS-9 - (58.0 W.L.)
- 1 - TDRS-5 - (174.3 W.L.)

SES-MOD-20101021-01308 E E881163 Liberty Broadcasting Network, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to add digital to the 9.1M antenna for the provision of digital video and audio services.

SITE ID: 1
LOCATION: 1971 UNIVERSITY BLVD, LYNCHBURG, LYNCHBURG, VA
37 ° 21 ' 17.50 " N LAT. 79 ° 10 ' 49.10 " W LONG.

ANTENNA ID:	1	9.1 meters	ANDREW	ESA 91-46
	5925.0000 - 6425.0000 MHz		36M0F3F 80.43 dBW	ANALOG VIDEO
	3700.0000 - 4200.0000 MHz		36M0F3F	ANALOG VIDEO
	5925.0000 - 6425.0000 MHz		36M0G7W 80.43 dBW	DIGITAL TRAFFIC WITH VARIOUS FEC, MODULATION, DATA RATES
	5925.0000 - 6425.0000 MHz		51K2G7W 51.96 dBW	DIGITAL TRAFFIC WITH VARIOUS FEC, MODULATION, DATA RATES
	3700.0000 - 4200.0000 MHz		36M0G7W	DIGITAL TRAFFIC WITH VARIOUS FEC, MODULATION, DATA RATES
	3700.0000 - 4200.0000 MHz		51K2G7W	DIGITAL TRAFFIC WITH VARIOUS FEC, MODULATION, DATA RATES
ANTENNA ID:	2	4.1 meters	COMTECH	OFFSAT
	5925.0000 - 6425.0000 MHz		11M2G7W 69.60 dBW	DIGITAL VIDEO AND AUDIO CARRIERS
	5925.0000 - 6425.0000 MHz		51K2G7W 46.20 dBW	DIGITAL VIDEO AND AUDIO CARRIERS
	3700.0000 - 4200.0000 MHz		11M2G7W	DIGITAL VIDEO AND AUDIO CARRIERS
	3700.0000 - 4200.0000 MHz		51K2G7W	DIGITAL VIDEO AND AUDIO CARRIERS

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20101026-01342 E E070218 MTN License Corp.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

"MOD" to add antenna.

SITE ID: 1
LOCATION: 200 Telegraph Hill Road, Monmouth, Holmdel, NJ
40 ° 23 ' 42.00 " N LAT. 74 ° 10 ' 25.50 " W LONG.

ANTENNA ID:	HOM-E61-1	6.1 meters	Vertex Corporation	6.1 KPK
	14000.0000 - 14500.0000 MHz		9K60G7D 46.90 dBW	Digital Data Services

	14000.0000 - 14500.0000 MHz	45M0G7D	74.90 dBW	Digital Data Services
	11700.0000 - 12200.0000 MHz	9K60G7D		Digital Data Services
	11700.0000 - 12200.0000 MHz	45M0G7D		Digital Data Services
ANTENNA ID:	HOM-E61-2	6.1 meters	Vertex Corporation	6.1 KPK
	14000.0000 - 14500.0000 MHz	40M5G7W	71.85 dBW	Digital Data Services
	14000.0000 - 14500.0000 MHz	58K0G7W	53.85 dBW	Digital Data Services
	13800.0000 - 14000.0000 MHz	40M5G7W	71.85 dBW	Digital Data Services
	13800.0000 - 14000.0000 MHz	58K0G7W	53.85 dBW	Digital Data Services
	11700.0000 - 12200.0000 MHz	40M5G7W		Digital Data Services
	11700.0000 - 12200.0000 MHz	58K0G7W		Digital Data Services
ANTENNA ID:	HOM-E61-3	6.1 meters	Vertex Corporation	6.1 KPK
	14000.0000 - 14500.0000 MHz	40M5G7W	71.85 dBW	Digital Data Services
	14000.0000 - 14500.0000 MHz	58K0G7W	53.85 dBW	Digital Data Services
	13800.0000 - 14000.0000 MHz	40M5G7W	71.85 dBW	Digital Data Services
	13800.0000 - 14000.0000 MHz	58K0G7W	53.85 dBW	Digital Data Services
	11700.0000 - 12200.0000 MHz	40M5G7W		Digital Data Services
	11700.0000 - 12200.0000 MHz	58K0G7W		Digital Data Services
ANTENNA ID:	HOM-E61-4	6.1 meters	Vertex Corporation	6.1 KPK
	14000.0000 - 14500.0000 MHz	40M5G7W	71.85 dBW	Digital Data Services
	14000.0000 - 14500.0000 MHz	58K0G7W	53.85 dBW	Digital Data Services
	13800.0000 - 14000.0000 MHz	40M5G7W	71.85 dBW	Digital Data Services
	13800.0000 - 14000.0000 MHz	58K0G7W	53.85 dBW	Digital Data Services
	11700.0000 - 12200.0000 MHz	40M5G7W		Digital Data Services
	11700.0000 - 12200.0000 MHz	58K0G7W		Digital Data Services
ANTENNA ID:	HOM-E6.3-1	6.3 meters	Vertex Corporation	6.3 KXX1
	13800.0000 - 14500.0000 MHz	40M5G7W	83.03 dBW	Digital Data Services

11700.0000 - 12200.0000 MHz	40M5G7W		Digital Data Services
ANTENNA ID: HOM-E4.5-1	4.5 meters	ANDREW	ES45MPJ-1
14000.0000 - 14500.0000 MHz	40M5G7W	74.48 dBW	DIGITAL DATA SERVICES
11700.0000 - 12200.0000 MHz	40M5G7W		DIGITAL DATA SERVICES

Points of Communication:

- 1 - ALSAT - (ALSAT)
- 1 - ESTRELA DO SUL 1 - (63 W.L.)
- 1 - IS-3R - (317.0 E.L.)
- 1 - TELSTAR 11N - (37.55 W.L.)

SES-MOD-20101028-01356 E KA333 Corporate Satellite Communications, Florida Inc.
 Application for Modification
Class of Station: Fixed Earth Stations
Nature of Service: Fixed Satellite Service

"MOD" to add antenna, add Ku-band frequencies and points of communications.

SITE ID: 1
 LOCATION: 7007 N.W. 32ND AVENUE, DADE, MIAMI, FL
 25 ° 50 ' 14.30 " N LAT. 80 ° 14 ' 58.80 " W LONG.

ANTENNA ID: 11M-1,3	11 meters	VERTEX	KPC 11M
6607.0000 - 6607.0000 MHz	72M0G7W	82.95 dBW	DIGITAL DATA, VIDEO & VOICE INCL. IBS, IDR via New Skies Satellite, N.V. 806 only
6572.0000 - 6572.0000 MHz	72M0G7W	82.95 dBW	DIGITAL DATA, VIDEO & VOICE INCL. IBS, IDR via New Skies Satellite, N.V. 806 only
5925.0000 - 6425.0000 MHz	36M0G7F	79.90 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	51K2G7W-	51.50 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
5925.0000 - 6425.0000 MHz	36M0G7W	79.90 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
5854.0000 - 5925.0000 MHz	36M0G7F	79.90 dBW	DIGITAL VIDEO
5854.0000 - 5925.0000 MHz	51K2G7W-	51.50 dBW	DIGITAL DATA & VOICE
5854.0000 - 5925.0000 MHz	36M0G7W	79.90 dBW	DIGITAL DATA & VOICE
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO

3700.0000 - 4200.0000 MHz	51K2G7W-			DIGITAL DATA & VOICE INCL. IBS, IDR
3700.0000 - 4200.0000 MHz	36M0G7W			DIGITAL DATA & VOICE INCL. IBS, IDR
ANTENNA ID: 11M-4	11 meters	VERTEX		5263
6607.0000 - 6607.0000 MHz	72M0G7W	82.95 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR via New Skies Satellite, N.V. 806 only
6572.0000 - 6572.0000 MHz	72M0G7W	82.95 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR via New Skies Satellite, N.V. 806 only
6125.0000 - 6125.0000 MHz	25M0F8F	74.40 dBW		ANALOG VIDEO W/ASSOC. SUBCARRIERS
6125.0000 - 6125.0000 MHz	25M0G7W	84.00 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR
6125.0000 - 6125.0000 MHz	25M0G7F	84.00 dBW		DIGITAL VIDEO
6005.0000 - 6005.0000 MHz	25M0F8F	74.40 dBW		ANALOG VIDEO W/ASSOC. SUBCARRIERS
6005.0000 - 6005.0000 MHz	25M0G7W	84.00 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR
6005.0000 - 6005.0000 MHz	25M0G7F	84.00 dBW		DIGITAL VIDEO
5985.0000 - 5985.0000 MHz	36M0F8F	74.40 dBW		ANALOG VIDEO W/ASSOC. SUBCARRIERS
5985.0000 - 5985.0000 MHz	36M0G7W	84.00 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR
5985.0000 - 5985.0000 MHz	36M0G7F	84.00 dBW		DIGITAL VIDEO
5965.0000 - 5965.0000 MHz	36M0F8F	74.40 dBW		ANALOG VIDEO W/ASSOC. SUBCARRIERS
5965.0000 - 5965.0000 MHz	36M0G7F	84.00 dBW		DIGITAL VIDEO
5965.0000 - 5965.0000 MHz	36M0G7W	84.00 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR
5945.0000 - 5945.0000 MHz	3M00G7W	76.20 dBW		IBS, IDR
5925.0000 - 6425.0000 MHz	36M0G7F	79.90 dBW		DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	51K2G7W-	51.50 dBW		DIGITAL DATA & VOICE INCL. IBS, IDR

	5925.0000 - 6425.0000 MHz	36M0G7W	79.90 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
	5854.0000 - 5925.0000 MHz	36M0G7F	79.90 dBW	DIGITAL VIDEO
	5854.0000 - 5925.0000 MHz	51K2G7W-	51.50 dBW	DIGITAL DATA & VOICE
	5854.0000 - 5925.0000 MHz	36M0G7W	79.90 dBW	DIGITAL DATA & VOICE
	3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
	3700.0000 - 4200.0000 MHz	51K2G7W-		DIGITAL DATA & VOICE INCL. IBS, IDR
	3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL DATA & VOICE INCL. IBS, IDR
ANTENNA ID:	11M-5	11 meters	COMSAT RSI	110CS
	6607.0000 - 6607.0000 MHz	72M0G7W	82.95 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR via New Skies Satellite, N.V. 806 only
	6572.0000 - 6572.0000 MHz	72M0G7W	82.95 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR via New Skies Satellite, N.V. 806 only
	6125.0000 - 6125.0000 MHz	25M0F8F	74.40 dBW	ANALOG VIDEO W/ASSOC. SUBCARRIERS
	6125.0000 - 6125.0000 MHz	25M0G7W	84.00 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
	6125.0000 - 6125.0000 MHz	25M0G7F	84.00 dBW	DIGITAL VIDEO
	6005.0000 - 6005.0000 MHz	25M0F8F	74.40 dBW	ANALOG VIDEO W/ASSOC. SUBCARRIERS
	6005.0000 - 6005.0000 MHz	25M0G7W	84.00 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
	6005.0000 - 6005.0000 MHz	25M0G7F	84.00 dBW	DIGITAL VIDEO
	5985.0000 - 5985.0000 MHz	36M0F8F	74.40 dBW	ANALOG VIDEO W/ASSOC. SUBCARRIERS
	5985.0000 - 5985.0000 MHz	36M0G7W	84.00 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
	5985.0000 - 5985.0000 MHz	36M0G7F	84.00 dBW	DIGITAL VIDEO
	5965.0000 - 5965.0000 MHz	36M0F8F	74.40 dBW	ANALOG VIDEO W/ASSOC. SUBCARRIERS
	5965.0000 - 5965.0000 MHz	36M0G7W	84.00 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR

5965.0000 - 5965.0000 MHz	36M0G7F	84.00 dBW	DIGITAL VIDEO
5945.0000 - 5945.0000 MHz	3M00G7W	76.20 dBW	IBS, IDR
5925.0000 - 6425.0000 MHz	36M0G7F	79.90 dBW	DIGITAL VIDEO
5925.0000 - 6425.0000 MHz	51K2G7W-	51.50 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
5925.0000 - 6425.0000 MHz	36M0G7W	79.90 dBW	DIGITAL DATA & VOICE INCL. IBS, IDR
5854.0000 - 5925.0000 MHz	36M0G7F	79.90 dBW	DIGITAL VIDEO
5854.0000 - 5925.0000 MHz	51K2G7W-	51.50 dBW	DIGITAL DATA & VOICE
5854.0000 - 5925.0000 MHz	36M0G7W	79.90 dBW	DIGITAL DATA & VOICE
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO
3700.0000 - 4200.0000 MHz	51K2G7W-		DIGITAL DATA & VOICE INCL. IBS, IDR
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL DATA & VOICE INCL. IBS, IDR
ANTENNA ID: 11M	11 meters	VERTEX	KPC
14000.0000 - 14500.0000 MHz	36M0F3F	87.54 dBW	STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
14000.0000 - 14500.0000 MHz	36M0G7W	87.54 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
14000.0000 - 14500.0000 MHz	51K2G7W	59.07 dBW	DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
11700.0000 - 12200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO WITH ASSOCIATED AUDIO SUBCARRIERS
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC
11700.0000 - 12200.0000 MHz	51K2G7W		DIGITAL TRAFFIC, VARIOUS INFORMATION, VARIOUS DATA RATES, VARIOUS FEC

Points of Communication:

1 - ALSAT - (ALSAT)

1 - COL515 - (37.7 W.L.)

1 - INTELSAT 805 - (304.5 E.L.)
1 - INTELSAT AOR - (307.0 E.L.)
1 - INTELSAT AOR - (310.0 E.L.)
1 - INTELSAT AOR - (319.5 E.L.)
1 - INTELSAT AOR - (325.5 E.L.)
1 - INTELSAT AOR - (328.5 E.L.)
1 - INTELSAT AOR - (328.6 E.L.)
1 - INTELSAT AOR - (330.5 E.L.)
1 - INTELSAT AOR - (332.5 E.L.)
1 - INTELSAT AOR - (335.5 E.L.)
1 - INTELSAT AOR - (338.7 E.L.)
1 - INTELSAT AOR - (342.0 E.L.)
1 - New Skies 806 - (319.5 E.L.)
1 - NSS-5 - (183 E.L.)
1 - PAS-1R - (45.0 W.L.)
1 - PAS-3R - (43.0 W.L.)
1 - PAS-9 - (58.0 W.L.)
1 - STATIONAR 11 - (11 W.L.)
1 - STATIONAR 4 - (14.0 W.L.)
1 - STATIONAR 8 - (25 W.L.)
1 - TDRS-6 - (47.0 W.L.)

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.