



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01335

Wednesday April 6, 2011

SATELLITE COMMUNICATIONS SERVICES

RE: SATELLITE RADIO APPLICATIONS ACCEPTED FOR FILING

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AFS-20110405-00402 E E100089 Panasonic Avionics Corporation

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Aeronautical Mobile-Satellite Service, Mobile Satellite Service

"AMD" formally removes the Telstar 14 satellite as an authorized satellite point of communication from the pending application SES-LIC-20100805-00992.

SITE ID: Remote terminals

LOCATION: Operate up to 15 (.68 cm antennas) CONUS, AK, HI and U.S. Territories

ANTENNA ID:	A	0.68 meters	Mitsubishi Electronics	726-20176-101
11700.0000 - 12200.0000 MHz		2M56G7D		BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		160KG7D		BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		9M00G7D		BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		2M56G7D	36.70 dBW	BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		160KG7D	24.60 dBW	BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		9M00G7D	42.10 dBW	BPSK, QPSK digital data

Points of Communication:

Remote terminals - ESTRELA DO SUL 1 - (63 W.L.)

Remote terminals - GALAXY 17 - (91 W.L.)

SES-AMD-20110325-00358 E E100089 Panasonic Avionics Corporation

Amendment

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

"AMD" to license application SES-LIC-20100805-00992 to increase the number of AES terminals from fifteen (15) to fifty (50).

SITE ID: Remote terminals

LOCATION: Operate up to 15 (.68 cm antennas) CONUS, AK, HI and U.S. Territories

ANTENNA ID:	A	0.68 meters	Mitsubishi Electronics	726-20176-101
14000.0000 - 14400.0000 MHz		9M00G7D	42.10 dBW	BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		160KG7D	24.60 dBW	BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		2M56G7D	36.70 dBW	BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		9M00G7D		BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		160KG7D		BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		2M56G7D		BPSK, QPSK digital data

Points of Communication:

Remote terminals - ESTRELA DO SUL 1 - (63 W.L.)

Remote terminals - GALAXY 17 - (91 W.L.)

SES-ASG-20101208-01523 E E050023 Metrovision Production Group, LLC

Application for Consent to Assignment

Current Licensee: Metrovision Production Group, LLC

FROM: METROVISION PRODUCTION GROUP, LLC

TO: Accelerated Media Technologies, Inc.

No. of Station(s) listed: 1

SES-ASG-20101217-01561 E E881163 Liberty Broadcasting Network, Inc.

Application for Consent to Assignment

Current Licensee: Liberty Broadcasting Network, Inc.

FROM: LIBERTY BROADCASTING NETWORK

TO: Liberty University, Inc.

No. of Station(s) listed: 1

SES-LIC-20100805-00992 E E100089 Panasonic Avionics Corporation

Application for Authority

Class of Station: Mobile Earth Station

Nature of Service: Aeronautical Mobile-Satellite Service, Mobile Satellite Service

Application is returning to public notice for an additional 30 days, amendment application SES-AMD-20110325-00358 was filed to increase the number of AES terminals from fifteen (15) to fifty (50). Another amendment SES-AFS-20110405-00402 was filed to formally remove the Telstar 14 satellite as an authorized satellite point of communication.

SITE ID: Remote terminals

LOCATION: Operate up to 15 (.68 cm antennas) CONUS, AK, HI and U.S. Territories

ANTENNA ID:	A	0.68 meters	Mitsubishi Electronics	726-20176-101
11700.0000 - 12200.0000 MHz		2M56G7D		BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		160KG7D		BPSK, QPSK digital data
11700.0000 - 12200.0000 MHz		9M00G7D		BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		2M56G7D	36.70 dBW	BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		160KG7D	24.60 dBW	BPSK, QPSK digital data
14000.0000 - 14400.0000 MHz		9M00G7D	42.10 dBW	BPSK, QPSK digital data

Points of Communication:

Remote terminals - ESTRELA DO SUL 1 - (63 W.L.)

Remote terminals - GALAXY 17 - (91 W.L.)

SES-LIC-20110402-00396	E	E110054	Cornerstone Community Radio Inc	EZ
-------------------------------	---	---------	---------------------------------	-----------

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Springfield

LOCATION: 600 W. Mason Street, Sangamon, Springfield, IL

39 ° 48 ' 18.00 " N LAT.

89 ° 39 ' 43.00 " W LONG.

ANTENNA ID:	One	2.4 meters	Prodelin	1251
14000.0000 - 14500.0000 MHz		154KG7W	51.04 dBW	Digitally encoded audio and data @ 128 Kbps, QPSK, 1/2 FEC
11700.0000 - 12200.0000 MHz		154KG7W		Digitally encoded audio and data @ 128 Kbps, QPSK, 1/2 FEC

Points of Communication:

Springfield - PERMITTED LIST - ()

SES-MOD-20110215-00173	E	E881406	SHARED DATA NETWORKS, LLC
-------------------------------	---	---------	---------------------------

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

"MOD" to add four sub-meter antenna(s) .90 meter, (2)- .96 meter and .98 meter remote terminal configurations to the VSAT network, and Applicant request a waiver to use Sub-meter Antenna(s).

SITE ID: REMOTE 3

LOCATION: VSAT 2.4M. (500 UNITS), CONUS, AK, HI, PR VI

ANTENNA ID:	REMT 2.4	2.4 meters	PRODELIN	1244
	14000.0000 - 14500.0000 MHz	512KG7W	49.70 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	2M00G7W	55.20 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	256KG7W	46.70 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	1M50G7W	54.30 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	1M00G7W	52.60 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	128KG7W	43.60 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	11700.0000 - 12200.0000 MHz	512KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
	11700.0000 - 12200.0000 MHz	2M00G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO

SITE ID: REMOTE 2

LOCATION: VSAT 1.8M. (1500 UNITS), CONUS, AK, HI, PR VI

ANTENNA ID:	REMT 1.8	1.8 meters	PRODELIN	1184
	14000.0000 - 14500.0000 MHz	2M00G7W	52.50 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	512KG7W	49.90 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	256KG7W	46.90 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	1M00G7W	52.50 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	14000.0000 - 14500.0000 MHz	128KG7W	43.90 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
	11700.0000 - 12200.0000 MHz	512KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO

11700.0000 - 12200.0000 MHz	2M00G7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-------------------------------------

SITE ID: REMOTE 1
LOCATION: VSAT 1.2M. (4000 UNITS), CONUS, AK, HI, PR VI

ANTENNA ID:	REMT 1.2	1.2 meters	PRODELIN	1123
-------------	----------	------------	----------	------

14000.0000 - 14500.0000 MHz	2M00G7W	47.20 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-----------	-------------------------------------

14000.0000 - 14500.0000 MHz	512KG7W	47.20 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-----------	-------------------------------------

14000.0000 - 14500.0000 MHz	256KG7W	44.50 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-----------	-------------------------------------

14000.0000 - 14500.0000 MHz	128KG7W	41.40 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-----------	-------------------------------------

11700.0000 - 12200.0000 MHz	512KG7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-------------------------------------

11700.0000 - 12200.0000 MHz	2M00G7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-------------------------------------

SITE ID: HUB 3
LOCATION: 55 MARIETTA ST. NW SUITE 1865 (5.6M. ANDREW), FULTON, ATLANTA, GA
33 ° 45 ' 21.40 " N LAT. 84 ° 23 ' 27.70 " W LONG.

ANTENNA ID:	HUB3 AND	5.6 meters	ANDREW	ES56-HS
-------------	----------	------------	--------	---------

14000.0000 - 14500.0000 MHz	2M00G7W	66.98 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-----------	-------------------------------------

14000.0000 - 14500.0000 MHz	3M40G7D	69.30 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	300KG7D	58.75 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	2M40G7D	67.80 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	1M80G7D	66.53 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	1M20G7D	64.80 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	150KG7D	55.70 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	128KG7D	55.10 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

14000.0000 - 14500.0000 MHz	112KG7D	54.50 dBW	BPSK, DIGITAL DATA
-----------------------------	---------	-----------	--------------------

11700.0000 - 12200.0000 MHz	512KG7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
-----------------------------	---------	-------------------------------------

11700.0000 - 12200.0000 MHz	2M00G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	256KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	1M50G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	1M00G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	128KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	3M40G7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	300KG7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	2M40G7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	1M80G7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	1M20G7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	150KG7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	128KG7D		BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	112KG7D		BPSK, DIGITAL DATA
SITE ID: HUB 2			
LOCATION: 55 MARIETTA ST. NW SUITE 1865 (5.5M. HUGHES AC), FULTON, ATLANTA, GA			
33 ° 45 ' 21.40 " N LAT. 84 ° 23 ' 27.70 " W LONG.			
ANTENNA ID: HUB2 HAC	5.5 meters	HUGHES AIRCRAFT	3644-K
14000.0000 - 14500.0000 MHz	112KG7D	64.00 dBW	QPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	2M00G7W	66.98 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO
14000.0000 - 14500.0000 MHz	5M00G7D	65.00 dBW	BPSK, DIGITAL DATA
14000.0000 - 14500.0000 MHz	128KG7W	54.45 dBW	QPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	512KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	2M00G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	256KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO

11700.0000 - 12200.0000 MHz	1M50G7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	1M00G7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	128KG7W	QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	5M00G7D	BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	128KG7D	BPSK, DIGITAL DATA
11700.0000 - 12200.0000 MHz	112KG7D	QPSK, DIGITAL DATA

SITE ID: HUB 1

LOCATION: 55 MARIETTA ST. NW SUITE 1865 (5.5M. NEC), FULTON, ATLANTA, GA
33 ° 45 ' 21.40 " N LAT. 84 ° 23 ' 27.70 " W LONG.

ANTENNA ID:	HUB1 NEC	5.5 meters	NEC	8101.5.5
14000.0000 - 14500.0000 MHz	112KG7D	56.00 dBW	BPSK DIGITAL DATA	
14000.0000 - 14500.0000 MHz	150KG7D	55.74 dBW	64KBPS, REED SOLOMON, BPSK, DIGITAL DATA CARRIER	
14000.0000 - 14500.0000 MHz	300KG7D	58.75 dBW	128 KBPS, REED SOLOMON, BPSK, DIGITAL DATA	
14000.0000 - 14500.0000 MHz	2M00G7W	65.80 dBW	QPSK, DIGITAL DATA, VOICE AND VIDEO	
14000.0000 - 14500.0000 MHz	128KG7D	55.05 dBW	64KBPS, BPSK, DIGITAL DATA SERVICES	
11700.0000 - 12200.0000 MHz	128KG7D		64KBPS, BPSK, DIGITAL DATA SERVICES	
11700.0000 - 12200.0000 MHz	150KG7D		64KBPS, REED SOLOMON, BPSK, DIGITAL DATA CARRIER	
11700.0000 - 12200.0000 MHz	300KG7D		128 KBPS, REED SOLOMON, BPSK, DIGITAL DATA	
11700.0000 - 12200.0000 MHz	512KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO	
11700.0000 - 12200.0000 MHz	2M00G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO	
11700.0000 - 12200.0000 MHz	256KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO	
11700.0000 - 12200.0000 MHz	1M50G7W		QPSK, DIGITAL DATA, VOICE AND VIDEO	

11700.0000 - 12200.0000 MHz	128KG7W		QPSK, DIGITAL DATA, VOICE AND VIDEO
11700.0000 - 12200.0000 MHz	112KG7D		BPSK DIGITAL DATA
SITE ID: REMOTE 4			
LOCATION: (AVL) VSAT 0.96M. (50 UNITS), CONUS, AK, HI, PR VI			
ANTENNA ID: REMT 0.96	0.96 meters	AVL	960K
14000.0000 - 14500.0000 MHz	512KG7W	43.27 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7W	40.26 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7W	37.25 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7W		DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	512KG7W	43.27 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7W	40.26 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7W	37.25 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7W		DIGITAL DATA CARRIER
SITE ID: REMOTE 6			
LOCATION: VSAT 0.90M. (50 UNITS), CONUS, AK, HI, PR VI			
ANTENNA ID: REMT 0.90	0.9 meters	SWE-DISH	XC90.66K
14000.0000 - 14500.0000 MHz	512KG7W	40.47 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7W	37.46 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7W	34.45 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7W		DIGITAL DATA CARRIER
SITE ID: REMOTE 7			
LOCATION: VSAT 0.98M. (50 UNITS), CONUS, AK, HI, PR VI			
ANTENNA ID: REMT 0.98	0.98 meters	PRODELIN	1984
14000.0000 - 14500.0000 MHz	512KG7W	43.37 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7W	40.36 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7W	37.35 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7W		DIGITAL DATA CARRIER

SITE ID: REMOTE 5
LOCATION: (WINEGARD) VSAT 0.96M. (50 UNITS), CONUS, AK, HI, PR VI

ANTENNA ID: REMT 0.96 0.96 meters WINEGARD DS960

Points of Communication:

HUB 1 - ALSAT - (ALSAT)

HUB 2 - ALSAT - (ALSAT)

HUB 3 - ALSAT - (ALSAT)

REMOTE 1 - ALSAT - (ALSAT)

REMOTE 2 - ALSAT - (ALSAT)

REMOTE 3 - ALSAT - (ALSAT)

REMOTE 4 - ALSAT - (ALSAT)

REMOTE 5 - ALSAT - (ALSAT)

REMOTE 6 - ALSAT - (ALSAT)

REMOTE 7 - ALSAT - (ALSAT)

SIS-MOD-20110307-00248 E E030059 AMERICAN NATIONAL RED CROSS

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

"MOD" to increase quantity of vehicular and fly-away antenna systems to 150 each, move existing hub antennas (3.8m & 2.4m) to a new location (Ashburn, VA), add a back-up hub at Austin, TX and change emission designators and power levels.

SITE ID: HUB 2
LOCATION: 20116 ASHBROOK PLACE (3.8M HUB), LOUDOUN, ASHBURN, VA
39 ° 3 ' 32.70 " N LAT. 77 ° 27 ' 39.70 " W LONG.

ANTENNA ID: HUB2 - 3.8 3.8 meters VERTEXRSI 3.8 DPK

14000.0000 - 14500.0000 MHz 6M05G7W 70.80 dBW QPSK, DATA

11700.0000 - 12200.0000 MHz 698KG7W QPSK DATA-TDMA

11700.0000 - 12200.0000 MHz 6M05G7W QPSK DATA

SITE ID: FLYAWAY
LOCATION: 1.2M VSAT (150 UNITS), CONUS, AK, HI, PR VI

ANTENNA ID: FAW-1A 1.2 meters VERTEXRSI SERIES 1139 QDA

14000.0000 - 14500.0000 MHz 698KG7W 51.62 dBW QPSK DATA-TDMA

11700.0000 - 12200.0000 MHz	6M05G7W		QPSK, DATA
SITE ID:	CRV		
LOCATION:	1.2 M. VSAT (150 UNITS), LOUDOUN, CONUS, AK, HI, PR VI, VA		
ANTENNA ID:	CRV-1A	1.2 meters	AVL TECHNOLOGIES 1208 MVSAT
14000.0000 - 14500.0000 MHz	698KG7W	51.92 dBW	QPSK DATA-TDMA
11700.0000 - 12200.0000 MHz	6M05G7W		QPSK DATA
SITE ID:	HUB1		
LOCATION:	20116 ASHBROOK PLACE (2.4M. HUB), LOUDOUN, ASHBURN, VA		
	39 ° 3 ' 32.70 " N LAT.	77 ° 27 ' 39.70 " W LONG.	
ANTENNA ID:	HUB1 - 2.4	2.4 meters	PRODELIN SERIES 1251
14000.0000 - 14500.0000 MHz	6M05G7W	67.00 dBW	QPSK DATA
11700.0000 - 12200.0000 MHz	698KG7W		QPSK DATA-TDMA
11700.0000 - 12200.0000 MHz	6M05G7W		QPSK DATA
SITE ID:	HUB 3 BACKUP		
LOCATION:	6406 OLD BURLESON RD,SUITE 140 (3.8M.BACKUP), TRAVIS, AUSTIN, TX		
	30 ° 12 ' 21.90 " N LAT.	97 ° 42 ' 48.40 " W LONG.	
ANTENNA ID:	HUB3BKUP	3.8 meters	VERTEXRSI 3.8 DPK
14000.0000 - 14500.0000 MHz	6M05G7W	70.80 dBW	QPSK DATA
11700.0000 - 12200.0000 MHz	698KG7W		QPSK DATA-TDMA
11700.0000 - 12200.0000 MHz	6M05G7W		QPSK DATA
Points of Communication:			
CRV - ALSAT - (ALSAT)			
FLYAWAY - ALSAT - (ALSAT)			
HUB 2 - ALSAT - (ALSAT)			
HUB 3 BACKUP - ALSAT - (ALSAT)			
HUB1 - ALSAT - (ALSAT)			

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.