

**Federal Communications Commission**

---

**Before the  
Federal Communications Commission  
Washington, D.C. 20554**

In the Matter of	)	
	)	
Service Electric Cablevision Inc.	)	File No. EB-11-PA-0062
Physical System ID # 001704	)	
Kutztown, Pennsylvania	)	NOV No. V201132400022

**NOTICE OF VIOLATION**

**Released: April 8, 2011**

By the District Director, Philadelphia Office, Northeast Region, Enforcement Bureau:

1. This is a Notice of Violation (“Notice”) issued pursuant to section 1.89 of the Commission’s Rules<sup>1</sup> to Service Electric Cablevision Inc. (“Service Electric”), operator of a cable system in Kutztown, Pennsylvania.
  
2. On March 30, 2011, agents of the Commission’s Philadelphia Office monitored Service Electric’s cable television system in Kutztown, Pennsylvania, and observed the following violation:

47 C.F.R. § 76.605(a)(12): “As an exception to the general provision requiring measurements to be made at subscriber terminals, and without regard to the type of signals carried by the cable television system, signal leakage from a cable television system shall be measured in accordance with the procedures outlined in 76.609(h) and shall be limited as follows: Over 54 MHz up to and including 216 MHz - 20 micro-volts per meter, measured at 3 meters.” At the time of the inspection, the agent measured signal leakage in excess of 20  $\mu$ V/m on the frequency of 121.2625 MHz at the following location:

Date/Time	Frequency (MHz)	Signal Strength ( $\mu$ v/m)	Location
3/31/2011 12:35 p.m.	121.2625	353.7	intersection of Noble and Rosecrest Roads, Kutztown, PA 40°30’17”N / 75°46’09”W

---

<sup>1</sup> 47 C.F.R. § 1.89.

**Federal Communications Commission**

---

3. Pursuant to section 403 of the Communications Act of 1934, as amended,<sup>2</sup> and section 1.89 of the Commission's Rules, Service Electric must submit a written statement concerning this matter within twenty (20) days of release of this Notice. The response must fully explain each violation, must contain a statement of the specific action(s) taken to correct each violation and preclude recurrence, and should include a time line for completion of pending corrective action(s). The response must be complete in itself and signed by a principal or officer of Service Electric. All replies and documentation sent in response to this Notice should be marked with the File No. and NOV No. specified above, and mailed to the following address:

Federal Communications Commission  
Philadelphia District Office  
One Oxford Valley Building, Suite 404  
2300 East Lincoln Highway  
Langhorne, Pennsylvania 19047

4. This Notice shall be sent to Service Electric Cablevision Inc. at its address of record.
5. The Privacy Act of 1974<sup>3</sup> requires that we advise you that the Commission will use all relevant material information before it, including any information disclosed in your reply, to determine what, if any, enforcement action is required to ensure compliance. Any false statement made knowingly and willfully in reply to this Notice is punishable by fine or imprisonment under Title 18 of the U.S. Code.<sup>4</sup>

FEDERAL COMMUNICATIONS COMMISSION

Gene J. Stanbro  
District Director  
Philadelphia District Office  
Northeast Region  
Enforcement Bureau

---

<sup>2</sup> 47 U.S.C. § 403.

<sup>3</sup> P.L. 93-579, 5 U.S.C. § 552a(e)(3).

<sup>4</sup> 18 U.S.C. § 1001 *et seq.*