



# PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION  
445 12th STREET S.W.  
WASHINGTON D.C. 20554

News media information 202-418-0500  
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)  
TTY (202) 418-2555

Report No. SES-01491

Wednesday October 10, 2012

## Satellite Communications Services

### re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20120925-00849 E E120192 GCI Communication Corp.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: Within the village of Circle, YUKON-KOYUKUK, Circle, AK  
65 ° 49 ' 35.52 " N LAT. 144 ° 4 ' 1.80 " W LONG.

ANTENNA ID:	1	2.4 meters	Skyware Global	243
	5925.0000 - 6425.0000 MHz	45K0G7W -	44.41 dBW	Phase modulated voice, video, and data services
	5925.0000 - 6425.0000 MHz	36M0G7W	65.01 dBW	Phase modulated voice, video, and data services
	3700.0000 - 4200.0000 MHz	45K0G7W -		Phase modulated voice, video, and data services
	3700.0000 - 4200.0000 MHz	36M0G7W		Phase modulated voice, video, and data services
	5925.0000 - 6425.0000 MHz	45K0D7W -	44.41 dBW	Phase and amplitude modulated voice, video, and data services
	5925.0000 - 6425.0000 MHz	36M0D7W	65.01 dBW	Phase and amplitude modulated voice, video, and data services

---

3700.0000 - 4200.0000 MHz	45K0D7W -	Phase and amplitude modulated voice, video, and data services
---------------------------	-----------	---

3700.0000 - 4200.0000 MHz	36M0D7W	Phase and amplitude modulated voice, video, and data services
---------------------------	---------	---

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-LIC-20120925-00850** E E120193 GCI Communication Corp.

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SITE ID: 1

LOCATION: Within the village of Stevens Village, YUKON-KOYUKUK, Stevens Village, AK  
66 ° 0 ' 15.60 " N LAT. 149 ° 5 ' 3.12 " W LONG.

ANTENNA ID:	1	2.4 meters	Channel Master	243
5925.0000 - 6425.0000 MHz	45K0G7W -	44.41 dBW		Phase modulated voice, video, and data services.
5925.0000 - 6425.0000 MHz	36M0G7W	65.01 dBW		Phase modulated voice, video, and data services.
3700.0000 - 4200.0000 MHz	45K0G7W -			Phase modulated voice, video, and data services.
3700.0000 - 4200.0000 MHz	36M0G7W			Phase modulated voice, video, and data services.
5925.0000 - 6425.0000 MHz	45K0D7W -	44.41 dBW		Phase and amplitude modulated voice, video, and data services.
5925.0000 - 6425.0000 MHz	36M0D7W	65.01 dBW		Phase and amplitude modulated voice, video, and data services.
3700.0000 - 4200.0000 MHz	45K0D7W -			Phase and amplitude modulated voice, video, and data services.
3700.0000 - 4200.0000 MHz	36M0D7W			Phase and amplitude modulated voice, video, and data services.

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-LIC-20120926-00851** E E120194 ViaSat, Inc.

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

---

SITE ID: 1  
LOCATION: 6155 EL CAMINO REAL 3.8 M. GS HUB, SAN DIEGO, CARLSBAD, CA  
33 ° 7 ' 30.70 " N LAT. 117 ° 16 ' 4.00 " W LONG.

ANTENNA ID:	3.8 m Hub	3.8 meters	PRODELIN	1385	
	11700.0000 - 12200.0000 MHz		36M0G7D	49.50 dBW	Digital data
	14000.0000 - 14500.0000 MHz		36M0G7D	72.45 dBW	Digital data

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

**SES-MFS-20120517-00447** E E060449 RAYSAT ANTENNA SYSTEMS, LLC

Modification

**Class of Station:** Mobile Earth Station

**Nature of Service:** Fixed Satellite Service, Mobile Satellite Service

RaySat Antenna Systems, LLC requests modification of its blanket license for Land-Mobile Satellite Service earth stations in the 14.0-14.5 GHz (Earth-to-space) and 11.7-12.2 GHz (space-to-Earth) frequency bands, call sign E060449, to authorize operations under Vehicle-Mounted earth station rules. In addition, RaySat requests authority to add new terminals, new emission designators, and new points of communication, SES-1 @101 W.L., GALAXY 16 @99 W.L., and AMAZONAS 2 @61 W.L. orbital locations. RaySat seeks waivers of Sections 25.226 (a)(1)(B) and (C) and the ALSAT criteria defined in FCC 09-64 paragraph 168.

SITE ID: REMOTE 1  
LOCATION: OPERATE UP .124 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote1	0.124 meters	RAYSAT	STEALTHRAY	
	14000.0000 - 14500.0000 MHz		518KG7W	35.70 dBW	BPSK, RATE 1/3 DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz		512KG7W		NARROWBAND DIGITAL DATA RECEIVE
	11700.0000 - 12200.0000 MHz		36M0G7W		BROADBAND DIGITAL DATA RECEIVE
	14000.0000 - 14500.0000 MHz		9M47G7W	41.20 dBW	PSK
	14000.0000 - 14500.0000 MHz		2M07G7W	35.70 dBW	PSK
	14000.0000 - 14500.0000 MHz		10M7G7W	41.20 dBW	PSK
	11700.0000 - 12200.0000 MHz		9M47G7W		PSK
	11700.0000 - 12200.0000 MHz		2M07G7W		PSK
	11700.0000 - 12200.0000 MHz		10M7G7W		PSK

SITE ID: REMOTE 2  
LOCATION: OPERATE UP 0.243 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote2	0.243 meters	RAYSAT ANTENNA SYSTEMS	SR-2000/3000
	14000.0000 - 14500.0000 MHz	12M36G7W	41.20 dBW	PSK
	14000.0000 - 14500.0000 MHz	8M06G7W	41.20 dBW	PSK
	14000.0000 - 14500.0000 MHz	4M05G7W	38.60 dBW	PSK
	11700.0000 - 12200.0000 MHz	36M0G7W		PSK
	11700.0000 - 12200.0000 MHz	1M45G7W		PSK

SITE ID: REMOTE 3  
LOCATION: OPERATE UP 0.347 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote3	0.347 meters	RAYSAT ANTENNA SYSTEMS	SR-5000
	14000.0000 - 14500.0000 MHz	13M57G7W	43.40 dBW	PSK
	14000.0000 - 14500.0000 MHz	10M13G7W	40.40 dBW	PSK
	14000.0000 - 14500.0000 MHz	4M05G7W	38.90 dBW	PSK
	11700.0000 - 12200.0000 MHz	26M8G7W		PSK
	11700.0000 - 12200.0000 MHz	1M45G7W		PSK

SITE ID: REMOTE 4  
LOCATION: OPERATE UP 0.569 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote4	0.569 meters	RAYSAT ANTENNA SYSTEMS	E-7000
	14000.0000 - 14500.0000 MHz	21M57G7W	50.90 dBW	PSK
	14000.0000 - 14500.0000 MHz	9M72G7W	46.90 dBW	PSK
	14000.0000 - 14500.0000 MHz	7M04G7W	47.20 dBW	PSK
	11700.0000 - 12200.0000 MHz	724K1G7W		PSK
	11700.0000 - 12200.0000 MHz	54M0G7W		PSK

**Points of Communication:**

- REMOTE 1 - AMC-4 (formerl GE-4 - (101 W.L.)
- REMOTE 1 - AMC-5 (S2156) - (79 W.L.)
- REMOTE 1 - AMC-6 - (72 W.L.)
- REMOTE 1 - GALAXY 4R - (99 W.L.)
- REMOTE 1 - HORIZONS 1 - (127 WL)

---

REMOTE 1 - HORIZONS 2 - (74.05 DEG)  
REMOTE 1 - IA-7 - (129 W.L.)  
REMOTE 1 - INTELSAT 8 - (89 W.L.)  
REMOTE 2 - AMAZONAS 2 (S2793) - (61 W.L.)  
REMOTE 2 - AMC 21 - (125 W.L.)  
REMOTE 2 - AMC-5 (S2156) - (81.0 W.L.)  
REMOTE 2 - AMC-6 - (72 W.L.)  
REMOTE 2 - ESTRELA DO SUL 1 - (63 W.L.)  
REMOTE 2 - GALAXY 16 - (99 W.L.)  
REMOTE 2 - HORIZONS 1 - (127 WL)  
REMOTE 2 - SES-1 - (101 W.L.)  
REMOTE 3 - AMAZONAS 2 (S2793) - (61 W.L.)  
REMOTE 3 - AMC 21 - (125 W.L.)  
REMOTE 3 - AMC-5 (S2156) - (81.0 W.L.)  
REMOTE 3 - AMC-6 - (72 W.L.)  
REMOTE 3 - ESTRELA DO SUL 1 - (63 W.L.)  
REMOTE 3 - GALAXY 16 - (99 W.L.)  
REMOTE 3 - HORIZONS 1 - (127 WL)  
REMOTE 3 - SES-1 - (101 W.L.)  
REMOTE 4 - AMAZONAS 2 (S2793) - (61 W.L.)  
REMOTE 4 - AMC 21 - (125 W.L.)  
REMOTE 4 - AMC-5 (S2156) - (81.0 W.L.)  
REMOTE 4 - AMC-6 - (72 W.L.)  
REMOTE 4 - ESTRELA DO SUL 1 - (63 W.L.)  
REMOTE 4 - GALAXY 16 - (99 W.L.)  
REMOTE 4 - HORIZONS 1 - (127 WL)  
REMOTE 4 - SES-1 - (101 W.L.)

---

**SES-MFS-20120517-00448**    E E060450    RAYSAT ANTENNA SYSTEMS, LLC  
Modification  
**Class of Station:**        Mobile Earth Station

**Nature of Service:** Fixed Satellite Service, Mobile Satellite Service

RaySat Antenna Systems, LLC requests modification of its blanket license for Land-Mobile Satellite Service earth stations in the 14.0-14.5 GHz (Earth-to-space) and 11.7-12.2 GHz (space-to-Earth) frequency bands, call sign E060450, to authorize operations under Vehicle-Mounted earth station rules. In addition, RaySat requests authority to add new terminals, new emission designators, and new points of communication, SES-1 @101 W.L., GALAXY 16 @99 W.L., and AMAZONAS 2 @61 W.L. orbital locations. RaySat seeks waivers of Sections 25.226 (a)(1)(B) and (C) and the ALSAT criteria defined in FCC 09-64 paragraph 168.

SITE ID: REMOTE 1  
LOCATION: OPERATE UP .124 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote1	0.124 meters	RAYSAT	STEALTHRAY
14000.0000 - 14500.0000 MHz			518KG7W 35.70 dBW	BPSK, RATE 1/3 DIGITAL CARRIER
11700.0000 - 12200.0000 MHz			512KG7W	NARROWBAND DIGITAL DATA RECEIVE
11700.0000 - 12200.0000 MHz			36M0G7W	BROADBAND DIGITAL DATA RECEIVE
14000.0000 - 14500.0000 MHz			9M47G7W 41.20 dBW	PSK
14000.0000 - 14500.0000 MHz			2M07G7W 35.70 dBW	PSK
14000.0000 - 14500.0000 MHz			10M7G7W 41.20 dBW	PSK
11700.0000 - 12200.0000 MHz			9M47G7W	PSK
11700.0000 - 12200.0000 MHz			2M07G7W	PSK
11700.0000 - 12200.0000 MHz			10M7G7W	PSK

SITE ID: REMOTE 2  
LOCATION: OPERATE UP 0.243 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote2	0.243 meters	RAYSAT ANTENNA SYSTEMS	SR-2000/3000
14000.0000 - 14500.0000 MHz			12M36G7W 41.20 dBW	PSK
14000.0000 - 14500.0000 MHz			8M06G7W 41.20 dBW	PSK
14000.0000 - 14500.0000 MHz			4M05G7W 38.60 dBW	PSK
11700.0000 - 12200.0000 MHz			36M0G7W	PSK
11700.0000 - 12200.0000 MHz			1M45G7W	PSK

SITE ID: REMOTE 3  
LOCATION: OPERATE UP 0.347 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID:	Remote3	0.347 meters	RAYSAT ANTENNA SYSTEMS	SR-5000
-------------	---------	--------------	------------------------	---------

14000.0000 - 14500.0000 MHz	13M57G7W	43.40 dBW	PSK
14000.0000 - 14500.0000 MHz	10M13G7W	40.40 dBW	PSK
14000.0000 - 14500.0000 MHz	4M05G7W	38.90 dBW	PSK
11700.0000 - 12200.0000 MHz	26M8G7W		PSK
11700.0000 - 12200.0000 MHz	1M45G7W		PSK

SITE ID: REMOTE 4  
LOCATION: OPERATE UP 0.569 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID: Remote4	0.569 meters	RAYSAT ANTENNA SYSTEMS	E-7000
14000.0000 - 14500.0000 MHz	21M57G7W	50.90 dBW	PSK
14000.0000 - 14500.0000 MHz	9M72G7W	46.90 dBW	PSK
14000.0000 - 14500.0000 MHz	7M04G7W	47.20 dBW	PSK
11700.0000 - 12200.0000 MHz	724K1G7W		PSK
11700.0000 - 12200.0000 MHz	54M0G7W		PSK

**Points of Communication:**

REMOTE 1 - AMC-4 (formerl GE-4 - (101 W.L.)

REMOTE 1 - AMC-5 (S2156) - (79 W.L.)

REMOTE 1 - AMC-6 - (72 W.L.)

REMOTE 1 - GALAXY 4R - (99 W.L.)

REMOTE 1 - HORIZONS 1 - (127 WL)

REMOTE 1 - HORIZONS 2 - (74.05 DEG)

REMOTE 1 - IA-7 - (129 W.L.)

REMOTE 1 - INTELSAT 8 - (89 W.L.)

REMOTE 2 - AMAZONAS 2 (S2793) - (61 W.L.)

REMOTE 2 - AMC 21 - (125 W.L.)

REMOTE 2 - AMC-5 (S2156) - (81.0 W.L.)

REMOTE 2 - AMC-6 - (72 W.L.)

REMOTE 2 - ESTRELA DO SUL 1 - (63 W.L.)

REMOTE 2 - GALAXY 16 - (99 W.L.)

---

REMOTE 2 - HORIZONS 1 - (127 WL)

REMOTE 2 - SES-1 - (101 W.L.)

REMOTE 3 - AMAZONAS 2 (S2793) - (61 W.L.)

REMOTE 3 - AMC 21 - (125 W.L.)

REMOTE 3 - AMC-5 (S2156) - (81.0 W.L.)

REMOTE 3 - AMC-6 - (72 W.L.)

REMOTE 3 - ESTRELA DO SUL 1 - (63 W.L.)

REMOTE 3 - GALAXY 16 - (99 W.L.)

REMOTE 3 - HORIZONS 1 - (127 WL)

REMOTE 3 - SES-1 - (101 W.L.)

REMOTE 4 - AMAZONAS 2 (S2793) - (61 W.L.)

REMOTE 4 - AMC 21 - (125 W.L.)

REMOTE 4 - AMC-5 (S2156) - (81.0 W.L.)

REMOTE 4 - AMC-6 - (72 W.L.)

REMOTE 4 - ESTRELA DO SUL 1 - (63 W.L.)

REMOTE 4 - GALAXY 16 - (99 W.L.)

REMOTE 4 - HORIZONS 1 - (127 WL)

REMOTE 4 - SES-1 - (101 W.L.)

---

**SES-MFS-20120517-00449** E E060451 RAYSAT ANTENNA SYSTEMS, LLC

Modification

**Class of Station:** Mobile Earth Station

**Nature of Service:** Fixed Satellite Service, Mobile Satellite Service

RaySat Antenna Systems, LLC requests modification of its blanket license for Land-Mobile Satellite Service earth stations in the 14.0-14.5 GHz (Earth-to-space) and 11.7-12.2 GHz (space-to-Earth) frequency bands, call sign E060451, to authorize operations under Vehicle-Mounted earth station rules. In addition, RaySat requests authority to add new terminals, new emission designators, and new points of communication, SES-1 @101 W.L., GALAXY 16 @99 W.L., and AMAZONAS 2 @61 W.L. orbital locations. RaySat seeks waivers of Sections 25.226 (a)(1)(B) and (C) and the ALSAT criteria defined in FCC 09-64 paragraph 168.

**SITE ID:** REMOTE 1

**LOCATION:** OPERATE UP .124 MOBILE TERMINALS, VARIOUS, 400 UNITS

<b>ANTENNA ID:</b>	Remote1	0.124 meters	RAYSAT	STEALTHRAY
	14000.0000 - 14500.0000 MHz	518KG7W	35.70 dBW	BPSK, RATE 1/3 DIGITAL CARRIER
	11700.0000 - 12200.0000 MHz	512KG7W		NARROWBAND DIGITAL DATA RECEIVE



---

11700.0000 - 12200.0000 MHz	36M0G7W		BROADBAND DIGITAL DATA RECEIVE
14000.0000 - 14500.0000 MHz	9M47G7W	41.20 dBW	PSK
14000.0000 - 14500.0000 MHz	2M07G7W	35.70 dBW	PSK
14000.0000 - 14500.0000 MHz	10M7G7W	41.20 dBW	PSK
11700.0000 - 12200.0000 MHz	9M47G7W		PSK
11700.0000 - 12200.0000 MHz	2M07G7W		PSK
11700.0000 - 12200.0000 MHz	10M7G7W		PSK

SITE ID: REMOTE 2  
LOCATION: OPERATE UP 0.243 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID: Remote2	0.243 meters	RAYSAT ANTENNA SYSTEMS	SR-2000/3000
14000.0000 - 14500.0000 MHz	12M36G7W	41.20 dBW	PSK
14000.0000 - 14500.0000 MHz	8M06G7W	41.20 dBW	PSK
14000.0000 - 14500.0000 MHz	4M05G7W	38.60 dBW	PSK
11700.0000 - 12200.0000 MHz	36M0G7W		PSK
11700.0000 - 12200.0000 MHz	1M45G7W		PSK

SITE ID: REMOTE 3  
LOCATION: OPERATE UP 0.347 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID: Remote3	0.347 meters	RAYSAT ANTENNA SYSTEMS	SR-5000
14000.0000 - 14500.0000 MHz	13M57G7W	43.40 dBW	PSK
14000.0000 - 14500.0000 MHz	10M13G7W	40.40 dBW	PSK
14000.0000 - 14500.0000 MHz	4M05G7W	38.90 dBW	PSK
11700.0000 - 12200.0000 MHz	26M8G7W		PSK
11700.0000 - 12200.0000 MHz	1M45G7W		PSK

SITE ID: REMOTE 4  
LOCATION: OPERATE UP 0.569 MOBILE TERMINALS, VARIOUS, 400 UNITS

ANTENNA ID: Remote4	0.569 meters	RAYSAT ANTENNA SYSTEMS	E-7000
14000.0000 - 14500.0000 MHz	21M57G7W	50.90 dBW	PSK

---

14000.0000 - 14500.0000 MHz	9M72G7W	46.90 dBW	PSK
14000.0000 - 14500.0000 MHz	7M04G7W	47.20 dBW	PSK
11700.0000 - 12200.0000 MHz	724K1G7W		PSK
11700.0000 - 12200.0000 MHz	54M0G7W		PSK

**Points of Communication:**

REMOTE 1 - AMC-4 (formerl GE-4 - (101 W.L.)

REMOTE 1 - AMC-5 (S2156) - (79 W.L.)

REMOTE 1 - AMC-6 - (72 W.L.)

REMOTE 1 - GALAXY 4R - (99 W.L.)

REMOTE 1 - HORIZONS 1 - (127 WL)

REMOTE 1 - HORIZONS 2 - (74.05 DEG)

REMOTE 1 - IA-7 - (129 W.L.)

REMOTE 1 - INTELSAT 8 - (89 W.L.)

REMOTE 2 - AMAZONAS 2 (S2793) - (61 W.L.)

REMOTE 2 - AMC 21 - (125 W.L.)

REMOTE 2 - AMC-5 (S2156) - (81.0 W.L.)

REMOTE 2 - AMC-6 - (72 W.L.)

REMOTE 2 - ESTRELA DO SUL 1 - (63 W.L.)

REMOTE 2 - GALAXY 16 - (99 W.L.)

REMOTE 2 - HORIZONS 1 - (127 WL)

REMOTE 2 - SES-1 - (101 W.L.)

REMOTE 3 - AMAZONAS 2 (S2793) - (61 W.L.)

REMOTE 3 - AMC 21 - (125 W.L.)

REMOTE 3 - AMC-5 (S2156) - (81.0 W.L.)

REMOTE 3 - AMC-6 - (72 W.L.)

REMOTE 3 - ESTRELA DO SUL 1 - (63 W.L.)

REMOTE 3 - GALAXY 16 - (99 W.L.)

REMOTE 3 - HORIZONS 1 - (127 WL)

REMOTE 3 - SES-1 - (101 W.L.)

REMOTE 4 - AMAZONAS 2 (S2793) - (61 W.L.)

REMOTE 4 - AMC 21 - (125 W.L.)

REMOTE 4 - AMC-5 (S2156) - (81.0 W.L.)

REMOTE 4 - AMC-6 - (72 W.L.)

REMOTE 4 - ESTRELA DO SUL 1 - (63 W.L.)

REMOTE 4 - GALAXY 16 - (99 W.L.)

REMOTE 4 - HORIZONS 1 - (127 WL)

REMOTE 4 - SES-1 - (101 W.L.)

---

**SES-MOD-20121002-00900** E E010028 AMC Networks Broadcasting and Technology LLC

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

AMC Networks Broadcasting and Technology LLC requests modification of its fixed earth station at Nassau, NY, to add a new 9-meter antenna that will communicate with ALSAT satellites in the 6088-6425 MHz (Earth-to-space) and 3700-4200 MHz (space-to-Earth) frequency bands.

**SITE ID:** 1

**LOCATION:** 620 HICKSVILLE ROAD, NASSAU, BETHPAGE, NY

40 ° 44 ' 39.60 " N LAT.

73 ° 29 ' 38.10 " W LONG.

<b>ANTENNA ID:</b> 2	9 meters	VERTEX	9 KPC
6088.0000 - 6425.0000 MHz	36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
6088.0000 - 6425.0000 MHz	36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO CARRIER
5925.0000 - 6038.0000 MHz	36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
5925.0000 - 6038.0000 MHz	36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO CARRIER
3700.0000 - 4200.0000 MHz	36M0F3F		ANALOG VIDEO CARRIER
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL COMPRESSED VIDEO CARRIER
<b>ANTENNA ID:</b> 1	9 meters	VERTEX	9 KPC
6088.8000 - 6425.0000 MHz	36M0F3F	77.70 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO
6088.8000 - 6425.0000 MHz	36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO
5925.0000 - 6425.0000 MHz	36M0F3F	62.50 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO

---

5925.0000 - 6425.0000 MHz	36M0G7F	75.04 dBW	DIGITAL COMPRESSED VIDEO
5925.0000 - 6038.8000 MHz	36M0F3F	77.70 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO
5925.0000 - 6038.8000 MHz	36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO
3700.0000 - 4200.0000 MHz	36M0F3F		ANALOG VIDEO WITH ASSOCIATED AUDIO
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL COMPRESSED VIDEO
ANTENNA ID: 3	9 meters	GENERAL DYNAMICS	KPC-9.0
5925.0000 - 6038.0000 MHz	36M0F3F	77.70 dBW	DIGITAL VIDEO CARRIER
5925.0000 - 6038.0000 MHz	36M0G7F	77.70 dBW	DIGITAL VIDEO CARRIER
6088.0000 - 6425.0000 MHz	36M0G7F	77.70 dBW	DIGITAL VIDEO CARRIER
6088.0000 - 6425.0000 MHz	36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
3700.0000 - 4200.0000 MHz	36M0F3F		ANALOG VIDEO CARRIER
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO CARRIER

**Points of Communication:**

1 - ALSAT - (ALSAT)

---

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.