

PUBLIC NOTICE

Federal Communications Commission 445 12th St., S.W. Washington, D.C. 20554

media information 202 / 418-0500 Fax-On-Demand 202 / 418-2830 TTY 202 / 418-2555 Internet: http://www.fcc.gov

Report No. SPB-250

Released: May 8, 2013

Request for Coordination of Canadian Earth Stations with USA Terrestrial Fixed Stations

The government of Canada has requested frequency coordination for the following Canadian earth stations operating in the 3700-4200 MHz and 5925-6425 MHz frequency bands. Interested parties may file comments regarding this request no later than June 7, 2013. If no adverse comments are received by that date, these earth stations will be considered satisfactorily coordinated with the USA and Canada will be so advised.

In accordance with Section 1.51(c) of the Commission's rules, an original and four copies of all pleadings must be filed with the Secretary at the above address. All correspondence concerning this matter must reference this public notice using "Report No. SPB-250".

For further information, contact Towanda Bryant, Satellite Division, International Bureau, (202) 418-7245 or Towanda.Bryant@fcc.gov.

GOVERNMENT OF CANADA REQUESTS COORDINATION WITH USA

SERVICE: FIXED SATELLITE	CLASS OF STATION: FIXED EARTH STATIO			
License #:	4827732			
Location:	DORVAL, QUEBEC			
Coordinates:	45 28 44N 073 46 03W			
Ground Height (AMSL)/Antenna Height (AGL):	30 m / 3 m			
Antenna Diameter/TX Gain/RX Gain:	4.5 m / 46.7 dBi / 43.1 dBi			
Antenna Azimuth/Elevation Angle:	226.9 deg / 26.08 deg			
Transmitter Polarity:	TX vertical / RX vertical			
Maximum Power Density (dB(W/Hz)):	-51.4 dB(W/Hz)			
Satellite Operating Arc:	111.1 deg W			
Satellite transmission VIA:	ANIK F2			
Date Effective:	March 5, 2013			
TX Frequency (MHz) Bandwidth (kHz)	Emissions EIRP (dBW) RX Frequency (MHz)			

TX Frequency (MHz)	Bandwidth (kHz)	Emissions	EIRP (dBW)	RX Frequency (MHz)
6360.08300	68.0	G1WDN	43.3	4134.87500

GOVERNMENT OF CANADA REQUESTS COORDINATION WITH USA

SERVICE: FIXED SATELLITE	CLASS OF STATION: FIXED EARTH STATIO			
License #:	4827732			
Location:	DORVAL, QUEBEC			
Coordinates:	45 28 44N 073 46 03W			
Ground Height (AMSL)/Antenna Height (AGL):	30 m / 3 m			
Antenna Diameter/TX Gain/RX Gain:	4.5 m / 46.7 dBi / 43.1 dBi			
Antenna Azimuth/Elevation Angle:	226.9 deg / 26.08 deg			
Transmitter Polarity:	TX vertical / RX vertical			
Maximum Power Density (dB(W/Hz)):	-51.4 dB(W/Hz)			
Satellite Operating Arc:	111.1 deg W			
Satellite transmission VIA:	ANIK F2			
Date Effective:	March 5, 2013			
TX Frequency (MHz) Bandwidth (kHz)	Emissions EIRP (dBW) RX Frequency (MHz)			

TX Frequency (MHz)	Bandwidth (kHz)	Emissions	EIRP (dBW)	RX Frequency (MHz)
6828.68900	68.0	G1WDN	43.3	4124.19700

GOVERNMENT OF CANADA REQUESTS COORDINATION WITH USA

SERVICE: FIXED SAT License #: Location: Coordinates: Ground Height (AMSL)/ Antenna Diameter/TX Ga Antenna Azimuth/Elevati Transmitter Polarity: Maximum Power Density Satellite Operating Arc: Satellite transmission VL	Antenna Height (AGL): ain/RX Gain: ion Angle: / (dB(W/Hz)):	48277 DORV 45 28 30 m / 4.5 m 226.9 TX ve -51.4 111.1 ANIK	 '32 'AL, QUEBEC 44N 073 46 03W / 3 m / 46.7 dBi / 43.1 d deg / 26.08 deg ertical / RX vertical dB(W/Hz) deg W F2 	
Date Effective:		March 5, 2013		
TX Frequency (MHz) 6361.08200	Bandwidth (kHz) 68.0	Emissions G1WDN	EIRP (dBW) 43.3	RX Frequency (MHz) 4135.95700

GOVERNMENT OF CANADA REQUESTS COORDINATION WITH USA

 SERVICE: FIXED SATELLITE License #: Location: Coordinates: Ground Height (AMSL)/Antenna Height (AGL): Antenna Diameter/TX Gain/RX Gain: Antenna Azimuth/Elevation Angle: Transmitter Polarity: Maximum Power Density (dB(W/Hz)): Satellite Operating Arc: Satellite transmission VIA: Date Effective: 	48277 DORV 45 28 30 m / 4.5 m 226.9 TX ve -51.4 c 111.1 ANIK	32 /AL, QUEBEC 44N 073 46 03W / 3 m / 46.7 dBi / 43.1 d deg / 26.08 deg rrtical / RX vertical dB(W/Hz) deg W	
TX Frequency (MHz)Bandwidth (kHz)6360.0830068.0	Emissions	EIRP (dBW)	RX Frequency (MHz)
	G1WDN	43.3	4134.87500