



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01598

Wednesday November 20, 2013

Satellite Communications Services

re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20131025-00912 E E130219 HARRIS CORPORATION

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 3441 Buck Mountain Road, Pope, Russelville, AR

35 ° 24 ' 9.10 " N LAT.

92 ° 59 ' 39.70 " W LONG.

ANTENNA ID:	1	2.4 meters	Prodelin	1244
	3700.0000 - 4200.0000 MHz		166KG7W	Digital Data
	5925.0000 - 6425.0000 MHz		166KG7W	37.70 dBW
				Digital Data

Points of Communication:

1 - ALSAT - (ALSAT)

SES-LIC-20131105-00936 E E130220 Dome Productions

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1.8m

LOCATION:

ANTENNA ID:	1.8m	1.8 meters	General Dynamics	C180M	
	14000.0000 - 14500.0000 MHz		4M00G7D	59.40 dBW	Digital Data Carrier
	14000.0000 - 14500.0000 MHz		36M0G7D	68.90 dBW	Digital Data Carrier
	11700.0000 - 12200.0000 MHz		4M00G7D		Digital Data Carrier
	11700.0000 - 12200.0000 MHz		36M0G7D		Digital Data Carrier

Points of Communication:

1.8m - PERMITTED LIST - ()

SES-MOD-20130911-00792 E E120071 ViaSat, Inc.

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

ViaSat, Inc. requests modification of its temporary fixed earth station to add Antenna IDs 3,4, and 5 that will operate in the following frequency bands: 28.35-29.1 GHz and 29.5-30.0 GHz (Earth-to-space); 18.3-19.3 GHz and 19.7-20.2 GHz (space-to-Earth).

SITE ID: 1

LOCATION: (50000 UNITS), CONUS

ANTENNA ID:	1	0.745 meters	ViaSat, Inc.	SNG-1	
	29500.0000 - 30000.0000 MHz		10M0G7D	48.80 dBW	10.0 MBd PSK, Digital Carrier
	29500.0000 - 30000.0000 MHz		5M00G7D	48.80 dBW	5.0 MBd PSK, Digital Carrier
	29500.0000 - 30000.0000 MHz		2M50G7D	48.80 dBW	2.5 MBd PSK, Digital Carrier
	29500.0000 - 30000.0000 MHz		1M25G7D	48.80 dBW	1.25 MBd PSK, Digital Carrier
	29500.0000 - 30000.0000 MHz		625KG7D	45.80 dBW	625 kBd PSK, Digital Carrier
	28350.0000 - 29100.0000 MHz		10M0G7D	48.80 dBW	10.0 MBd PSK, Digital Carrier
	28350.0000 - 29100.0000 MHz		5M00G7D	48.80 dBW	5.0 MBd PSK, Digital Carrier
	28350.0000 - 29100.0000 MHz		2M50G7D	48.80 dBW	2.5 MBd PSK, Digital Carrier
	28350.0000 - 29100.0000 MHz		1M25G7D	48.80 dBW	1.25 MBd PSK, Digital Carrier
	28350.0000 - 29100.0000 MHz		625KG7D	45.80 dBW	625 kBd PSK, Digital Carrier
	19700.0000 - 20200.0000 MHz		52M1G7D		52 MBd PSK, Digital Carrier
	19700.0000 - 20200.0000 MHz		416MG7D		416 MBd PSK, Digital Carrier

18300.0000 - 19300.0000 MHz	52M1G7D		52 MBd PSK, Digital Carrier
18300.0000 - 19300.0000 MHz	416MG7D		416 MBd PSK, Digital Carrier
SITE ID: 2			
LOCATION: (20000 UNITS), CONUS			
ANTENNA ID: 2	1.23 meters	AVL	120K
29500.0000 - 30000.0000 MHz	5M00G7D	54.30 dBW	5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	10M0G7D	54.30 dBW	10 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M50G7D	54.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	625KG7D	54.30 dBW	625 KBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	54.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	20M0G7D	54.00 dBW	20 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	5M00G7D	54.30 dBW	5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	10M0G7D	54.30 dBW	10 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	2M50G7D	54.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	625KG7D	54.30 dBW	625 KBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	1M25G7D	54.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	20M0G7D	54.00 dBW	20 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER

SITE ID: 3
LOCATION: (20000 UNITS), CONUS

ANTENNA ID: 3	1.23 meters	AVL	1280KFH
28350.0000 - 29100.0000 MHz	5M00G7D	54.10 dBW	5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	5M00G7D	54.10 dBW	5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	10M0G7D	54.10 dBW	10 MBD PSK, DIGITAL CARRIER

29500.0000 - 30000.0000 MHz	10M0G7D	54.10 dBW	10 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	2M50G7D	54.10 dBW	2.5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	625KG7D	54.10 dBW	625 KBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M50G7D	54.10 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	625KG7D	54.10 dBW	625 KBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	1M25G7D	54.10 dBW	1.25 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	54.10 dBW	1.25 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER

SITE ID: 4
LOCATION: (20000 UNITS), CONUS

ANTENNA ID: 4	1.23 meters	AVL	880KVH
28350.0000 - 29100.0000 MHz	5M00G7D	51.30 dBW	5 MBD PSK, DIGITAL CARRIER
28350.0000 - 30000.0000 MHz	625KG7D	51.30 dBW	625 KBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	5M00G7D	51.30 dBW	5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	10M0G7D	51.30 dBW	10 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	10M0G7D	51.30 dBW	10 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	2M50G7D	51.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M50G7D	51.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	625KG7D	51.30 dBW	625 KBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	1M25G7D	51.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	51.30 dBW	1.25 MBD PSK, DIGITAL CARRIER

19700.0000 - 20200.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
SITE ID: 5			
LOCATION: (20000 UNITS), CONUS			
ANTENNA ID: 5	1.23 meters	AVL	880KFH
28300.0000 - 29100.0000 MHz	5M00G7D	51.30 dBW	5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	5M00G7D	51.30 dBW	5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	10M0G7D	51.30 dBW	10 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	625KG7D	51.30 dBW	625 KBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	51.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
19700.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	10M0G7D	51.30 dBW	10 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	2M50G7D	51.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M50G7D	51.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	625KG7D	51.30 dBW	625 KBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	1M25G7D	51.30 dBW	1.25 MBD PSK, DIGITAL CARRIER

Points of Communication:

- 1 - ANIK-F2 (S2742) - (111.1 W.L.)
- 1 - VIASAT-1 - (115.1W.L.)
- 1 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 2 - ANIK-F2 (S2742) - (111.1 W.L.)
- 2 - VIASAT-1 - (115.1W.L.)
- 2 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 3 - ALSAT - (ALSAT)

- 3 - ANIK E2 - (111.1 W.L)
- 3 - VIASAT-1 - (115.1W.L.)
- 3 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 4 - ALSAT - (ALSAT)
- 4 - ANIK E2 - (111.1 W.L)
- 4 - VIASAT-1 - (115.1W.L.)
- 4 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 5 - ALSAT - (ALSAT)
- 5 - ANIK E2 - (111.1 W.L)
- 5 - VIASAT-1 - (115.1W.L.)
- 5 - WILDBLUE 1(S2355) - (111.1 W.L.)

SES-MOD-20131101-00916 E E100117 COMMUNICATIONS LABORATORIES, INC.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

Communications Laboratories, Inc. requests modification of its VSAT network authorization to (1) add Antenna IDs Hub-3 and Hub4, and (2) revise the satellite arc from 43W-143W to 43W-139W for operations with the following Antenna IDs: Remote 2P, Remote 3, and Remote 5A.

SITE ID: REMOTE 3

LOCATION: various locations throughout (1.8M. VSAT), 500 UNITS, CONUS, AK, HI, PR

ANTENNA ID:	Remote 3	1.8 meters	PRODELIN	1183	
	14000.0000 - 14500.0000 MHz		2M00G7D	48.07 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz		1M00G7D	45.06 dBW	QPSK DATA
	11700.0000 - 12200.0000 MHz		2M00G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz		1M00G7D		QPSK DATA

SITE ID: REMOTE 4A

LOCATION: (1.2M. VSAT), 500 UNITS, CONUS, AK, HI, PR

ANTENNA ID:	Remote 4A	1.2 meters	ANDREW	123	
	14000.0000 - 14500.0000 MHz		2M00G7D	47.50 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz		1M00G7D	44.89 dBW	QPSK DATA
	11700.0000 - 12200.0000 MHz		2M00G7D		QPSK DATA

11700.0000 - 12200.0000 MHz	1M50G7D		QPSK DATA
-----------------------------	---------	--	-----------

SITE ID: HUB3
LOCATION: 169 ASH POINT DRIVE (3.8M.) HUB-3, KNOX, OWLS HEAD, ME
44 ° 4 ' 1.20 " N LAT. 69 ° 5 ' 39.80 " W LONG.

ANTENNA ID: Hub 3	3.8 meters	PRODELIN	1383
-------------------	------------	----------	------

14000.0000 - 14500.0000 MHz	2M00G7D	66.00 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

14000.0000 - 14500.0000 MHz	1M50G7D	64.74 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

14000.0000 - 14500.0000 MHz	10M0G7D	71.00 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

11700.0000 - 12200.0000 MHz	2M00G7D		QPSK DATA
-----------------------------	---------	--	-----------

11700.0000 - 12200.0000 MHz	1M50G7D		QPSK DATA
-----------------------------	---------	--	-----------

11700.0000 - 12200.0000 MHz	10M0G7D		QPSK DATA
-----------------------------	---------	--	-----------

SITE ID: HUB4
LOCATION: 169 ASH POINT DRIVE (6.3M.) HUB-4, KNOX, OWLS HEAD, ME
44 ° 4 ' 1.20 " N LAT. 69 ° 5 ' 39.80 " W LONG.

ANTENNA ID: Hub 4	6.3 meters	VERTEX	6.3M.
-------------------	------------	--------	-------

14000.0000 - 14500.0000 MHz	2M00G7D	70.50 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

14000.0000 - 14500.0000 MHz	1M50G7D	69.24 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

14000.0000 - 14500.0000 MHz	10M0G7D	77.50 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

11700.0000 - 12200.0000 MHz	2M00G7D		QPSK DATA
-----------------------------	---------	--	-----------

11700.0000 - 12200.0000 MHz	1M50G7D		QPSK DATA
-----------------------------	---------	--	-----------

11700.0000 - 12200.0000 MHz	10M0G7D		QPSK DATA
-----------------------------	---------	--	-----------

SITE ID: REMOTE 5A
LOCATION: various locations throughout (2.4M. VSAT), 200 UNITS, CONUS, AK, HI

ANTENNA ID: Remote 5A	2.4 meters	PRODELIN	1251
-----------------------	------------	----------	------

14000.0000 - 14500.0000 MHz	2M00G7D	58.20 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

14000.0000 - 14500.0000 MHz	1M00G7D	55.20 dBW	QPSK DATA
-----------------------------	---------	-----------	-----------

11700.0000 - 12200.0000 MHz	2M00G7D		QPSK DATA
-----------------------------	---------	--	-----------

11700.0000 - 12200.0000 MHz	1M00G7D		QPSK DATA
-----------------------------	---------	--	-----------

SITE ID: REMOTE 1A
LOCATION: (0.96M. VSAT), 150 UNITS, CONUS, AK, HI, PR

ANTENNA ID:	Remote 1A	0.96 meters	ANDREW	960
	14000.0000 - 14500.0000 MHz	2M00G7D	46.75 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz	1M00G7D	44.53 dBW	QPSK DATA
	11700.0000 - 12200.0000 MHz	2M00G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz	1M50G7D		QPSK DATA

SITE ID: HUB2
LOCATION: 750 NORTH DRIVE (6.3M.) HUB-2, BREVARD, MELBOURNE, FL
28 ° 7 ' 7.40 " N LAT. 80 ° 41 ' 21.30 " W LONG.

ANTENNA ID:	Hub 2	6.3 meters	VERTEX	6.3M.
	14000.0000 - 14500.0000 MHz	2M00G7D	56.38 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz	1M50G7D	55.34 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz	10M0G7D	77.50 dBW	QPSK DATA
	11700.0000 - 12200.0000 MHz	2M00G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz	1M50G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz	10M0G7D		QPSK DATA

SITE ID: HUB1
LOCATION: 750 NORTH DRIVE (3.8M.) HUB-1, BREVARD, MELBOURNE, FL
28 ° 7 ' 7.40 " N LAT. 80 ° 41 ' 21.30 " W LONG.

ANTENNA ID:	Hub 1	3.8 meters	PRODELIN	1383
	14000.0000 - 14500.0000 MHz	2M00G7D	56.18 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz	1M50G7D	54.94 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz	10M0G7D	71.70 dBW	QPSK DATA
	11700.0000 - 12200.0000 MHz	2M00G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz	1M50G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz	10M0G7D		QPSK DATA

SITE ID: REMOTE 2P
LOCATION: various locations throughout (1.2M. VSAT), 2500 UNITS, CONUS, AK, HI

ANTENNA ID:	Remote 2P	1.2 meters	PRODELIN	1120	
	14000.0000 - 14500.0000 MHz		2M00G7D	51.00 dBW	QPSK DATA
	14000.0000 - 14500.0000 MHz		1M00G7D	48.00 dBW	QPSK DATA
	11700.0000 - 12200.0000 MHz		2M00G7D		QPSK DATA
	11700.0000 - 12200.0000 MHz		1M00G7D		QPSK DATA

Points of Communication:

HUB1 - ALSAT - (ALSAT)
HUB1 - AMC 21 - (125 W.L.)
HUB2 - ALSAT - (ALSAT)
HUB3 - ALSAT - (ALSAT)
HUB4 - ALSAT - (ALSAT)
REMOTE 1A - AMC 21 - (125 W.L.)
REMOTE 2P - ALSAT - (ALSAT)
REMOTE 2P - AMC 21 - (125 W.L.)
REMOTE 3 - ALSAT - (ALSAT)
REMOTE 3 - AMC 21 - (125 W.L.)
REMOTE 4A - AMC 21 - (125 W.L.)
REMOTE 5A - ALSAT - (ALSAT)
REMOTE 5A - AMC 21 - (125 W.L.)

SES-MOD-20131101-00924 E E7405 UNITED SERVICE SOURCE INC.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

United Services Source Inc. requests modification of its fixed earth station in Fort Wayne, IN, to reflect corrected site coordinates.

SITE ID: 1
LOCATION: 3401 BUTLER ROAD (WISE), ALLEN, FORT WAYNE, IN
41 ° 6 ' 6.51 " N LAT. 85 ° 11 ' 5.11 " W LONG.

ANTENNA ID:	1	6.1 meters	HARRIS	5346	
	14000.0000 - 14500.0000 MHz		356KG1W	58.00 dBW	QPSK, FEC 3/4, PRIVIATE DATA

14000.0000 - 14500.0000 MHz	6M00G1W	59.50 dBW	QPSK, FEC 3/4, PRIVIATE DATA
14000.0000 - 14500.0000 MHz	4M00G7W	66.00 dBW	DVB COMPLIANT, MPEG2, VIDEO/AUDIO/DATA
14000.0000 - 14500.0000 MHz	256KG1W	58.00 dBW	QPSK, FEC 3/4, PRIVIATE DATA
11700.0000 - 12200.0000 MHz	256KG1W		QPSK, FEC 3/4, PRIVIATE DATA
11700.0000 - 12200.0000 MHz	356KG1W		QPSK, FEC 3/4, PRIVIATE DATA
11700.0000 - 12200.0000 MHz	6M00G1W		QPSK, FEC 3/4, PRIVIATE DATA
11700.0000 - 12200.0000 MHz	4M00G7W		DVB COMPLIANT, MPEG2, VIDEO/AUDIO/DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20131104-00925 E E070289 KATV, LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

KATV, LLC requests modification of its fixed, receive-only earth station in Little Rock, AR, to (1) replace the 7.3-meter antenna with a 4.5-meter antenna, and (2) add emission designator 36M0D7W in the 3700-4200 MHz (space-to-Earth) frequency band.

SITE ID: 1

LOCATION: 401 SOUTH MAIN STREET (KATV), PULASKI, LITTLE ROCK, AR
 34 ° 44 ' 42.00 " N LAT. 92 ° 16 ' 13.00 " W LONG.

ANTENNA ID: 4.5M.	4.5 meters	COMMSCOPE	ES45MPJ
3700.0000 - 4200.0000 MHz	36M0F3F		STANDARD ANALOG VIDEO
3700.0000 - 4200.0000 MHz	36M0G7F		DIGITAL VIDEO, AUDIO, AND DATA
3700.0000 - 4200.0000 MHz	36M0D7W		DIGITAL VIDEO, AUDIO, AND DATA

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20131108-00956 E E080193 Global Data Systems, Inc.

Application for Modification

Class of Station: VSAT Network

Nature of Service: Fixed Satellite Service

Global Data Systems, Inc. requests modification of its VSAT network authorization, to (1) relocate the 7.2-meter hub antenna, and (2) add two additional hub antennas, Antenna IDs H2 and H3, to operate in the 14.0-14.5 GHz (Earth-to-space) and 11.7-12.2 GHz (space-to- Earth) frequency bands.

SITE ID: REMOTE 3
LOCATION: (1.2M. VSAT) 500 UNITS, CONUS, AK, HI

ANTENNA ID:	1.2M.	1.2 meters	PRODELIN CORPORATION	1134
	14000.0000 - 14500.0000 MHz	128KG7W-	44.10 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	14000.0000 - 14500.0000 MHz	36M0G7W	68.50 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	128KG7W-		DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE 2
LOCATION: (1.8M. VSAT) 500 UNITS, CONUS, AK, HI

ANTENNA ID:	1.8M.	1.8 meters	PRODELIN CORPORATION	1184
	14000.0000 - 14500.0000 MHz	128KG7W-	47.60 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	14000.0000 - 14500.0000 MHz	36M0G7W	72.00 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	128KG7W-		DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: REMOTE 1
LOCATION: (2.4M. VSAT) 500 UNITS, CONUS, AK, HI

ANTENNA ID:	2.4M.	2.4 meters	PRODELIN CORPORATION	1244
	14000.0000 - 14500.0000 MHz	128KG7W-	50.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	14000.0000 - 14500.0000 MHz	36M0G7W	74.70 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	128KG7W-		DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

SITE ID: HUB
LOCATION: 310 LAZER IN, LAFAYETTE, LAFAYETTE, LA
30 ° 16 ' 18.14 " N LAT. 92 ° 2 ' 19.20 " W LONG.

ANTENNA ID:	H1	7.2 meters	VERTEX/RSI	7.2M.
	14000.0000 - 14500.0000 MHz	128KG7W	59.20 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	14000.0000 - 14500.0000 MHz	36M0G7W	83.60 dBW	DIGITAL AUDIO, VIDEO, AND DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

11700.0000 - 12200.0000 MHz	128KG7W		DIGITAL AUDIO, VIDEO, AND DATA
ANTENNA ID: H2	9.4 meters	ASC SIGNAL	9.4
14000.0000 - 14500.0000 MHz	128KG7W	39.80 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	36M0G7W	64.30 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	128KG7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA
ANTENNA ID: H3	7.6 meters	ASC SIGNAL	76.
14000.0000 - 14500.0000 MHz	128KG7W	38.85 dBW	DIGITAL AUDIO, VIDEO, AND DATA
14000.0000 - 14500.0000 MHz	36M0G7W	64.10 dBW	DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	128KG7W		DIGITAL AUDIO, VIDEO, AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL AUDIO, VIDEO, AND DATA

Points of Communication:

- HUB - ALSAT - (ALSAT)
- REMOTE 1 - ALSAT - (ALSAT)
- REMOTE 2 - ALSAT - (ALSAT)
- REMOTE 3 - ALSAT - (ALSAT)

SES-MOD-20131113-00985 E E000721 VISION ACCOMPLISHED, INC. d/b/a TRANSVISION INTERNATIONAL
 Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

Vision Accomplished, Inc., d/b/a Transvision International, requests modification of its temporary-fixed earth station authorization to replace the 4.6-meter antenna with a 2.4-meter antenna.

SITE ID: 001
 LOCATION: 550 MAULHARDT AVE., VARIOUS

ANTENNA ID: 001	2.4 meters	VERTEX	2.4 DMK
14000.0000 - 14500.0000 MHz	51K2G7W	45.97 dBW	PSK Digital Video with associated data
14000.0000 - 14500.0000 MHz	36M0G7W	74.44 dBW	PSK Digital Video with associated data

Points of Communication:

001 - ALSAT - (ALSAT)

SES-T/C-20131107-00945 E E030179 Gray Television Group, Inc.

Application for Consent to Transfer of Control

Current Licensee: Yellowstone LicenseCo LLC

FROM: JASON WOLFF

TO: Gray Television Group, Inc.

No. of Station(s) listed: 2

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.