



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01668

Wednesday July 30, 2014

Satellite Communications Services re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AFS-20140520-00381 E E010133 Intelsat License LLC

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service

Please see IBFS File No. SES-MFS-20131111-00953 for a description of application.

SITE ID: FILLMORE

LOCATION: 33 EAST TELEGRAPH ROAD, VENTURA, FILLMORE, CA

34 ° 24 ' 16.90 " N LAT.

118 ° 53 ' 42.40 " W LONG.

ANTENNA ID:	FIL-K25	11 meters	VIASAT	8016A
	14000.0000 - 14500.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
	14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
	14000.0000 - 14500.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	750KF2D	71.00 dBW	COMMAND CARRIER
	13780.0000 - 14000.0000 MHz	3M00G7W	74.00 dBW	DIGITAL VIDEO AND DATA

13780.0000 - 14000.0000 MHz	36M0G7W	79.00 dBW	DIGITAL VIDEO AND DATA
13770.0000 - 13780.0000 MHz	3M00G7W	67.99 dBW	DIGITAL VIDEO AND DATA
13752.0000 - 13754.0000 MHz	750KF2D	79.00 dBW	DIGITAL VIDEO AND DATA
13750.0000 - 13770.0000 MHz	3M00G7W	74.00 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	18M0F8F		ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0F8F		ANALOG VIDEO
11700.0000 - 12200.0000 MHz	750KF2D		COMMAND CARRIER
13750.0000 - 13770.0000 MHz	850KF2D	80.50 dBW	COMMAND CARRIER
13750.0000 - 13770.0000 MHz	850KF2D	80.50 dBW	COMMAND CARRIER
13770.0000 - 13780.0000 MHz	850KF2D	70.95 dBW	COMMAND CARRIER
13780.0000 - 14000.0000 MHz	850KF2D	80.50 dBW	COMMAND CARRIER
14000.0000 - 14500.0000 MHz	850KF2D	71.70 dBW	COMMAND CARRIER
11700.0000 - 12200.0000 MHz	180KG2D		TELEMETRY CARRIER

Points of Communication:

FILLMORE - ALSAT - (ALSAT)

FILLMORE - GALAXY 3C - (95 W.L.)

FILLMORE - GALAXY VIII(I)-R - (95 W.L.)

FILLMORE - GALAXY XI - (91 W.L.)

FILLMORE - INTELSAT 1R - (310.0 E.L.)

SES-AFS-20140520-00382 E E000063 Intelsat License LLC

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service, International Fixed Satellite Service

See IBFS File No. SES-MFS-20131111-00952 for a description of application.

SITE ID: Fillmore
 LOCATION: 33 East Telegraph Road, Ventura, Fillmore, CA
 34 ° 24 ' 18.00 " N LAT.

118 ° 53 ' 42.40 " W LONG.

ANTENNA ID:	FIL-K22	11 meters	RSI	1130 KS
	14000.0000 - 14500.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDE AND DATA
	14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
	14000.0000 - 14500.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	750KF2D	80.00 dBW	COMMAND CARRIER
	13999.5000 - 13999.5000 MHz	750KG2D	85.00 dBW	COMMAND CARRIER
	12750.0000 - 13250.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
	12750.0000 - 13250.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
	12750.0000 - 13250.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
	12750.0000 - 13250.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
	12750.0000 - 13250.0000 MHz	750KG2D	85.00 dBW	COMMAND CARRIER
	11700.0000 - 12200.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL VIDEO AND DATA
	11700.0000 - 12200.0000 MHz	18M0F8F		ANALOG VIDEO
	11700.0000 - 12200.0000 MHz	36M0F8W		ANALOG VIDEO
	11700.0000 - 12200.0000 MHz	750KF2D		COMMAND CARRIER
	13750.0000 - 13770.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
	13750.0000 - 13770.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
	13750.0000 - 13770.0000 MHz	850KF2D	80.75 dBW	COMMAND CARRIER
	13770.0000 - 13780.0000 MHz	36M0G7W	70.95 dBW	DIGITAL VIDEO AND DATA
	13770.0000 - 13780.0000 MHz	18M0F8F	70.95 dBW	ANALOG VIDEO
	13770.0000 - 13780.0000 MHz	36M0F8F	70.95 dBW	ANALOG VIDEO
	13780.0000 - 14000.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO

13780.0000 - 14000.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
13750.0000 - 13770.0000 MHz	750KF2D	80.00 dBW	COMMAND CARRIER
13770.0000 - 13780.0000 MHz	750KF2D	70.20 dBW	COMMAND CARRIER
13770.0000 - 13780.0000 MHz	850KF2D	70.95 dBW	COMMAND CARRIER
13780.0000 - 14000.0000 MHz	750KF2D	80.00 dBW	COMMAND CARRIER
13780.0000 - 14000.0000 MHz	850KF2D	80.75 dBW	COMMAND CARRIER
14000.0000 - 14500.0000 MHz	850KF2D	71.70 dBW	COMMAND CARRIER
13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
13780.0000 - 14000.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
13750.0000 - 14000.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	180KG2D		TELEMETRY CARRIER

Points of Communication:

- Fillmore - ALSAT - (ALSAT)
- Fillmore - ANIK E1 - (118.7 W.L.)
- Fillmore - ANIK E2 - (111.1 W.L.)
- Fillmore - ANIK F1(S2745) - (107.3 W.L.)
- Fillmore - INTELSAT 1R - (310.0 E.L.)
- Fillmore - PAS-9 (S2380) - (58.0 W.L.)

SES-LIC-20140724-00616 E E140072 Sirius XM Radio Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 2875 Fork Creek Church Road, Clayton, Ellenwood, GA
 33 ° 39 ' 51.00 " N LAT. 84 ° 16 ' 24.00 " W LONG.

ANTENNA ID: 1	7.6 meters	ASC Signal	ASC ES76K
11700.0000 - 12200.0000 MHz	11M0G7W		QPSK, Digital Audio
14000.0000 - 14500.0000 MHz	11M0G7W	79.71 dBW	QPSK, Digital Audio
11700.0000 - 12200.0000 MHz	36M0G7W		QPSK, Digital Data

14000.0000 - 14500.0000 MHz	36M0G7W	79.71 dBW	QPSK, Digital Data
-----------------------------	---------	-----------	--------------------

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MFS-20131111-00952 E E000063 Intelsat License LLC

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service, International Fixed Satellite Service

Intelsat License LLC requests modification of its license for a fixed earth station in Fillmore, CA, to add the Intelsat 1R satellite at the 310 ° E.L. orbital location as a point of communication in the 11.7-12.2 GHz (space-to-Earth) and 13.75-14.5 GHz (Earth-to-space) frequency bands. See IBFS File No. SES-AFS-20140520-00382.

SITE ID: Fillmore

LOCATION: 33 East Telegraph Road, Ventura, Fillmore, CA

34 ° 24 ' 18.00 " N LAT.

118 ° 53 ' 42.40 " W LONG.

ANTENNA ID: FIL-K22 11 meters RSI 1130 KS

14000.0000 - 14500.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
14000.0000 - 14500.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
14000.0000 - 14500.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
14000.0000 - 14500.0000 MHz	750KF2D	80.00 dBW	COMMAND CARRIER
13999.5000 - 13999.5000 MHz	750KG2D	85.00 dBW	COMMAND CARRIER
12750.0000 - 13250.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
12750.0000 - 13250.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
12750.0000 - 13250.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
12750.0000 - 13250.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
12750.0000 - 13250.0000 MHz	750KG2D	85.00 dBW	COMMAND CARRIER
11700.0000 - 12200.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	18M0F8F		ANALOG VIDEO
11700.0000 - 12200.0000 MHz	36M0F8W		ANALOG VIDEO

11700.0000 - 12200.0000 MHz	750KF2D		COMMAND CARRIER
13750.0000 - 13770.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
13750.0000 - 13770.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
13750.0000 - 13770.0000 MHz	850KF2D	80.75 dBW	COMMAND CARRIER
13770.0000 - 13780.0000 MHz	36M0G7W	70.95 dBW	DIGITAL VIDEO AND DATA
13770.0000 - 13780.0000 MHz	18M0F8F	70.95 dBW	ANALOG VIDEO
13770.0000 - 13780.0000 MHz	36M0F8F	70.95 dBW	ANALOG VIDEO
13780.0000 - 14000.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
13780.0000 - 14000.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
13750.0000 - 13770.0000 MHz	750KF2D	80.00 dBW	COMMAND CARRIER
13770.0000 - 13780.0000 MHz	750KF2D	70.20 dBW	COMMAND CARRIER
13770.0000 - 13780.0000 MHz	850KF2D	70.95 dBW	COMMAND CARRIER
13780.0000 - 14000.0000 MHz	750KF2D	80.00 dBW	COMMAND CARRIER
13780.0000 - 14000.0000 MHz	850KF2D	80.75 dBW	COMMAND CARRIER
14000.0000 - 14500.0000 MHz	850KF2D	71.70 dBW	COMMAND CARRIER
13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
13780.0000 - 14000.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA
13750.0000 - 14000.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
11700.0000 - 12200.0000 MHz	180KG2D		TELEMETRY CARRIER

Points of Communication:

Fillmore - ALSAT - (ALSAT)

Fillmore - ANIK E1 - (118.7 W.L.)

Fillmore - ANIK E2 - (111.1 W.L.)

Fillmore - ANIK F1(S2745) - (107.3 W.L.)

Fillmore - INTELSAT 1R - (310.0 E.L.)

Fillmore - PAS-9 (S2380) - (58.0 W.L.)

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, Fixed Satellite Service

Intelsat License LLC requests modification of its license for a fixed earth station in Fillmore, CA, to add the Intelsat 1R satellite at the 310 ° E.L. orbital location as a point of communication in the 11.7-12.2GHz (space-to-Earth) and 13.75-14.5 GHz (Earth-to-space) frequency bands. See IBFS File No. SES-AFS-2014052000381.

SITE ID: FILLMORE

LOCATION: 33 EAST TELEGRAPH ROAD, VENTURA, FILLMORE, CA

34 ° 24 ' 16.90 " N LAT.

118 ° 53 ' 42.40 " W LONG.

ANTENNA ID:	FIL-K25	11 meters	VIASAT	8016A
	13780.0000 - 14000.0000 MHz	3M00G7W	74.00 dBW	DIGITAL VIDEO AND DATA
	13780.0000 - 14000.0000 MHz	36M0G7W	79.00 dBW	DIGITAL VIDEO AND DATA
	13770.0000 - 13780.0000 MHz	3M00G7W	67.99 dBW	DIGITAL VIDEO AND DATA
	13752.0000 - 13754.0000 MHz	750KF2D	79.00 dBW	DIGITAL VIDEO AND DATA
	14000.0000 - 14500.0000 MHz	64K0G7W	58.00 dBW	DIGITAL VIDEO AND DATA
	14000.0000 - 14500.0000 MHz	850KF2D	71.70 dBW	COMMAND CARRIER
	14000.0000 - 14500.0000 MHz	18M0F8F	82.00 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	36M0F8F	85.00 dBW	ANALOG VIDEO
	14000.0000 - 14500.0000 MHz	750KF2D	71.00 dBW	COMMAN CARRIER
	13750.0000 - 13770.0000 MHz	3M00G7W	74.00 dBW	DIGITAL VIDEO AND DATA
	13750.0000 - 13770.0000 MHz	850KF2D	80.50 dBW	COMMAND CARRIER
	13750.0000 - 13770.0000 MHz	850KF2D	80.50 dBW	COMMAND CARRIER
	13770.0000 - 13780.0000 MHz	850KF2D	70.95 dBW	COMMAND CARRIER
	13780.0000 - 14000.0000 MHz	850KF2D	80.50 dBW	COMMAND CARRIER
	11700.0000 - 12200.0000 MHz	64K0G7W		DIGITAL VIDEO AND DATA
	11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL VIDEO AND DATA
	11700.0000 - 12200.0000 MHz	18M0F8F		ANALOG VIDEO
	11700.0000 - 12200.0000 MHz	36M0F8F		ANALOG VIDEO

11700.0000 - 12200.0000 MHz	750KF2D		COMMAND CARRIER
11700.0000 - 12200.0000 MHz	180KG2D		TELEMETRY CARRIER
14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	DIGITAL VIDEO AND DATA

Points of Communication:

FILLMORE - ALSAT - (ALSAT)

FILLMORE - GALAXY 3C - (95 W.L.)

FILLMORE - GALAXY VIII(I)-R - (95 W.L.)

FILLMORE - GALAXY XI - (91 W.L.)

FILLMORE - INTELSAT 1R - (310.0 E.L.)

SES-MOD-20140714-00598 E E120026 ViaSat, Inc.

Application for Modification

Class of Station: Other

Nature of Service: Fixed Satellite Service

ViaSat Inc. requests modification of its Ka-band blanket license, to add Antenna ID CPE-2-ALT, which is a variation of the previously authorized Antenna ID, CPE-2.

SITE ID: 1

LOCATION: 250,000 Blanket Terminals, CONUS

ANTENNA ID: 1	0.695 meters	ViaSat, Inc.	AN690KA203
29500.0000 - 30000.0000 MHz	625KG7D	47.30 dBW	625 kBd PSK, Digital Carrier
29500.0000 - 30000.0000 MHz	1M25G7D	50.30 dBW	1250 kBd PSK, Digital Carrier
29500.0000 - 30000.0000 MHz	2M50G7D	50.30 dBW	2.5 MBd PSK, Digital Carrier
29500.0000 - 30000.0000 MHz	5M00G7D	50.30 dBW	5.0 MBd PSK, Digital Carrier
29500.0000 - 30000.0000 MHz	10M0G7D	50.30 dBW	10 MBd PSK, Digital Carrier
28350.0000 - 29100.0000 MHz	10M0G7D	50.20 dBW	10.0 MBd PSK, Digital Carrier
28350.0000 - 29100.0000 MHz	5M00G7D	50.20 dBW	5.0 MBd PSK, Digital Carrier
28350.0000 - 29100.0000 MHz	2M50G7D	50.20 dBW	2.5 MBd PSK, Digital Carrier
28350.0000 - 29100.0000 MHz	1M25G7D	50.20 dBW	1250 kBd PSK, Digital Carrier
28350.0000 - 29100.0000 MHz	625KG7D	47.20 dBW	625 kBd PSK, Digital Carrier (Used under faded conditions only)

19700.0000 - 20200.0000 MHz	52M1G7D	52 MBd PSK, Digital Carrier
19700.0000 - 20200.0000 MHz	416MG7D	416 MBd PSK, Digital Carrier
18300.0000 - 19300.0000 MHz	416MG7D	416 MBd PSK, Digital Carrier
18300.0000 - 19300.0000 MHz	52M1G7D	52 MBd PSK, Digital Carrier

SITE ID: 2
LOCATION: 250,000 Blanket Terminals, CONUS

ANTENNA ID: 2	0.695 meters	VIASAT, INC.	AN690KA206
28350.0000 - 29100.0000 MHz	5M00G7D	50.30 dBW	5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	5M00G7D	50.30 dBW	5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	10M0G7D	50.30 dBW	10 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	10M0G7D	50.30 dBW	10 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	2M50G7D	50.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	625KG7D	47.30 dBW	625 KBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M50G7D	50.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	625KG7D	47.30 dBW	626 KBD PSK, DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	1M25G7D	50.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	50.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
18300.0000 - 19300.0000 MHz	52M1G7D	52 MBD PSK, DIGITAL CARRIER	
19700.0000 - 20200.0000 MHz	52M1G7D	52 MBD PSK, DIGITAL CARRIER	
18300.0000 - 19300.0000 MHz	416MG7D	416 MBD PSK, DIGITAL CARRIER	
19700.0000 - 20200.0000 MHz	416MG7D	416 MBD PSK, DIGITAL CARRIER	

Points of Communication:

- 1 - ANIK-F2 (S2742) - (111.1 W.L.)
- 1 - VIASAT-1 (S2747) - (115.1W.L.)
- 1 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 2 - ANIK-F2 (S2742) - (111.1 W.L.)
- 2 - VIASAT-1 (S2747) - (115.1W.L.)

SES-MOD-20140716-00603 E E010028 AMC Networks Broadcasting and Technology LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

AMC Networks Broadcasting and Technology LLC requests modification of its license for a fixed earth station in Bethpage, NY, to add a 9-meter antenna that will communicate with ALSAT designated satellites in the 5925-6425 MHz (Earth-to-space) and 3700-4200 (space-to-Earth) frequency bands.

SITE ID: 1

LOCATION: 620 HICKSVILLE ROAD, NASSAU, BETHPAGE, NY

40 ° 44 ' 39.60 " N LAT.

73 ° 29 ' 38.10 " W LONG.

ANTENNA ID:	2	9 meters	VERTEX	9 KPC	
	6088.0000 - 6425.0000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
	6088.0000 - 6425.0000 MHz		36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO CARRIER
	5925.0000 - 6038.0000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
	5925.0000 - 6038.0000 MHz		36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO CARRIER
	3700.0000 - 4200.0000 MHz		36M0F3F		ANALOG VIDEO CARRIER
	3700.0000 - 4200.0000 MHz		36M0G7F		DIGITAL COMPRESSED VIDEO CARRIER
ANTENNA ID:	1	9 meters	VERTEX	9 KPC	
	6088.8000 - 6425.0000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO
	6088.8000 - 6425.0000 MHz		36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO
	5925.0000 - 6425.0000 MHz		36M0F3F	62.50 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO
	5925.0000 - 6425.0000 MHz		36M0G7F	75.04 dBW	DIGITAL COMPRESSED VIDEO
	5925.0000 - 6038.8000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO
	5925.0000 - 6038.8000 MHz		36M0G7F	77.70 dBW	DIGITAL COMPRESSED VIDEO
	3700.0000 - 4200.0000 MHz		36M0F3F		ANALOG VIDEO WITH ASSOCIATED AUDIO
	3700.0000 - 4200.0000 MHz		36M0G7F		DIGITAL COMPRESSED VIDEO

ANTENNA ID:	3	9 meters	GENERAL DYNAMICS	KPC-9.0	
	6088.0000 - 6425.0000 MHz		36M0G7F	77.70 dBW	DIGITAL VIDEO CARRIER
	6088.0000 - 6425.0000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
	5925.0000 - 6038.0000 MHz		36M0F3F	77.70 dBW	DIGITAL VIDEO CARRIER
	5925.0000 - 6038.0000 MHz		36M0G7F	77.70 dBW	DIGITAL VIDEO CARRIER
	3700.0000 - 4200.0000 MHz		36M0F3F		ANALOG VIDEO CARRIER
	3700.0000 - 4200.0000 MHz		36M0G7F		DIGITAL VIDEO CARRIER

ANTENNA ID:	4	9 meters	GENERAL DYNAMICS	KPC-9.0	
	5925.0000 - 6038.0000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
	6088.0000 - 6425.0000 MHz		36M0F3F	77.70 dBW	ANALOG VIDEO CARRIER
	5925.0000 - 6038.0000 MHz		36M0G7F	77.70 dBW	DIGITAL VIDEO CARRIER
	6088.0000 - 6425.0000 MHz		36M0G7F	77.70 dBW	DIGITAL VIDEO CARRIER
	3700.0000 - 4200.0000 MHz		36M0F3F		ANALOG VIDEO CARRIER
	3700.0000 - 4200.0000 MHz		36M0G7F		DIGITAL VIDEO CARRIER

Points of Communication:

1 - ALSAT - (ALSAT)

SES-MOD-20140723-00614 E E110020 News 12 Westchester LLC

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

News 12 Westchester LLC requests modification of its temporary fixed earth station license to use a 1.5-meter antenna instead of a 1.6-meter antenna that will communicate with ALSAT-designated satellites in the 14.0-14.5 GHz (Earth-to-space) frequency band.

SITE ID: 1
LOCATION: Various

ANTENNA ID:	1	1.5 meters	GENERAL DYNAMICS SATCOM	C150M	
	14000.0000 - 14500.0000 MHz		12M0G7W	62.15 dBW	One 12 Mbit MCPC digital carrier for voice/data with an emission designator of 12M0G7W
	14000.0000 - 14500.0000 MHz		12M0G2W	62.15 dBW	One 12 Mbit MCPC digital carrier for voice/data with an emission designator of 12M0G7W

Points of Communication:

1 - ALSAT - (ALSAT)

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 202-418-2555.