



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01753

Wednesday May 27, 2015

Satellite Communications Services Information re: Actions Taken

The Commission, by its International Bureau, took the following actions pursuant to delegated authority. The effective dates of the actions are the dates specified.

SES-ASG-20150313-00147 E E960474 Shaw Satellite Services Inc.
Application for Consent to Assignment
Grant of Authority Date Effective: 05/22/2015

Current Licensee: Omnitrac, LLC
FROM: OMNITRACS, LLC
TO: Shaw Satellite Services Inc.

No. of Station(s) listed: 1

SES-ASG-20150519-00304 E E020074 LXE Inc.
Application for Consent to Assignment
Grant of Authority Date Effective: 05/26/2015

Current Licensee: LXE Inc.
FROM: LXE INC.
TO: Honeywell International Inc.

No. of Station(s) listed: 1

SES-ASG-20150521-00305 E E090122 CC VIII Operating, LLC
Application for Consent to Assignment
Consummated Date Effective: 05/21/2015

Current Licensee: CC VIII OPERATING, LLC, DEBTOR-IN-POSSESSION
FROM: CC VIII OPERATING, LLC, DEBTOR-IN-POSSESSION
TO: CC VIII Operating, LLC

No. of Station(s) listed: 1

SES-MFS-20150401-00185 E E110149 HNS License Sub, LLC
Modification 01/10/2012 - 01/10/2027
Withdrawn Date Effective: 05/22/2015

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1
 LOCATION: (Bill McHargue), CONUS, AK, HI, PR VI
 0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID:	3	8.1 meters	ASC SIGNAL	KA 8.1M.
		29250.0000 - 30000.0000 MHz	250MG7D 88.30 dBW	M-ARY PSK OUTROUTE
		29250.0000 - 30000.0000 MHz	89M8G7W 88.30 dBW	M-ARY PSK OUTROUTE
		29250.0000 - 30000.0000 MHz	100KG7W 58.80 dBW	M-ARY PSK OUTROUTE
		27850.0000 - 29100.0000 MHz	89M8G7W 88.30 dBW	M-ARY PSK OUTROUTE
		27850.0000 - 29100.0000 MHz	250MG7D 88.30 dBW	M-ARY PSK OUTROUTE
		27850.0000 - 29100.0000 MHz	100KG7W 58.80 dBW	M-ARY PSK OUTROUTE
		19700.0000 - 20200.0000 MHz	250MG7W	M-ARY PSK INROUTE
		19700.0000 - 20200.0000 MHz	100KG7W	M-ARY PSK INROUTE
		18300.0000 - 19300.0000 MHz	250MG7W	M-ARY PSK INROUTE
		18300.0000 - 19300.0000 MHz	100KG7W	M-ARY PSK INROUTE

ANTENNA ID:	4	5.6 meters	ASC SIGNAL	KA 5.6M.
		29250.0000 - 30000.0000 MHz	56M1G7W 83.00 dBW	M-ARY PSK OUTROUTE
		29250.0000 - 30000.0000 MHz	100KG7W 55.50 dBW	M-ARY PSK OUTROUTE
		27850.0000 - 29100.0000 MHz	56M1G7W 83.00 dBW	M-ARY PSK OUTROUTE
		27850.0000 - 29100.0000 MHz	250MG7W 83.00 dBW	M-ARY PSK OUTROUTE
		27850.0000 - 29100.0000 MHz	100KG7W 55.50 dBW	M-ARY PSK OUTROUTE
		29250.0000 - 30000.0000 MHz	250MG7W 83.00 dBW	M-ARY PSK OUTROUTE
		29250.0000 - 30000.0000 MHz	250MG7W 83.00 dBW	M-ARY PSK OUTROUTE
		18300.0000 - 18800.0000 MHz	250MG7W	M-ARY PSK INROUTE
		19700.0000 - 20200.0000 MHz	250MG7W	M-ARY PSK INROUTE
		19700.0000 - 20200.0000 MHz	100KG7W	M-ARY PSK INROUTE
		18300.0000 - 19300.0000 MHz	100KG7W	M-ARY PSK INROUTE

ANTENNA ID:	5	9.2 meters	GD SATCOM	KA 9.2M.
-------------	---	------------	-----------	----------

28350.0000 - 28360.0000 MHz	1M30F9D	67.30 dBW	COMMAND AND RANGING CARRIER
29250.0000 - 30000.0000 MHz	89M8G7W	89.10 dBW	M-ARY PSK OUTROUTE
29250.0000 - 30000.0000 MHz	250MG7W	89.10 dBW	M-ARY PSK OUTROUTE
29250.0000 - 30000.0000 MHz	100KG7W	59.60 dBW	M-ARY PSK OUTROUTE
27850.0000 - 29100.0000 MHz	89M8G7W	89.10 dBW	M-ARY PSK OUTROUTE
27850.0000 - 29100.0000 MHz	250MG7W	89.10 dBW	M-ARY PSK OUTROUTE
27850.0000 - 29100.0000 MHz	100KG7W	59.60 dBW	M-ARY PSK OUTROUTE
19700.0000 - 19710.0000 MHz	300KG7W		TELEMETRY AND RANGING
18300.0000 - 19300.0000 MHz	100KG7W		M-ARY PSK INROUTE
19700.0000 - 20200.0000 MHz	250MG7W		M-ARY PSK INROUTE
19700.0000 - 20200.0000 MHz	100KG7W		M-ARY PSK INROUTE
18300.0000 - 19300.0000 MHz	250MG7W		M-ARY PSK INROUTE
20199.0000 - 20199.0000 MHz	NON		SATELLITE BEACON
ANTENNA ID: 1	8.1 meters	GDSATCOM	1010K
28350.0000 - 29100.0000 MHz	100KG7W	59.10 dBW	m-ARY PSK, DATA, INROUTE, 64 KSPS
28350.0000 - 29100.0000 MHz	90M0G7W	88.70 dBW	m-ARY PSK, DATA, INROUTE, 75 MSPS
28350.0000 - 29100.0000 MHz	250MG7W	88.70 dBW	m-ARY PSK, DATA, INROUTE, 225 MSPS
18300.0000 - 20200.0000 MHz	100KG7W		m-ARY PSK, DATA, OUTROUTE, 64 KSPS
18300.0000 - 20200.0000 MHz	250MG7W		m-ARY PSK, DATA, OUTROUTE, 225 MSPS
29250.0000 - 30000.0000 MHz	100KG7W	59.10 dBW	m-ARY PSK, DATA, INROUTE, 64 KSPS
29250.0000 - 30000.0000 MHz	90M0G7W	88.70 dBW	m-ARY PSK, DATA, INROUTE, 75 MSPS
29250.0000 - 30000.0000 MHz	250MG7W	88.70 dBW	m-ARY PSK, DATA, INROUTE, 225 MSPS
ANTENNA ID: 2	6.3 meters	Vertex	1210K

28350.0000 - 29100.0000 MHz	100KG7W	57.00 dBW	m-ARY PSK, DATA, INROUTE, 64 KSPS
28350.0000 - 29100.0000 MHz	55M0G7W	84.40 dBW	m-ARY PSK, DATA, INROUTE, 75 MSPS
28350.0000 - 29100.0000 MHz	250MG7W	84.40 dBW	m-ARY PSK, DATA, INROUTE, 225 MSPS
18300.0000 - 20200.0000 MHz	100KG7W		m-ARY PSK, DATA, OUTROUTE, 64 KSPS
18300.0000 - 20200.0000 MHz	250MG7W		m-ARY PSK, DATA, OUTROUTE, 225 MSPS
29250.0000 - 30000.0000 MHz	100KG7W	57.00 dBW	m-ARY PSK, DATA, INROUTE, 64 KSPS
29250.0000 - 30000.0000 MHz	55M0G7W	84.40 dBW	m-ARY PSK, DATA, INROUTE, 75 MSPS
29250.0000 - 30000.0000 MHz	250MG7W	84.40 dBW	m-ARY PSK, DATA, INROUTE, 225 MSPS

SITE ID: 2

LOCATION: 9394 WEST DODGE ROAD SUITE 100, OMAHA, NE

41 ° 15 ' 51.50 " N LAT.

96 ° 3 ' 32.80 " W LONG.

ANTENNA ID: 1-A 13.2 meters GD SATCOM 13.2M. KA

29250.0000 - 30000.0000 MHz	89M8G7W	91.80 dBW	M-ARY PSK OUTROUTE
29250.0000 - 30000.0000 MHz	250MG7W	91.80 dBW	M-ARY PSK OUTROUTE
29250.0000 - 30000.0000 MHz	100KG7W	62.30 dBW	M-ARY PSK OUTROUTE
27850.0000 - 29100.0000 MHz	89M8G7W	91.80 dBW	M-ARY PSK OUTROUTE
27850.0000 - 29100.0000 MHz	250MG7W	91.80 dBW	M-ARY PSK OUTROUTE
27850.0000 - 29100.0000 MHz	100KG7W	62.30 dBW	M-ARY PSK OUTROUTE
19700.0000 - 20200.0000 MHz	250MG7W		M-ARY PSK INROUTE
19700.0000 - 20200.0000 MHz	100KG7W		M-ARY PSK INROUTE
18300.0000 - 19100.0000 MHz	250MG7W		M-ARY PSK INROUTE
18300.0000 - 19100.0000 MHz	100KG7W		M-ARY PSK INROUTE

Points of Communication:

1 - AMC-15 - (105 W.L.)

1 - AMC-16 - (85 W.L.)
1 - EchostarXVII(S2753) - (107.1 W.L.)
1 - GALAXY 28 - (89.0 W.L.)
1 - JUPITER 97 W(S2834) - (97.1 W. L.)
2 - JUPITER 97 W(S2834) - (97.1 W. L.)

SES-MOD-20150108-00076 E E060218 RCN License Subsidiary, Inc.
Application for Modification 09/20/2006 - 09/20/2021
Grant of Authority Date Effective: 05/22/2015

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 2.4C
LOCATION: 4175 CAMERON STREET, SUITE #B-10 CONUS, AK, HI AND ALL US TERRITORIES, CLARK, LAS VEGAS, NV
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID:	2.4C	2.4 meters	AVL	1383
	5925.0000 - 6425.0000 MHz		36M0G7W	65.48 dBW
				DIGITAL TRAFFIC, VARIOUS FEC, DATA RATES, MODULATION
	5925.0000 - 6425.0000 MHz		51K2G7W	37.01 dBW
				DIGITAL TRAFFIC, VARIOUS FEC, DATA RATES, MODULATION

SITE ID: 2.4KU
LOCATION: 4175 CAMERON STREET, SUITE #B-10 CONUS, AK, HI AND ALL US TERRITORIES, CLARK, LAS VEGAS, NV

ANTENNA ID:	2.4KU	2.4 meters	AVL	1383
	14000.0000 - 14500.0000 MHz		36M0G7W	70.76 dBW
				DIGITAL TRAFFIC, VARIOUS FEC, DATA RATES, MODULATION
	14000.0000 - 14500.0000 MHz		51K2G7W	46.07 dBW
				DIGITAL TRAFFIC, VARIOUS FEC, DATA RATES, MODULATION

Points of Communication:

2.4C - PERMITTED LIST - ()
2.4KU - PERMITTED LIST - ()

SES-MOD-20150123-00113 E E000152 SES Americom, Inc.
Application for Modification 09/18/2010 - 09/18/2025
Grant of Authority Date Effective: 05/20/2015

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1
 LOCATION: 8000 GAINESFORD CT., PRINCE WILLIAM, BRISTOW, VA
 38 ° 47 ' 1.60 " N LAT. 77 ° 34 ' 24.30 " W LONG.

ANTENNA ID:	9M.	9 meters	VERTEX	KPC	
	11701.0000 - 11701.0000 MHz		NON	CW, Tracking Beacon	
	11452.0000 - 11452.0000 MHz		NON	CW, Tracking Beacon	
	11198.0000 - 11198.0000 MHz		NON	CW, Tracking Beacon	
	6491.0000 - 6650.0000 MHz		20M0G7W-	75.30 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	6491.0000 - 6650.0000 MHz		36M0G7W	77.80 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	6491.0000 - 6650.0000 MHz		900KF1D	74.00 dBW	TELECOMMAND
	6491.0000 - 6650.0000 MHz		NON	52.70 dBW	CW TEST CARRIER
	6491.0000 - 6650.0000 MHz		72M0G7W	80.90 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	6425.0000 - 6491.0000 MHz		36M0G7W	68.75 dBW	Digital voice, video, data tracking & telecommand
	6425.0000 - 6491.0000 MHz		20M0G7W	66.20 dBW	Digital voice, video, data tracking & telecommand
	6175.5500 - 6177.0500 MHz		900KF1D	74.00 dBW	FM, Telecommand Frequency 2
	6172.9500 - 6174.4500 MHz		900KF1D	74.00 dBW	FM, Telecommand Frequency 1
	5925.0000 - 6425.0000 MHz		20M0G7W-	75.30 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	5925.0000 - 6425.0000 MHz		36M0G7W	77.80 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	5925.0000 - 6425.0000 MHz		900KF1D	74.00 dBW	TELECOMMAND
	5925.0000 - 6425.0000 MHz		NON	52.70 dBW	CW TEST CARRIER
	5925.0000 - 6425.0000 MHz		72M0G7W	80.90 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	5850.0000 - 5925.0000 MHz		20M0G7W-	75.30 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
	5850.0000 - 5925.0000 MHz		36M0G7W	77.80 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA

5850.0000 - 5925.0000 MHz	900KF1D	74.00 dBW	TELECOMMAND
5850.0000 - 5925.0000 MHz	NON	52.70 dBW	CW TEST CARRIER
5850.0000 - 5925.0000 MHz	72M0G7W	80.90 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
3952.2500 - 3952.7500 MHz	500KG7D		PM, Telemetry Beacpm 2(Beacon 2 and 2A not simultaneous)
3951.7500 - 3952.2500 MHz	500KG7D		PM, Telemetry Beacpm 2(Beacon 2 and 2A not simultaneous)
3950.0000 - 3950.0000 MHz	NON		CW, Tracking Beacon
3947.7500 - 3948.2500 MHz	500KG7D		PM, Telemetry Beacon 1A (Beacon 1 and 1A not Simultaneous)
3947.2500 - 3947.7500 MHz	500KG7D		PM, Telemetry Beacon 1A (Beacon 1 and 1A not Simultaneous)
3700.0000 - 4200.0000 MHz	20M0G7W-		Digital voice, video, data tracking & telecommand
3700.0000 - 4200.0000 MHz	36M0G7W		Digital voice, video, data tracking & telecommand
3700.0000 - 4200.0000 MHz	72M0G7W		DIGITAL VOICE, VIDEO AND DATA
3700.0000 - 4200.0000 MHz	NON		TRACKING BEACON
3700.0000 - 4200.0000 MHz	500KG7D		PM, TELEMETRY BEACON
3625.0000 - 3700.0000 MHz	20M0G7W-		Digital voice, video, data tracking & telecommand
3625.0000 - 3700.0000 MHz	36M0G7W		Digital voice, video, data tracking & telecommand
3625.0000 - 3700.0000 MHz	NON		TRACKING BEACON
3625.0000 - 3700.0000 MHz	500KG7D		PM, TELEMETRY BEACON
3625.0000 - 3700.0000 MHz	72M0G7W		DIGITAL VOICE, VIDEO AND DATA
ANTENNA ID: 6.5M.	6.5 meters	ANDREW CORP.	ES65-1
5925.0000 - 6425.0000 MHz	36M0G7W	78.00 dBW	DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
5925.0000 - 6425.0000 MHz	102KG7W	56.80 dBW	DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION

5925.0000 - 6425.0000 MHz	77M0G7W	77.80 dBW	DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
5925.0000 - 6425.0000 MHz	4M80G7D	77.80 dBW	DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
5925.0000 - 6425.0000 MHz	43K8G7D	58.70 dBW	DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
5925.0000 - 6425.0000 MHz	1M00F8D	74.50 dBW	COMMAND AND CONTROL
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
3700.0000 - 4200.0000 MHz	102KG7W		DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
3700.0000 - 4200.0000 MHz	77M0G7W		DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
3700.0000 - 4200.0000 MHz	4M80G7D		DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
3700.0000 - 4200.0000 MHz	43K8G7D		DIGITAL TRAFFIC, VARIOUS FEC, VARIOUS DATA RATES, VARIOUS INFORMATION
3700.0000 - 4200.0000 MHz	1M00F8D		TELEMETRY

Points of Communication:

- 1 - INTELSAT 23 - (53 W. L.)
- 1 - NSS-7 (S2854) - (20 W.L.)
- 1 - NSS-806 (S2591) - (47.5 W.L.)
- 1 - PERMITTED LIST - ()
- 1 - SES-4 (S2828) - (22.0 W.L.)
- 1 - SES-6 (S2870) - (40.5 W.L.)

SES-MOD-20150227-00103 E E100084 DATA TECHNOLOGY SOLUTIONS LLC
Application for Modification
Grant of Authority

11/15/2010 - 11/15/2025
Date Effective: 05/26/2015

Class of Station: Earth Stations on-board Vessels/VSAT

Nature of Service: Fixed Satellite Service

SITE ID: Oceans0.75M.
LOCATION: US Waterways, Gulf of Mexico, Atlantic Ocean, Pacific Ocean, Caribbean Sea, Oceans

ANTENNA ID:	Seatel75cm	0.75 meters	Seatel	USAT 30
	14000.0000 - 14500.0000 MHz	500KG7W	33.50 dBW	Digital
	14000.0000 - 14500.0000 MHz	470KG7W	33.26 dBW	Digital
	14000.0000 - 14500.0000 MHz	400KG7W	32.51 dBW	Digital
	14000.0000 - 14500.0000 MHz	1M60G7W	38.56 dBW	Digital
	11700.0000 - 12200.0000 MHz	3M52G7W	0.00 dBW	Digital
	11700.0000 - 12200.0000 MHz	1M76G7W	0.00 dBW	Digital
	11700.0000 - 12200.0000 MHz	5M77G7W	0.00 dBW	Digital

SITE ID: VSAT FIXED0.96M
LOCATION: (0.96M.) VSAT, CONUS, 250 UNITS

ANTENNA ID:	AVL 0.96M.	0.96 meters	AVL	MVS960
	14000.0000 - 14500.0000 MHz	500KG7W	44.00 dBW	DIGITAL DATA
	14000.0000 - 14500.0000 MHz	470KG7W	43.80 dBW	DIGITAL DATA
	14000.0000 - 14500.0000 MHz	400KG7W	43.10 dBW	DIGITAL DATA
	14000.0000 - 14500.0000 MHz	1M60G7W	48.20 dBW	DIGITAL DATA
	11700.0000 - 12200.0000 MHz	5M77G7W		DIGITAL DATA
	11700.0000 - 12200.0000 MHz	3M52G7W		DIGITAL DATA
	11700.0000 - 12200.0000 MHz	1M76G7W		DIGITAL DATA

SITE ID: VSAT FIXED1.2
LOCATION: (1.2M.) VSAT, CONUS, 250 UNITS

ANTENNA ID:	WX1200	1.2 meters	WINEGARD	WX1200
	14000.0000 - 14500.0000 MHz	500KG7W	49.96 dBW	DIGITAL DATA
	14000.0000 - 14500.0000 MHz	470KG7W	49.70 dBW	DIGITAL DATA
	14000.0000 - 14500.0000 MHz	400KG7W	49.00 dBW	DIGITAL DATA
	14000.0000 - 14500.0000 MHz	1M60G7W	49.98 dBW	DIGITAL DATA

11700.0000 - 12200.0000 MHz	5M77G7W	DIGITAL DATA
11700.0000 - 12200.0000 MHz	3M52G7W	DIGITAL DATA
11700.0000 - 12200.0000 MHz	1M76G7W	DIGITAL DATA

SITE ID: VSAT FIXED0.84M
LOCATION: (0.84M.) VSAT, CONUS, 250 UNITS

ANTENNA ID: SF840	0.84 meters	WINEGARD	SF840
14000.0000 - 14500.0000 MHz	500KG7W	43.16 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	470KG7W	42.90 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	1M60G7W	47.28 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	400KG7W	42.20 dBW	DIGITAL DATA
11700.0000 - 12200.0000 MHz	5M77G7W	DIGITAL DATA	
11700.0000 - 12200.0000 MHz	3M52G7W	DIGITAL DATA	
11700.0000 - 12200.0000 MHz	1M76G7W	DIGITAL DATA	

SITE ID: Oceans1.0M.ESV
LOCATION: US Waterways, Gulf of Mexico, Atlantic Ocean, Pacific Ocean, Caribbean Sea,, (1.0M.) 250 UNITS

ANTENNA ID: Seatel4006	1 meters	SEATEL	4006
14000.0000 - 14500.0000 MHz	500KG7W	46.60 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	470KG7W	46.20 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	1M60G7W	48.80 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	400KG7W	45.50 dBW	DIGITAL DATA
11700.0000 - 12200.0000 MHz	5M77G7W	DIGITAL DATA	
11700.0000 - 12200.0000 MHz	3M52G7W	DIGITAL DATA	
11700.0000 - 12200.0000 MHz	1M76G7W	DIGITAL DATA	

SITE ID: Oceans0.6M.
LOCATION: US Waterways, Gulf of Mexico, Atlantic Ocean, Pacific Ocean, Caribbean Sea, Oceans
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: Seatel60cm	0.6 meters	Seatel	USAT 24
14000.0000 - 14500.0000 MHz	500KG7W	31.55 dBW	Digital

14000.0000 - 14500.0000 MHz	470KG7W	31.25 dBW	Digital
14000.0000 - 14500.0000 MHz	400KG7W	30.55 dBW	Digital
14000.0000 - 14500.0000 MHz	1M60G7W	36.55 dBW	Digital
11700.0000 - 12200.0000 MHz	5M77G7W	0.00 dBW	Digital
11700.0000 - 12200.0000 MHz	3M52G7W	0.00 dBW	Digital
11700.0000 - 12200.0000 MHz	1M76G7W	0.00 dBW	Digital

SITE ID: Oceans1.5M.ESV

LOCATION: US Waterways, Gulf of Mexico, Atlantic Ocean, Pacific Ocean, Caribbean Sea,, (1.5M.) 250 UNITS

ANTENNA ID: Seatel6009 1.5 meters SEATEL 6009

14000.0000 - 14500.0000 MHz	500KG7W	49.36 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	470KG7W	49.10 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	400KG7W	48.40 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	1M60G7W	50.50 dBW	DIGITAL DATA
11700.0000 - 12200.0000 MHz	5M77G7W		DIGITAL DATA
11700.0000 - 12200.0000 MHz	3M52G7W		DIGITAL DATA
11700.0000 - 12200.0000 MHz	1M76G7W		DIGITAL DATA

Points of Communication:

Oceans0.6M. - PERMITTED LIST - ()

Oceans0.6M. - TELSTAR 11N (S2357) - (37.5 W.L.)

Oceans0.75M. - PERMITTED LIST - ()

Oceans0.75M. - TELSTAR 11N (S2357) - (37.5 W.L.)

Oceans1.0M.ESV - PERMITTED LIST - ()

Oceans1.0M.ESV - TELSTAR 11N (S2357) - (37.5 W.L.)

Oceans1.5M.ESV - PERMITTED LIST - ()

Oceans1.5M.ESV - TELSTAR 11N (S2357) - (37.5 W.L.)

VSAT FIXED0.84M - PERMITTED LIST - ()

VSAT FIXED0.84M - TELSTAR 11N (S2357) - (37.5 W.L.)

VSAT FIXED0.96M - PERMITTED LIST - ()

VSAT FIXED0.96M - TELSTAR 11N (S2357) - (37.5 W.L.)

VSAT FIXED1.2 - PERMITTED LIST - ()

VSAT FIXED1.2 - TELSTAR 11N (S2357) - (37.5 W.L.)

SES-MOD-20150519-00301 E E090122 CC VIII Operating, LLC

Application for Modification

07/10/2009 - 07/10/2024

Withdrawn

Date Effective: 05/21/2015

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 400 SUNDIAL DRIVE, STEAMS, WAITE PARK, MN

45 ° 32 ' 31.00 " N LAT.

94 ° 13 ' 19.00 " W LONG.

ANTENNA ID: A1 4.5 meters Scientific-Atlanta 4.5M

3700.0000 - 4200.0000 MHz 36M0G7W Digital Audio and Video

3700.0000 - 4200.0000 MHz 2M00G7W Digital Audio and Video

Points of Communication:

1 - PERMITTED LIST - ()

SES-STA-20150316-00160 E E000296 Intelsat License LLC

Special Temporary Authority

Grant of Authority

Date Effective: 05/20/2015

Class of Station:

On May 20, 2015, Intelsat License LLC was granted special temporary authority, for a period of 180 days beginning June 11, 2015, to operate its fixed earth station at Hagerstown, MD to provide launch and early orbit phase (LEOP) services for the ABS-3A satellite as it proceeds to the 3°W.L. orbital location. Communications will be on the following center frequencies: 6420 MHz and 6425 MHz (Earth-to-space), and 4194.5 MHz and 4197.0 MHz (space-to-Earth).

Points of Communication:

SES-STA-20150316-00162 E E040125 Intelsat License LLC

Special Temporary Authority

Grant of Authority

Date Effective: 05/20/2015

Class of Station:

On May 20, 2015, Intelsat License LLC was granted special temporary authority, for a period of 180 days beginning June 11, 2015, to operate its fixed earth station at Nuevo, CA, to provide launch and early orbit phase (LEOP) services for the ABS-3A satellite as it proceeds to the 3°W.L. orbital location. Communications will be on the following center frequencies: 6420 MHz and 6425 MHz (Earth-to-space), and 4194.5 MHz and 4197.0 MHz (space-to-Earth).

Points of Communication:

SES-T/C-20150319-00173 E E930230 The Christian Broadcasting Network, Inc.

Application for Consent to Transfer of Control

Grant of Authority

Date Effective: 05/26/2015

Current Licensee: The Christian Broadcasting Network, Inc.

FROM: THE CHRISTIAN BROADCASTING NETWORK, INC.

TO: The Christian Broadcasting Network, Inc.

No. of Station(s) listed: 3

SES-T/C-20150319-00174 E E960050 NorthStar Studios, Inc.

Application for Consent to Transfer of Control

Grant of Authority

Date Effective: 05/26/2015

Current Licensee: NorthStar Studios, Inc.

FROM: THE CHRISTIAN BROADCASTING NETWORK, INC.

TO: The Christian Broadcasting Network, Inc.

No. of Station(s) listed: 5

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.