



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01761

Wednesday July 1, 2015

Satellite Communications Services re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AFS-20150430-00280 E E140121 Intelsat License LLC
Amendment
Class of Station: Fixed Earth Stations
Nature of Service: Fixed Satellite Service

Intelsat License LLC amends its pending application, IBFS File No. SES-LIC-20141120-00872, to modify its request for a new authorization to operate a fixed earth station in Hagerstown, MD. Intelsat seeks to add the Permitted List satellites as points of communication.

SITE ID: 1
LOCATION: 17625 Technology BLVD, Washington, Hagerstown, MD
39 ° 35 ' 53.10 " N LAT. 77 ° 45 ' 22.30 " W LONG.

ANTENNA ID:	1	13.5 meters	Viasat	13.5m
	12875.0000 - 13250.0000 MHz	62M5G7W	76.30 dBW	Digital Data
	12875.0000 - 13250.0000 MHz	36M0G7W	73.90 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	62M5G7W	85.00 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	1M00G7W	73.30 dBW	Digital Data

13770.0000 - 13780.0000 MHz	62M5G7W	81.20 dBW	Digital Data
13770.0000 - 13780.0000 MHz	36M0G7W	78.80 dBW	Digital Data
13770.0000 - 13780.0000 MHz	1M00G7W	63.20 dBW	Digital Data
13780.0000 - 14000.0000 MHz	62M5G7W	85.00 dBW	Digital Data
13780.0000 - 14000.0000 MHz	36M0G7W	85.00 dBW	Digital Data
13780.0000 - 14000.0000 MHz	1M00G7W	73.30 dBW	Digital Data
14000.0000 - 14500.0000 MHz	62M5G7W	85.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	1M00G7W	73.30 dBW	Digital Data
10700.0000 - 10950.0000 MHz	62M0G7W		Digital Data
10700.0000 - 10950.0000 MHz	1M00G7W		Digital Data
11200.0000 - 11450.0000 MHz	62M5G7W		Digital Data
11200.0000 - 11450.0000 MHz	1M00G7W		Digital Data
12200.0000 - 12500.0000 MHz	62M5G7W		Digital Data
12200.0000 - 12500.0000 MHz	1M00G7W		Digital Data
11700.0000 - 11950.0000 MHz	62M5G7W		Digital Data
11700.0000 - 11950.0000 MHz	1M00G7W		Digital Data
11950.0000 - 12200.0000 MHz	62M5G7W		Digital Data
11950.0000 - 12200.0000 MHz	1M00G7W		Digital Data
11450.0000 - 11700.0000 MHz	1M00G7W		Digital Data
11450.0000 - 11700.0000 MHz	250K0G7D		Digital Data
12875.0000 - 13250.0000 MHz	1M00G7W	58.30 dBW	Digital Data
12750.0000 - 13250.0000 MHz	2M00G7D	76.30 dBW	TT&C
12750.0000 - 13250.0000 MHz	300KF2D	68.10 dBW	TT&C
13750.0000 - 14000.0000 MHz	2M00F2D	76.30 dBW	TT&C
13750.0000 - 14500.0000 MHz	300KF2D	68.10 dBW	TT&C

14000.0000 - 14500.0000 MHz	34M2G7W	88.60 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	43K0G7W	59.60 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	72M0G8W	88.60 dBW	DIGITAL DATA
11450.0000 - 12200.0000 MHz	2M00G7W		TT&C
11450.0000 - 12200.0000 MHz	300KF2D		TT&C
10950.0000 - 11200.0000 MHz	43K8G7W		DIGITAL DATA
10950.0000 - 11200.0000 MHz	72M0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	43K0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	72M0G7W		DIGITAL DATA
ANTENNA ID: 2	13.1 meters	Vertex/RSI	ST 13.1
12875.0000 - 13250.0000 MHz	62M5G7W	75.70 dBW	Digital Data
12875.0000 - 13250.0000 MHz	36M0G7W	73.30 dBW	Digital Data
12875.0000 - 13250.0000 MHz	1M00G7W	57.70 dBW	Digital Data
13750.0000 - 13770.0000 MHz	62M5G7W	85.00 dBW	Digital Data
13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	Digital Data
13750.0000 - 13770.0000 MHz	1M00G7W	72.70 dBW	Digital Data
13770.0000 - 13780.0000 MHz	62M5G7W	81.20 dBW	Digital Data
13770.0000 - 13780.0000 MHz	36M0G7W	78.80 dBW	Digital Data
13770.0000 - 13780.0000 MHz	1M00G7W	63.20 dBW	Digital Data
13778.0000 - 14000.0000 MHz	62M5G7W	85.00 dBW	Digital Data
13780.0000 - 14000.0000 MHz	36M0G7W	85.00 dBW	Digital Data
13780.0000 - 14000.0000 MHz	1M00G7W	72.70 dBW	Digital Data
11200.0000 - 11450.0000 MHz	62M5G7W		Digital Data
11200.0000 - 11450.0000 MHz	1M00G7W		Digital Data
12200.0000 - 12500.0000 MHz	62M5G7W		Digital Data
12200.0000 - 12500.0000 MHz	1M00G7W		Digital Data

11700.0000 - 11950.0000 MHz	62M0G7W		Digital Data
11700.0000 - 11950.0000 MHz	1M00G7W		Digital Data
11950.0000 - 12200.0000 MHz	62M5G7W		Digital Data
11950.0000 - 12200.0000 MHz	1M00G7W		Digital Data
11450.0000 - 11700.0000 MHz	250K0G7D		Digital Data
11450.0000 - 11700.0000 MHz	1M00G7W		Digital Data
10700.0000 - 10950.0000 MHz	62M0G7W		Digital Data
10700.0000 - 10950.0000 MHz	1M00G7W		Digital Data
11950.0000 - 12200.0000 MHz	250K0G7D		Digital Data
14000.0000 - 14500.0000 MHz	62M5G7W	85.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	1M00G7W	72.70 dBW	Digital Data
12750.0000 - 13250.0000 MHz	2M00G7D	75.70 dBW	TT&C
12750.0000 - 13250.0000 MHz	300KG7D	67.50 dBW	TT&C
13750.0000 - 14500.0000 MHz	2M00G7D	75.70 dBW	TT&C
13750.0000 - 14500.0000 MHz	300KF2D	67.50 dBW	TT&C
14000.0000 - 14500.0000 MHz	34M0G7W	88.00 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	43K0G7W	59.00 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	72M0G8W	88.00 dBW	DIGITAL DATA
11450.0000 - 12200.0000 MHz	2M00G7W		TT&C
11450.0000 - 12200.0000 MHz	300KF2D		TT&C
10950.0000 - 11200.0000 MHz	43K8G7W		DIGITAL DATA
10950.0000 - 11200.0000 MHz	72M0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	43K0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	72M0G7W		DIGITAL DATA

Points of Communication:

1 - INTELSAT 29E(S2913) - (50.0 W.L.)

1 - TELSTAR 11N (S2357) - (37.5 W.L.)

SES-LIC-20141124-00872 E E140121 Intelsat License LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

This application was amended by IBFS File No. SES-AFS-20150430-00280.

SITE ID: 1

LOCATION: 17625 Technology BLVD, Washington, Hagerstown, MD
39 ° 35 ' 53.10 " N LAT.

77 ° 45 ' 22.30 " W LONG.

ANTENNA ID:	1	13.5 meters	Viasat	13.5m
	12875.0000 - 13250.0000 MHz	62M5G7W	76.30 dBW	Digital Data
	12875.0000 - 13250.0000 MHz	36M0G7W	73.90 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	62M5G7W	85.00 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	1M00G7W	73.30 dBW	Digital Data
	13770.0000 - 13780.0000 MHz	62M5G7W	81.20 dBW	Digital Data
	13770.0000 - 13780.0000 MHz	36M0G7W	78.80 dBW	Digital Data
	13770.0000 - 13780.0000 MHz	1M00G7W	63.20 dBW	Digital Data
	13780.0000 - 14000.0000 MHz	62M5G7W	85.00 dBW	Digital Data
	13780.0000 - 14000.0000 MHz	36M0G7W	85.00 dBW	Digital Data
	13780.0000 - 14000.0000 MHz	1M00G7W	73.30 dBW	Digital Data
	14000.0000 - 14500.0000 MHz	62M5G7W	85.00 dBW	Digital Data
	14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	Digital Data
	14000.0000 - 14500.0000 MHz	1M00G7W	73.30 dBW	Digital Data
	10700.0000 - 10950.0000 MHz	62M0G7W		Digital Data
	10700.0000 - 10950.0000 MHz	1M00G7W		Digital Data
	11200.0000 - 11450.0000 MHz	62M5G7W		Digital Data

11200.0000 - 11450.0000 MHz	1M00G7W		Digital Data
12200.0000 - 12500.0000 MHz	62M5G7W		Digital Data
12200.0000 - 12500.0000 MHz	1M00G7W		Digital Data
11700.0000 - 11950.0000 MHz	62M5G7W		Digital Data
11700.0000 - 11950.0000 MHz	1M00G7W		Digital Data
11950.0000 - 12200.0000 MHz	62M5G7W		Digital Data
11950.0000 - 12200.0000 MHz	1M00G7W		Digital Data
11450.0000 - 11700.0000 MHz	1M00G7W		Digital Data
11450.0000 - 11700.0000 MHz	250K0G7D		Digital Data
12875.0000 - 13250.0000 MHz	1M00G7W	58.30 dBW	Digital Data
12750.0000 - 13250.0000 MHz	2M00G7D	76.30 dBW	TT&C
12750.0000 - 13250.0000 MHz	300KF2D	68.10 dBW	TT&C
13750.0000 - 14500.0000 MHz	2M00F2D	76.30 dBW	TT&C
13750.0000 - 14500.0000 MHz	300KF2D	68.10 dBW	TT&C
14000.0000 - 14500.0000 MHz	34M2G7W	88.60 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	43K0G7W	59.60 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	72M0G8W	88.60 dBW	DIGITAL DATA
11450.0000 - 12200.0000 MHz	2M00G7W		TT&C
11450.0000 - 12200.0000 MHz	300KF2D		TT&C
10950.0000 - 11200.0000 MHz	43K8G7W		DIGITAL DATA
10950.0000 - 11200.0000 MHz	72M0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	43K0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	72M0G7W		DIGITAL DATA
ANTENNA ID: 2	13.1 meters	Vertex/RSI	ST 13.1
12875.0000 - 13250.0000 MHz	62M5G7W	75.70 dBW	Digital Data
12875.0000 - 13250.0000 MHz	36M0G7W	73.30 dBW	Digital Data

12875.0000 - 13250.0000 MHz	1M00G7W	57.70 dBW	Digital Data
13750.0000 - 13770.0000 MHz	62M5G7W	85.00 dBW	Digital Data
13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	Digital Data
13750.0000 - 13770.0000 MHz	1M00G7W	72.70 dBW	Digital Data
13770.0000 - 13780.0000 MHz	62M5G7W	81.20 dBW	Digital Data
13770.0000 - 13780.0000 MHz	36M0G7W	78.80 dBW	Digital Data
13770.0000 - 13780.0000 MHz	1M00G7W	63.20 dBW	Digital Data
13778.0000 - 14000.0000 MHz	62M5G7W	85.00 dBW	Digital Data
13780.0000 - 14000.0000 MHz	36M0G7W	85.00 dBW	Digital Data
13780.0000 - 14000.0000 MHz	1M00G7W	72.70 dBW	Digital Data
11200.0000 - 11450.0000 MHz	62M5G7W		Digital Data
11200.0000 - 11450.0000 MHz	1M00G7W		Digital Data
12200.0000 - 12500.0000 MHz	62M5G7W		Digital Data
12200.0000 - 12500.0000 MHz	1M00G7W		Digital Data
11700.0000 - 11950.0000 MHz	62M0G7W		Digital Data
11700.0000 - 11950.0000 MHz	1M00G7W		Digital Data
11950.0000 - 12200.0000 MHz	62M5G7W		Digital Data
11950.0000 - 12200.0000 MHz	1M00G7W		Digital Data
11450.0000 - 11700.0000 MHz	250K0G7D		Digital Data
11450.0000 - 11700.0000 MHz	1M00G7W		Digital Data
10700.0000 - 10950.0000 MHz	62M0G7W		Digital Data
10700.0000 - 10950.0000 MHz	1M00G7W		Digital Data
11950.0000 - 12200.0000 MHz	250K0G7D		Digital Data
14000.0000 - 14500.0000 MHz	62M5G7W	85.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	Digital Data
14000.0000 - 14500.0000 MHz	1M00G7W	72.70 dBW	Digital Data

12750.0000 - 13250.0000 MHz	2M00G7D	75.70 dBW	TT&C
12750.0000 - 13250.0000 MHz	300KG7D	67.50 dBW	TT&C
13750.0000 - 14500.0000 MHz	2M00G7D	75.70 dBW	TT&C
13750.0000 - 14500.0000 MHz	300KF2D	67.50 dBW	TT&C
14000.0000 - 14500.0000 MHz	34M0G7W	88.00 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	43K0G7W	59.00 dBW	DIGITAL DATA
14000.0000 - 14500.0000 MHz	72M0G8W	88.00 dBW	DIGITAL DATA
11450.0000 - 12200.0000 MHz	2M00G7W		TT&C
11450.0000 - 12200.0000 MHz	300KF2D		TT&C
10950.0000 - 11200.0000 MHz	43K8G7W		DIGITAL DATA
10950.0000 - 11200.0000 MHz	72M0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	43K0G7W		DIGITAL DATA
11450.0000 - 12200.0000 MHz	72M0G7W		DIGITAL DATA

Points of Communication:

1 - INTELSAT 29E(S2913) - (50.0 W.L.)

1 - PERMITTED LIST - ()

SES-LIC-20150624-00382 E E150096 Campo Rico Group Inc.

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: Bo. Campo Rico Carretera 185 kilometro 7.1, Canovanas, Canovanas, PR
 18 ° 19 ' 21.80 " N LAT. 65 ° 53 ' 21.10 " W LONG.

ANTENNA ID: 1 11 meters Satcom Technologies 1100CS

5925.0000 - 6425.0000 MHz	1M50G7D	71.40 dBW	digital data
5925.0000 - 6425.0000 MHz	30M0G7D	84.50 dBW	Digital Data Services
3700.0000 - 4200.0000 MHz	30M0G7D		Digital Data Services

Points of Communication:

1 - PERMITTED LIST - ()

SES-MOD-20150316-00156 E E030071 Intelsat License LLC

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Intelsat License LLC requests modification of its fixed earth station, in Hagerstown, MD, to: 1) add the Intelsat 29E satellite at the 310 E.L. orbital location as a point of communication, 2) add the 6425-6669 MHz, 6669-6681 MHz, and 6681-6725 MHz (Earth-to-space) frequency bands, and new emission designators.

SITE ID: 1

LOCATION: 17633 TECHNOLOGY BLVD., WASHINGTON, HAGERSTOWN, MD
39 ° 35 ' 57.90 " N LAT. 77 ° 45 ' 17.30 " W LONG.

ANTENNA ID:	1	16.4 meters	VERTEX	26.4THC
	5925.0000 - 6425.0000 MHz	36M0F8W	83.00 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS
	5925.0000 - 6425.0000 MHz	800KFXW	79.30 dBW	COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL
	5925.0000 - 6425.0000 MHz	72M0G7W	83.00 dBW	DIGITAL DATA CARRIER
	5925.0000 - 6425.0000 MHz	100KG7D	70.30 dBW	DIGITAL, DATA
	5850.0000 - 5925.0000 MHz	72M0G7W	83.00 dBW	DIGITAL DATA CARRIER
	5850.0000 - 5925.0000 MHz	100KG7D	70.30 dBW	DIGITAL, DATA
	5850.0000 - 5925.0000 MHz	36M0F8W	83.00 dBW	ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS
	5850.0000 - 5925.0000 MHz	800KFXW	79.30 dBW	COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL
	3700.0000 - 4200.0000 MHz	36M0F8W		ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS
	3700.0000 - 4200.0000 MHz	800KFXW		COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL
	3700.0000 - 4200.0000 MHz	72M0G7W		DIGITAL, DATA
	3700.0000 - 4200.0000 MHz	100KG7D		DIGITAL, DATA
	3625.0000 - 3700.0000 MHz	72M0G7W		DIGITAL VIDEO WITH ASSOCIATED AUDIO CARRIERS
	3625.0000 - 3700.0000 MHz	36M0F8W		ANALOG VIDEO WITH ASSOCIATED AUDIO CARRIERS

3625.0000 - 3700.0000 MHz	100KG7D		DIGITAL, DATA
3625.0000 - 3700.0000 MHz	800KFXW		COMMAND AND RANGE CARRIER FOR SATELLITE CONTROL
5850.0000 - 5925.0000 MHz	1M00G7W	80.30 dBW	DIGITAL, DATA
5850.0000 - 5925.0000 MHz	36M0G7W	82.00 dBW	DIGITAL, DATA
5850.0000 - 5925.0000 MHz	62M5G7W	82.00 dBW	DIGITAL, DATA
6425.0000 - 6669.0000 MHz	1M00G7W	54.50 dBW	DIGITAL, DATA
6425.0000 - 6669.0000 MHz	36M0G7W	70.00 dBW	DIGITAL, DATA
6425.0000 - 6669.0000 MHz	62M5G7W	72.40 dBW	DIGITAL, DATA
6669.0000 - 6681.0000 MHz	12M0G7W	62.30 dBW	DIGITAL, DATA
6669.0000 - 6681.0000 MHz	1M00G7W	51.50 dBW	DIGITAL, DATA
6681.0000 - 6725.0000 MHz	1M00G7W	54.50 dBW	DIGITAL, DATA
6681.0000 - 6725.0000 MHz	36M0G7W	70.00 dBW	DIGITAL, DATA
6681.0000 - 6725.0000 MHz	44M0G7W	70.90 dBW	DIGITAL, DATA
5850.0000 - 5925.0000 MHz	850KG7D	79.60 dBW	COMMANDING AND RANGING

Points of Communication:

- 1 - INTELSAT 29E(S2913) - (50.0 W.L.)
- 1 - INTELSAT 805 (S2404) - (304.5 E.L.)
- 1 - INTELSAT AOR - (310.0 E.L.)
- 1 - INTELSAT AOR - (325.5 E.L.)
- 1 - INTELSAT AOR - (328.5 E.L.)
- 1 - INTELSAT AOR - (330.5 E.L.)
- 1 - INTELSAT AOR - (332.5 E.L.)
- 1 - INTELSAT AOR - (335.5 E.L.)
- 1 - INTELSAT AOR - (340.0 E.L.)
- 1 - INTELSAT AOR - (342.0 E.L.)
- 1 - INTELSAT AOR(S2398) - (307.0 E.L.)

1 - PERMITTED LIST - ()

SES-MOD-20150612-00355 E E060380 Fox News Network LLC

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

Fox News Network LLC requests modification of its license for a temporary-fixed earth station, to replace the antenna, add a new emission designator, and increase the EIRP and EIRP density.

SITE ID: 1

LOCATION: transportable, Ku-band VARIOUS LOCATIONS THROUGHOUT, CONUS, AK, HI

ANTENNA ID:	T1	1.45 meters	SAT-LITE TECHNOLOGIES	1411
	11700.0000 - 12200.0000 MHz		5M75G7W	DIGITAL AUDIO AND VIDEO
	14000.0000 - 14500.0000 MHz		5M75G7W 62.20 dBW	DIGITAL AUDIO AND VIDEO

Points of Communication:

1 - PERMITTED LIST - ()

SES-MOD-20150612-00356 E E060379 Fox News Network LLC

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

Fox News Network LLC requests modification of its license for a temporary-fixed earth station, to replace the antenna, add a new emission designator, and increase the EIRP and EIRP density.

SITE ID: 1

LOCATION: transportable, Ku-band VARIOUS LOCATIONS THROUGHOUT, CONUS, AK, HI

ANTENNA ID:	T1	1.45 meters	SAT-LITE TECHNOLOGIES	1411
	14000.0000 - 14500.0000 MHz		5M75G7W 62.20 dBW	DIGITAL AUDIO AND VIDEO
	11700.0000 - 12200.0000 MHz		5M75G7W	DIGITAL AUDIO AND VIDEO

Points of Communication:

1 - PERMITTED LIST - ()

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.