



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01779

Wednesday September 2, 2015

Satellite Communications Services re: Satellite Radio Applications Accepted For Filing

NOTE: IBFS/MYIBFS will be unavailable beginning September 2, 2015 at 6 PM through 8 AM September 8, 2015. See <https://www.fcc.gov/document/fcc-databases-unavailable-filing-deadline-extensions-early-september> for more information.

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-ASG-20150618-00424 E E010074 iHeartMedia + Entertainment, Inc.
Application for Consent to Assignment
Current Licensee: iHeartMedia + Entertainment, Inc.
FROM: IHEARTMEDIA, INC.
TO: Orbital Media Networks, Inc.

No. of Station(s) listed: 2

SES-LIC-20150821-00540 E E150107 WXMI, LLC
Application for Authority
Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1
LOCATION: 3117 Plaza Drive NE, Grand Rapids, MI
0 ° 0 ' 0.00 " N LAT. 0 ° 0 ' 0.00 " W LONG.

ANTENNA ID:	1	1.25 meters	GD Satcom	C125M
	14000.0000 - 14500.0000 MHz	2M00G7W	56.40 dBW	Digital Video and Audio
	14000.0000 - 14500.0000 MHz	36M0G7W	63.40 dBW	Digital Video and Audio

Points of Communication:

1 - PERMITTED LIST - ()

SES-LIC-20150827-00544 E E150108 WFMY Television, LLC **EZ**
Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: WFMY-TV New Temporary Fixed Satellite, VARIOUS

ANTENNA ID: 1 1.4 meters AVL Technologies 1410K
14000.0000 - 14500.0000 MHz 36M0G7W 67.51 dBW Compressed digital video and audio

Points of Communication:

1 - PERMITTED LIST - ()

SES-LIC-20150831-00554 E E150113 KLFY, L.P.
Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: KLFY

LOCATION:

ANTENNA ID: 1 1.2 meters AVL Technologies 1210K
14000.0000 - 14500.0000 MHz 36M0G7W 64.07 dBW ONE 36 Mbit MCPC digital carrier for voice/data

Points of Communication:

KLFY - PERMITTED LIST - ()

SES-MFS-20150731-00482 E KA272 SES Americom, Inc.
Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SES Americom, Inc. requests modification of its authorization for a fixed earth station in Somis, CA, to increase the eastern limit of its coordinated satellite arc from 131° W.L. to 107° W.L. This station communicates with Permitted List satellites in the 5925-6425 MHz (Earth-to-space) and 3700-4200 MHz (space-to-Earth) frequency bands.

SITE ID: 1

LOCATION: 5990 SOLANO VERDE DRIVE, VENTURA, SOMIS, CA
34 ° 19 ' 31.00 " N LAT. 118 ° 59 ' 44.40 " W LONG.

ANTENNA ID: C9 21 meters VERTEX 21M

6365.0000 - 6425.0000 MHz	30M0G7W	89.18 dBW	QPSK, Digital data, voice and video services
6175.0000 - 6365.0000 MHz	30M0G7W	86.55 dBW	QPSK, Digital data, voice and video services
5925.0000 - 6175.0000 MHz	30M0G7W	89.18 dBW	QPSK, Digital data, voice and video services
3700.0000 - 4200.0000 MHz	30M0G7W		QPSK, Digital data, voice and video services
5925.0000 - 6425.0000 MHz	N0N	61.30 dBW	CW, TEST CARRIER
5925.0000 - 6425.0000 MHz	1M00F9D	85.30 dBW	FM, TELECOMMAND
5925.0000 - 6425.0000 MHz	100KD7W	72.10 dBW	PSK, DIGITAL DATA
5925.0000 - 6425.0000 MHz	100KG7W	72.10 dBW	PSK, DIGITAL DATA
5925.0000 - 6425.0000 MHz	30M0D7W	89.15 dBW	PSK, DIGITAL VIDEO, AUDIO AND DATA
3700.0000 - 4200.0000 MHz	500KG9D		PSK, TELEMETRY
3700.0000 - 4200.0000 MHz	N0N		CW, TRACKING BEACON
3700.0000 - 4200.0000 MHz	100KD7W		PSK, DIGITAL DATA
3700.0000 - 4200.0000 MHz	100KG7W		PSK, DIGITAL DATA
3700.0000 - 4200.0000 MHz	30M0D7W		PSK, DIGITAL VIDEO, AUDIO AND DATA
5925.0000 - 6425.0000 MHz	36M0G7W	92.30 dBW	DIGITAL DATA AND VIDEO
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL DATA AND VIDEO

Points of Communication:

1 - PERMITTED LIST - ()

SES-MOD-20150702-00444 E E090027 COMTECH MOBILE DATACOM CORP.

Application for Modification

Class of Station: Mobile Earth Station

Nature of Service: Mobile Satellite Service

Comtech Mobile Data Corporation (CMDC) requests a two-year extension of its authorization for mobile earth station, half-duplex, terminals operating in the 1626.5-1645.5MHz and 1646.5-1660.5 MHz (Earth-to-space) and 1530-1544 MHz and 1545-1559 MHz (space-to-Earth) frequency bands. CMDC also requests a waiver of footnotes US308 and US315 to the U.S. Table of Frequency Allocations and Section 25.287(a) of the Commission's rules with respect to the operation of its MTM202 half-duplex terminals outside of the continental United States.

SITE ID: R-SKY
LOCATION: CONUS,AK,HI,US terr & poss in fprint SkyTerra 1

ANTENNA ID:	9	0.27 meters	SENSOR SYSTEMS	S65-8282-301
	1646.5000 - 1660.5000 MHz	270KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1631.5000 - 1645.5000 MHz	270KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1545.0000 - 1559.0000 MHz	270KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1530.0000 - 1544.0000 MHz	270KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL

SITE ID: R-INMAR
LOCATION: CONUS,AK,HI,US terr & poss in fprint ISAT list satellites

ANTENNA ID:	10	0.27 meters	SENSOR SYSTEMS	S65-8282-301
	1646.5000 - 1660.5000 MHz	200KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1631.5000 - 1645.5000 MHz	200KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1545.0000 - 1559.0000 MHz	200KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1530.0000 - 1544.0000 MHz	200KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL

SITE ID: R-CMT MSAT
LOCATION: AK,HI,US terr & poss in fprint MSAT-1 & MSAT-2

ANTENNA ID:	11	0.153 meters	PCTEL	CMT-500
	1646.5000 - 1660.5000 MHz	168KG1D	10.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1631.5000 - 1645.5000 MHz	168KG1D	10.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

SITE ID: R-OLD MSAT
 LOCATION: US terr & poss in footprint MSAT-1 & MSAT-2

ANTENNA ID:	3	0.06 meters	SCI SYSTEMS	MT-2010 EXTERNAL
	1646.5000 - 1660.5000 MHz		168KG1D 11.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1631.5000 - 1645.5000 MHz		168KG1D 11.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1545.0000 - 1559.0000 MHz		168KG1D	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1530.0000 - 1544.0000 MHz		168KG1D	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID:	1	0.15 meters	SCI SYSTEMS	MT-2010 INTERNAL
	1646.5000 - 1660.5000 MHz		168KG1D 10.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1631.5000 - 1645.5000 MHz		168KG1D 10.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1545.0000 - 1559.0000 MHz		168KG1D	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1530.0000 - 1544.0000 MHz		168KG1D	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID:	2	0.15 meters	SENSOR SYSTEMS	S65-8582-101
	1646.5000 - 1660.5000 MHz		168KG1D 12.10 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1631.5000 - 1645.5000 MHz		168KG1D 12.10 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1545.0000 - 1559.0000 MHz		168KG1D	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1530.0000 - 1544.0000 MHz		168KG1D	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID:	4	0.15 meters	SCI SYSTEMS	MT-2010RL INTERNAL

1646.5000 - 1660.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 5	0.27 meters	SENSOR SYSTEMS	S65-8282-301
1646.5000 - 1660.5000 MHz	168KG1D	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	168KG1D	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID: 6	0.18 meters	PCTEL	34811Z-3
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 7	0.18 meters	PCTEL	34911Z-3
1646.5000 - 1660.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 8	0.19 meters	PCTEL		3561AW-1/A
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
SITE ID: R-OLDM-AKHI				
LOCATION: AK, HI				
ANTENNA ID: 12	0.15 meters	SCI SYSTEMS		MT-2010 INTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	10.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	10.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 13	0.15 meters	SENSOR SYSTEMS		S65-8582-101
1646.5000 - 1660.5000 MHz	168KG1D	12.10 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	168KG1D	12.10 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL

	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID:	14	0.06 meters	SCI SYSTEMS	MT-2010 EXTERNAL
	1646.5000 - 1660.5000 MHz	168KG1D	11.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1631.5000 - 1645.5000 MHz	168KG1D	11.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID:	15	0.15 meters	SCI SYSTEMS	MT-2010RL INTERNAL
	1646.5000 - 1660.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1631.5000 - 1645.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID:	16	0.27 meters	SENSOR SYSTEMS	S65-8282-301
	1646.5000 - 1660.5000 MHz	168KG1D	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1631.5000 - 1645.5000 MHz	168KG1D	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
	1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID:	17	0.18 meters	PCTEL	34811Z-3
	1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 18	0.18 meters	PCTEL	34911Z-3
1646.5000 - 1660.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 19	0.19 meters	PCTEL	3561AW-1/A
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

Points of Communication:

R-CMT MSAT - MSAT-1 - (106.5 W.L.)

R-CMT MSAT - MSAT-2 (AMSC-1) - (103.3 W.L.)

R-INMAR - ISAT List -

R-OLD MSAT - MSAT-1 - (106.5 W.L.)

R-OLD MSAT - MSAT-2 (AMSC-1) - (103.3 W.L.)

R-OLDM-AKHI - MSAT-1 - (106.5 W.L.)

R-OLDM-AKHI - MSAT-2 (AMSC-1) - (103.3 W.L.)

R-SKY - SKYTERRA 1 - (101.3 W.L.)

SES-MOD-20150817-00526 E E120026 ViaSat, Inc.

Application for Modification

Class of Station: Other

Nature of Service: Fixed Satellite Service

ViaSat, Inc. requests modification of its blanket authorization to add Antenna ID 3 and Antenna ID 4 to operate with the ViaSat-1 satellite at the 115.1° W.L. orbital location in the 28.35-29.1 GHz and 29.5-30.0 GHz (Earth-to-space) and the 18.3-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) frequency bands. ViaSat also seeks to operate Antenna ID 3 and Antenna ID 4 antennas with the WildBlue-1 and Anik-F2 satellites at the 111.1° W.L orbital location in the 29.5-30.0 GHz (uplink) band and the 19.7-20.2 GHz (downlink) band.

SITE ID: 1

LOCATION: 250,000 Blanket Terminals, CONUS

ANTENNA ID:	1	0.695 meters	ViaSat, Inc.	AN690KA203
29500.0000 - 30000.0000 MHz	625KG7D	47.30 dBW	625 kBd PSK, Digital Carrier	
29500.0000 - 30000.0000 MHz	1M25G7D	50.30 dBW	1250 kBd PSK, Digital Carrier	
29500.0000 - 30000.0000 MHz	2M50G7D	50.30 dBW	2.5 MBd PSK, Digital Carrier	
29500.0000 - 30000.0000 MHz	5M00G7D	50.30 dBW	5.0 MBd PSK, Digital Carrier	
29500.0000 - 30000.0000 MHz	10M0G7D	50.30 dBW	10 MBd PSK, Digital Carrier	
28350.0000 - 29100.0000 MHz	10M0G7D	50.20 dBW	10.0 MBd PSK, Digital Carrier	
28350.0000 - 29100.0000 MHz	5M00G7D	50.20 dBW	5.0 MBd PSK, Digital Carrier	
28350.0000 - 29100.0000 MHz	2M50G7D	50.20 dBW	2.5 MBd PSK, Digital Carrier	
28350.0000 - 29100.0000 MHz	1M25G7D	50.20 dBW	1250 kBd PSK, Digital Carrier	
28350.0000 - 29100.0000 MHz	625KG7D	47.20 dBW	625 kBd PSK, Digital Carrier (Used under faded conditions only)	
19700.0000 - 20200.0000 MHz	52M1G7D		52 MBd PSK, Digital Carrier	
19700.0000 - 20200.0000 MHz	416MG7D		416 MBd PSK, Digital Carrier	
18300.0000 - 19300.0000 MHz	416MG7D		416 MBd PSK, Digital Carrier	
18300.0000 - 19300.0000 MHz	52M1G7D		52 MBd PSK, Digital Carrier	

SITE ID: 2

LOCATION: 250,000 Blanket Terminals, CONUS

ANTENNA ID:	2	0.695 meters	VIASAT, INC.	AN690KA206
	29500.0000 - 30000.0000 MHz	5M00G7D	50.30 dBW	5 MBD PSK, DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	10M0G7D	50.30 dBW	10 MBD PSK, DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	2M50G7D	50.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	625KG7D	47.30 dBW	626 KBD PSK, DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	1M25G7D	50.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	5M00G7D	50.30 dBW	5 MBD PSK, DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	10M0G7D	50.30 dBW	10 MBD PSK, DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	2M50G7D	50.30 dBW	2.5 MBD PSK, DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	625KG7D	47.30 dBW	625 KBD PSK, DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	1M25G7D	50.30 dBW	1.25 MBD PSK, DIGITAL CARRIER
	19700.0000 - 20200.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
	19700.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER
	18300.0000 - 19300.0000 MHz	52M1G7D		52 MBD PSK, DIGITAL CARRIER
	18300.0000 - 19300.0000 MHz	416MG7D		416 MBD PSK, DIGITAL CARRIER

SITE ID: 3
LOCATION: 250,000 Blanket Terminals, CONUS

ANTENNA ID:	3	0.76 meters	SKYWARE GLOBAL	74CMKABAND
	28350.0000 - 29100.0000 MHz	5M00G7D	49.80 dBW	5 MBD PSK DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	5M00G7D	50.10 dBW	5 MBD PSK DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	10M0G7D	49.80 dBW	10 MBD PSK DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	10M0G7D	50.10 dBW	10 MBD PSK DIGITAL CARRIER
	28350.0000 - 29100.0000 MHz	2M50G7D	49.80 dBW	2.5 MBD PSK DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	625KG7D	47.10 dBW	625 KBD PSK DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	625KG7D	46.80 dBW	625 KBD PSK DIGITAL CARRIER
	29500.0000 - 30000.0000 MHz	2M50G7D	50.10 dBW	2.5 MBD PSK DIGITAL CARRIER

28350.0000 - 29100.0000 MHz	1M25G7D	49.80 dBW	1250 KBD PSK DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	50.10 dBW	1250 KBD PSK DIGITAL CARRIER
18300.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK DIGITAL CARRIER
18300.0000 - 20200.0000 MHz	52M1G7D		52.1 MBD PSK DIGITAL CARRIER

SITE ID: 4
LOCATION: 250,000 Blanket Terminals, CONUS

ANTENNA ID: 4	0.76 meters	WINEGARD	74CMKABAND
28350.0000 - 30000.0000 MHz	10M0G7D	49.80 dBW	10 MBD PSK DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	2M50G7D	50.10 dBW	2.5 MBD PSK DIGITAL CARRIER
18300.0000 - 20200.0000 MHz	416MG7D		416 MBD PSK DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	5M00G7D	49.80 dBW	5 MBD PSK DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	5M00G7D	50.10 dBW	5 MBD PSK DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	10M0G7D	50.10 dBW	10 MBD PSK DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	2M50G7D	49.80 dBW	2.5 MBD PSK DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	625KG7D	46.80 dBW	625 KBD PSK DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	625KG7D	47.10 dBW	625 KBD PSK DIGITAL CARRIER
28350.0000 - 29100.0000 MHz	1M25G7D	49.80 dBW	1250 KBD PSK DIGITAL CARRIER
29500.0000 - 30000.0000 MHz	1M25G7D	50.10 dBW	1250 KBD PSK DIGITAL CARRIER
18300.0000 - 20200.0000 MHz	52M1G7D		52.1 MBD PSK DIGITAL CARRIER

Points of Communication:

- 1 - ANIK-F2 (S2742) - (111.1 W.L.)
- 1 - VIASAT-1 (S2747) - (115.1W.L.)
- 1 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 2 - ANIK-F2 (S2742) - (111.1 W.L.)
- 2 - VIASAT-1 (S2747) - (115.1W.L.)
- 2 - WILDBLUE 1(S2355) - (111.1 W.L.)
- 3 - ANIK-F2 (S2742) - (111.1 W.L.)

3 - VIASAT-1 (S2747) - (115.1W.L.)

3 - WILDBLUE 1(S2355) - (111.1 W.L.)

4 - ANIK-F2 (S2742) - (111.1 W.L.)

4 - VIASAT-1 (S2747) - (115.1W.L.)

4 - WILDBLUE 1(S2355) - (111.1 W.L.)

SES-REG-20150820-00539 E E150106 Liberty Cablevision of Puerto Rico LLC

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: Hato Rey Headend

LOCATION: 1 Manuel Camunas Street Tres Monjitas Industrial Park, San Juan, San Juan, PR

18 ° 25 ' 34.40 " N LAT.

66 ° 3 ' 58.00 " W LONG.

ANTENNA ID: C1 5 meters ATCi Simulsat 5

3700.0000 - 4200.0000 MHz 2M00G7W Digital Audio, Video, and Data

3700.0000 - 4200.0000 MHz 36M0G7W Digital Audio, Video, and Data

Points of Communication:

Hato Rey Headend - PERMITTED LIST - ()

SES-T/C-20150811-00517 E E920419 Digny Companies, LLC

Application for Consent to Transfer of Control

Current Licensee: Digny 3E License, LLC

FROM: DIGITY COMPANIES, LLC

TO: Alpha Media LLC

No. of Station(s) listed: 1

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.