RADIO SERVICE BULLETIN

ISSUED MONTHLY BY BUREAU OF NAVIGATION, DEPARTMENT OF COMMERCE

Washington, April 1, 1922-No. 60

CONTENTS.

Page.		age.
1	Miscellaneous—Continued.	-6
2011/11	A radio relay recorder	15
2		16
5		na Tr
call	standardizing wave meters.	17
	Violation of regulations.	
6		17
coll	Daily position of vessels by radio	18
6		18
6		18
7		
1777 (1-81)		18
7		22
8	Regulations pertaining to the radio broad.	
call	casting of weather, crop, and market infor-	Physical Property of the Party
		22
13		23
call		23
		22
13/	Last of stations broadcasting	24
		- 56
es. 14		26 27
	call 5 6 call 6 7 7 8 call 13 call 13	A radio relay recorder Elementery radio publications A method of measuring coil capacities and standardizing wave meters. Violation of regulations. Alaskari stations opened. Daily position of vessels by radio. Date on which an obstruction is sighted. Change in rates for navalstations Radio weather report by Karlsborgs (Sweden) Station. Radio pratique for merchant vessels. Regulations pertaining to the radio broadcasting of weather, crop, and market information. How can the Radio Service Bulletin be made more valuable to you? Radio broadcasting.

ABBREVIATIONS.

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this Bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

Name —Name of station. G. loc. =Geographical location: O=west longitude, N=north S=south latitude. Call —Call letters assigned. System -Radio system used and sparks per second. Range — Normal range in nautical miles. W. 1. -Wave lengths assigned: Normal wave lengths in italics. Service — Nature of service maintained: PG=General public.
PR=Limited public. P=Private. O=Government business exclusively. Hours =Hours of operation. N=Continuous service. X=No regular hours.

m=a. m. (12 m=midday).
s=p. m. (12s=midnight).

Rates =Ship or coast charges in cents: c=cents. (The rates in the international list are given in francs and centimes.)

I. W. T. Co. = Independent Wireless Telegraph Co. R. C. of A. = Radio Corporation of America.

S. O. R. S. = Ship Owners' Radio Service.

Co. =Company. Corp. =Corporation.

& =And. Do. =Ditto.

C. w. =Continuous wave. V. t. =Vacuum tube. FX. =Fixed station.

CERTSFICATE: By direction of the Secretary of Commerce this publication is issued as an administra. tion report and is required for the proper transmission of the public business.

NEW STATIONS.

Commercial land stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1921, and to the International List of Radiotelegraph Stations published by the Berne bureau.]

Station.	Call signal.	Wave lengths.	Service.	Hours.	Station controlled by-
Albany, N. Y.¹	WNJ KGO WGM WSB WCM KEW WKC WCI	360	PR(FX) PR(FX) PR(FX)	×	Shotton Radio Manufacturing Co. Altadens Radio Laboratory. Atlanta Constitution. Atlanta Journal. University of Texas. Philippine Insular Government. Joseph M. Zamoiski Co. R. C. of A.
(Tuckerton). ⁵ Bay City, Mich. ⁶ Birmingham, Ala. ⁷ Bongao, P. I Berkeley, Calif. ⁸ Buffalo, N. Y. ⁶	WTP WSY KEO KRE WGR	360	PR(FX)	×	George M. McBride. Alabama Power Co. Philippine Insular Government. Maxwell Electric Co. Federal Telephone & Telegraph Co.
Do. ¹⁶ . Cagayan de Sulu, P.I. Camden, N. J. ¹¹		360	PR(FX)		McCarthy Bros. & Ford. Philippine Insular Government.
Canton, Ohio ¹⁸ Charlotte, N. C. ¹⁸ Chicage, Ill. ¹⁸ Chignik, Alaska ¹⁹	WWB WBT WGU KNP	360. 360. 360. 300, 525, 690, 1650.	PR(FX) PR(FX)	x x	Daily News Printing Co. Southern Radio Corp. The Fair. Columbia River Packers' Asso- ciation.
Cincinnati, Ohio 16 Dearborn, Mich. 15 Denver, Colo. 18 Do. 19	WWI	360	PR(FX)	X X X	Crosley Manufacturing Co. Ford Motor Co. Reynolds Radio Co. Young Men's Christian Associa- tion.
Des Moines, Iowa Do. Detroit, Mich.**. Eldorado, Kans.** Erie, Pa.**. Do. **	WHX KOP WAH WJT	360	PR(FX) PR(FX) PR(FX) PR(FX)		The Register and Tribune. Iowa Radio Corporation. Detroit Police Department. Midland Refining Co.

Loc. 0.73° 45' 00", N. 42° 39' 00"; range, 75; system, composite (v. t. telephone); hours, 7.30-9.45 p. m.; rates, none.

2 Loc. 0.118° 07' 37", N. 34° 11' 34"; range, 25; system, composite (v. t. telephone); hours, 1-2 and 6-7

p. m.; rates, none.

Loc. 0.97 44' 10", N. 30** 17' 00"; range, 300; system, De Forest (v. t. telephone and telegraph) and composite, spark 480; rates, none.

4 Range, 50; system, composite (v. t. telephone); hours, 7.30-8.30 p. m. on Tuesday, Thursday, and Saturday; rates, none

 Loc. (approximately) 0.74° 23'00"; N.39° 33' 00"; system, Alexanderson alternator; rates to Germany. 25 c. per word.

 Range, 50; system, De Forest (v.t. telephone); hours, 12 m.-1.30 p. m., 6-7 p. m., and 10.30-12 p.m; rates, none

7 Loc. 0.66* 49' 00", N. 33* 30' 00"; range, 100; system, composite (v. t. telephone); hours, 7-10 p. m.;

*Range, 50; system, composite (v. t. telephone); rates, none.

*Range, 50; system, composite (v. t. telephone); rates, none.

Loc. (approximately) 0.78 63' 00", N. 42* 53' 00"; range, 100; system, composite (v. t. telephone); hours, 10 a. m.-10 p. m. intermittently; rates, none.

*Range, 30; system, composite (v. t. telephone); hours, 3.30-5 and 7-8.30 p. m.; rates, none.

*Range, 30; system, composite (v. t. telephone); hours, 1-4 and 7.30-9.30 p. m.;

Tates, none.

13 Loc. 0.81° 23′ 16″, N. 40° 45′ 01″; range, 100; system, composite (v. t. telephone); rates, none.

13 Loc. (approximately) 0.80° 51′ 00″, N. 35° 13′ 00″; range, 100; system, composite (v. t. telephone);

14 Loc. (approximately) 0.87° 37′ 00″, N. 41° 53′ 00″; range, 100; system, De Forest (v. t. telephone);

15 Loc. (approximately) 0.87° 37′ 00″, N. 41° 53′ 00″; range, 100; system, De Forest (v. t. telephone);

rates, none.

14 Loc. (approximately) 0.158° 23′ 00″, N. 55° 17′ 00″; range, 300; system, composite, 240; rates, none.

15 Loc. (approximately) 0.84° 30′ 00″, N. 39° 05′ 00″; system, composite (v. t. telephone); rates, none.

16 Loc. (approximately) 0.63° 14′ 00″, N. 42° 18′ 00″; range, 150; system, composite (v. t. telephone);

17 Loc. (approximately) 0.63° 14′ 00″, N. 42° 18′ 00″; range, 150; system, composite (v. t. telephone);

rates, none.

18 Loc. (approximately) 0.105° 00′ 00″, N. 39° 45′ 00″; range, 20; system, composite (v. t. telephone); rates, none

rates, none.

1 Lo2. (approximately) 0.105° 00′ 00″, N. 39° 45′ 00″; range, 100; system, composite, 1,000; rates, none.

2 Range, 100; system, composite (v. t. telephone); hours, 3-11 p. m.; rates, none.

3 Range, 200; system, composite (v. t. telephone and telegraph); hours, 8 s. m.-5.30 p. m.; rates, none.

4 Loc. (approximately) 0.80° 05′ 00″, N. 42° 07′ 00″; system, De Forest (v. t. telephone); hours, 7.30-9.30 p. m. Monday, Wednesday, and Friday; rates, none.

4 Loc. (approximately) 0.80° 08′ 00″, N. 42° 06′ 40″; range, 50; system, composite (v. t. telephone); hours, 12.15-1.30 and 10-11 p. m.; rates, none.

12.15-1.30 and 10-11 p. m.; rates, none.

Commercial land stations, alphabetically by names of stations-Continued.

			Charles on the last of the las	_	The same of the sa
Station.	Call signal.	Wave lengths.	Service.	Hours.	Station controlled by—
Fort Morgan, Ala. N.	WIO	300, 450, 600, 1700	PR(FX) PR(FX)	х	Tropical Radio Telegraph Co.
Fort Worth, Tex	wcv	440	PR(FX)	x	Midland Refining Co. Fort Worth Record.
Do.**	WPA	360	PR(FX)		San Josquin Light & Power
Presnet Calif."	KMJ	360	PR(PA)		Corporation.
Honolulu, Hawaii .	KGU	360	PR(FX)		Marion A. Mulrony.
Houston, Tex."		350, 485	PR(FX)	X	Hurlburt-Still Electrical Co.
Lacey, Wash.10	KGY	360	PR(FX)		St. Martins College (Rev. S.
Lacey, wasan-iiiii	220-				Ruth).
Little Rock, Ark.4	wsv	360	PR(FX)		
	1	l	DD(PF)		C. R. Kierulff & Co.
Los Angeles, Calif.*	KHJ	360	PR(FX)	x	Bible Institute of Los Angeles.
Do.**	KJS	360			Philippine Insular Government.
Mati, P. I	KPZ	360	DR(FX)	1	K. &. L. Electric Co.
McKeesport, Pa	WIK	350, 485	PR(FX)	x	Reichman-Crosby Co.
Memphis, Tenn		360	Dr. was A see near C		United Equipment Co.
Monterey, Calif.*		360	A 20 Year and 1		Nogele Electric Works.
Morgantown, W.Va.	WHD	360			West Virginia University.
Newark, N. J		360	PR(FX)	x	D. W. May.
New Lebanon, Ohio *	WPG	380			Nushawg Poultry Farm.
New Orleans, La.a	WGV	360			Interstate Electric Co.
Do.d	WWL	360		x	Loyola University. John Wanamaker.
New York, N. Y	WWZ	360			Midland Refining Co.
Norfolk, Nebr. 4	WKH	440	and the same of	x	Warner Brothers.
Oakland, Calif.	KLS	360			Oblahama Badia Chen
Oklahoma City,	WKY	390, 450	FK(FA)		On minimum and a sure pro-
Okla. ⁴⁶ Omaha, Nebr. ⁴⁷	WDV	360	PR(FX)		John O. Yeiser, jr.
Paris, Tex.		360	many bearings.		Paris Radio Electric Co.
Philadelphia, Pa		360	PR(FX)		Strawbridge & Clothier.
Do. 66		360			
Do.51	woo	380			Transfer to the state of the Country
Portland, Oreg. 12	KGG	380	PR(FX)		Hallock & Walson Kadlo Set vice.

Loc. (approximately) 0.87° 00′ 00″, N. 32° 00′ 00″; range, 100; system, U. S. Signal Corps, 1,000; rates, ship service, 12c. per word; limited public service to Mobile, Burrwood, and New Orleans, 10c. per word.
 Range, 150; system, composite (v. t. telephone and telegraph); hours, 8 a. m.-5.30 p. m.; rates, none.
 Loc. (approximately) 0.97° 20′ 00″, N. 32° 44′ 00″; range, 100; system, composite (v. t. telephone);

Tates, none.

π Range, 150; system, composite (v. t. telephone); hours, 5-6 p. m. Sunday and 7-8 p. m. Tuesday and Friday; rates, none.

Range, 50; system, composite (v. t. telephone); hours, 8-9 p. m.; rates, none.

System, composite (v. t. telephone and telegraph), also composite spark, 240; rates, none.

Loc. 0.122° 47′ 59″, N. 47° 30′ 90″; range, 25; system, composite (v. t. telephone); hours, 8.30-9.30 p. m. Sunday, Tuesday, and Friday; rates, none.

Sunday, Tuesday, and Friday; rates, none.

Range, 150; system, composite (v. t. telephone); hours, 7-10 p. m.; rates, none.

Loc. (approximately) 0.118° 14′ 30″, N. 34° 63′ 00″; range, 150; system, composite (v. t. telephone); hours, 9-10 a. m. and 12.30-1.30, 3-5, and 7-9 p. m.; rates, none.

Range, 69; system, composite (v. t. telephone); rates, none.

Loc. (approximately) 0.79° 50′ 00″, N. 40° 35′ 00″; range, 50; system, composite (v. t. telephone); hours, M. Loc. (approximately) 0.79° 50′ 00″, N. 40° 35′ 00″; range, 50; system, composite (v. t. telephone); hours, 7 m. daily; 1.30-2.30 p. m. Sunday and 9.30-10.30 p. m. Tuesday and Thursday; rates, none.

Range 50; system, R. C. of A. (v. t. telephone); rates, none.

Loc. (approximately) 0.90° 03′ 00″, N. 35° 09′ 00″; range, 200; system, composite (v. t. telephone); hours, 7-9.30 p. m.; rates, none.

Range, 50; system, composite (v. t. telephone); hours, 7 a. m.-9 p. m.; rates, none.

System, composite (v. t. telephone); hours, 4-6 and 7.30 p. m. daily; 10.45 a. m.-12 m. Sundays; rates, none.

- none.

 Loc. 0.74° 10′ 08″, N. 40° 44′ 15″; range, 30; system, De Forest (v. t. telephone); rates, none.
 Range, 150; system, composite (v. t. telephone); hours, 1–3 and 7.30–9.45 p. m.; rates, none.
 Range, 100; system, composite (v. t. telephone and telegraph); hours, 11 a. m.-12 m. and 7–10 p. m.; rates, none.

Loc. 0.90° 07′ 12", N. 29° 56′ 54"; range, 100; system, composite (v. t. telephone); rates, none.

**Rates, none.

**Range, 200; system, composite (v. t. telephone and telegraph); hours, 8 a. m.-5.30 p. m.; rates, none.

**Range, 200; system, composite (v. t. telephone and telegraph); rates, none.

**Loc. 0.97° 30′ 00″, N. 35° 30′ 15″; range, 100; system, composite (v. t. telephone); hours, 12-1 and 7.30-9.30 p. m. daily and 3-4; 7.30-9.30 p. m. Sunday; rates, none.

**Range, 100; system, composite (v. t. telephone); hours, 7.30-9.30 p. m.; rates, none.

**Loc. 0.95° 35′ 00″, N. 33° 40′ 00″, range, 150; system, composite (v. t. telephone); hours, 10 a. m.-5 p. m. and 7-10 p. m.; rates, none.

**Range, 50; system, composite (v. t. telephone); hours, 7.30-9.30 p. m.; rates, none.

**Loc. 0.75° 00′ 44″, N. 39° 57′ 06″; range, 100; system, composite (v. t. telephone); hours, 12 m.-1 p. m. and 7-8 p. m. Monday, Wednesday, and Saturdays; rates, none.

**Loc. 0.75° 09′ 44″, N. 39° 57′ 06″, system, De Forest (v. t. telephone); hours, 1-5 and 7-10 p. m.; rates, none.

22 Loc. 0.122* 45' 00", N. 45* 30' 00", range, 100; system, composite (v. t. telephone); hours 4-10 p. m.; rates, none.

Commercial land stations, alphabetically by names of stations—Continued.

Station.	Call signal.	Wavelengths.	Service.	Hours.	Station controlled by
Portland, Oreg. 48 Do. 44	KGN KGW KYG KMC WHN	360	PR(FX) PR(FX)		Stubbs Electric Co. Willard P. Hawley, jr. Lindsay-Weatherill & Co. Ridgewood Times Printing &
Rockland, Me.20	WME	300, 425, 600	PR(FX)	х	Publishing Co. Swans Island & Rockland Radio
San Francisco, Calif.* Schenectady, N. Y.* Scattle, Wash.* Siasi, P. I. Spokane, Wash.* Do.* Swans Island, Mc.*.	KSL WRL KJR KBD KFZ KSD WEW WTI	360	PR(FX) PR(FX) PR(FX) PR(FX) PR(FX)	X X X	Communication Service. The Emporium. Union College. Vincent I. Kraft. Philippine Insular Government. Doerr-Mitchell Electric Co. Post Dispatch. St. Louis University. Swans Island & Rockland Radio
Tacoma, Wash. Tarrytown, N. Y. Tulsa, Okla. Urbana, Ill. Utica, N. Y. Washington, D. C. Do. Wichita, Kans. Woroester, Mass. Yakima, Wash. Do. Youngstown, Ohio Youngstown, Ohio	KMO WRW WEH WRM WSL WIL WMU WPM WEY WCN KFV RQT WMC	380. 360. 440, 485. 360, 410. 360. 360. 360. 360. 360. 360, 485. 360, 485. 360.	PR(FX) PR(FX) PR(FX) PR(FX) PR(FX) PR(FX) PR(FX) PR(FX) PR(FX) PR(FX)	x	Tarrytown Radio Research Lab. Midland Refining Co. University of Illinois. J. & M. Electric Co. Continental Electrical Supply Co. Doubleday-Hill Electric Co. Thomas J. Williams. Cosradio Co. Clark University. Foster-Bradbury Radio Store.

Loc. 0.122° 38′ 46″, N. 45° 30′ 54″, range, 150; system, composite (v. t. telephone); hours 4-6 and 7-10

E. D.C. U.122 Set 46°, 31. 43 Set 47°, 11. 43°, 12. 45°,

Loc. 0.122* 40' 44", N. 45° 31' 39"; range, 190; system, composite (v. t. telephone); hours, 4.30-5.30 and 7-10 p. m.; rates, none.
Range, 50; system, composite (v. t. telephone); hours, 8-9 p. m.; rates, none.
Range, 30; system, composite (v. t. telephone); hours, 7.30-9.30 p. m.; rates, none.
Loc. (approximately) 0.63° 67' 00", N. 44° 07' 30"; range, 300; system, Wireless Specialty Apparatus Co., 1,900; rates, to Swans Island, Me., 3 c. per word.
Range, 50; system, composite (v. t. telephone); rates, none.
Loc. 0.73° 55' 42", N. 42° 49' 00", range, 200; system, composite (v. t. telephone); rates, none.
Loc. 0.122° 18' 24", N. 47° 40" 43", range, 20; system, composite (v. t. telephone); rates, none.
Loc. (approximately) 0.117° 25' 00", N. 47° 40' 00"; system, composite (v. t. telephone); hours, 7-10 p. m.; rates, none.

p. m.; rates, none.

"Loc. 0.90*12' 17", N. 38° 38' 03"; range, 100; system, De Forest (v. t. telephone); hours, 10 a. m.-10 p. m. intermittently; rates, none.

"Loc. 0.90*12' 58", N. 38* 38' 17"; range, 150; system, composite (v. t. telephone) and composite spark,

583; rates, none.

** Loc. (approximately) 0.68° 27′ 09″, N. 44° 10′ 00″; range, 100; system, Wireless Specialty Apparatus Co., 1,000; rates, to Rockland, Me. 3 c. per word.

** Loc. 0.122° 27′ 54″, N. 47° 15′ 48″; range, 50; system, composite (v. t. telephone); hours, 7–10 p. m.;

ates, none.

Loc. 0.122* 27' 54", N. 47' 10' 48"; range, 56; system, composite (v. t. telephone); hours, 9. a. m.-12 p. m.; rates, none.

Loc. 0.73*51'30", N. 41°04'40"; system, composite (v. t. telephone); hours, 9. a. m.-12 p. m.; rates, none.

Loc. (approximately) 0.51* 20' 00", N. 43° 20' 00"; range, 150; system, composite (v. t. telephone and telegraph); hours, 8 a. m.-5.30 p. m.; rates, none.

Loc. (approximately) 0.88* 15' 00", N. 40° 67' 00"; range, 100; system, composite (v. t. telephone and telegraph) and composite.spark, 360; hours, 7-10 p. m.; rates, none.

System, De Forest (v. t. telephone); hours, 10 a. m.-6 p. m.; rates, none.

System, composite (v. t. telephone); hours, 7.30-9.30 p. m. Monday and Wednesday; rates, none.

System, composite (v. t. telephone); hours, 4.30-5.30 p. m. Monday, Wednesday, and Friday; rates, none.

Range, 75; system, composite (v. t. telephone); hours, 12-1 p. m. and 7.30-9.30 p. m., Monday; rates,

³⁵ Loc. (approximately) 0.96* 08' 00", N. 32* 30' 00"; range, 150; system, composite (v. t. telephone) and

"Loc. (approximately) 0.36° 68' 00", N. 32° 30' 00"; range, 150; system, composite (v. t. telephone) and composite spark, 650; rates, none.

16 Loc. 0.71° 49' 35", N. 42° 14' 53"; range, 150; system, composite (v. t. telephone and telegraph); hours, 7.20-9.30 p. m.; rates, none.

17 Loc. (approximately) 0.125° 36' 00", N. 40° 30' 00"; range, 150; system, composite (v. t. telephone); hours, 12 m.-10 p. m.; rates, none.

18 Loc. (approximately) 0.126° 30' 00"; N. 47° 30' 00"; range, 50; system, De Forest (v. t. telephone); hours, 10 n. m.; rates, none.

10 a. m.-10 p. m.; rates, none.
n Range, 150; system, composite (v. t. telephone); hours 8.20-9.45 p. m.; rates, none.

-Stations having a wave length of 360 meters transmit news, concerts, etc., and those having a wave length of 485 meters transmit market and weather reports.

Commercial ship stations, alphabetically by names of vessels.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1921, and to the International List of Radiotelegraph Stations published by the Berne bureau.]

et.,		Ra	tes.	-			
Name of vessel.	Call signal.	North and South Ameri- can service.	Trans- oceanic service	Serv- ice.	Hours.	Owner of vessel.	Station con- trolled by—
Daniel Kern	KDXG	Cents.	Centa.	PG	×	Independent Towing	
Hera 1	KDGA	8	8	PG	x	Standard Oil Co. of	R., C. of A.
Jacob Luckenbach La Jota	KDXE KDXF			PG P	X	N. J. Luckenbach S. S. Co W. W. Wilson	Owner of ves-
Mandarin	KDXD			PG	x	Dollar S. S. Line	sel.

Range, 150; system, Telefunken, 1,000; w. l., 300, 450, 600.
 System, composite (c. w.-v. t.); w. l., 300, 450, 600; rates, none.

Commercial land and ship stations, alphabetically by call signals.

	[b=ship station;	c—land sta	ation.]
Call signal.	Name.	Call signal.	Name.
	Hera b Mandarin. b Mandarin. b Jacob Luckenbach. b La Jota b Daniel Kern b Siasi, P. I. c Bongao, P. I. c Cagayam de Sulu, P. I. c Balabac, P. J. c Yakima, Wash. c Spokane, Wash. c Portland, Oreg. c Portland, Oreg. c Altadena, Calif. c Honolulu, Hawaii c Portland, Oreg. c Lacey, Wash. c Los Angeles, Calif. c Los Angeles, Calif. c Cagarante, Wash. c Los Angeles, Calif. c Cagarante, C C Cagarante, C Cagarante, C C C Cagarante, C C C Cagarante, C C C C C C C C C C Cagarante, C C C C C C C C C C C C C C C C C C C		Wichita, Kans
KQT KQY KRE KSD KSL KYG WAH WBS WBT WCI WCN WCN WCN WCN WEY WEY WEW	Yakima, Wash. c Portland, Oreg. c Berkeley, Calif. c St. Louis, Mo. c San Francisco, Calif. c Portland, Oreg. c Ei Dorado, Kans. c Newark, N. J. c Charlotte, N. C. c Barnegat, N. J. (Tuckerton) c Austin, Tex. c Worcester, Mass. c Fort Worth, Tex c Omaha, Nebr c Tulsa, Okla c Houston, Tex c St. Louis, Mo c	WRM WRP WRW WSU WSV WSY WTI WTK WWTP WWB WWI WWL	Camden, N. J e Camden, N. J e Camden, N. J e Tarrytown, N. Y e Atlanta, Ga e Utica, N. Y e Little Rock, Ark e Erie, Pa e Birmingham, Ala e Swans Island, Me e Paris, Tex e Bay City, Mich e Canton, Ohio e Dearborn, Mich e New Orleans, La e Buffalo, N. Y e New York, N. Y e

Government land stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1921, and to the International List of Radiotelegraph Stations published by the Berne bureau.]

Station.	Call signal.	Wave lengths.	Serv- fee.	Hours.	Station controlled by—
Boston, Mass. Chicago, Ill. Fort Omaha, Nebr. Governors Island, N. Y. Shanghai, China	WVT	600, 975, 1620, 1950, 5000 300, 600, variable	00000	N X X X	U. S. Navy. U. S. Army. U. S. Army. U. S. Army. U. S. Navy.

¹ Lec. 0.71° (8' 01", N. 42° 23' 26", system, U. S. Navy.
² Lec. 0.121° 29' 00" E, N. 31° 15' 00", range, 100; system, U. S. Navy (receiving station only).

Government land and ship stations, alphabetically by call signals.

[b-ship station; c-land station.]

Call signal.	Name of station.	Call signal.	Name of station.
NAD NPJ WVP	Boston, Mass	wvu	Chicago, Ilie Fort Omaha, Nebre

Special land stations, alphabetically by names of stations.

[Additions to the List of Radio Stations of the United States, edition of June 30, 1921.]

Station.	Call signal.	Wave lengths.	Station controlled by—
Amarillo, Tex	5ZH 4XA	#00, 375 Variable #00 to 1000.	J. Laurance Martin, 605 East Fourth Street. Emory University.
Austin, Tex	6Z8	Variable	Tom L. Gray, 3908 Avenue F. Lindley Winser, 200 Twenty-second Street. Bangor Railway & Electric Co., Graham Build- ing.
Berkeley, Calif Brownwood, Tex Buffalo, N. Y Chicago, Ill	8ZM	800, 375. 800, 375, variable. 800, 375. 800, 375.	Fred L. Wismer, 1906 Chestnut Street.
Colorado Springs, Colo Columbus, Ohio Do Dallas, Tex	9XC 8XI 8ZO	800, 375. 800, 375. 800, 375. 800, 375.	Colorado College.
Ellsworth, Me	ıxc	Variable, #00 to 500, #00, 375	ment. Bangor Railway & Electric Co., Graham Build- ing, Bangor, Me.
Fort Worth, Tex Houston, Tex Knoxville, Tenn	5Y8 5XN	800, 375 800, 375 Var able, 200 to 375.	Obs. R. Garrett, 611 Main Street.
Lansing, Mich	9YF	700. 200, 375. 200, 375. 200, 375.	Albert C. Merta.
New York, N. Y Do	5YR 2XM 2XY	#00, 375 Variable Variable	Building. Loyola University. Columbia University. American Telephone and Telegraph Co., 24
Pasadena, Calif. Polytechnic, Mont Portland, Oreg San Marcos, Tex Washington, Pa	7YI 7XI 5YT	200, 375, variable. 200, 375, variable. 200, 375, variable. 200, 375.	Billings Polytechnic Institute. Hallock & Watson Radio Service, 192 Park Street. San Marcos High School.

Special land stations, grouped by districts.

Call signal.	District and station.	Call aignal.	District and station.
1XC 1XG 2XM 2XY 4XA 5XF 5XN 5XN 5XN 5XN 5YR 5YR 5YR 5ZAQ 5ZAQ 5ZAR	First district:	6XI 6ZQ 6ZS 7XI 7YI 8XG 8XJ 8XM 8ZM 8ZO 9XB 9XC 9YF 9ZG	Sixth district: Pasadena, Calif. Barkeley, Calif. Bakersfield, Calif. Seventh district: Portland, Oreg. Polytechnic, Mont. Eight district: Washington, Ps. Columbus, Ohio. Lansing, Mich. Buffalo, N. Y. Columbus, Ohio. Ninth district: Chicago, Ill. Colorado Springs, Colo. Mayville, N. Dak. Mount Carroll, Ill.

ALTERATIONS AND CORRECTIONS.

COMMERCIAL LAND STATIONS.

Bolinas, Calif. (KET).—Loc. 0.122° 40′ 45″, N. 37° 54′ 30″; system, R. C. of A. alternator; w. l., 13,310; rates, from Bolinas or San Francisco, Calif., to Kahuku or any point on the island of Oahu, Hawaii, 25 c. per word; Government rate, 12½ c. per word; press rate, 5 c. per word; lettergrams, \$1.50 for the first 12 words and 10 c. each additional word; week-end lettergrams, \$2.50 for the first 24 words and 8 c. for each additional word. From Bolinas or San Francisco, Calif., to Japan, 72 c. per word; Government rate 36 c. per word; press rate, 27 c. per word; urgent rate, \$2.16 per word.

CAPE MAY, N. J.-W. 1., 300, 600, 1610 (1610 meters used for limited commercial service between stations of the R. C. of A.).

CHARLESTON, W. VA.—Strike out all particulars.

CHICAGO, ILL. (KYW).—System, Westinghouse (v. t. telephone and telegraph); W. 1., 360, 485; hours, X.

CLEVELAND, OHIO (WHK).-Hours, 1.30-2, 3.30-4, and 8-9.30 p. m.

CORAM HILL, N. Y .- W. I., 19,000.

Dallas, Tex. (WRR).—System, composite (v. t. telephone); w. l., 360, 485.

DETROIT, MICH. (WBL).—Call signal changed to WWJ.

EASTHAMPTON, N. Y.—Rates, effective April 1; all ship traffic, 10 c. per word.

·EDWIGHT, W. VA.—Strike out all particulars.

Los Angeles, Calif. (KYJ).-W. l., 360, 485; hours 4-5 and 7.45-9 p. m.

Los Angeles, Calif. (KZC).—Call signal changed to KOG.

MARION, MASS. (WCC).—W. 1., 300, 600, 2800 (2800 meters used for limited commercial service between stations of the R. C. of A.).

NEW BRUNSWICK, N. J.—Range, 4,000.

New London, Conn. (WLC).—Loc. 0, 72° 05′ 02″, N. 41° 18′ 01″; range, 400; system, R. C. of A., 120; w. l., 300, 450, 600; hours, 7 a. m.-11 p. m.; rates, ship service,

10 c. per word; station operated and controlled by R. C. of A.

NEW YORK, N. Y. (WSE).—Rates, effective April 1, all ship traffic, 10 c. per word.

OMAHA, NEBR.—Station operated and controlled by Metropolitan Utilities District.

ROCHESTER, N. Y.—Range, 100.

SAN DIEGO, CALIF.—System, composite (v. t. telephone); w. l., 360; hours, 7.30-9

p. m.

SAN FRANCISCO, CALIF. (KDN).-W. 1., 360, 485.

SAN FRANCISCO, CALIF. (KGB).—Strike out all particulars.

SAN FRANCISCO, CALIF. (KUO).-Hours, X.

Siasconset, Mass.—W. 1., 300, 600, 1610 (1610 meters used for limited commercial service between stations of the R. C. of A.).

Toleno, Onto (WDZ).—Strike out all particulars.

Tuckerton, N. Y .- W. I., 15,900; rates, to France, 14 c. per word.

Washington, D. C. (WDM).-Hours, 10 a. m.-12.30 p. m. and 7-9.30 p. m.

COMMERCIAL SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS.

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1921, and to the International List of Radiotelegraph Stations, published by the Berne bureau.]

ABRON.—System, Navy-R. C. of A., 1000; w. l., 300, 450, 600; hours, X.

Admiral Rodman.—System, R. C. of A., 1000.

AGWIBAY.—Range, 200; system, I. W. T. Co., 1000; w. l., 300, 600; hours, X.

AJAX.—Strike out all particulars.

Ala.—Station operated and controlled by S. O. R. S.

ALASKAN.—Range, 300; w. 1., 300, 450, 600; rates, North and South American and transoceanic services, 8 c. per word.

Allianca.—Hours, X; rates, North and South American service, 4 c. per word.

Alloway. -- System, Navy, 1000; w. I., 300, 450, 600; hours, X.

AMPETCO.—Strike out all particulars.

Anacortes.—System, Navy-Kilbourne & Clark, 1000; w. l., 300, 450, 600; hours, X. Asher, J. Hudson.—Sabine Towing Co. owner of vessel.

BARTHNEY.—Name changed to De Bardeleben; W. G. Coyle & Co. owner of vessel.

BETHORE.—Range, 300; system, R. C. of A., 1000; w. 1., 300, 600.

BOGOTA.-Range, 200; system, Navy-Simon, 1000; w. 1., 300, 600.

Bristol.—Coastwise Transportation Co. owner of vessel.

CAMBRIDGE (KGR).—Rates, North and South American and transoceanic services, 8 c. per word,

CARPLAKA.—Range, 300; system, Navy-R. C. of A., 1000; w. l., 300, 450, 609.

CATHAY.—Station operated and controlled by R. C. of A.

CELESTIAL.—Station operated and controlled by I. W. T. Co.

CERRO-EBANO.—Range, 300; system, R. C. of A., 1000.

Chamberino. - System, Navy-Marconi, 1000; w. 1., 300, 450, 600.

Chattanooga.—Range, 300; system, Navy-R. C. of A., 1000; w. l., 300, 450, 600.

Crry or Lowell.—Range, 150; system, Cutting & Washington, 1000; w. l., 300, 530, 600; hours, X; rates, North and South American and transoceanic services, 8 c. per word; station operated and controlled by I. W. T. Co.

COAKET.—System, Navy-Lowenstein, 1000; w. l., 300, 450, 600.

CLIFFWOOD.—W. 1., 300, 450, 600.

COLON.—Rates, strike out transoceanic rate.

COMMACK.—Range, 300; system, Navy-Wireles Specialty Apparatus Co., 1000; w. l. 300, 450, 600.

Commercial Pilot.—Strike out all particulars.

Concord.—Rates, North and South American and transoceanic services, 8 c. per word.

Cordova.—System, Kilbourne & Clark, 1000.

CRABTREE.—System, Navy-Marconi, 1000; w. l., 300, 450, 600.

Craigsmere.—System, Navy-Marconi, 1000; w. 1., 300, 450, 600.

CRANENEST.—System, Navy-Marconi, 1000; w. 1., 300, 450, 600.

CRAWL KEYS .- System, Navy-R. C. of A., 1000.

Cuba (KDRT).—Range, 150; system, R. C. of A., 1000; w. l., 300, 450, 600.

DAVID McKelvy.—Range, 300; system, R. C. of A., 1000.

DELAWARE Sinc.—Range, 300; system. R. O. of A., 4990; w. L. 300, 450, 899.

Dixie Arnow. - Range, 300; system, R. C. of A., 1000; w. I., 800, 800; hours, X.

Duylers. Range, 800; system, Federal are, w. L., 200, 690, 1800.

EASTRANES.—System, Navy-Wireless Speciality Apparatus Co., 1999; w. 1., 300, 450, 600; nours, X.

Ease Wine. System, Navy-Marconi, 1000; w. 1., 200, 460, 2007 hours, X.

Emskern...—System. Navy-Lowenstein, 1000; w. I., 300, 450, 660.

Busenigs.--W. L. 300, 450, 600.

PEDERAL. Range. 300; system. Westinghouse, 100; w. J., 300, 450, 600; rates, North and South American and transoceanic services, 8 c. per word; station operated and controlled by owner of vessel.

Gangney.—W. 1., 300, 450, 600.

GARDIELD. ---Range, 200; system, Navy-R. O. of A., 1060.

Geadral G. W. Golffials. Range, 200.

Georgian.—W, 1., 300, 450, 490.

Giadysber-Hange, 300; system, Navy-Marconi, 1000; w. .., 300, 450, 666; rates, North and South American and transcessable services, 4 c. per word.

-9-гиомп.—**Range,** 200.

HAGOOD.---Sange, 300; system, Navy-R. C. of A., 1000. [

Плиатомка. Range, 500; aystem. Navy, 1000; w. l., 300, 4%, 600.

Thaman.—Range, 300; system, Federaliarc, v. 1., 300, 609, 1800; station operated and controlled by S. O. R. S.

Hampers. Goastwise Transportation Co., owner of vessel.

HANNAWA.—Range, 300; system, Federal src, w. 1., 260, 809, 1800.

Hammy Luguennach.—Range, 300; system. Kilbourne & Gark, 1000; w. 1., 500, 525, 500; rates. North and Footh American and transpression nervices, fig. per word.

Henzent L. Pratt.—Range, 300; system, Navy-Lowenstein, 2000.

HERMAN PRASOH.—Range, 200; system, Kilbourne & Clark, 200; w. 1., 300, 450, 600; rates, North and South American and transoccanic services, 3 c. per word.

Полуки.—System, Navy-Simon, 1000.

Inspernment,—Strike out all particulus.

JACONA.—System, Navy, 1000; w. l., 300, 460, 690.

йылы.—Ванде, 200; system, І. W. Т. Co., 1990.

Joue c —Range, 300; system. Navy-Wireless Specialty Appearains Co., 1000; w. 1, 800, 800, 800.

Karistala Lockbudach. Range, 300; system, Kilbourne & Clark, 1000; w. 1., 300, 450, 690; rates, North and South American and transcovering services, 8 c. per word.

Lare Freezendur.—System, Navy-R. C. of A., 1000 - w. I., 300, 450, 290.

Untitioners, Bates, North and South American and transpersable services, 8 c. per word.

Linears.—Rates, North and South American and transoceanic services, 8 c. per word.

Lightweet Range, 300; system, Navy, 1000; w. t., 500, 450, 600; rates. North and South American and transuccanic services, 4 c. per word.

Manstowool.—Range, 200; w. l., 200, 860, tates, North and South American and transcocanic services, 8 c. per word; Manitowool S. S. Corp., owner of vessel.

Minimizaria. Guastwina Transportation Co., oviner of vessel.

Moнawk (KNR).—Range, 100; system, Cutting & Washington, 1000, rates, North and South American services, 8 с. per word; station operated and controlled by I. W. T. Co.

MOHRSAN.—Range, 150; system, Cutting & Washington, 1000; w. 1., 300, 430, 530, 600; hones, X; rates, North and South American and transposantic services, 8 c. per word; station operated and controlled by J. W. T. Co.

Моровароми — W. I., 800, 800, 600π Бенга, X.,

MOUNT SIDNEY.—Strike out all particulars.

MOUNT SUMMIT .- Strike out all particulars.

Munisla.—System, Navy-Kilbourne & Clark, 1000; w. l., 300, 600.

NANTASKET.-W. 1., 300, 450, 600. Nebraskan.—Station operated and controlled by owner of vessel.

New England.-Range, 300; system, Navy, 1000; w. 1., 300, 450, 600.

New Hampshire.—Station operated and controlled by I. W. T. Co.

NISHMAHA.—System, Navy-Kilbourne & Clark, 1000; w. 1., 300, 450, 600.

NORFOLK.—Coastwise Transportation Co., owner of vessel. OHIOAN.—Rates, North and South American and transoceanic services, 8 c. per word.

OKLAHOMA CITY.—Range, 300; system, Navy-Lowenstein, 1000; w. 1., 300, 450, 600. OPELIKA.—System, Navy-R. C. of A., 1000; w. l., 300, 450, 600.

Орнів.-- W. 1., 300, 450, 600.

OSAGE.-W. 1., 300, 600. OSAKIS.—System, Navy-R. C. of A., 1000; w. 1., 300, 450, 600.

OZETTE.—System, Navy-R. C. of A., 1000; w. l., 300, 450, 600.

PAN AMERICA.—Station operated and controlled by S. O. R. S.

Panuco (KMM).-Range, 300; system, R. C. of A., 1000; w. l., 300, 450, 600.

Peninsula State.—Range, 500; system, Federal arc; w. 1., 300, 450, 600, 1800;

station operated and controlled by S. O. R. S.

PLYMOUTH (KXH).—Range, 100; system, Cutting & Washington, 1000; w. 1., 300, 450, 530, 600; hours, X; rates, North and South American and transoceanic services,

8 c. per word; station operated and controlled by I. W. T. Co.

POINT LOMA.—Range, 300.

PRINCETON.—Range, 300; system, R. C. of A., 1000. PROVIDENCE.—Range, 150; system, Cutting & Washington, 1000; w. l., 300, 450, 550,

600; hours, X; rates, North and South American and transoceanic services, 8 c. per word; station operated and controlled by I. W. T. Co.

PUGET SOUND .- System, Navy-R. C. of A., 1000.

QUEEN.-System, R. C. of A., 1000; w. 1., 300, 600.

RADNOR.—System, Navy-R. C. of A., 1000; w. 1., 300, 470, 600; hours, X.

REDONDO (KYT).-Range, 300; w. 1., 300, 450, 600; hours, X.

RICHCONCAL.—Range, 300; system, Navy-Marconi, 1000.

ROCKAWAY PARK.—Station operated and controlled by I. W. T. Co.

SAN JUAN (KGJ).-Hours, X.

Santa Alicia.—Name changed to Edna Christenson.

SANTA FLAVIA.-Harry W. Crosby, owner of vessel.

Satartia.—Range, 300; system, Navy-Wireless Specialty Apparatus Co., 1000; w. l.,

300, 450, 600.

Scottsburg.—Station operated and controlled by R. C. of A.

Selma.—Strike out all particulars.

SILETZ.—System, Navy-Kilbourne & Clark, 1000.

Solana.—Range, 300; system, Federal arc, 1000 with chopper; w. l., 300, 600, 1800.

Steel Navigator.—Range, 300; system, R. C. of A., 1000; w. 1., 300, 450, 600.

Suppole.—Coastwise Transportation Co., owner of vessel. Susquehanna (KOLN).—Station operated and controlled by I. W. T. Co.

SWIFTSTAR.—Range, 300; system, R. C. of A., 1000; w. l., 300, 450, 600.

Tamesi.—Range, 300; system, R. C. of A., 1000; w. l., 300, 450, 600.

TOPILA.-W. 1., 300, 450, 600.

Toteco.-W. 1., 300, 460, 530, 600.

Transportation.—Coastwise Transportation Co., owner of vessel. TRIUMPH.—System, Navy-Wireless Specialty Apparatus Co., 1000; w. l., 300, 450, 600.

WAHKEENA.—Range, 200; system, Gray & Danielson, 240.

WALDEN.—System, Navy-R. C. of A., 1000; w. l., 300, 450, 600; hours, X.

```
WALTER D. MUNSON.—Range, 150; system, R. C. of A., 1000; w. 1., 300, 600.
```

WARD.-Range, 200; system, Navy-Kilbourne & Clark, 1000; w. l., 300, 450, 600.

Wekika.—Range, 300; system, Navy-Lowenstein, 1000; w. l., 300, 450, 600.

West Apaum.—System, Navy-Kilbourne & Clark, 1000; w. l., 300, 450, 600; hours, X.

West Cavanal.—System, Navy-Lowenstein, 1000; w. l., 300, 450, 600.

West Cohas.—System, Navy-Kilbourne & Clark, 1000.

WEST COMPO.—System, Navy-Wireless Specialty Apparatus Co., 1000; w. I., 300, 450, 600.

West Corum.—System, Navy-Lowenstein, 1000; w. 1., 300, 450, 600.

West Eldara.—System, Navy-Marconi, 1000; w. l., 300, 450, 600; hours, X.

Western Hope.—System, Navy-Wireless Specialty Apparatus Co., 1000; w. l., 300, 450, 600; hours, X.

Western Knight.—System, Navy-Lowenstein, 1000; w. 1., 300, 450, 600.

WEST GAMBO.—System, Navy-Kilbourne & Clark, 1000; w. l., 300, 450, 600; hours, X.

WEST INSKIP.—System, Navy, 1000; w. l., 300, 450, 660.

WEST IRA .- System, Navy-Kilbourne & Clark, 1000; w. 1., 300, 450, 600.

WEST LASHAWAY .- Hours, X.

WEST SAGINAW.—Range, 200; system, Navy-Kilbourne & Clark, 1000; w. 1., 300 450, 600.

West Totant.-System, Navy-Lowenstein, 1000; w. l., 300, 450, 600.

W. H. TILFORD.—Range, 300; system, R. C. of A., 1000; w. I., 300, 450, 600.

WILLIAM A. WHITNEY .- Strike out all particulars.

WILLIAM M. MILLS.—Range, 150; rates, North and South American and transoceanic services, 8 c. per word.

Willsolo.—System, Navy-Marconi, 1000; w. l., 300, 450, 600.

WISLA .-- Range, 200; system, I. W. T. Co., 1000; w. l., 300, 600.

W. L. Connelly.—System, R. C. of A., 1000; w. I., 300, 450, 600.

ZAREMBO.—System, Navy-Kilbourne & Clark, 1000; w. 1., 300, 450, 600.

COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS.

KIZD, read De Bardeleben; KZC, read KOG; WBL, read WWJ; WSJ read Edna Christ. enson; strike out all particulars following the call signals KGB, KJC, KMAU, KOJ, KQP, KUKQ, KUSS, WCK, WDZ, WMB, WPJ, and WPJ.

GOVERNMENT LAND STATIONS, ALPHABETICALLY BY NAMES OF STATIONS.

Annapolis, Md. (NAK).-Service, PG; rates, ship service, 6 c. per word.

ASTORIA, OREG.-Loc. 0.123° 50′ 51", N. 46° 11′ 05".

Balboa, C. Z.-Loc. 0.79° 46′ 20″, N. 09° 07′ 15″.

BAR HARBOR, Mr. (regular station).-Loc. 0.68° 18' 00", N. 44° 14' 15".

BOSTON, MASS. (WYCA).—Call signal changes to WVO.

CAPE MALA, PANAMA.—Loc. 0.79° 59′ 30″, N. 07° 27′ 30″.

CAPE MAY, N. J.—Loc. 0.74° 55′ 46″, N. 38° 55′ 50″.

CAYRY, P. R.—Loc. 0.66° 09' 50", N. 18° 07' 10".

Charleston, S. C.—Loc. 0.79° 57′ 49″, N. 32° 51′ 36″.

Chatham, Mass.-Loc. 0.69° 58' 56", N. 41° 42' 11".

Coco Solo, C. Z.—Service, 0; hours, N.

COLON, C. Z.—Loc. 0.79° 54′ 01″, N. 09° 21′ 56″; service, PG; rates, ship service, 6 c. per word.

Cordova, Alaska.—Loc. 0.145° 25′ 30″, N. 60° 28′ 30″.

DUTCH HARBOR, ALASKA.-Loc. 0.166° 33' 07", N. 53° 53' 14".

EAGLE HARBOR, MICH.—Loc. 0.88° 08' 45", N. 47° 27' 49".

EUREKA, CALIF.-Loc. 0.124° 16' 24", N. 40° 41' 45".

FORT BENJAMIN HARRISON, IND.—Call signal changed to WVS.

FORT CROOK, NEBR.—Strike out all particulars.

FORT D. A. RUSSEL, WYO.—Call signal changed to WVW.

FORT DOUGLAS, UTAH.—Call signal changed toWVX.

FORT DRUM, P. I.—Call signal changed to WUAL. FORT HOWARD, MD.—Call signal changed to WVQ.

FORT McPherson, Ga.—Call signal changed to WVR.

FORT SHERIDAN, ILL.—Strike out all particulars.

FORT WINT, P. I.—Call signal changed to WUAK.

FORT WOOD, N. Y.—Strike out all particulars.

Guantanamo, Cuba.—Loc. 0.75° 08′ 35″, N. 19° 54′ 38″.

HEEIA POINT, HAWAII.—Read Honolulu, Hawaii (Heeia Point); loc. 0.157° 58′ 00″ N. 21° 26′ 45″.

Honolulu, Hawaii (Pearl Harbor).—Loc. 0.157° 58′ 00″, N. 21° 20′ 45″.

JEFFERSON BARRACKS, Mo.—Call signal changed to WVV.

Juneau, Alaska.—Loc. 0.134° 24′ 45″, N. 58° 18′ 35″.

JUPITER, ALASKA.—Loc. 0.80° 05′ 02″, N. 26° 56′ 54″.

Ketchikan, Alaska.—Loc. 0.131° 38′ 51″, N. 55° 20′ 45″.

KEY WEST, FLA.-Loc. 0.81° 48' 21", N. 24° 33' 22".

Kodiak, Alaska.—Loc. 0.152° 21′ 45″, N. 57° 46′ 45″.

LAKEHURST, N. J.-Loc. 0.74° 19′ 48″, N. 40° 02′ 15″.

LA PALMA, PANAMA.-Loc. 0.78° 08' 30", N. 08° 26' 00"; service, PG; rates, ship service, 6 c. per word.

MACKINAC ISLAND, MICH.—Service, PG; rates, ship service, 3 c. per word.

Managua, Nicaragua.—Loc. 0.86° 17′ 00″, N. 12° 17′ 00″.

Manila, P. I.—Call signal changed to WUAJ.

Manistique, Mich.—Loc. 0.86° 15′ 36", N. 45° 57′ 36"; service, PG; rates, ship service, 6 c. per word.

Marshfield, Oreg.—Loc. 0.124° 13′ 33″, N. 43° 20′ 38″; service, 0.

Miami, Fla.—Loc. 0.80° 07′ 43″, N. 25° 47′ 56″.

MOBILE, ALA.—Service, PG; rates, ship service, 6 c. per word.

MOREHEAD CITY, N. C.—Loc. 0.76° 44′ 00″, N. 34° 43′ 30″; service, PG; rates, ship service, 6 c. per word.

NAVAL ACADEMY, MD. (NAK).—See Annapolis, Md.

NAVASSA ISLAND, WEST INDIES.-Loc. 0.74° 01′ 00", N. 18° 24′ 00"; service, PG; rates, ship service, 6 c. per word.

New Orleans, La. (NAT).—Loc. 0.90° 01′ 54″, N. 29° 56′ 51″.

NEWPORT, R. I.-Loc. 0.71° 17' 00", N. 41° 35' 20".

New York, N. Y.-Loc. 0.73° 58′ 48″, N. 40° 41′ 58″.

NORFOLK, VA.-Loc. 0.76° 17′ 43″, N. 36° 49′ 36″.

NORTH HEAD, WASH:-Loc. 0.124° 04' 31", N. 46° 17' 56".

OLONGAPO, P. I.-Loc. 0.120° 16′ 49" E., N. 14° 49′ 78"; service, PG; rates, ship service, 6 c. per word.

PARRIS ISLAND, S. C.-Loc. 0.80° 40′ 22″, N. 32° 21′ 01″.

Peking, China.—Loc. 0.116° 47′ 00″ E., N. 39° 55′ 00″.

Petersburg, Alaska.—Strike out all particulars.

PHILADELPHIA, PA.—Loc. 0.75° 10′ 50″, N. 39° 53′ 20″.

Pensacola, Fla.-Loc. 0.87° 16′ 10″, N. 30° 20′ 53″.

POINT ISABEL, TEX.-Loc. 0.97° 12′ 33″, N. 26° 04′ 10″.

PORT AU PRINCE, HAITI.-Loc. 0.72° 19' 52", N. 18° 33' 18". PORTLAND, ME.-Loc. 0.70° 12′ 08″, N. 43° 33′ 54″; service, 0.

PORTSMOUTH, N. H.—Service, 0.

Puget Sound, Wash.-Loc. 0.122° 37' 03", N. 47° 41' 46".

Puerto Obaldia, Panama.—Loc. 0.79° 13′ 00″, N. 09° 33′ 00″; service, PG; rates, ship service, 6 c. Per word.

```
Quantico, Va.-Loc. 0.77° 17′ 15″, N. 38° 31′ 35″.
```

SAN DIEGO, CALIF.—Loc. 0.117° 14′ 49″, N. 32° 42′ 26″.

San Domingo, P. R.—Loc. 0.69° 53′ 15″, N. 18° 27′ 43″; rates, ship service, 6 c. per word.

SAN FRANCISCO, CALIF. (NPG).—Loc. 0.122° 22′ 52″, N. 37° 39′ 18″.

SAN FRANCISCO, CALIF. (WYCH).—Call signal changed to WVY.

SAN JUAN, P. R.-Loc. 0.66° 05' 40", N. 18° 28' 03".

San Pedro, Calif.-Loc. 0.118° 22′ 35″, N. 33° 57′ 48″.

SAVANNAH, GA.-Loc. 0.81° 06' 15", N. 32° 05' 15".

SAYVILLE, N. Y.-Loc. 0.73° 06' 12", N. 40° 44' 36".

Shanghai, China (WZI).—Strike out all particulars.

SITKA, ALASKA.—Loc. 0.135° 21′ 00″, N. 57° 02′ 57″.

St. Augustine, Fla.-0.81° 17′ 18″, N. 29° 53′ 10″.

St. Petersburg, Fla.-0.82° 38' 00", N. 27° 46' 15".

TATOOSH, WASH. (regular station).-Loc. 0.124° 44′ 03″, N. 48° 23′ 31″.

Tongshan, China.—Strike out all particulars.

VIRGINIA BEACH, VA. (regular station).—Strike out all particulars.

VLADIVOSTOK, Russia.—Loc. (approximately) 0.131° 48′ 00″ E., N. 43° 00′ 00″; w. l., 3950, variable; service, 0; hours, N.

Washington, D. C. (Arlington, NAA).—Loc. 0.77° 04′ 47″, N. 38° 52′ 05″.

Washington, D. C. (Navy Yard, NAL).-Loc. 0.76° 59' 46", N. 38° 52' 22".

GOVERNMENT SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS.

West Lewark.—Name changed to Meigs.

GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS.

NAK, read Annapolis, Md. (Naval Academy); NPM, read Honolulu, Hawaii (Heeia Point); WJD, strike out all particulars; WVI, strike out all particulars; WVP, read WUAL; WVR, read WUAK; WVU, read WUAJ; WXD, read Meigs; WYCA, read WVO; WYCB, strike out all particulars; WYCC, read WVQ; WYCD, read WVR; WYCE, read WVS; WYCF, strike out all particulars; WYCG, strike out all particulars; WYCH, read WVY; WYCI, read WVV; WYCJ, read WVX; WYCK, read WVW; WZI, strike out all particulars.

SPECIAL LAND STATIONS, BY NAMES OF STATIONS.

Anthony, Kans. (9ZAC).—Station controlled by T. & H. Radio Co.

Belfast, Mr. (1XR).—Strike out all particulars.

Boise, Idaho (7YA).—Address, Boise High School.

BOZEMAN, MONT. (7XB).—W. l., variable from 200 to 375.

Burley, Idaho (7YF).—Strike out all particulars.

BUFFALO, N. Y. (8XAD).—Station controlled by Federal Telephone & Telegraph Co., 1738 Elmwood Avenue.

Defiance, Ohio (8ZY).—Address, 1000 Wilhelm Street.

EL Paso, Tex. (5ZAD).—Address, 811 North Oregon Street.

Franklinton, La. (5ZK).-W. 1., 200, 375.

Fresno, Calif. (6ZU).—Address, 100 Olive Avenue.

Hampton, N. H. (1XY).—Strike out all particulars.

HIGHLAND PARK, MICH. (8XAF).—Address, 396 Monterey Avenue.

Houston, Tex. (5ZAA).—Address, R. F. D. No. 3, Box 29-B, Bellaire Boulevard.

Houston, Tex. (5ZX).—Address, 2504 Bagby Street.

KNOXVILLE, TENN. (5XK).—W. 1., variable from 200 to 375.

MEDFORD, MASS. (1XE) .- Read Medford Hillside, Mass.

MEDIA, PA. (3ZM).-W. 1., 200, 375.

MINNEAPOLIS, MINN. (9ZT).—W. l., 150, 200, 375; address, 402 Courthouse Building. MOUNT CLEMENS, MICH. (8XAE).—W. l., 200, 375.

MULGA, ALA. (5ZY).—Strike out all particulars.

New Haven, Conn. (1ZC).—Strike out all particulars.

PHILADELPHIA, PA. (3ZG).—Address, 3936 Locust Street.

Pittsburgh, Pa. (8XK).—Address, 7712 Pennsylvania Avenue.

POLYTECHNIC, MONT. (7XD).—Strike out all particulars.

PORTLAND, OREG. (7XA).—Strike out all particulars.

RICHFIELD, UTAH. (6ZH).—Strike out all particulars.

RICHMOND, VA. (3ZP).-Address, 2112-East Clay Street.

SAN DIEGO, CALIF. (6XZ).—Strike out all particulars.

San Francisco, Calif. (6XT).—Read Vernon, Calif.; address, 604 Mission Street, San Francisco, Calif.

Sanford, Fla. (5ZH).—Strike out all particulars.

SCHENBCTADY, N. Y. (2XQ).-W. 1., 200, 375, variable.

South Manchester, Conn. (1XT).—Strike out all particulars.

South San Antonio, Tex. (5XI).—Station controlled by Max E. Schneider, Kelly Field, Tex.

Tucson, Ariz. (5YP).—Call signal changed to 6YB.

WASHINGTON, D. C. (3ZW).-W. I., 100, 150, 200, 250.

MISCELLANEOUS.

LOCALIZED RADIO LANDING SIGNALS FOR AIRPLANES.

Radio direction finders and other radio devices have been in use for some time to assist airplanes to land during the night, during fog, or at other time of poor visibility. The most usual method of using radio for this purpose is to transmit from an ordinary elevated antenna at the landing field radio signals which are received on a direction finder located on the airplane. On small planes the direction finder may be simply a coil of wire wound on the fuselage; in larger planes a small rotatable coil may be mounted vertically aft in the plane. This method gives the direction of the landing field, but does not give accurate information as to its distance when the plane is near the landing field.

Several years ago the Bureau of Standards was called upon to develop a method to assist airplanes to accurately locate the landing field when the airplane was quite near. It was desired to develop a method which would give a good signal which would be easily audible over a comparatively large area when the airplane was at comparatively high altitudes, but would be localized within a small area when the airplane was near the ground. The accurate location of the landing field is very important when near the ground.

A method of induction signaling was first tried, using 500-cycle alternating current. This current flowed through a large horizontal single-tury coil, 600 by 800 feet, at the landing field. The coil was tuned to 500 cycles, so that a large current flowed. For the induction signaling the reception on the airplane was made using horizontal coils wound on the lower wings of the airplane. It was found that this method gave a signal which was audible over a wide area when the airplane was near the ground, but was confined to a small area when the airplane was at an elevation of about a mile. This was not satisfactory.

The use of radio-frequency waves was therefore undertaken. Two horizontal coils were placed one above the other. The coils were identical in construction, and placed so that their axes coincided. The current in one coil flowed in a direction opposite to the current in the other coil. A fairly high radio frequency, suitable for direction-finding work, such as 300 kilocycles, was used.

A calculation was made which indicated that the signals radiated from the two coils would be strongest for an airplane flying in a given horizontal plane, whenever the plane was inside a comparatively small ring-shaped area located above the landing field. After the coils had been constructed a careful experimental investigation was made under actual flying conditions, and the results of this calculation were verified. Signals were received on the airplane only when it was nearly above and in the immediate vicinity of the landing field. A Curtiss Type R plane was used for the experimental work for both the induction signaling and the radio signaling.

The Bureau of Standards has just published a paper giving the theory of the radiation from an antenna consisting of two horizontal coils, as used in this work. It is found that if a vertical coil antenna is used for reception on the airplane and if the airplane flies horizontally, the maximum signal is received when the line joining the airplane to the transmitting coils makes an angle of 30° with the vertical, assuming that the effect of the earth is negligible. The region of space within which the signal can be detected by receiving instruments of given sensibility has nearly the form of the space between two inverted coaxial vertical circular cones of finite length having their common apex at the transmitting station. The upper limit of the region within which the signal is audible depends on the sensitivity of the receiving apparatus and is not as clearly defined as the bounding conical surfaces. The signal vanishes when the airplane is directly over the transmitting station, and vanishes rather soon after the airplane passes over the region of maximum signal and flies away from the transmitting station.

The effect on the transmission of having a perfectly conducting earth directly under the transmitting coils has also been investigated, and it has been found that in this case a maximum signal is obtained when the line joining the airplane to the transmitting station makes an angle of 26° 34′ with the vertical. It is expected that these theoretical studies will be very useful in the design of radio transmitting stations for sending localized landing signals to airplanes.

The results of these investigations are given in Bureau of Standards Scientific Paper No. 431, "The Field Radiated from Two Horizontal Coils," by Gregory Breit. A copy may be purchased for 5 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C.—Submitted by Bureau of Standards.

A RADIO RELAY RECORDER.

Recording devices have been used for many years in wire and cable telegraphy, but it has only been within the last few years that their use has been extended to radiotelegraphy. The very small amount of energy in a received radio signal, usually only a few microwatts, has made it difficult to construct recorders which would operate from radio signals.

In the last few years several devices have been developed for recording radio signals. One type is photographic and is expensive in operation. Another type uses a sensitive air jet. A third is an electron tube device which operates at the critical point of the characteristic curve of the tube, where the tube is just on the verge of oscillation. These are all very sensitive devices and are designed to operate on currents of a milliampere or less. Their mechanical systems are therefore delicate and require careful adjustment. In some types very sensitive relays are used.

There has recently been developed at the Bureau of Standards a type of recorder which differs from those heretofore available, in that larger currents of the order of 5 milliamperes or more are used, and the whole apparatus is therefore more rugged. Currents of this strength are obtained by amplifying the feeble received signals by the use of the electron tube amplifier. Electrical tuning to the audio frequency which is being received is employed. This relay has been made possible by the development of the electron tube amplifier as a reliable radio instrument suitable for use in engineering practice and not simply as a laboratory instrument. With a cur-

rent of 5 milliamperes or more available, it is possible to use an ordinary telegraph relay, which possesses rugged construction and does not require careful and repeated adjustment for operation. With 5 milliamperes a strong and positive action is obtained.

The received signal after amplification is delivered through a tuned audio-frequency transformer to the plate circuit of an electron tube in which is connected the windings of a high-resistance telegraph relay. A condenser having a capacity of about 1 microfarad is shunted across the relay windings. The movement of the armature of the relay may be made to operate any desired mechanism, such as the usual inktape register or other apparatus. The relay may therefore be used for remote control of boats or other vehicles.

The selectivity of the apparatus is greatly increased by the use of audio-frequency tuning of the secondary circuit of the input transformer. This makes duplex operation possible. By the use of two such relays operated in series from the output of the same amplifier, simultaneous records have been made of two messages sent at the same time on slightly different wave lengths. On a double-pen register, with one antenna, simultaneous records have been made of the marking wave and the spacing wave of Annapolis by proper audio-frequency tuning.

This relay has been so constructed that all of the power required for operating the electron tube circuits may be obtained from lighting mains carrying 110-volt, 60-cycle, alternating current. If such alternating current power is not available, the relay is also constructed so as to operate from batteries connected to the proper

terminals provided for this purpose.

This device has many applications:

 Code messages may be received on tape, and the necessity for an experienced operator therefore eliminated. News, market, and weather reports and other material broadcasted by radiotelegraph at fairly high speeds may be received on tape and read by an operator of comparatively little experience.

2. A call system may be used, thus avoiding the necessity of a constant watch

being kept by an operator.

 In line-radio telegraphy a sounder may be operated from the signal transmitted by radio-frequency currents, thus making it unnecessary for the Morse operator to read signals received on a telephone receiver.

4. Any form of mechanism may be operated by radio for the remote control of a moving body. Thus this relay can be used for controlling an automobile, a boat, or an airplane.

By means of two recorders of this type connected in series simultaneous reception may be made of two messages on the same antenna.

Interference from strays is somewhat reduced by the audio-frequency tuning.

A complete description of this recorder may be found in a paper by F. W. Dunmore, "A relay recorder for remote control by radio," published in the April (1922) issue of the Journal of the American Institute of Electrical Engineers.—Submitted by Bureau of Standards.

ELEMENTARY RADIO PUBLICATIONS.

The Signal Corps has published two pamphlets which will be found of interest by any person who desires an elementary discussion of electricity and radio.

Signal Corps Radio Communication Pamphlet No. 1, "Elementary Principles of Radio Telegraphy and Telephony," is a pamphlet of 79 pages which presents in simple language the fundamental principles of radio communication and discusses the operation of the more important methods and apparatus for transmitting and receiving, including spark gaps, arcs, electron tubes, crystal detectors, regenerative reception, and radio telephony. The use of the electron tube as a generator, detector, and amplifier, and in beat reception, is discussed. No mathematics is used. The pamphlet contains 56 explanatory figures, many of which are circuit diagrams. A

copy of this pamphlet may be purchased for 10 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C.

Signal Corps Training Pamphlet No. 1, "Elementary Electricity," is a pamphlet of 52 pages which presents the fundamental facts of electricity and magnetism. It includes discussions of the flow of the electric current, the action of electric charges, the magnetic field, electromagnetism, batteries, and the action of dynamos. There are 37 explanatory figures and a number of illustrative problems. A copy may be purchased for 15 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C.—Submitted by Bureau of Standards.

A METHOD OF MEASURING COIL CAPACITIES AND STANDARDIZING WAVE METERS.

In any laboratory in which accurate radio measurements are made it is important to have available exact methods of measuring and comparing frequencies. A method of accomplishing this result has been developed at the Bureau of Standards.

This paper describes a method of adjusting the frequencies of two alternating currents accurately to a ratio which is known. It may be used for the measurement of capacities of inductance coils and for standardizing wave meters, because in both of these an accurate knowledge of frequencies is required.

It is often observed that if a detector is placed in the neighborhood of two radiofrequency electron tube generating sets a musical note is heard in a pair of telephone receivers connected in the detector output even if the frequencies of the two generating sets are not near equality. A measurement of the frequencies of both generating sets reveals the fact that if the note is heard the ratio of the frequencies is very nearly that of two small whole numbers. The reason which makes the musical note appear when the two frequencies are nearly in this ratio is the distortion in the current of the detector circuit caused by the rectifying properties of the detector and at times the distortion of the wave form of the oscillator itself—that is, the action of the detector is to introduce various harmonics. The method used depends on this fact.

The harmonics produced by a circuit of adjustable frequency are made to give beats with the fundamental of a circuit of fixed frequency. The beats are rectified and amplified and are heard as a musical note. When the beat frequency is zero, the ratio of the frequencies is exactly a whole number. This whole number may be made very large, as, for example, 100.

The paper describes the method in detail, and gives applications to frequency standardization and the measurement of coil capacities.—Submitted by Bureau of Standards.

VIOLATION OF REGULATIONS.

A number of complaints of violation of article 2 of the International Convention Service Regulations by radio operators on board American vessels have been recently received from Canadian direction-finding stations. This article prohibits the use of 800 meters for commercial traffic; 800 meters should be used only for obtaining radio compass bearings.

The attention of all ship radio operators is invited also to article 35 of the Intertional Convention Service Regulations, which requires shipboard stations to transmit their messages to the nearest coast station. Several foreign land stations have reported American ship stations for violation of this regulation.

Any operator violating these regulations may have his license suspended or revoked.

ALASKAN STATIONS OPENED.

The following-named stations in Alaska opened for the season as follows:

Ikatan (KXW), March 14, 1922.

False Pass (KJL), March 13, 1922. Yakutat (KKA), March 16, 1922.

Port Walter, Alaska (KEQ), April 2, 1922.

Port Althorp, Alaska (KLW), Apiil 3, 1922.

DAILY POSITION OF VESSELS BY RADIO.

The following information was furnished by the assistant traffic manager of the Radio Corporation of America:

"Mariners are advised that their daily ship position reports may be forwarded

without charge if addressed to one of the radio stations given below:

Station.	Call signal.	. Station.	Call signa).
Chatham, Mass. (Cape Cod)	wsc	New York, N. Y	WNY WCY KPH

"Such reports are now being printed on the marine pages of several of the daily newspapers on the Atlantic and Pacific coasts."—From Hydrographic Bulletin, March 22, 1922.

DATE ON WHICH AN OBSTRUCTION IS SIGHTED.

The attention of shipmasters is invited to the fact that it is very desirable to know the date when ice and other obstructions reported by radio from ship to ship were sighted. Many reports of this kind come to the Hydrographic Office bearing only the date of the radiogram and lacking the date when the obstruction was seen. Cooperation in supplying this additional fact will assist the work of this office and will be thankfully appreciated.—From Hydrographic Bulletin, March 22, 1922.

CHANGE IN RATES FOR NAVAL STATIONS.

The notice regarding "Change in rates for naval stations," published in the Radio Service Bulletin for September, 1921, is canceled and the following should be substituted.

Effective November 1, 1921, the delivery rates for traffic destined to points in Panama via naval radio stations in the Canal Zone will be as follows: For the first 10 words (or fraction thereof), 20 cents. For each additional word in excess of 10, 1 cent per word. The foregoing are the land-line delivery rates and are in addition to the published rates for radio reception by the various naval radio stations in the Canal Zone.

RADIO WEATHER REPORT BY KARLSBORGS, SWEDEN, STATION.

From March 15, 1922, Karlsborgs Radio Station (call letters SAJ) will transmit daily at 12.15, G. M. T., on a 2,500-meter wave length, a weather report compiled by the Meteorologic-Hydrographic Office in Stockholm. The report is divided into four parts:

Part I.—Meteorological observations at 7, G. M. T., same day, from the following

seven stations:

Station.	Code letter.	Position.
Rost	Hs	Lat., 67° 30′ N.; long., 12° 04′ E. Lat., 61° 34′ N.; long., 4° 47′ E. Lat., 59° 18′ N.; long., 4° 53′ E. Lat., 57° 07′ N.; long., 8° 36′ E. Lat., 57° 38′ N.; long., 11° 36′ E. Lat., 55° 16′ N.; long., 14° 47′ E. Lat., 58° 23′ N.; long., 19° 11′ E. Lat., 62° 13′ N.; long., 17° 44′ E.

The observations, which are preceded by the word "Weatherreport," are transmitted in two groups of five symbols each for every station, thus: BBBDD FvTTS.

"BBB" signifies the barometer reading given in millimeters and tenths of millimeters.

"DD" signifies the direction of the wind, in points, reckoned from the north, as:

02-Wind from NNE.			18-Wind from SSW.
04—Wind from NE.			20—Wind from SW.
06—Wind from ENE.			22-Wind from WSW.
08—Wind from E.			24-Wind from W.
10—Wind from ESE.			25-Wind from WNW.
12—Wind from SE.			28-Wind from NW.
14—Wind from SSE.			30-Wind from NNW.
16-Wind from S.			32—Wind from N.
	00	Calm	

00-Calm.

"F" signifies the force of the wind according to the Beaufort scale, given in one symbol. When the force is over 9, the figure 9 is given and the real force is given at the end of the information for the station concerned, preceded by the word "storm"; for example, "Force 11, storm 11."

"v" signifies the weather at the time of observation, as:

0—Clear sky.	5—Rain.
1—Almost clear.	6—Snow.
2—Half clear.	7—Haze,
3—Almost overcast.	8—Fog.
4—Overcast.	9—Thunder.

"TT" signifies the air temperature in whole degrees. The temperature under 0° is given by increasing the number indicating the temperature by 50. For example, 01 signifies $+1^{\circ}$; 51 signifies -1° , etc.

"s" signifies the state of the sea according to the following scale:

0—No swell, smooth sea.	5—Heavy swell, moderate sea.
1—Moderate swell, smooth sea.	6—Rather high sea.
2—Heavy swell, smooth sea.	7—High sea.
3—No swell, moderate sea.	8—Very high sea,
4—Moderate swell, moderate sea.	 Extraordinary high sea.
	-

The letter "x" will replace a symbol to indicate missing data.

Example of Part I:

- "Weatherreport R 67020 60515
- "K 65808 50573 U 65520 10582
- "Hm 62404 4461x V 62004 3166x
- "Hs 56232 2661x G 59204 8364x" means:

"The following observations were made to-day at 7 a. m., G. M. T.

Point of observation.	Barom-	Direction:	Force.	Weather.	Tem- pera- ture.	State of the sea.
Rost	767. 0 765. 8 765. 5 762. 4 762. 0 756. 2 759. 2 (No reg	SW. E. SW. NE. NE. NE. Oorts.)	6 5 1 4 3 2 8	Clear	- 1° - 7° - 8° -11° -16° -11°	Heavy swell, moderate sea. No swell, moderate sea. Heavy swell, smooth sea.

Part II.—Division by atmospheric pressure and changes of atmospheric pressure in Europe at 7, G. M. T., will be given the same day in a short report in the English language.

Part III.—Weather forecasts for the next 24 hours will be given for the following

four districts and preceded by the word "Forecasts":

Eastern part of the North Sea (code letter), N.

West coast of Sweden (code letter), V.

Baltic Sea (code letter), Oe. Gulf of Bothnia (code letter), B.

It will be given in groups of symbols, thus: "ddynt" for each district.

"dd" signifies the forecast of the wind according to the following table:

	From a direction between—								
Wind.	NE.	NESE.	ES.	SESW.	sw.	swnw.	wN.	NWNE.	Varia- ble.
Light Moderate Fresh Strong Storm	01 02 03 04 06	08 07 08 09 10	11 12 13 14 15	16 17 18 19 20	21 22 23 24 26	26 27 28 29 30	31 32 33 34 35	36 37 38 39 40	41 42 43 44 45

00-Very light wind or calm.

"y" signifies forecasts regarding changes in the wind's force, or strength, according to the following table:

- 0—No change can be given.
- 1—Unchanged.
- 2—Increasing.
- 3—Decreasing.
- 4—Shifting to the right.

- 5—Shifting to the left.
- 6—Gradually increasing.
- 7—Gradually decreasing.
- 8—Gradually shifting to the right. 9—Gradually shifting to the left.
- "n" signifies forecasts regarding rainfall, according to the following scale:
 - 0—Clear weather.
 - 1—None or insignificant rainfall.
 - 2—Rainfall at a few places.
 - 3—Rainfall at scattered places.
 - 4—Rainfall at several places.
 - 5—General rainfall.

- 6—Showers at several places (snow in winter).
- 7—Showers at scattered places (snow in winter).
- 8-Showers at a few places (snow in winter.)
- 9—Probable fog.
- "t" signifies forecasts regarding changes of temperature, according to the following scale:
 - 0—Unchanged.
 - 1-Rising.
 - 2—Gradually rising.
 - 3—Falling.
 - 4—Gradually falling.
 - 5—About mean temperature.

- temperature 6—Above mean
 - (more than 3°);
 - mean temperature 7—Below. (more than 3°).
 - 8—Probable thaw.
 - 9—Probable frost.

The letter "x" will replace a symbol to indicate missing data.

Example of Part III:

- "Forecasts N 02812 V 03200 Oe 04250" means-
- "Forecasts until to-morrow noon:
- "Eastern part of the North Sea:
- "Moderate wind from a direction between north and east, gradually shifting to the right. None or insignificant rainfall. Temperature gradually rising.

- "West coast of Sweden:
- "Fresh wind between north and east, increasing. Clear weather. Temperature unchanged.
 - "Baltic Sea:
- "Strong wind between north and east, increasing. General rainfall. Temperature unchanged.
 - "Gulf of Bothnia:
 - "No report."

Part IV.—Storm warnings valid until 7 a. m., G. M. T., of the following day will be transmitted in a group of five symbols, thus: GGGGG

The group will be preceded by the word "Gale warning."

First symbol concerns the Skagerrak.

Second symbol concerns the Kattegatt.

Third symbol concerns the southern part of the Baltic,

Fourth symbol concerns the northern part of the Baltic.

Fifth symbol concerns the Gulf of Bothnia.

"g" signifies the storm warning according to the following scale:

- 0—No storm warning.
- 1-Gale (7-10 Beaufort) from a direction between north and west,
- 2-Gale (7-10 Beaufort) from a direction between south and west.
- 3-Gale (7-10 Beaufort) from a direction between north and east.
- 4—Gale (7-10 Beaufort) from a direction between south and east,
- 5—Gale (7-10 Beaufort) without given direction.
- 6-Storm (11-12 Beaufort) from a direction between north and west.
- 7-Storm (11-12 Beaufort) from a direction between south and west.
- 8-Storm (11-12 Beaufort) from a direction between north and east,
- 9-Storm (11-12 Beaufort) from a direction between south and east.

The letter "x" will replace a symbol to indicate missing data.

Example of Part IV:

- "Gale warning 3033x," means—
- "Storm warning valid until 7 a. m., G. M. T., to-morrow:
- "Skagerrak—Gale (7-10 Beaufort) from a direction between north and east.
- "Kattegatt-No storm warning.
- "South part of Baltic-Gale (7-10 Beaufort) from a direction between north and east.
- "North part of Baltic—Gale (7-10 Beaufort) from a direction between north and east.
- "Gulf of Bothnia—Missing data."
- B. When necessary, storm warnings and other dangers to navigation will be transmitted on a 600-meter wave length:

For Skagerrak From Gothenbergs Radio Station, call letters SAB, at 17 and For Kattegatt 22 G. M. T.

For South part of Baltic From Vaxholm Radio Station, call letters SAF, at

For North part of Baltic 16.50 and 21.50 G. M. T.

For Gulf of Bothnia from Harnösand Radio Station, call letters SAH, at 16.55 and 21.55 G. M. T.

The storm warnings, which are preceded by the signal —— —— (TTT), are transmitted in the English language.

The reports regarding light vessels, buoys, and wrecks, and information regarding ice and navigating conditions, will follow the Weather Report instead of at 20 G. M. T., in the order named.—From Hydrographic Bulletin, Mar. 29, 1922.

RADIO PRATIQUE FOR MERCHANT VESSELS.

The following is a copy of Circular No. 626-10, issued by the Executive Office, The

Panama Canal, February 17, 1922:

"Hereafter ships with clean bills of health, from noninfected ports, and without sickness on board, intending to transit the canal without taking supplies or stores of any kind or landing passengers or cargo, may be granted pratique by radio under the following conditions:

"(a) By making application therefor by radio between the hours of 8 a. m. and 4

p. m. Such application to state-

"(1) That the vessel has a clean bill of health and has no sickness on board.

"(2) Names of ports and places visited within the past ten days.

"(3) That the vessel intends to transit the canal without taking stores of any kind or landing passengers or cargo.

"(b) Radio will be addressed to Chief Quarantine Office, through port captain.

"(c) Pratique will not be considered as granted until reply has been received from port captain, 'Chief quarantine officer grants pratique.'"—From Hydrographic Bulletin, March 15, 1922.

REGULATIONS PERTAINING TO THE RADIO BROADCASTING OF WEATHER, CROP, AND MARKET INFORMATION.

 Forecasts, warnings, and weather reports issued by the Weather Bureau and crop and market reports issued or approved by the Bureau of Markets and Crop Estimates shall be broadcast only from radio stations authorized and licensed to do so by the Bureau of Navigation, Department of Commerce.

Broadcasting of weather forecasts and information and crop and market reports shall be confined to radio stations properly equipped for the work and operated by

persons holding a commercial second-class or a higher grade of license.

3. No plant will be licensed by the Bureau of Navigation to disseminate weather forecasts and information or crop and market reports, except on the approval of the Chief of the Weather Bureau and of the Chief of the Bureau of Markets and Crop Estimates, respectively.

 The call letter and location of the station and the official authenticity of the information shall be announced preliminary to each broadcast, and is approximately

as follows.

This is located at

The weather

forecast and reports issued by the U. S. Weather Bureau are as follows; or, market and crop reports, approved by the Bureau of Markets and Crop Estimates, are as follows:

5. The laws pertaining to the issuance of weather forecasts shall be observed. Viola-

tors of the following law will be prosecuted.

SEC. 61. Whoever shall knowingly issue or publish any counterfeit weather forecast or warning of weather conditions falsely representing such forecast or warning to have been issued or published by the Weather Bureau, United States Signal Service, or other branch of the Government service, shall be fined not more than five hundred dollars, or imprisoned not more than ninety days, or both. (Act of March 4, 1909, C 321, 35 Stat., 1088.)

6. All broadcasts shall be according to schedules approved by the Weather Bureau or by the Bureau of Markets and Crop Estimates. No forecasts based on a. m. observations shall be broadcast after 7 p. m. of the same day; no special warnings based on special observations shall be broadcast after midnight of the same day; and no forecasts or warnings based on p. m. observations shall be sent after 7*a. m. of the succeeding

day, 75th meridian time applying in all cases.

- 7. Stations authorized to broadcast official weather forecasts and information and crop and market reports will use a wave length of 485 meters unless otherwise licensed to do so by the Bureau of Navigation, Department of Commerce. This special wave length shall be used for no other purpose.
- License to broadcast weather forecasts and information and crop and market reports shall be revocable at any time that it may be in the public interest to do so.—
 Submitted by Department of Agriculture.

HOW CAN THE RADIO SERVICE BULLETIN BE MADE MORE VALUABLE TO YOU?

The Bureau of Navigation would like to have any practical suggestions which would be helpful in making this publication of greater value to its readers.

RADIO BROADCASTING.

At the present time two wave lengths are assigned for broadcasting—the wave length of 485 meters for Government reports, such as crop and market estimates and weather forecasts furnished by the Department of Agriculture; the wave length of 360 meters for important news, items, entertainment, lectures, sermons, and similar matter.

Stations conducting this service must have limited commercial licenses and be operated by radio operators licensed by the Department of Commerce holding commercial second-class licenses or higher.

Applications for licenses should be made through the radio inspector of the district in which the station is situated.

The radio inspection districts are as follows:

- Headquarters, Boston, Mass. (radio inspector, customhouse): Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut.
- Headquarters, New York, N. Y. (radio inspector, customhouse): New York (County of New York, Staten Island, Long Island, and counties on the Hudson River to and including Schenectady, Albany, and Rensselaer) and New Jersey (Counties of Bergen, Passaic, Essex, Union, Middlesex, Monmouth, Hudson, and Ocean).
- Headquarters, Baltimore, Md. (radio inspector, customhouse): New Jersey (all
 counties not included in second district), Pennsylvania (counties of Philadelphia,
 Delaware, all counties south of the Blue Mountains, and Franklin County), Delaware,
 Maryland, Virginia, District of Columbia.
- Headquarters, Savannah, Ga. (the work of this district is being performed by the radio inspector of the third district, customhouse, Baltimore, Md.): North Carolina, South Carolina, Georgia, Florida, Porto Rico.
- Headquarters, New Orleans, La. (radio inspector, customhouse): Alabama,
 Mississippi, Louisiana, Texas, Tennessee, Arkansas, Oklahoma, New Mexico.
- Headquarters, San Francisco, Calif. (radio inspector, customhouse): California, Hawaii, Nevada, Utah, Arizona.
- Headquarters, Seattle, Wash. (radio inspector, 2301 L. C. Smith Building): Oregon, Washington, Alaska, Idaho, Montana, Wyoming.
- Headquarters, Detroit, Mich. (radio inspector, Federal Building): New York (all counties not included in second district), Pennsylvania (all counties not included in third district), West Virginia, Ohio, Michigan (lower peninsula).
- Headquarters, Chicago, Ill. (radio inspector, Federal Building): Indiana, Illinois, Wisconsin, Michigan (upper peninsula), Minnesota, Kentucky, Missouri, Kansas, Colorado, Iowa, Nebraska, South Dakota, North Dakota.

AMATEUR RADIO OPERATOR'S LICENSE SUSPENDED.

First-grade amateur radio operator's license No. 22358 has been suspended for a period of three months on account of the holder of the license violating regulation 133, in that he failed to wait three months between examinations.

List of stations broadcasting market or weather reports (485 meters) and music, concerts, lectures, etc. (360 meters).

Owner of station.	Location of station.	Wave lengths.	sig
ama Power Co	Birmingham, Ala	360	ws
n. Preston D	Oakiand, Cam	360	KZ
dens Radio Laboratory	Altadella, Calli	360 360	W(
rican Radio & Research Corporation	Mediord filliside, mass	360, 485	w
nta Censtitution nta Journal	do		ws
ntic-Pacific Radio Sumplies Co	Oakland, Calif	360	KZ
herger & Co. L.	Newark, N. J	360 369	WC KJ
e Institute of Los Angeles	Table terrification Catteri	360	WI
ch of the Covenantago, city of		360	WE
e Tiniversity	Worcester, Mass	380, 485	WM
mbia Radio Coinental Electrical Supply Co	Youngstown, Ohio Washington, D. C	360 360	wi
inental Electrical Supply Coadio Co	Wichita, Kans	360, 485	WE
Warren R	Cleveland, Ohio	360	WE
ley Manufacturing Co	Cincinnati, Onio	360 360	WI
y News Printing Co	Dallas Tev	350, 485	WE
as, city oforest Radio Telephone & Telegraph Co	Canton, Ohio Dallas, Tex New York, N. Y	360	WJ
oit News	Detroit, Mich	200, 900	KO
oit Pelice Department	Spokane, Wash		KF
r-Mitchell Electrical Co	Hamilton, Ohio	360	WE
bleday-Hill Electrical Co	Pittsburgh, Pa	360	KQ WX
Dea	Washington, D. C.,	300	Wi
k Co., William B	Toledo, Ohio		KL
n & Co., J. J. trie Equipment Co		380	WJ
tric Lighting Supply Co	Hollywood, Calif	360	KG
trie Power & Appliance Co	. I akuma, wasn	360	KS
orium, The			WS
miner Printing Co	San Francisco, Calif	300	KU W
The	Chicago, III	360 360	wi
eral Institute of Radio Telegraphy		360, 485	W(
eral Telephone & Telegraph 0 I Motor Co		360	WY
Worth Record	Fort Worth, Tex	360	KE
er-Bradbury Radio Storeeral Electric Co	Yakima, Wash Schenectady, N. Y	360	W
ert Co., A. C.	New Haven, Conn	360	W
bel Brothers	. Phuadeiphia, Pa	360 360	WI KJ
id, C. Oock & Watson Radio Service	Stockton, Calif	360	I KG
nilton Manufacturing Co	Indianapolis, Ind	- 360	Wi
field Electric Co	do	360	KY
ley, Willard P., jr	Portland, Oreg	360 360	l-Rá
rold, Charles D	Sacramento, Calif	360	KV
lett. Thomas F. J.	Philadelphia, Pa	360	W
ter, L. M., and G. L. Carrington	. Little Rock, Ark		W
burt-Still Electrical Corstate Electric Co			W
Radio Corporation	. Des Moines, Iowa	360	W
M. Electric Co	. Utica, N. Y	360 360	W
k L. Electric Co	Rock Island, Ill		W (
nedy Co., Colin B	Los Altos, Calif	360	KI
ulff & Co., C. R	Los Angeles, Calif	350	KI
re. Arno A	do	360 360, 485	kj
t, Vincent I. Isay-Weatherill & Co	Reedley, Calif	360	K
a Electric Co.	. Tacoma, wash	350	W
ola University	. New Orleans, La		K
well Electric Co	Newark, N. J.	360	w
Bridge, George M	Bay City, Mich Buffale, N. Y		W
oridge, George M. Carthy Bros. & Ford	Buffalo, N. Y	360 360, 485	W
ropolitan Utilities District	Omana, Neor		KY.
berg Co., Leo J		. 360, 485	KI
land Refining Co	El Dorado, Kans	. 485	
Do	Tulsa, Okla		200
ouri State Marketing Bureau tgomery Light & Power Co	Jefferson City, Mo Montgomery, Ala		W
rony. Marion A	Honolulu, Hawaii	360	K
rspaper Printing Co	Pittsburgh, Pa	360	

List of stations broadcasting market or weather reports (485 meters) and music, concerts, lectures, etc. (360 meters)—Continued.

Owner of station.	Location of station.	Wave lengths.	Call signal.	
Northern Radio & Electric Co	Scattle, Wash	360	KFC -	
Northwestern Radio Manufacturing Co	Portland, Oreg	360	KGN	
Nushawg Poultry Farm Oklahoma Radio Shop	New Lebanon, Ohio Okiahoma City, Okia	360 360, 485	WPG	
Oregonian Publishing Co	Portland, Oreg	360	KGW-	
Palladium Printing Co	Richmond, Ind	360, 485	woz-	
Paris Radio Electric Co	Paris, Tex	360	WTK	
Pine Bluff Co Pomona Fixture & Wiring Co	Pine Bluff, Ark	360	WOK-	
rortable Wireless Telephone Co	Stockton, Calif.	360	KWG_	
Post Dispatch	St. Louis, Mo	360	KSD-	
Precision Equipment Co	Cincinnati, Ohio	360, 485 360	KFU-	
Precision Shop, The Radio Construction & Electric Co	Gridley, Calif		WDW-	
Radio Corporation of America	Roselle Park, N. J.	360	WDY-	
Radio Telephone Shop. The	San Francisco, Calif	360	KYY-	
Radio Shop, The Register & Tribune, The	Sunnyvale, Calif	360 360	WGF	
Revnolds Radio Co	Denver, Colo	360, 485	KLZ-	
Ridgewood Times Printing & Publishing Co.	Ridgewood, N. V	360	WHN-	
tiechman-Crosby Co	Memphis, Tonn	360, 485	WKN	
Rike-Kumler Co	Dayton, Ohio	360, 485 360, 485	WFO-	
St. Louis University	St. Louis, Mo	485	WEW-	
St. Martins College (Rev. S. Ruth)	Lacey, Wash	360	KGY-	
an Joaquin Light & Power Corporation	Fresno, Calif. East Landing, Mich	360 485	WHW-	
Seeley, Stuart W. Service Radio Equipment Co	Toledo, Ohio	360	WJK-	
hip Owners Radio Service, Shotton Radio Manufacturing Co.	New York, N. Y.	360	WDT-	
hotton Radio Manufacturing Co	Albany, N. Y	360	WNJ-	
Southern Electrical Co	Charlotte N. C.	360	WBT	
Strawbridge & Clothier	Philiadelphia Pa	3000	WFI-	
Stubbs Electric Co	Portiand, Oreg.	360	KOY	
Carrytown Radio Research Laboratory	Tarrytown, N. Y	360	WRW-	
Inion College . Inited Equipment Co	Memphis, Tenn	360 360	WRL-	
Iniversity of Illinois	Urbana, III	360	WRM-	
Iniversity of Minnesota	MUDDONDOUS, MIDD	360, 485	WLB-	
Iniversity of Texas Iniversity of Wisconsin	Austin, Tex	360, 485	WCM-	
West Virginia University	Morgantown, W. Va	360, 485 360	WHA-	
Vanamaker, John	A contract process of the contract of	360	woo-	
Do	New York, N. Y	360	wwz	
Warner Brothers	Oakland, Calif	360 360	KLS- KHQ-	
Vestern Radio Co	Kansas City, Mo	360, 485	woo -	
Kedern Radio Clorido Co	Los Angeles Calif	360	KOG-	
Vestinghouse Electric & Manufacturing Co Do.	East Pittsburgh, Pa	360	KDKA"	
Do	Newark, N. I	360, 485 360	WJZ-	
Do	'Springheld, Mass	380	.WBZ-	
Vhite & Boyer Co	Washington, D. C	360	WJH-	
Villiams, Thomas J Vireless Telephone Co. of Hudson County, N. J	Jersey City, N. J.	360 360	WPM-	
eiser, John O., jr. oung Men's Christian Association	Omaha, Nebr	360	WDV-	
oung Men's Christian Association	Denver, Colo	485	KOA-	
amolski Co., Joseph M	Baltimore, Md	360	WKC-	
SUPPLEMENTAL LIST-FROM APR. 1 TO APR. 15, 1922.				
ldrich Marble & Granite Co., C. F	Colorado Springs, Colo	485	KHD	
nthony, Earl C. rrow Radio Laboratories.	Los Angeles, Calif	360	KFI .	
uburn Electrical Co.	Anderson, Ind	360 - 360	WMA	
leacon Light Co	Los Angeles, Calif.	350	KNR	
enwood Colue Diamond Electric Co	St. Louis, Mo	360	WEB	
raun Corporation	Hood River, Oreg Los Angeles, Calif	360 360	KQP	
uckeye Radio Service Co	Akron, Ohio	360	WOE	
ush, James L	Tuscola, Ill	360	WDZ	
entral Radio Coty Dye Works & Laundry Co	Kansas City, Mo	360	WPE	
ommonwealth Electric Co.	Los Angeles, Calif St. Paul, Minn	360 360	WAAH	
ooper, Irving S	Los Angeles, Calif	360	KZI	
astern Radio Institute	Boston, Mass	360	WAAJ	
lectric Supply Co	Clearfield, Pa	350	WPI	
	Shreveport, LaZanesville, Ohio	380 360	WAAG	
ergus Electric Co		000	17 4 44	
ergus Electric Co	Minneapolis, Minn	360	WCE	
ergus Electric Co	Minneapolis, Minn	369	WAAK	
ergus Electric Co	Minneapolis, Minn			

List of stations broadcasting market or weather reports (485 meters) and music, concerts, lectures, etc. (560 meters)—Continued.

Owner of stations.	Location of station.	Wave lengths.	Call signal.
supplemental List—From Afr. 1 to Afr. 15, 1922— continued. Holzwasser (Inc.) Howe, Richard H. Kames State Agricultural College Los Angeles Examiner Minnesota Tribure Co. and Anderson-Beamish Co Modesto Evening News Mullins Electric Co., Wm. A. Nelson Co., I. R. New England Motor Sales Co New Mexico College of Agriculture & Mechanical Arts. Prest & Dean Radio Research Laboratory. Purdue University Radio Service Co Radio Supply Co Radio Supply Co Raswell Public Service Co Ship Owners Radio Service Spokane Chronicle Standard Radio Co St. Louis Chamber of Commerce Taylor, Otto W. T. & H. Radio Co Union Stock Yards & Transit Co University of Missouri	Granville, Onio. Manhattan, Kans. Los Angeles, Calif. Minneapolis, Minn. Modesto, Calif. Tacoma, Wash. Newark, N. J. Greenwich, Conn. State College, N. Mex. Long Beach, Calif. West Lafayette, Ind. Charleston, W. Va. Los Angeles, Calif. Roswell, N. Mex. Norfolk, Va. Spokane, Wash. Los Angeles, Calif. St. Louis, Mo. Philadelphia, Pa. St. Louis, Mo. Wichita, Kans. Anthony, Kans.	260 380 485 360 360 360 360 360 360 360 360 360 360	KON WJD WTG KWH WAAL KOB WAAM WAAQ KOB KOB KOB KOB WAAO KNJ WSN KOE KJC WCK WPJ WAAP WBL WAAP

185

INTERPERENCE BY BROADCASTING STATIONS.

Broadcasting stations should shut off transmitters when not in actual operation to prevent unnecessary interference from carrier wave.

Care should be taken not to extend schedules resulting in interference with the

schedules of other stations.

Transmitters must be adjusted so as not to produce unnecessary interference. It has come to the attention of the bureau that some stations have interfered over a band of from 200 to 500 meters which may be reported as a violation of the law.

DISSEMINATION OF ICE INFORMATION.

The Hydrographic Office gives publicity to all information relative to ice and its movement in the North Atlantic which is received from the Coast Guard Cutter on the ice patrol by the following methods:

(a) By radio broadcast from-

Station.	Seventy-fifth meridian standard time.	Wave length (meters).
Arlington, Va.	110.00 n. m	2,650 2,650
Boston, Mass	(11.00 å. m. \5.00 p. m.	1,620
New York, N. Y	(10.30 a. m. 15.00 p. m.	1,832
Philadelphia, Pa	(10.45 a. m.	n
Norfolk, Va	(10 45 a rm	n
Charleston, S. C	(10.30 a, m. 16.00 p. m.	2,250

(b) All reports of ice are published in the Daily Memorandum and the weekly Hydrographic Bulletin.

(c) The ice-patrol vessel will give ice information at any time to any ship with which the patrol vessel can communicate on 600 meters wave length.—From Hydrographic Bulletin, April 12, 1922.