

DEPARTMENT OF COMMERCE

RADIO SERVICE BULLETIN

ISSUED MONTHLY BY BUREAU OF NAVIGATION

Washington, November 1, 1924—No. 91

CONTENTS

	Page		Page
Abbreviations.....	1	Miscellaneous—Continued.	
New stations.....	2	Details of time, weather, press, and hydro-	
Alterations and corrections.....	8	graphic bulletin schedules transmitted by	
Miscellaneous:		naval radio stations.....	14
Compass station established in Gulf of Aden.....	13	Lost commercial radio operators' licensees.....	16
Additional radio fog signal service for Nantucket Shoals Light Vessel, Mass.....	13	Sandhamn (Finland) radio station transmits	
Large station established in Lithuania.....	13	ice reports.....	17
Bureau of Lighthouses, general call.....	13	Foreign radio broadcasting stations.....	19
Identification card lost.....	13	References to current radio periodical literature.....	23
Changes in German compass stations.....	13	Standard frequency stations.....	25
Hydrographic information by Duluth (Minn.) station.....	14	The standard frequency transmitting set at WWV.....	26
Radio fog signal established in Germany.....	14	Methods of receiving the broadcating stations of higher frequency.....	26
Regulation of use of wireless by foreign war vessels in South African waters.....	14	Radio testing.....	27

ABBREVIATIONS

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

Name	= Name of station.
Loc	= Geographical location. O = west longitude. N = north latitude. S = south latitude.
Call	= Call letters assigned.
System	= Radio system used and sparks per second.
Range	= Normal range in nautical miles.
W. l.	= Wave lengths assigned: Normal wave lengths in italics.
Service	= Nature of service maintained. PG = General public. PR = Limited public. RC = Radio compass station. FS = Fog signal. P = Private. O = Government business exclusively.
Hours	= Hours of operation: N = Continuous service. X = No regular hours.
F. T. Co.	= Federal Telegraph Co.
I. W. T. Co.	= Independent Wireless Telegraph Co.
K. & C.	= Kilbourne & Clark Manufacturing Co.
R. C. A.	= Radio Corporation of America.
S. O. R. S.	= Ship Owners' Radio Service.
W. S. A. Co.	= Wireless Specialty Apparatus Co.
C. w.	= Continuous wave.
I. c. w.	= Interrupted continuous wave.
V. t.	= Vacuum tube.
FX	= Fixed station.
U. S. L.	= After operating company denotes that the change applies only to the List of Radio Stations of the United States.
Ke.	= Kilocycles.
Fy.	= Frequency.
A. c.	= Alternating current

NEW STATIONS

Commercial ship stations, alphabetically by names of vessels

[Additions to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations published by the Berne Bureau]

Name of vessel	Call signal	Rates	Service	Hours	Owner of vessel	Station controlled by—
Rdna.....	KIPT		PG	X	Sudden & Christensen	
George Washington.....	WFR		PG	N	Old Dominion S.S. Co.	
Utowna.....	KFSII				Allison V. Armour	
Tusitala.....	KFSQ	8	PG	X	Ship Tusitala (Inc.)	

Commercial land and ship stations, alphabetically by call signals

(b=ship station; cl=land station)

Call signal	Name of station	Call signal	Name of station
KFSH	Utowna.....	b	KIPT
KFSQ	Tusitala.....	b	WFR

Broadcasting stations, alphabetically by names of cities

[Additions to the List of Radio Stations of the United States, edition of June 30, 1924]

City	Call signal	City	Call signal
Atlanta, Ga.....	WBFB	Indianapolis, Ind.....	WFBBM
Baltimore, Md.....	WFBBH	Joliet, Ill.....	WWAEB
Do.....	WGRA	Lansing, Mich.....	WREO
Besumont, Tex.....	KFDM	Le Mars, Iowa.....	KFCY
Burlington, Iowa.....	WIAS	Los Angeles, Calif.....	KNX
Beloit, Wis.....	WEBW	Madison, Wis.....	WHA
Boston, Mass.....	WFBU	Marengo, Iow.....	KFOL
Bridgewater, Mass.....	WFBN	Mooseheart, Ill.....	WJJD
Cape Girardeau, Mo.....	WSAB	Nashville, Tenn.....	WEBK
Conway, Ark.....	KFRJ	New Orleans, La.....	WBBS
Dayton, Ohio.....	WEBT	New York, N. Y.....	WBRS
De Land, Fla.....	WEBU	Oskaloosa, Iowa.....	KFHL
Denver, Colo.....	KFRI	Pitman, N. J.....	WFBT
Fort Sill, Okla.....	KFRM	Raleigh, N. C.....	WFBQ
Fort Worth, Tex.....	KFRO	Roslindale, Mass.....	WEBY
Grand Forks, N. Dak.....	KFRL	Savannah, Ga.....	WRRZ
Hanford, Calif.....	KFRN	Syracuse, N. Y.....	WFBL
Hanover, N. H.....	WFBK	Warrensburg, Mo.....	KFNJ
Houghton, Mich.....	WWAO		

Stations broadcasting market or weather reports, music, concerts, lectures, etc., alphabetically by call signals

[Additions to the List of Radio Stations of the United States, edition of June 30, 1924]

Call signal	Location of station	Station operated and controlled by—	Power (watts)	Wave length	Frequency (kilocycles)
KFCY	Le Mars, Iowa.....	Western Union College.....	50	252	1,190
KFDM	Besumont, Tex.....	Magnolia Petroleum Co.....	500	300	980
KFHL	Orkneess, Iowa.....	Penn College.....	10	240	1,250
KFNJ	Warrensburg, Mo.....	Central Mo. State Teachers College.....	50	234	1,280
KFOL	Marengo, Iowa, 502 W. Marion St.	Leslie M. Schafbuch.....	5	234	1,280
KFRI	Denver, Colo., 1634 Glenarm St.....	Reynolds Radio Co.....	5	224	1,340
KFRJ	Conway, Ark., 515 Clifton St.....	Guy Simmons, Jr.....	10	250	1,200

Stations broadcasting market or weather reports, music, concerts, lectures, etc., alphabetically by call signals—Continued

Call signal	Location of station	Station operated and controlled by—	Power (watts)	Wave length	Frequency (kilocycles)
KFRL	Grand Forks, N. Dak.	Men's Club of First Presbyterian Church.	10	240	1,250
KFRM	Fort Sill, Okla.	Lieut. James P. Boland, U. S. A.	50	263	1,140
KFRN	Hanford, Calif.	M. Laurence Short.	5	224	1,340
KFRO	Fort Worth, Tex., 1109 Eighth Ave.	Curtis Printing Co.	50	246	1,220
KNX	Los Angeles, Calif.	Los Angeles Express.	600	337	860
WBFB	Atlanta, Ga.	Georgia School of Technology.	500	270	1,110
WBBS	New Orleans, La.	First Baptist Church.	50	252	1,190
WEBT	Dayton, Ohio	Dayton Cooperative Industrial High School.	5	270	1,110
WEBU	De Land, Fla.	De Land Piano & Music Co.	5	258	1,160
WEBW	Beloit, Wis.	Beloit College.	500	253	1,060
WEBX	Nashville, Tenn., R. R. No. 9 Franklin Pike.	John E. Cain, Jr.	50	243	1,140
WEBY	Roslindale, Mass.	Hobart Radio Co.	10	226	1,330
WEBZ	Savannah, Ga.	Savannah Radio Corp.	5	280	1,070
WFBK	Hanover, N. H.	Dartmouth College.	100	256	1,170
WFBL	Syracuse, N. Y.	Onondaga Hotel.	100	266	1,050
WFBM	Indianapolis, Ind., 519 Guaranty Building.	Merchants Heat & Light Co.	250	268	1,120
WFBN	Bridgewater, Mass., 1 Broad St.	Radio Sales & Service Co.	200	226	1,330
WFBQ	Raleigh, N. C., 226 Fayetteville St.	Wynne Radio Co.	50	252	1,100
WFBR	Baltimore, Md., Fifth Regiment Armory.	Fifth Infantry, Maryland N. G.	100	254	1,180
WFRT	Pitman, N. J.	Gloucester County Civic League.	50	231	1,300
WFBU	Boston, Mass.	Commonwealth Radio Association.			
WGRA	Baltimore, Md.	Jones Electric & Radio Mfg. Co.	50	254	1,180
WGEB	New York, N. Y.	Gimbel Brothers.	1,000	316	950
WHA	Madison, Wis.	University of Wisconsin.	500	275	1,090
WIAS	Burlington, Iowa.	Horn Electric Co.	100	253	1,060
WJJD	Mooseheart, Ill.	Supreme Lodge, Loyal Order of Moose.	500	278	1,080
WREO	Lansing, Mich.	Reo Motor Car Co.	500	288	1,040
WSAB	Cape Girardeau, Mo.	Southeast Missouri State Teachers College.	100	275	1,080
WWAE	Joliet, Ill.	Lawrence J. Crowley (Alamo Ball Room).	500	242	1,240
WWAO	Houghton, Mich.	Michigan College of Mines.	250	244	1,280

¹ On moving train in western Nebraska.

Government land stations, alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
Cape Sarichef, Alaska ¹ .	WWEF	256, 297, 345, 400, 600	O	X	Bureau of Lighthouses.
Cape Spencer, Alaska.	WWEB	—	O	X	Do.
Crescent City, Calif. ²	WWEJ	—	O	X	Do.
Navassa Island, West Indies ³ (Windward Passage).	WWEA	—	O	X	Do.
Scotch Cap, Alaska ⁴	WWEG	256, 297, 345, 400, 600	O	X	Do.
St. George Reef, Calif. ⁴	WWEI	—	O	X	Do.

¹ Loc. O 164° 55' 40", N 54° 35' 50"; range, 10; system, Navy v. t. telephone and telegraph.

² Loc. O 124° 12' 08", N 41° 44' 40"; range, 10; system, Army v. t. telephone and telegraph.

³ Loc. (approximately) O 74° 01' 00", N 18° 24' 00"; range, 150; system, Navy, 1000.

⁴ Loc. O 164° 44' 40", N 54° 23' 52"; range, 10; system, Navy v. t. telephone and telegraph.

⁴ Loc. O 124° 22' 28", N 41° 50' 15"; range, 10; system, Army v. t. telephone and telegraph.

RADIO SERVICE BULLETIN

Government ship stations, alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations published by the Berne Bureau]

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
Argus.	NABD	130, 143	O	X	U. S. Coast Guard.
CG-100.	NAUN	130, 143	O	X	Do.
CG-101.	NAKT	130, 143	O	X	Do.
CG-102.	NAMP	130, 143	O	X	Do.
CG-103.	NAPP	130, 143	O	X	Do.
CG-104.	NARM	130, 143	O	X	Do.
CG-105.	NABF	130, 143	O	X	Do.
CG-106.	NAGP	130, 143	O	X	Do.
CG-107.	NAEZ	130, 143	O	X	Do.
CG-108.	NAMQ	130, 143	O	X	Do.
CG-109.	NAPQ	130, 143	O	X	Do.
CG-110.	NARN	130, 143	O	X	Do.
CG-111.	NABG	131, 143	O	X	Do.
CG-112.	NAGQ	130, 143	O	X	Do.
CG-113.	NALB	130, 143	O	X	Do.
CG-114.	NAMS	130, 143	O	X	Do.
CG-115.	NAPX	130, 143	O	X	Do.
CG-116.	NARQ	130, 143	O	X	Do.
CG-117.	NATC	130, 143	O	X	Do.
CG-118.	NAVJ	130, 143	O	X	Do.
CG-119.	NAZD	130, 143	O	X	Do.
CG-120.	NAZJ	130, 143	O	X	Do.
CG-121.	NEBG	130, 143	O	X	Do.
CG-122.	NEBS	130, 143	O	X	Do.
CG-123.	NABJ	130, 143	O	X	Do.
CG-124.	NAGR	130, 143	O	X	Do.
CG-125.	NALD	130, 143	O	X	Do.
CG-126.	NANF	130, 143	O	X	Do.
CG-127.	NAPZ	130, 143	O	X	Do.
CG-128.	NART	130, 143	O	X	Do.
CG-129.	NATD	130, 143	O	X	Do.
CG-130.	NAVK	130, 143	O	X	Do.
CG-131.	NAXF	130, 143	O	X	Do.
CG-132.	NAZN	130, 143	O	X	Do.
CG-133.	NABK	130, 143	O	X	Do.
CG-134.	NAGT	130, 143	O	X	Do.
CG-135.	NALF	130, 143	O	X	Do.
CG-136.	NANG	130, 143	O	X	Do.
CG-137.	NARV	130, 143	O	X	Do.
CG-138.	NATF	130, 143	O	X	Do.
CG-139.	NAVL	130, 143	O	X	Do.
CG-140.	NAXG	130, 143	O	X	Do.
CG-141.	NAZR	130, 143	O	X	Do.
CG-142.	NABL	130, 143	O	X	Do.
CG-143.	NAGZ	130, 143	O	X	Do.
CG-144.	NALG	130, 143	O	X	Do.
CG-145.	NANJ	130, 143	O	X	Do.
CG-146.	NAQB	130, 143	O	X	Do.
CG-147.	NARK	130, 143	O	X	Do.
CG-148.	NATK	130, 143	O	X	Do.
CG-149.	NAVN	130, 143	O	X	Do.
CG-150.	NAXL	130, 143	O	X	Do.
CG-151.	NABM	130, 143	O	X	Do.
CG-152.	NAJF	130, 143	O	X	Do.
CG-153.	NALJ	130, 143	O	X	Do.
CG-154.	NANK	130, 143	O	X	Do.
CG-155.	NAQP	130, 143	O	X	Do.
CG-156.	NASB	130, 143	O	X	Do.
CG-157.	NATL	130, 143	O	X	Do.
CG-158.	NAVP	130, 143	O	X	Do.
CG-159.	NAXP	130, 143	O	X	Do.
CG-160.	NAZT	130, 143	O	X	Do.
CG-161.	NEBK	130, 143	O	X	Do.
CG-162.	NEBT	130, 143	O	X	Do.
CG-163.	NECC	130, 143	O	X	Do.
CG-164.	NECM	130, 143	O	X	Do.
CG-165.	NEFM	130, 143	O	X	Do.
CG-166.	NABN	130, 143	O	X	Do.
CG-167.	NAJG	130, 143	O	X	Do.
CG-168.	NALL	130, 143	O	X	Do.
CG-169.	NANL	130, 143	O	X	Do.
CG-170.	NAQQ	130, 143	O	X	Do.
CG-171.	NAEF	130, 143	O	X	Do.
CG-172.	NATN	130, 143	O	X	Do.
CG-173.	NAVQ	130, 143	O	X	Do.
CG-174.	NAXQ	130, 143	O	X	Do.
CG-175.	NAZV	130, 143	O	X	Do.
CG-176.	NEBL	130, 143	O	X	Do.
CG-177.	NEBX	130, 143	O	X	Do.
CG-178.	NECP	130, 143	O	X	Do.

Government ship stations, alphabetically by names of stations—Continued

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
CG-179	NABQ	130, 143.....	O	X	U. S. Coast Guard.
CG-180	NAJM	130, 143.....	O	X	Do.
CG-181	NALN	130, 143.....	O	X	Do.
CG-182	NANM	130, 143.....	O	X	Do.
CG-183	NAQR	130, 143.....	O	X	Do.
CG-184	NASK	130, 143.....	O	X	Do.
CG-185	NATP	130, 143.....	O	X	Do.
CG-186	NAVR	130, 143.....	O	X	Do.
CG-187	NAXR	130, 143.....	O	X	Do.
CG-188	NAZX	130, 143.....	O	X	Do.
CG-189	NEBM	130, 143.....	O	X	Do.
CG-190	NEBZ	130, 143.....	O	X	Do.
CG-191	NECG	130, 143.....	O	X	Do.
CG-192	NABR	130, 143.....	O	X	Do.
CG-193	NAJN	130, 143.....	O	X	Do.
CG-194	NALQ	130, 143.....	O	X	Do.
CG-195	NANN	130, 143.....	O	X	Do.
CG-196	NAQS	130, 143.....	O	X	Do.
CG-197	NASL	130, 143.....	O	X	Do.
CG-198	NATQ	130, 143.....	O	X	Do.
CG-199	NAXV	130, 143.....	O	X	Do.
CG-200	NEBB	130, 143.....	O	X	Do.
CG-201	NEBN	130, 143.....	O	X	Do.
CG-202	NEFQ	130, 143.....	O	X	Do.
CG-203	NACC	130, 143.....	O	X	Do.
CG-204	NAKB	130, 143.....	O	X	Do.
CG-205	NALV	130, 143.....	O	X	Do.
CG-206	NANP	130, 143.....	O	X	Do.
CG-207	NAQT	130, 143.....	O	X	Do.
CG-208	NASN	130, 143.....	O	X	Do.
CG-209	NATR	130, 143.....	O	X	Do.
CG-210	NAXX	130, 143.....	O	X	Do.
CG-211	NACP	130, 143.....	O	X	Do.
CG-212	NAKC	130, 143.....	O	X	Do.
CG-213	NALX	130, 143.....	O	X	Do.
CG-214	NANR	130, 143.....	O	X	Do.
CG-215	NAQX	130, 143.....	O	X	Do.
CG-216	NASP	130, 143.....	O	X	Do.
CG-217	NATV	130, 143.....	O	X	Do.
CG-218	NAVT	130, 143.....	O	X	Do.
CG-219	NAXZ	130, 143.....	O	X	Do.
CG-220	NEBC	130, 143.....	O	X	Do.
CG-221	NEBP	130, 143.....	O	X	Do.
CG-222	NACG	130, 143.....	O	X	Do.
CG-223	NAKF	130, 143.....	O	X	Do.
CG-224	NAMC	130, 143.....	O	X	Do.
CG-225	NANS	130, 143.....	O	X	Do.
CG-226	NAQZ	130, 143.....	O	X	Do.
CG-227	NASR	130, 143.....	O	X	Do.
CG-228	NATX	130, 143.....	O	X	Do.
CG-229	NATZ	130, 143.....	O	X	Do.
CG-230	NAVV	130, 143.....	O	X	Do.
CG-231	NAZB	130, 143.....	O	X	Do.
CG-232	NEBD	130, 143.....	O	X	Do.
CG-233	NEBQ	130, 143.....	O	X	Do.
CG-234	NECB	130, 143.....	O	X	Do.
CG-235	NECJ	130, 143.....	O	X	Do.
CG-236	NEON	130, 143.....	O	X	Do.
CG-237	NEFJ	130, 143.....	O	X	Do.
CG-238	NACJ	130, 143.....	O	X	Do.
CG-239	NAKG	130, 143.....	O	X	Do.
CG-240	NAMP	130, 143.....	O	X	Do.
CG-241	NAPB	130, 143.....	O	X	Do.
CG-242	NARB	130, 143.....	O	X	Do.
CG-243	NASS	130, 143.....	O	X	Do.
CG-244	NAV	130, 143.....	O	X	Do.
CG-245	NAVX	130, 143.....	O	X	Do.
CG-246	NAZD	130, 143.....	O	X	Do.
CG-247	NACK	130, 143.....	O	X	Do.
CG-248	NAKJ	130, 143.....	O	X	Do.
CG-249	NAMJ	130, 143.....	O	X	Do.
CG-250	NARD	130, 143.....	O	X	Do.
CG-251	NAVC	130, 143.....	O	X	Do.
CG-252	NAVZ	130, 143.....	O	X	Do.
CG-253	NAZF	130, 143.....	O	X	Do.
CG-254	NADC	130, 143.....	O	X	Do.
CG-255	NAKM	130, 143.....	O	X	Do.
CG-256	NAMK	130, 143.....	O	X	Do.
CG-257	NAPC	130, 143.....	O	X	Do.
CG-258	NARJ	130, 143.....	O	X	Do.
CG-259	NAST	130, 143.....	O	X	Do.

Government ship stations, alphabetically by names of stations—Continued

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
CG-260	NAVF	130, 143	O	X	U. S. Coast Guard.
CG-261	NAXB	130, 143	O	X	Do.
CG-262	NAZG	130, 143	O	X	Do.
CG-263	NBBF	130, 143	O	X	Do.
CG-264	NEBR	130, 143	O	X	Do.
CG-265	NADE	130, 143	O	X	Do.
CG-266	NAKQ	130, 143	O	X	Do.
CG-267	NAML	130, 143	O	X	Do.
CG-268	NAPD	130, 143	O	X	Do.
CG-269	NARK	130, 143	O	X	Do.
CG-270	NASZ	130, 143	O	X	Do.
CG-271	NAVG	130, 143	O	X	Do.
CG-272	NAXC	130, 143	O	X	Do.
CG-273	NARL	130, 143	O	X	Do.
CG-274	NAPP	130, 143	O	X	Do.
CG-275	NAMN	130, 143	O	X	Do.
CG-276	NAKR	130, 143	O	X	Do.
CG-277	NADS	130, 143	O	X	Do.
Miley ¹	WYAJ		O	X	U. S. Army.
Moccasin	NEFX	130, 143	O	X	U. S. Coast Guard.
Pickering	NIQF	130, 143	O	X	Do.
Wayanda	NUXS	130, 143	O	X	Do.

¹ System, Army v. t. telephone and telegraph.

Note.—All of the above-named vessels of the United States Coast Guard have a range of 60 miles, system, Western Electric v. t. telephone and telegraph.

Government land and ship stations, alphabetically by call signals

[b=ship station; e=land station]

Call signal	Name of station	Call signal	Name of station		
NABD	Argus	b	NALF	CG-135	b
NABF	CG-105	b	NALG	CG-144	b
NABG	CG-111	b	NALJ	CG-148	b
NABJ	CG-128	b	NALL	CG-168	b
NABK	CG-133	b	NALN	CG-181	b
NABL	CG-142	b	NALQ	CG-194	b
NABM	CG-151	b	NALV	CG-203	b
NABN	CG-156	b	NALK	CG-213	b
NABQ	CG-179	b	NAMC	CG-224	b
NABR	CG-192	b	NAMP	CG-240	b
NACO	CG-203	b	NAMF	CG-249	b
NACF	CG-211	b	NAMJ	CG-249	b
NACG	CG-222	b	NAMK	CG-256	b
NACJ	CG-238	b	NAML	CG-267	b
NACK	CG-247	b	NAMN	CG-275	b
NADC	CG-254	b	NAMP	CG-102	b
NADR	CG-265	b	NAMQ	CG-108	b
NADS	CG-277	b	NAMS	CG-114	b
NAGN	CG-100	b	NANF	CG-126	b
NAGP	CG-105	b	NANG	CG-126	b
NAGQ	CG-112	b	NANJ	CG-145	b
NAGR	CG-124	b	NANK	CG-154	b
NAGT	CG-134	b	NANL	CG-169	b
NAGZ	CG-143	b	NANM	CG-182	b
NAJF	CG-152	b	NANN	CG-195	b
NAJG	CG-157	b	NANP	CG-206	b
NAJM	CG-180	b	NANR	CG-214	b
NAJN	CG-193	b	NANS	CG-225	b
NAKB	CG-204	b	NAPB	CG-241	b
NAKC	CG-212	b	NAPC	CG-257	b
NAKF	CG-223	b	NAPD	CG-268	b
NAKG	CG-239	b	NAPF	CG-274	b
NAKJ	CG-248	b	NAPP	CG-103	b
NAKM	CG-255	b	NAPQ	CG-109	b
NAKQ	CG-266	b	NAPX	CG-115	b
NAKR	CG-276	b	NAPZ	CG-127	b
NAKT	CG-101	b	NAQB	CG-146	b
NAKZ	CG-107	b	NAQP	CG-155	b
NALB	CG-113	b	NAQQ	CG-170	b
NALD	CG-126	b	NAQE	CG-183	b
		b	NAQS	CG-196	b

Government land and ship stations, alphabetically by call signals—Continued

Call signal	Name of station		Call signal	Name of station	
NAQT	CG-207.	b	NAXL	CG-150.	b
NAQX	CG-215.	b	NAXP	CG-159.	b
NAQZ	CG-226.	b	NAXQ	CG-174.	b
NARB	CG-241.	b	NAXR	CG-187.	b
NARD	CG-250.	b	NAXV	CG-199.	b
NARJ	CG-258.	b	NAXX	CG-210.	b
NARK	CG-269.	b	NAXZ	CG-219.	b
NABEL	CG-273.	b	NAZB	CG-231.	b
NARM	CG-104.	b	NAZD	CG-246.	b
NARN	CG-110.	b	NAZF	CG-253.	b
NARQ	CG-115.	b	NAZG	CG-262.	b
NART	CG-128.	b	NAZJ	CG-139.	b
NARV	CG-137.	b	NAZN	CG-132.	a,b
NARX	CG-147.	b	NAZR	CG-141.	b
NASB	CG-166.	b	NAZT	CG-160.	b
NASF	CG-171.	b	NAZV	CG-175.	b
NASK	CG-184.	b	NAZX	CG-188.	b
NASL	CG-197.	b	NEBB	CG-200.	b
NASN	CG-208.	b	NEBC	CG-220.	b
NASP	CG-216.	b	NEBD	CG-232.	b
NASR	CG-227.	b	NEBF	CG-263.	b
NASS	CG-243.	b	NEBG	CG-121.	b
NAST	CG-259.	b	NEBK	CG-161.	b
NASZ	CG-270.	b	NEBL	CG-176.	b
NATC	CG-117.	b	NEBM	CG-198.	b
NATD	CG-129.	b	NEBN	CG-201.	b
NATF	CG-138.	b	NEBP	CG-221.	b
NATK	CG-148.	b	NEBQ	CG-233.	b
NATL	CG-157.	b	NEBR	CG-264.	b
NATN	CG-172.	b	NEBS	CG-122.	b
NATP	CG-185.	b	NEBT	CG-162.	b
NATQ	CG-198.	b	NEBX	CG-177.	b
NATE	CG-209.	b	NEBZ	CG-190.	b
NATV	CG-217.	b	NECB	CG-254.	b
NATX	CG-228.	b	NECC	CG-163.	b
NATZ	CG-229.	b	NECF	CG-178.	b
NAV	CG-244.	b	NECG	CG-191.	b
NAV	CG-251.	b	NECJ	CG-235.	b
NAVF	CG-260.	b	NECM	CG-164.	b
NAVG	CG-271.	b	NECN	CG-236.	b
NAVJ	CG-118.	b	NEFJ	CG-237.	b
NAVK	CG-130.	b	NEFM	CG-163.	b
NAVL	CG-139.	b	NEFQ	CG-202.	b
NAVN	CG-149.	b	NEFX	Moccasin.	b
NAVP	CG-158.	b	NIQF	Pickering.	b
NAVQ	CG-173.	b	NUXB	Wayanda.	b
NAVR	CG-186.	b	WWBA	Navassa Island, West Indies (Windward Passage).	c
NAVT	CG-218.	b	WWEF	Cape Sable, Alaska.	c
NAVV	CG-230.	b	WWEG	Scotch Cap, Alaska.	c
NAVX	CG-245.	b	WWEII	Cape Spencer, Alaska.	c
NAVZ	CG-252.	b	WWBI	St. George Reef, Calif.	c
NAXB	CG-261.	b	WWEJ	Crescent City, Calif.	c
NAXC	CG-272.	b	WWLI	Bureau of Lighthouses (general call for all stations).	c
NAXD	CG-119.	b	WYAJ	Miley.	b
NAXF	CG-131.	b			
NAXG	CG-140.	b			

Special land stations alphabetically by names of stations

[Additions to the List of Radio Stations of the United States, edition of June 30, 1924]

Station	Call signal	Station controlled by—
Andover, Mass.	1ZAD	Frederick Weyerhaeuser, 13 Bartlet Hall.
Dayton, Ohio	8ZAD	Allen E. Apple, 115 South Euclid Street.
Deaver, Colo.	9XA	General Electric Co., 1370 Krameria Street.
Golden, Colo.	9XAII	Colorado School of Mines.
Houghton, Mich.	9XAIV	Michigan College of Mines.
New Brunswick, N. J.	2XAM	R. O. A., 233 Broadway, New York, N. Y.
Schenectady, N. Y.	2XQ	Union College.

Special land stations grouped by districts

Call signal	District and station	Call signal	District and station
1ZAD	First district: Andover, Mass.	9XA	Ninth district.
2XAM	Second district: New Brunswick, N. J.	9XAI	Denver, Colo.
2XQ	Schenectady, N. Y.	9XAW	Golden, Colo.
8ZAD	Eighth district: Dayton, Ohio.		Houghton, Mich.

ALTERATIONS AND CORRECTIONS

COMMERCIAL LAND STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

BEAUMONT, TEX.—System, Western Electric v. t. telegraph and composite, 1000.

DEARBORN, MICH.—W. l., add 1875.

DULUTH, MINN.—W. l., add 1764.

EAST MORICHES, N. Y.—System, R. C. A. 1000 and composite arc.

NEW YORK, N. Y. (KUVS).—System, R. C. A., 1000; w. l., 300, 600, 730; service, P.; hours, N.

NEW YORK, N. Y. (WNY).—Strike out all particulars regarding spark apparatus.

PHILADELPHIA, PA.—System, composite v. t. telegraph.

ROCKY POINT, N. Y.—W. l., add 1760.

SPRINGFIELD, OHIO.—Loc. (approximately) O 84° 02' 00", N 40° 01' 00"; w. l., add 1934.

COMMERCIAL SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

ADMIRAL WATSON.—System, add R. C. A. v. t. telephone; w. l., add 870.

AQUIDABAN.—W. l., add 706; Dueee W. Flint Transpn. Co., owner of vessel.

ATENAS.—W. l., add 706.

BAREYTON.—Station operated and controlled by R. C. A. (U. S. L.).

BACOL.—Mount Hope S. S. Co. owner of vessel.

CHESTER VALLEY.—Station operated and controlled by R. C. A.

CITY OF FLINT.—System, Navy—W. S. A. Co., 1000; w. l., add 706.

COAHOMA COUNTY.—System, Navy—W. S. A. Co., 1000; w. l., 300, 600, 706.

COMANCHE.—W. l., 300, 600, 706.

CUPRUM.—W. l., add 706, 2100, 2400.

DANNEDAIKE.—System, Navy—R. C. A., 1000; w. l., add 706.

DEERFIELD.—W. l., add 450, 706; station operated and controlled by owner of vessel.

DIX.—Name changed to Grace Dollar.

DOCHET.—Station operated and controlled by R. C. A.

EDENTON.—Station operated and controlled by R. C. A.

EDGECRILL.—Station operated and controlled by R. C. A. (U. S. L.).

EDWARD J. BERWIND.—Range, 150; system, Navy—Simon, 1000; w. l., 300, 600, 706; rates, Great Lakes service, 4 cents per word; station operated and controlled by owner of vessel.

E. T. BEDFORD.—W. l., 300, 600, 706.

EL CAPITAN (KKH).—Range, 200.

ELDENIA.—W. l., add 706.

ELMSPORT.—Station operated and controlled by R. C. A.

EL ORIENTE.—W. l., 300, 600, 706.

EL SIGLO.—W. l., 300, 600, 706.

EL Sud.—W. l., 300, 600, 706.

GRIFFDU.—Station operated and controlled by I. W. T. Co.

HENRY FORD II.—Range, 200; system, R. C. A. v. t. telephone and telegraph; w. l., 300, 600, 706, 1053, 1875; service, PG; hours, X; rates, Great Lakes service 4 cents per word.

- H. M. FLAGLER.—Station operated and controlled by I. W. T. Co.
- INVINCIBLE.—W. l., add 706.
- IPSWICH.—American Ship & Commerce Navigation Corp. owner of vessel.
- JEFFERSON (KOD).—Station operated and controlled by I. W. T. Co.
- JOHN D. ARCHBOLD.—System, R. C. A. v. t. telegraph and spark, 1000; w. l., add 1800, 2100, 2400.
- JOHN D. ROCKEFELLER.—Name changed to Malabar; station operated and controlled by I. W. T. Co.
- LAKE GADSDEN.—Lykes Brothers S. S. Co. owner of vessel.
- LAKE GALILEE.—Name changed to Hampton Roads.
- LIBERTY LAND.—W. l., add 706; station operated and controlled by I. W. T. Co. (U. S. L.).
- LORAIN.—Station operated and controlled by R. C. A. (U. S. L.).
- LORRAINE CROSS.—W. l., 300, 600, 706.
- LUZON (KFUH).—Name changed to Kaimloa; range, 200; system, Navy, 1000; w. l., 300, 600, 706; service, PG; hours, X; rates, 8 cents per word; Medford R. Kellogg owner of vessel; station operated and controlled by owner of vessel.
- MANGORE.—Range, 300.
- MANHATTAN ISLAND.—Station operated and controlled by I. W. T. Co.
- MARACAIBO.—W. l., 300, 600, 706.
- MARS.—Station operated and controlled by R. C. A.
- MATINICOCK.—Station operated and controlled by I. W. T. Co.
- NATIRAR.—W. l., 300, 600, 706, 1800, 2100, 2400.
- MISSOURI.—Michigan Transit Co. owner of vessel.
- MOUNT CARMEL.—American Ship & Commerce Navigation Corp. owner of vessel.
- MOUNT CLINTON.—American Ship & Commerce Navigation Corp. owner of vessel.
- MYSTIC.—American Ship & Commerce Navigation Corp. owner of vessel.
- NOYO.—Range, 200; system, Gray & Danielson, 1000; station operated and controlled by owner of vessel.
- O. T. WARING.—Station operated and controlled by I. W. T. Co.
- PACHEBT.—Station operated and controlled by S. O. R. S.
- PEQUONNOCK.—W. l., 300, 600, 706.
- PERE MARQUETTE 22.—Range, 150; system, R. C. A., 1000; w. l., 300, 600; rates, Great Lakes service, 6 cents per word; station operated and controlled by owner of vessel.
- P. W. SHERMAN.—Range, 150; system, Navy-Lowenstein, 1000; w. l., 300, 600, 706; station operated and controlled by owner of vessel.
- ROTAHIAN.—Grace S. S. Co. owner of vessel.
- SANTA EULALIA.—Station operated and controlled by I. W. T. Co.
- SANTA ISABEL.—Station operated and controlled by I. W. T. Co.
- SOMERSET.—W. l., add 706.
- SUHOLCO.—W. l., add 706.
- SUPHENCO.—Submarine Boat Corp. owner of vessel.
- SURGE.—Range, 300; system, R. C. A., 1000; w. l., 300, 600, 706.
- TACHIRA.—Range, 300; system, R. C. A., 1000; w. l., 300, 600, 706; station operated and controlled by R. C. A.
- TOPA TOPA.—Station operated and controlled by S. O. R. S. (U. S. L.).
- WEST CELERON.—Station operated and controlled by S. O. R. S.
- WEST COHAS.—W. l., add 706.
- WEST HARCUVAR.—Station operated and controlled by S. O. R. S. (U. S. L.).
- WEST HARSHAW.—Station operated and controlled by S. O. R. S. (U. S. L.).
- WEST HIKA.—Station operated and controlled by I. W. T. Co. (U. S. L.).
- WEST KADER.—W. l., add 706; station operated and controlled by R. C. A.
- WEST KATAN.—Park C. Hill owner of vessel.
- WEST MADAKET.—Station operated and controlled by R. C. A.
- WESTMORELAND.—Station operated and controlled by R. C. A.
- WEST SELENE.—Station operated and controlled by R. C. A.
- WILLFAMO.—W. l., add 450, 706.
- WILLHILO.—System, Navy-R. C. A., 1000.

WILLIAM PENN.—W. L., add 2100, 2400.

ZIRKEL.—Call signal changed to KFUI.

Strike out all particulars of the following-named vessels: Brindilla, City of Seattle, Corning, Hercules, J. H. Sheadle, Nacoochee, Philadelphia (KDA).

COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS.

KFEM, *read* Grace Dollar; KFUH, *read* Kaimiloa; KOJT, *read* Hampton Roads; KTO, *read* Malabar; WRFO, call signal changed to KFUI; strike out all particulars following the call signals, KDA, KFLM, KFP, KIH, KOCT, KTZ, WGA.

BROADCASTING STATIONS, BY CALL SIGNALS

{Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1924}

KFBE (San Luis Obispo, Calif.).—Power, 50.

KFFY (Alexandria, La.).—Station operated and controlled by Louisiana College.

KFGD (Chickasha, Okla.).—Power, 50; w. l., 252; frequency, kc. 1190; station operated and controlled by Oklahoma College for Women (J. A. Teeters).

KFJF (Oklahoma, Okla.).—Power, 225; w. l., 261; frequency, kc. 1150.

KFIX (Independence, Mo.).—W. l., 268; frequency, kc. 1120.

KFMT (Minneapolis, Minn.).—Power, 100.

KFPG (Los Angeles, Calif.).—Power, 10; station operated and controlled by Oliver S. Garretson, 5118 Maywood Avenue.

KFPW (Carterville, Mo.).—Power, 20.

KFQE (Colorado Springs, Colo.).—Power, 10.

KFQR (Oklahoma, Okla.).—Power, 50.

KFQX (Seattle, Wash.).—Power, 500.

WABO (Rochester, N. Y.).—Station operated and controlled by Lake Avenue Baptist Church (Hickson Electric Co.).

WBPP (Petoskey, Mich.).—Power, 10 and 100.

WCAJ (University Place, Nebr.).—W. l., 280; frequency, kc. 1070.

WCAO (Baltimore, Md.).—W. l., 275; frequency, kc. 1090.

WCAX (Burlington, Vt.).—Power, 400.

WCBE (New Orleans, La.).—Station operated and controlled by Uhalt Brothers Radio Co.

WCBU (Arnold, Pa.).—Station operated and controlled by Arnold Wireless Supply Co. (F. J. Ambrose).

WCBX (Newark, N. J.).—Call signal changed to WNJ.

WDBI (St. Petersburg, Fla.).—Power, 20.

WEAF (New York, N. Y.).—Power, 500.

WGAA (Shreveport, La.).—Address, 406 Market Street.

WKAQ (San Juan, P. R.).—Power, 500.

WLW (Cincinnati, Ohio).—Power, 1000.

WMAK (Lockport, N. Y.).—Station operated and controlled by Norton Laboratories.

WNAD (Norman, Okla.).—Power, 100; w. l., 254; frequency, kc. 1180.

WNAT (Philadelphia, Pa.).—Power, 100; w. l., 250; frequency, kc. 1200.

WOAR (Kenosha, Wis.).—Address, Burlington Road.

WRM (Urbana, Ill.).—Power, 500; w. l., 273; frequency, kc. 1100.

WSAP (New York, N. Y.).—Station operated and controlled by The City Temple (Seventh Day Adventist Church).

WSL (Utica, N. Y.).—Power, 100.

WTAZ (Lambertville, N. J.).—W. l., 261; frequency, kc. 1150.

Strike out all particulars of the following-named stations: KFHG (St. Joseph, Mo.); KFOQ (Galveston, Tex.); KFQS (Manitou, Colo.); KUY (El Monte, Calif.); WABE (Washington, D. C.); WCBN (Fort Benjamin Harrison, Ind.); WDBU (Skowhegan, Me.); WEAR (Baltimore, Md.); WFAB (Syracuse, N. Y.); WHAK (Clarksburg, W. Va.); WLAH (Syracuse, N. Y.); WPAM (Topeka, Kans.); WTAJ (Portland, Me.).

GOVERNMENT LAND STATIONS, ALPHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

NOTE.—The change in call letters of the light vessels and stations named below will become effective January 1, 1925.

- AMBROSE CHANNEL LIGHT VESSEL.—Call signal changed to WWAQ.
 BALBOA, CANAL ZONE.—W. I., 6970 changed to 6663.
 BLUNTS REEF LIGHT VESSEL.—Call signal changed to WWBU.
 BOSTON LIGHT VESSEL (FS).—Call signal changed to WWAF.
 BROWNSVILLE, TEX.—W. I., 5000 changed to 4997.
 BRUNSWICK LIGHT VESSEL.—Call signal changed to WWBG.
 CAPE CHARLES LIGHT VESSEL.—Call signal changed to WWAY.
 CAPE LOOKOUT SHOALS LIGHT VESSEL.—Call signal changed to WWBA.
 CAVITE, P. L.—W. I., 5280 changed to 5260.
 COLON, CANAL ZONE.—W. I., 1820 changed to 1817.
 COLUMBIA RIVER LIGHT VESSEL.—Call signal changed to WWBQ.
 CORNFIELD POINT LIGHT VESSEL.—Call signal changed to WWAM.
 DIAMOND SHOALS LIGHT VESSEL.—Call signal changed to WWAZ.
 DULUTH RANGE REAR LIGHT STATION, MINN.—Call signal changed to WWEB.
 FENWICK ISLAND SHOAL LIGHT VESSEL.—Call signal changed to WWAW.
 FIRE ISLAND LIGHT VESSEL.—Call signal changed to WWAN.
 FIVE FATHOM BANK LIGHT VESSEL.—Call signal changed to WWAR.
 FORT McARTHUR, TEX.—Read, Fort McArthur, Calif.
 FRYING PAN SHOALS LIGHT VESSEL.—Call signal changed to WWBE.
 GUANTANAMO, CUBA.—Read, Guantanamo Bay, Cuba; w. l., 1395 changed to 1397.
 HEALD BANK LIGHT VESSEL.—Call signal changed to WWBJ.
 KEY WEST, FLA. (REGULAR STATION, NAR).—W. I., 1462 changed to 1463.
 KEY WEST, FLA. (WUBV).—Loc. (approximately) O 81° 48' 00", N 24° 33' 00".
 MARQUETTE LIGHT STATION, MICH.—Call signal changed to WWEE.
 NANTUCKET SHOALS LIGHT VESSEL.—Call signal changed to WWAH.
 NEW ORLEANS, LA.—W. I., 2605 changed to 2607.
 NEWPORT, R. I.—W. I., 2605 changed to 2607.
 NORTH EAST END LIGHT VESSEL.—Call signal changed to WWAQ.
 POLLOCK RIP SLUE LIGHT VESSEL.—Call signal changed to WWAG.
 PUGET SOUND, WASH.—W. I., 2500 changed to 2499.
 RELIEF LIGHT VESSEL No. 72.—Call signal changed to WWBB.
 RELIEF LIGHT VESSEL No. 76.—Call signal changed to WWBW.
 RELIEF LIGHT VESSEL No. 78.—Call signal changed to WWAS.
 RELIEF LIGHT VESSEL No. 85.—Call signal changed to WWAI.
 RELIEF LIGHT VESSEL No. 90.—Strike out all particulars.
 RELIEF LIGHT VESSEL No. 92.—Call signal changed to WWBR.
 RELIEF LIGHT VESSEL No. 109.—Call signal changed to WWBH.
 SAN DIEGO, CALIF.—W. I., 1540 changed to 1538.
 SAN FRANCISCO, CALIF. (NPG).—W. I., 4835 changed to 4836 and 7240 changed to 7006.
 SAN FRANCISCO, CALIF., LIGHT VESSEL.—Call signal changed to WWBV.
 SAN JUAN, P. R.—W. I., 2852 changed to 2855.
 STANNARD ROCK LIGHT STATION, MICH.—Call signal changed to WWED.
 SUPERIOR ENTRY LIGHT STATION, WIS.—Call signal changed to WWEC.
 SWIFTSURE BANK LIGHT VESSEL.—Call signal changed to WWBO.
 UMATILLA REEF LIGHT VESSEL.—Call signal changed to WWBP.
 WASHINGTON, D. C. (Arlington, NAA).—W. I., 5950 changed to 5949.
 WINTER QUARTER SHOALS LIGHT VESSEL.—Call signal changed to WWAX.

GOVERNMENT SHIP STATIONS, ALPHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1924, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

NOTE.—The change in call letters of the vessels named below owned by the Bureau of Lighthouses will become effective January 1, 1925.

- AMARANTH.—Call signal changed to WWDG.
 ANEMONE.—Call signal changed to WWCD.
 AZALEA.—Call signal changed to WWCE.
 CEDAR.—Call signal changed to WWDO.
 COLUMBINE.—Call signal changed to WWDC.

CYPRESS.—Call signal changed to WWCT.
 FERN.—Call signal changed to WWDN.
 HEATHER.—Call signal changed to WWDQ.
 HIBISCUS.—Call signal changed to WWCA.
 HYACINTH.—Call signal changed to WWDK.
 IVY.—Call signal changed to WWCW.
 KUKUI.—Call signal changed to Wwdx.
 LARKSPAR.—Call signal changed to WWCI.
 LOTUS.—Call signal changed to WWCf.
 MANZANITA.—Call signal changed to WWDR.
 MADRONO.—Call signal changed to WWDU.
 MAGNOLIA.—Call signal changed to WWCY.
 MANGROVE.—Call signal changed to WWCU.
 MAPLE.—Call signal changed to WWCN.
 MARIGOLD.—Call signal changed to WWDH.
 MAYFLOWER.—Call signal changed to WWCP.
 ORCHID.—Call signal changed to WWCO.
 ROSE.—Call signal changed to WWDS.
 SEQUOIS.—Call signal changed to WWDV.
 SPEEDWELL.—Call signal changed to WWCQ.
 SPRUCE.—Call signal changed to WWCJ.
 SUMAC.—Call signal changed to WWDL.
 SUNFLOWER.—Call signal changed to WWcz.
 TULIP.—Call signal changed to WWCH.
 ZIZANIA.—Name changed to Ilex; call signal changed to WWCB.

Strike out all particulars of the following-named vessels: Arbutus, Lilac.

GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

NAW, *read* Guantanamo Bay, Cuba; NUMC (Lamson) correct call signal, NUNC; NZZ, *read* Ilex; call signal changed to WWCB; WICK, *read* Fort McArthur, Calif.; strike out all particulars following the call signals NAGM, NITS, NUCF.

The following call signals have been changed:

From—	To—	From—	To—	From—	To—	From—	To—
NABP	WWCD	NAJS	WWAW	NAQV	WWDH	NLS	WWAN
NABT	WWBO	NAJT	WWBQ	NARS	WWAQ	NLT	WWCO
NABV	WWBA	NAJV	WWAY	NASC	WWAM	NLU	WWDE
NARX	WWBG	NAKL	WWDQ	NASD	WWDS	NLV	WWDV
NACD	WWBW	NAKN	WWCA	NASG	WWDL	NLW	WWDO
NACT	WWBC	NAKP	WWBR	NITQ	WWAZ	NUFM	WWCZ
NACV	WWBP	NAKS	WWBV	NITR	WWAS	NXU	WWCE
NADB	WWBR	NAKV	WWCW	NIXD	WWCJ	NXX	WWCH
NADK	WWAF	NALS	WWAO	NIZF	WWCQ	NZQ	WWCF
NADT	WWAX	NAMB	WWCI	NLA	WWAH	WWAB	WWBH
NADV	WWAR	NAMV	WWDU	NLC	WWBE	WWAH	WWEE
NAFT	WWAQ	NANV	WWCU	NLF	WWDX	WWAI	WWED
NAFV	WWDN	NAPS	WWCY	NLL	WWDC	WWAK	WWEB
NAGV	WWDK	NAPT	WWDG	NLM	WWCT	WWAL	WWEC
NAJI	WWAI	NAPV	WWCN	NLP	WWBJ	WWBA	WWCF

SPECIAL LAND STATIONS, BY NAMES OF STATIONS

[Abbreviations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1924]

BIRMINGHAM, ALA. (5ZAZ).—Address, 1218 Eleventh Court, East.
 LANSING, MICH. (8ZR).—Address, 325, North Pennsylvania Avenue.
 LOS ANGELES, CALIF. (6XBX).—Address, 2901 Keniston Avenue.
 SAN FRANCISCO, CALIF. (6XX).—Address, 28 Geary Street.
 Strike out all particulars of the following-named stations, Chicago, Ill. (9XN); Cleveland, Ohio (8XBN); Dover, Ohio (8XBF); Mayville, N. Y. (8ZAD); Morgantown, W. Va. (8XAA); New York, N. Y. (2XBG); Portland, Oreg. (7XF); Rogers City, Mich. (8XBJ); Rye, N. Y. (2XH); Toledo, Ohio (8XBS); Washington, D. C. (3YN); Waynesburg, Pa. (8ZV); Webster, N. Y. (8XAN).

MISCELLANEOUS**COMPASS STATION ESTABLISHED IN GULF OF ADEN**

A compass station has been established at Cape Guardafui, Gulf of Aden, Italian Somaliland, located in $11^{\circ} 44' 12''$ N., $51^{\circ} 13' 24''$ E., call signal ISK. The station keeps watch from sunset to sunrise, every day except during the first five minutes of each hour, and will render service as a wireless direction finding station on request during this period. For the first two minutes of each hour the station sends out its own call signal (ISK). The normal wave length used is 600 meters, but bearings may be obtained on other wave lengths up to 3,000 meters on demand. Range, 150 miles.

ADDITIONAL RADIO FOG SIGNAL SERVICE FOR NANTUCKET SHOALS LIGHT VESSEL, MASS.

The radio fog signal on the Nantucket Shoals Light Vessel will be operated every day and night during the second 15 minutes of each hour in clear weather for experimental and test purposes for a period of six months beginning about October 29, 1924. During foggy weather the radio fog signal will be operated continuously except during daily listening-in periods from 10 to 10.15 a. m. and from 4 to 4.15 p. m., seventy-fifth meridian time. Vessels are requested to forward reports to the Commissioner of Lighthouses, Washington, D. C., or to the superintendent of lighthouses, Boston, Mass., as to the effectiveness of this additional service.

LARGE STATION ESTABLISHED IN LITHUANIA

It has been reported to the bureau that the Lituanian Government is erecting a large station on one of the hills which surround Kovno, Lithuania. It is expected that the station will be ready for operation within the next few months. The antenna will be a fairly large one strung from two towers which will be 492 feet in height. A radio service with all Europe for Lithuania is expected to be the result of this station.

BUREAU OF LIGHTHOUSES GENERAL CALL

Call letters WWLH have been assigned as a general call signal for all radio stations of the Bureau of Lighthouses. This signal is to be used only when all radio stations of the Bureau of Lighthouses or a group of these stations are called. When only one station is to be communicated with, the call letters of that station must be used.

IDENTIFICATION CARD LOST

During the week of September 22, last, George E. Sterling, assistant radio inspector, Baltimore office, lost his identification card, and up to the present time it has not been recovered. Should anyone find this card the bureau would appreciate its return.

CHANGES IN GERMAN COMPASS STATIONS

The radiocompass station at Stolpmunde, located in (approximately) $54^{\circ} 34' 40''$ N., $16^{\circ} 50' 06''$ E., has been discontinued.

Wilhelmshaven third entrance compass control station has ceased operating as the control station for German compass stations in the North Sea. This station was located in (approximately) $53^{\circ} 31' N.$, $08^{\circ} 10' E.$, call letters KAN.

Nordholz, located in $53^{\circ} 46' 51''$ N., $08^{\circ} 38' 42''$ E., call letters KBN, has been established as the compass control station in place of Wilhelmshaven, and German compass stations in the North Sea now operate under its direction. Ships requiring simultaneous bearing should first call Nordholz control station in the usual manner. The procedure to be followed in obtaining bearings, except for the change in the control station and the call signal, is the same as heretofore.

HYDROGRAPHIC INFORMATION BY DULUTH (MINN.) STATION

The radio station of the Inter City Radio Telegraph Co., at Duluth, Minn., call signal WME, will broadcast hydrographic information received by the branch hydrographic office at Duluth at 10 a. m. and 4 p. m., ninetieth meridian time, on 600 meters. This station will receive messages from vessels regarding hydrographic information free of charge. All messages should be addressed "Government Hydro, Duluth." A watch is maintained at this station from 7 a. m. to 7 p. m. daily.—*Hydrograph Bulletin, October 8, 1924.*

RADIO FOG SIGNAL ESTABLISHED IN GERMANY

A radio fog signal has been established on Borkum Riff Light Vessel, located in (approximately) $53^{\circ} 46' N.$, $06^{\circ} 04' E.$, to operate experimentally in conjunction with the submarine bell on the vessel. During fog both signals will be transmitted simultaneously, which will enable a ship fitted with radio direction-finding apparatus to determine her bearing, and by noting the time elapsed between the radio transmission and the coincidence of the two signals her distance from the light vessel can also be calculated.

REGULATION OF USE OF WIRELESS BY FOREIGN WAR VESSELS IN SOUTH AFRICAN WATERS

(a) Foreign men of war and service aircraft accompanying them lying in a naval port, or in any harbor which is close to a naval port, shall obtain permission from the senior naval officer at the naval port to use their wireless telegraphy or telephony apparatus, stating system, wave lengths, and times of transmission proposed.

(b) Foreign men of war and service aircraft accompanying them lying in any harbor which is not close to a naval port shall conform to the following regulations:

I. Transmission on 600 meters is forbidden, except for the purpose of making or answering signals of distress.

II. Interference with naval, army, or air-force signalling, or any fixed shore station must be avoided.

III. Transmission must be discontinued on request from (1) any naval authority, (2) the port authorities, (3) any fixed shore station.

IV. Protracted singalling using apparatus transmitting other than pure continuous waves must be avoided.

V. If there is a British or Dominion fleet or warship lying in the harbor, the senior naval officer should be consulted.

The above regulations were promulgated by the Department of Posts and Telegraphs of the Union of South Africa, under date of September 3, 1924.

Details of time, weather, press, and hydrographic bulletin schedules transmitted by naval radio stations

Name of station	Call signal	Wave length	Type of emission	Time (75th meridian)	Nature of service
Annapolis, Md.....	NSS	17,150	arc.....	1155 1700 2156	Time. Ice report. Time, press.
Arlington, Va.....	NAA	5,990 2,655	arc..... v. t. c. w..	1030 1155 2155 0455	Weather, hydrographic. Time, storm, warnings. Time, weather, hydrographic, press. Time, press, hydrographic.
Balboa, Canal Zone.....	NBA	6,663	arc.....	1255	Time, hydrographic.
Boston, Mass.....	NAD	1,363	v. t. c. w..	1100 1155 1700	Weather, hydrographic. Time, if Arlington fails. Weather, hydrographic.
Brownsville, Tex.....	NAY	2,255	spark....	0000 1200 1900 0000 1200 1900 0000	Weather. Do. Do. Do. Do. Do. Do.
Cavite, P. I.....	NPO	5,260do....	0655 1400 2155 0655 2155	Press. Time, weather, hydrographic. Press. Time, weather, hydrographic. Do. Do.
		2,702	spark....	0655 2155	

Details of time, weather, press, and hydrographic bulletin schedules transmitted by naval radio stations—Continued

Name of station	Call signal	Wave length	Type of emission	Time (75th meridian)	Nature of service
Charleston, S. C.	NAO	2,600	spark	1030 1155 1800 0455 1255 0030 1230 1200 1455 1700 2030 1130 1800 1045 1700 1045 1100 1155 1715 2300	Weather, hydrographic. Time, if Arlington fails. Weather, hydrographic. Time, hydrographic, press. Time, hydrographic. Weather. Do. Do. Time. Weather. Do. Weather, hydrographic. Do. Hydrographic. Do. Weather. Hydrographic. Time. Hydrographic. Weather. Hurricane warnings as issued and repeated every four hours.
Colon, Canal Zone	NAX	1,817do.....		
Dutch Harbor, Alaska	NPR	2,255do.....		
Eureka, Calif.	NPW	2,205do.....		
Galveston, Tex.	NKB	1,817do.....		
Great Lakes, Ill.	NAJ	4,685	arc.....		
		1,980	spark.....		
Guantanamo Bay, Cuba	NAW	1,397do.....		
Honolulu, Hawaii	NPM	2,255do.....	0130 1330 1730 1855 1130 1800 1155 1200 2200 2200	Weather, hydrographic. Do. Do. Time. Do. Weather. Do. Time. Weather.
Jupiter, Fla.	NAQ	12,000	arc.....		
		1,306	spark		
Key West, Fla.	NAR	1,483	v. t. c. w..		
		5,700	arc.....		
New Orleans, La.	NAT	2,607	spark	1100 1155 1200 1100 1155 1200 1100 1155 1200 1030	Weather, hydrographic. Time. Weather, hydrographic. Weather. Time, if Arlington fails. Weather, hydrographic. Weather.
Newport, R. I.	NAF	2,607do.....		
New York, N. Y.	NAH	1,540	v. t. c. w..		
Norfolk, Va.	NAM	1,360	spark	0830 1045 1155 1600 2000 0830 1045 1155 1200 1455 1800 2000 2230 1145 1800 1045 1700	Weather. Weather, hydrographic. Time, if Arlington fails. Weather, hydrographic. Weather. Weather. Weather, hydrographic. Weather.
North Head, Wash.	NPE	1,395	v. t. c. w..		
		2,726	spark.....		
Pensacola, Fla.	NAS	1,330	v. t. c. w..		
Philadelphia, Pa.	NAI	1,300do.....		
Port au Prince, Haiti	NSC	2,255	spark		
Portland, Me.	NAB	1,000do.....	1200 2000 0800	Hurricane warnings as issued and repeated every four hours. Weather. Do. Do.
Puget Sound, Wash.	NPC	2,499	v. t. c. w..	1200 1600 2000 2200 2300	Weather, hydrographic. Do. Weather. Hydrographic. Weather.

¹ Hurricane warnings as issued and repeated every two hours.

Details of time, weather, press, and hydrographic bulletin schedules transmitted by naval radio stations—Continued

Name of station	Call signal	Wave length	Type of emission	Time (75th meridian)	Nature of service
San Diego, Calif.	NPL	9,801	arc.....	0600 1455 0100 1100 1130 1800 1455 1700 2300	Press. Time. Hurricane warnings (also at other times upon receipt). Do. Weather. Hurricane warnings (also at other times upon receipt). Time. Weather. Do.
San Francisco, Calif.	NPG	4,838	arc.....	0055 0415 1455 2230 1200 0055 0100 0300 0415 0700 1100 1455 1600 1900 2230 2300	Time. Press. Time. Weather, hydrographic. Do. Time. Weather, hydrographic. Bonita Channel weather. Press. Bonita Channel weather. Do. Time. Bonita Channel weather. Do. Weather, hydrographic. Bonita Channel weather. Weather.
San Juan, P. R.	NAU	4,850	arc.....	1945 2,825 spark.....	Do. Do. Do. Do.
Savannah, Ga.	NEV	1,808	do.....	2100 1100 1800	Do. Do. Do.
St. Augustine, Fla.	NAP	2,100	do.....	1130	Do.
St. Croix, Virgin Islands	NNI	450	do.....		Hurricane warnings as issued and repeated every four hours.
St. Thomas, Virgin Islands	NBB	1,688	do.....		Do.
Tutuila, Samoa	NPU	2,235	do.....	0230 1430 1830 2230	Hydrographic. Do. Do. Do.

¹ Hurricane warnings are issued and repeated every two hours.

NOTE.—All naval time signals are made in a standard manner, which is as follows: The signals begins 5 minutes before the hour to be marked and consists of a dot for each second. The dot for the twenty-ninth second of each minute is omitted, and also the last 5 seconds of the first 4 minutes. The last 10 seconds of the fifth minute are omitted, this silence being followed by a 1-second dash, the beginning of which marks the time signal.

LOST COMMERCIAL RADIO OPERATORS' LICENSES

Printed below is a list of radio operators' licenses which have been reported to this bureau as having been lost. Should any of them be found, they should be returned to the bureau for cancellation. Inspectors and others concerned should see that lost licenses are not being used by unauthorized persons.

Name	Class	Number	Date issued	Port issued
Adams, James L.	First.....	1459	May 26, 1922	Norfolk.
Ashbrook, Roy H.	Experimental and instructional.	8107	June 14, 1922	San Francisco.
Bosch, Julius W.	First.....	21620	Dec. 5, 1919	Washington, D. C.
Bombe, Albert A.	do.....	10058	Jan. 8, 1924	New York.
Bradton, David.	do.....	3929	July 21, 1922	Do.
Bradner, Paul K.	do.....	4048	Nov. 1, 1922	Do.
Buell, C. R.	do.....	7254	Oct. 17, 1922	San Francisco.
Cheetham, Harry R.	do.....	487	July 18, 1922	Boston.
Clayton, John C.	do.....	9288	Apr. 2, 1924	New Orleans.
Dupre, J.	do.....	10206	Oct. 24, 1923	Atlanta.
Eby, Harold D.	do.....	3924	Oct. 16, 1922	Chicago.
Fleming, H. A.	do.....	10613	Mar. 5, 1924	Seattle.
Foster, Aneel L.	do.....	2690	Mar. 22, 1924	New Orleans.
Frank, Geo. J.	do.....	5320	Oct. 2, 1923	Baltimore.

Name	Class	Number	Date Issued	Port Issued
Gellerup, Daniel W.	Second	1556	June 4, 1923	Chicago.
Gross, Malvern J.	First	9253	Mar. 25, 1924	New Orleans.
Harvey, Harry C.	do	2906	Nov. 2, 1922	Chicago.
Henry, Arden F.	do	2960	Feb. 6, 1923	Do.
Hebbett, James Orlin	do	9227	Mar. 11, 1924	New Orleans.
Horton, Jas.	do	3496	Sept. 6, 1923	San Francisco.
Jacobson, O. W.	do	4575	Feb. 16, 1923	Seattle.
Johnson, C. Charles.	do	4102	Dec. 11, 1922	New York.
Kaulback, Harold D.	do	536	Sept. 7, 1923	Boston.
Keller, Jesse	Second	2813	Dec. 16, 1922	Baltimore.
Loftfield, Hamlet	First	7108	Nov. 16, 1923	San Francisco.
Malbewson, E. L.	do	7227	Sept. 21, 1923	Do.
Miller, Irwin	do	9040	Nov. 12, 1923	Boston.
Munroe, Wayne W.	do	3327	June 9, 1923	San Francisco.
Nelson, Paul E.	do	3884	June 1, 1922	New York.
Pecham, H. K.	do	10820	May 31, 1924	Do.
Phillips, Charles Walter	do	1748	Mar. 28, 1923	New Orleans.
Poy, Henry Jus.	do	3312	May 26, 1923	San Francisco.
Quirk, Robert H.	do	7144	Dec. 21, 1923	Do.
Scott, Clarence J.	do	14582	Nov. 6, 1917	Chicago.
Semirat, Arthur L.	do	3253	Jan. 19, 1923	San Francisco.
Simmons, Jr., Guy	do	9279	Apr. 10, 1924	New Orleans.
Simon, Samuel	do	6945	Jan. 12, 1923	San Francisco.
Smith, Raymond L.	do	3995	Oct. 20, 1922	Chicago.
Stanton, William J.	do	9048	Dec. 6, 1923	Boston.
Stoh, Karl A.	do	9214	Feb. 25, 1924	New Orleans.
Sullivan, James Roy	do	3489	Sept. 4, 1923	San Francisco.
Taylor, Raymond L.	do	10032	Dec. 20, 1923	New York.
Valenzuela, Wm. J.	Second	818	Feb. 16, 1923	New Orleans.

SANDHAMN (FINLAND) RADIO STATION TRANSMITS ICE REPORTS

Sandhamn Radio Station (OJA) transmits on a wave length of 5,200 meters, at about 16.58 Finnish time (14.58 Greenwich mean time), ice signals and the effects of ice conditions on navigation. Transmission, according to the following code, follows the weather bulletin and the report concerns the conditions on the morning of the day the message is sent:

Ice Finland AA ininin ininin BB ininin ininin CC ininin ininin DD ininin ininin
ininin EE ininin ininin FF ininin ininin GG ininin ininin HH ininin ininin II
ininin ininin JJ ininin ininin.

The letter "I" replaced by either a number (0-9) or the letter "x" indicates ice conditions, and the letter "n" replaced by either a number (0-9) or the letter "x" indicates navigational conditions, have the following signification:

j=Ice conditions	n=Effect on navigation
0—Clear of ice	0—Navigation unobstructed.
1—Light ice	1—Navigation unobstructed for steamer; difficult for sailing vessels.
2—Close sludge	2—Navigation difficult for small steamers; dangerous for sailing vessels.
3—Fixed sheet of ice	3—Navigation only possible for large steamer without ice breaker.
4—Drift ice	4—Navigation only possible for steamers strengthened for ice, without help of ice breaker.
5—Packed ice	5—Navigational channel kept open.
6—Close packed drift ice	6—Navigational channel kept open with the assistance of ice breaker.
7—Rift in the ice parallel to the coast	7—Navigation interrupted.
8—Screwed ice	8—Sea mist, fog or snow.
9—Coarse ice masses	9—Navigation closed.
x—No information	x—No information.

The double letters AA, BB, CC, DD, EE, FF, GG, HH, II, and JJ divide the message into ten main groups, each one consisting of two subgroups with three pairs of the letters "in" in each. The letters "in" indicate the conditions in a distinct area or fairway, as follows:

Main group	Subgroup	Pair of letters	Fairway or area
AA.....	I.....	First.....	Bjorkosund.
		Second.....	Verkkomtala vicinity.
		Third.....	The sea westward of Bjorko.
	II.....	First.....	Fairway Viborg-Trangsund.
		Second.....	Fairway Trangsund-Hodhali.
		Third.....	Off Rodhall.
BB.....	I.....	First.....	Kotka Harbor and neighborhood.
		Second.....	Off Ranko.
		Third.....	Off Luppi.
	II.....	First.....	The sea westward of Hogland.
		Second.....	The sea southward of Hogland.
		Third.....	The sea westward of Hogland.
CC.....	I.....	First.....	Helsingfors southern harbor and neighborhood.
		Second.....	Off Sveaborg.
		Third.....	Off Graskarsbadarna.
	II.....	First.....	At Porkala.
		Second.....	Off Kalibadan.
		Third.....	BarsooundsGarden.
DD.....	I.....	First.....	The sea off Jussaro.
		Second.....	Hango Harbor and neighborhood.
		Third.....	Vicinity of Russaro.
	II.....	First.....	The outer sea off Russaro.
		Second.....	Hango western fjord.
		Third.....	The southern part of Gulikrona Fjord.
EE.....	I.....	First.....	Abo Harbor to Stora Becken.
		Second.....	Erstan.
		Third.....	Vidskja Fjord.
	II.....	First.....	Vicinity of Uto.
		Second.....	The outer sea off Uto.
		Third.....	Skiftet.
FF.....	I.....	First.....	At Ledsund.
		Second.....	Eastward of Nyhaman.
		Third.....	The sea off Kobbaklintar.
	II.....	First.....	Vicinity of Mariehamn.
		Second.....	Westward of Eketra.
		Third.....	Toward Salakar.
GG.....	I.....	First.....	Vicinity of Raumo.
		Second.....	The sea off Raumo.
		Third.....	The neighborhood of Redandersgrund.
	II.....	First.....	Mantyluoto Harbor and vicinity.
		Second.....	Off Kallo and Raeso.
		Third.....	The outer sea off Raeso.
HH.....	I.....	First.....	Vaskisto Harbor and neighborhood.
		Second.....	Between Sterhasten and Ensten.
		Third.....	Ronnskar Fairway.
	II.....	First.....	Norrskar Fairway.
		Second.....	Jakobstad Harbor.
		Third.....	Ado Roadstead.
II.....	I.....	First.....	The sea off Masakar.
		Second.....	Yxpila Harbor.
		Third.....	Inner sea at Tankar.
	II.....	First.....	The outer sea off Tankar.
		Second.....	Brahastad Roadstead.
		Third.....	Toward Nahkainen.
JJ.....	I.....	First.....	The sea northward of Isokraselli.
		Second.....	The outer harbors of Ulesborg.
		Third.....	The channel to the harbors of Ulesborg.
	II.....	First.....	The sea off Marjanismi Light.
		Second.....	The harbors of Kemi.
		Third.....	The sea off Kemi.

The message may be abbreviated as follows:

(a) If the ice and navigational conditions of all the areas of one main group are the same, the message gives after the pairs of letters (AA, BB, etc.) only one pair of symbols "in"; for example, AA 34.

(b) If the ice and navigational conditions of all the areas of several successive main groups are the same, only the pairs of letters followed by only one pair of symbols will be issued; for example, BBCCDD 00.

(c) When there is no need to issue warnings for a whole main group, this group will be omitted.

(d) If the conditions of a whole main group are unknown, this group will not be omitted, but treated as under (a); that is, FF xx.

Approximate position of Sandhamn Radio Station, lat. 60° 08' N., long. 25° 03' E.—*Underrattelser for Sjofarande 26 (372), Helsingfors, September 20, 1934.*

NOTE.—Hango Radio Station (OJD) will repeat, on request, on a 600-meter wave, the ice report broadcasted by the Sandhamn Station. The Hango Station will answer also, on the above wavelength, questions regarding the code of the ice report.

FOREIGN RADIO BROADCASTING STATIONS

The following list of broadcasting stations in foreign countries and noncontiguous territories of the United States is compiled from the information in the files of the electrical division. It includes only those stations which broadcast programs for popular reception, though many of the stations included do so only as a minor part of their business.

Location	Operated by—	Call	Wave	Power
			length	
ALASKA			Meters	Watts
Anchorage.....	Chevin Supply Co.	KFQD.....	280	100
Juneau.....	Alaska Electric Light & Power Co.	KFIU.....	226	10
Kukak Bay.....	Walter Heinrich.....	KNT.....	263	100
ARGENTINA				
Buenos Aires.....	Radio Sud America.....	LOZ.....	375	
Do.....	Radio Cultura.....	LOX.....	384	500
Do.....	Francisco J. Brusa.....	TCR.....	375	
Do.....	Cia. Radio Argentina ¹	LOR.....	325	100
Do.....	Ciara ²	LOV.....	300	
Do.....	Francisco J. Brusa.....	B-1.....	360	
Do.....	do.....	LOW.....	410	500
Do.....	Grand Splendid Theater.....	LOY.....	400	500
Tucuman.....	Radio Nacional.....			
Resario.....	No data.....			
do.....				
AUSTRALIA				
Sydney.....	Farmer & Co. (Ltd.).....	2CF.....	1,120	1,000
Do.....	Broadcastings Sydney (Ltd.).....	2BL.....	380	500
Melbourne.....	Associated Radio Co. (Ltd.).....	2AB.....	480	250
Adelaide.....	South Australia Broadcastings (Ltd.).....	480		
Perth.....	West Australian Farmers (Ltd.).....	6WF.....	1,250	500
AUSTRIA				
Vienna.....	Technologische Gewerbmuseum.....	"Radio Wien".....	700	100
Do.....	Radio Hekaphon.....	OHW.....	600	
BELGIUM				
Brussels.....	No data.....	SRB.....	405	
Do.....	do.....	BAV.....	900	
Do.....	Radio Electrique.....		1,100	
			265	
BRAZIL				
Rio de Janeiro.....	Praia Vermelha.....	No data.....	500	
Do.....	Marconi (Radio Sociedade do Rio de Janeiro).....	No data.....	6,000	
Sao Paulo.....	Radio Bondelantes.....	No data.....		10,000
Belo Horizonte.....	National Telegraph Service.....	No data.....		500
Bahia.....	Radio Sociedade de Bahia (projected station).....	No data.....		

¹ Now installing equipment for 1,000 watts.

² Radio Cultura and Sociedade Radio Argentina also named as operators of this station.

³ Cia. Radio Argentina.

Location	Operated by—	Call	Wave length	Power
CANADA			Meters	Watts
Nova Scotia:				
Halifax.....	Eastern Telephone & Telegraph Co.	CFCS.....	410	
Do.....	Marconi	CFCE.....	440	
Do.....	Radio Engineers	CHAC.....	400	
New Brunswick:				
St. John.....	Maritime Radio Corp.	CJCI.....	400	
Do.....	Jones Electric Co.	CKCR.....	400	
Province of Quebec:				
Montreal.....	Marconi	CFCF.....	440	
Do.....	Northern Electric Co.	CHYC.....	410	
Do.....	Depois Freres	CJBC.....	420	
Do.....	La Presse Publishing Co.	CKAC.....	430	
Do.....	Bell Telephone Co.	CKOS.....		
Do.....	University of Montreal	CFUC.....	400	
Do.....	Northern Electric Co.	CHYC.....	410	
Quebec.....	La Cie de L'Evenement	CFCJ.....	410	
Do.....	Canadian Wireless and Electric Co.	CHCD.....	410	
Bellevue.....	Semmelbauch-Dickson (Ltd.)	CFCQ.....	450	
Ontario:				
Fort Frances.....	International Radio Development Co.	CFPO.....	400	
Hamilton.....	Wentworth Radio Supply Co.	CKOC.....	410	
Kitchener.....	The News-Record (Ltd.)	CJCF.....	420	
Ottawa.....	J. R. Booth, Jr.	CHXC.....	400	
Iroquois Falls.....	Abitibi Power & Paper Co.	CFCH.....	400	
Sudbury.....	Lorentridge Air Service	CFCR.....	410	
Kingston.....	Queens University	CFRC.....	450	
London.....	Radio Shop	CFCW.....	420	
Do.....	Free Press Printing Co.	CJGC.....	450	
Do.....	Radio Supply Co. (Ltd.)	CKQC.....	410	
Do.....	London Radio Shoppe	CHCO(?).....	410	
Toronto.....	Canadian Independent Telephone Co.	CKCE.....	450	
Do.....	Star Publishing & Printing Co.	CFCIA.....	400	
Do.....	T. Eaton Co.	CJCD.....	410	
Do.....	Marconi	CHCB.....	440	
Do.....	Metropolitan Motors	CHVC.....	410	
Do.....	Simons Agnew & Co.	CJCN.....	410	
Do.....	Evening Telegram	CJSO.....	430	
Do.....	Bell Telephone Co.	CFTC.....		
Manitoba:				
Winnipeg.....	Manitoba Free Press	CJCG.....	410	
Do.....	G. Melrose Bell	CHCF.....	430	
Do.....	Tribune Newspaper Co.	CJNC.....	400	
Do.....	Salton Radio Engineering Co.	CKZG.....	420	
Do.....	Manitoba Telephone System	CKY.....	450	
Saskatchewan:				
Regina.....	G. Melrose Bell	CKOK.....	420	
Do.....	Lander Publishing Co.	CPQC.....	400	
Saskatoon.....	The Electric Shop			
Alberta:				
Calgary.....	G. Melrose Bell	CGAC.....	430	
Do.....	Albertan Publishing Co.	CHBC.....	410	
Do.....	Western Radio Co.	CHCQ.....	400	
Do.....	Calgary Herald	CFAC.....	430	
Do.....	W. W. Grant Radio (Ltd.)	CFON.....	440	
Edmonton.....	Edmonton Journal	CJCA.....	450	
Do.....	Radio Supply Co.	CFCK.....	410	
Olds.....	Percival Wesley Shackleton	CJCX.....	400	
British Columbia:				
Vancouver.....	Sprott Shaw Radio Co.	CJCE.....	420	
Do.....	Daily Province	CKCD.....	410	
Do.....	Marconi	CFCD.....	440	
Do.....	G. Melrose Bell	CGAC.....	430	
Do.....	Vancouver Merchants Exchange	CHOL.....	440	
Nelson.....	J. G. Bennett	CJCB.....	400	
Victoria.....	Centennial Methodist Church	CFCL.....	400	
Do.....	Western Canada Radio Supply (Ltd.)	CHCE.....	400	
Nanaimo.....	Sparks Co.	CFDC.....	430	
CHILE				
Valparaiso.....	Senor Pascual de Munoz Rojas	No data.....		
Santiago.....	Radio Corporation of Chile	CRC.....	400	
Vina del Mar.....	do	ABC.....	450	
CHINA				
Hongkong.....	Hongkong Hotel Co.			
Do.....	Radio Communication Co. (Orient) (Ltd.)			
Shanghai.....	The Evening News (Portuguese)			
Macao.....				

Location	Operated by—	Call	Wave length	Power
CUBA			Meters	Watts
Havana	Cuban Telephone Co.	PWX	400	500
Do.	Pedro Zayas	2DW	300	100
Do.	Alberto S. Bustamante	2AB	240	20
Do.	Mario Garcia Velez	2OK	360	100
Do.	Frederick W. Burton	2DY	260	100
Do.	do	2CX	220	10
Do.	Westinghouse Electric Co.	2EV	220	50
Do.	Roberto E. Ramirez	2TW	230	20
Do.	Hernando de Cuba	2BC	275	500
Do.	Luis Ceses	2LO	240	30
Do.	E. Sanchez Fuentes	2KD	350	100
Do.	Fausto Simon	2MN	270	300
Do.	Manuel G. Salas	2MG	260	30
Do.	Raul Perez Falcon	2JQ	160	10
Do.	Alvaro Diaz	2KF	200	10
Do.	Julio Pover	2H8	180	20
Do.	Oscar Collado	2OL	200	15
Do.	Amadeo Saenz	2WW	210	20
Colon	Leopoldo V. Figueras	3EV	300	100
Tunica	Frank H. Jones	6KW	340	100
Do.	do	6KJ	275	100
Cienfuegos	Antonio T. Figueras	6CX	170	30
Do.	Eduardo Terry	6DW	225	10
Do.	José Ganduxer	6BY	300	100
Do.	Valentin Ulibarri	6AZ	200	10
Calabria	Joséfa Alvarez	6EV	225	30
Camaguey	Pedro Noguera	7AZ	225	-----
Do.	Salvador Rondon	7BY	360	-----
Santiago	Alfredo Broocks	8AZ	240	30
Do.	Alberto Ravelo	8BY	230	100
Do.	Andres Vinet	8FU	225	15
Do.	Pedro C. Andus	8DW	275	50
Do.	Eduardo Mateo	8EV	180	75
Do.	Juan P. Chibas	8GT	260	-----
CURACAO, BRITISH WEST INDIES				
Curaçao	Department of Finance			
CZECHOSLOVAKIA				
Kbely	Radio Journal	None	1,100	1,000
Prague	No data	PRG	1,800	10,000
Brunn	do	OKB	4,500	
DENMARK				
Lyngby	Danish Government	OXE	2,400	2,500
FINLAND				
Tammerfors	Amateur Radio Society	3NB	300	20
Skatudden	Nuoren Voiman Laiton Radiotohdistys "Radio Division"		450	75
FRANCE				
Paris	Eiffel Tower	FL	2,600	4,000
Do.	Ecole Supérieure des P. T. & T.	ESP	430	350
Tours	French Government	YG	2,500	500
La Doua (Lyons)	do	YN	480	500
Paris	Levallois (Radiola)	SFR	1,780	
Nice	French Government	None	460	-----
Issy-sur-Moulineaux	do	None	1,600	-----
Bourges	do	None	900	-----
Abbeville	do	None	900	-----
Paris	No data	8AJ	1,780	-----
GERMANY				
Berlin	Königswusterhausen	LP	2,800	-----
Do.	Vox Haus	None	450	1,500
Leipzig	Mitteldutsche Rundfunk, AG	None	430	1,000
Frankfurt	Sudwestdeutsche Rundfunkanstalt	None	460	
Hamburg	Nordischer Rundfunk, AG	None	392	-----
Breslau	Schlesische Rundfunk, AG	None	415	-----
Königsberg	Ostmarken Rundfunk, AG	None	460	-----
Stuttgart	Süddeutsche Rundfunkdienst, AG	None	437	-----
Munich	Deutsche Stunde in Bayern	None	485	1,500
Eberswalde	No data		2,600	-----

Location	Operated by—	Call	Wave length	Power
GREAT BRITAIN				
Sheffield	British Broadcasting Co.	None	303	
Plymouth	do	None	330	
Cardiff	do	5WA	330	
London	do	2LO	365	900
Manchester	do	2ZY	375	1,000
Bournemouth	do	6BM	385	1,100
Newcastle	do	5NO	400	1,100
Glasgow	do	2SC	415	
Belfast	do	None	435	
Birmingham	do	51T	475	500
Aberdeen	do	2BD	495	1,100
Chelmsford	do	5XX	1,600	
Croydon	do	GED	900	
Glasgow	do	5SC	420	1,100
Leeds-Bradford	do	2LS	345	
			310	
HAWAII				
Honolulu	Marion A. Mulroney	KGU	360	800
Do.	The Electric Shop	KYQ	270	100
INDIA				
Calcutta	Radio Club (2BZ) operated by Marconi	5AFO	425	
ITALY				
Rome	No data	ICD	3,200	
Do.	Ing. Ranieri	None	350	
Centocelle	No data	None	450	
			2,900	
JUGOSLAVIA				
Belgrade	No data		1,625	
MARTINIQUE, FRENCH WEST INDIES				
La p. des Carrières	French Marine de Guerre	HYV	600	
			2,000	
MEXICO				
Mexico City	El Buen Tono	OYB	360	500
Do.	El Universal	CYL	360	500
Do.	El Excelsior (not now operating)			
Saltillo	Colegio Ateneo Fuente	None	450	135
Monterey	No data			
NETHERLANDS				
The Hague	Velthuizen	PCKK	1060	
IJmuiden	Middelraad	PCMM	1060	
The Hague	Nederlandse Radio Industri	PCGG	1060	
Do.	Laboratorium Heussen	PCUU	1060	
Amsterdam	Smith and Hoogendo	PA5	1060	
Do.	Vas Diaz Press Office	PCFF	2000	
Hilversum	Dutch Radio Apparatus Factory	NSP	1060	
NEW ZEALAND				
Dunedin	Otago University	4XO	140	
Auckland	Auckland Radio Service	1YA	260	200
Do.	C. H. Pearson for Newcombe (Ltd.)	1YL	260	500
Wellington	Wellington Broadcasters (Ltd.)	2YB	275	15
Do.	Dominion Radio Co.	2YK	275	15
Gisborne	Gisborne Radio Co.	2YM	335	500
Dunedin	British Electrical & Engineering Co.	4YA	310	500
PERU				
No data	Peruvian Broadcasting Co. (projected)			
PORTO RICO				
San Juan	Radio Corporation of Porto Rico	WKAQ	360	100
PORTUGAL				
Lisbon	Aero Lisboa	None	370	
			400	

Location	Operated by—	Call	Wave length Meters	Power Watts
SOUTH AFRICA				
Johannesburg	Association of Scientific and Tech. Soc.	None	450	
Cape Town	No data			
SPAIN				
Madrid	No data	EGC	2100	
Cartagena	do	FBX	1200	
Madrid	do	PTT	400	
Do	Radio Iberica		700	
SWEDEN			392	
Stockholm	Royal Telegraph Radio Office	None	440	500
Do	Svenska Radiotekniskbolaget	None	470	300
Goteborg	Royal Telegraph Radio Office	SAB	700	200
Do	Ingenior Eliassons	SMZX	460	50
Boden	Royal Telegraph Radio Office	SAL	460	50
Gothenburg	Nya Varvet		700	
SWITZERLAND				
Lausanne	Champ de l'Air	HB2	1000	
Geneva	Station T. S. F. Cointrin	HB1	1100	

—Compiled by Electrical Division, Bureau of Foreign and Domestic Commerce

REFERENCES TO CURRENT RADIO PERIODICAL LITERATURE

This is a monthly list of references prepared by the radio laboratory of the Bureau of Standards and is intended to cover the more important papers of interest to the professional radio engineer which have recently appeared in technical periodicals. The number at the left of each reference classifies the reference by subject, in accordance with the scheme presented in A Decimal Classification of Radio Subjects—An extension of the Dewey System, Circular No. 138, a copy of which may be obtained for 10 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C. Further information about these lists, availabilities of previous lists, and of the several periodicals is contained in the extended statement preceding the early lists as published in the Radio Service Bulletin prior to April, 1923, and also in May and September, 1923.

R000.—Radio communication

- R007.1 Hoover meet recommends bars be kept (résumé of Third National Radio Conference). Radio Digest Illustrated, 11, pp. 1-2, October 25, 1924.
- R007.6 Brenot, Franck, Mihura. La réglementation de la T. S. F.: Exposé de questions ayant fait l'objet d'études ou de réglementation internationales et vœux. L'Onde Électrique, 3, pp. 402-424, August, 1924.
- R007.7 Thurn, H. Neuregulation des Funkwesens. Elektrotechnische Zeitschrift, 45, pp. 969-972, September 11, 1924.
- R007.8 New radio regulations in Australia. Radio (San Francisco), 6, p. 28, October, 1924.
- R007 The life and works of Lee De Forest—II. Radio News, 6, pp. 638-639, November, 1924.

R100.—Radio principles

- R110 Guinchard, J. Portée des ondes: Action de l'atmosphère. L'Onde Électrique, 3, pp. 445-448, September, 1924.
- R112 Lardy, P. Étude sur les irrégularités de propagation des ondes courtes. L'Onde Électrique, 3, pp. 449-456, September, 1924.
- R113.7 Howe, G. W. O. Notes on wireless matters: A new theory of long-distance radio-communication. Electrician, 83, pp. 262-263, September 12, 1924.
- R114 Burescu, R. Relations entre certains atmosphériques et les phénomènes météorologiques. L'Onde Électrique, 3, pp. 383-401, August, 1924.
- R114 Marriott, R. H. Discovery of a place where no static could be heard in August. Proceedings Institute Radio Engineers, 12, pp. 533-537, October, 1924.
- R116 Hood, A. Theory of determination of ultraradio frequencies by standing waves on wires (abstract of Bureau of Standards Scientific Paper No. 491). Journal Franklin Institute, 198, pp. 542-544, October, 1924.
- R122 Bliley, F. D. Harmonic transmission on low wave lengths. Radio (San Francisco), 6, p. 31, October, 1924.
- R124 Rogers, J. H. Loop aerial. United States Patent No. 1510790, issued October 7, 1924.
- R125.6 New directional antenna described by Marconi. Popular Radio, 6, pp. 508-509, November, 1924.
- R125.6 Transmitting a 10° beam (experiments at Faldhu by Marconi). Wireless World and Radio Review, 14, p. 729, September 24, 1924.

- R127 Taylor, A. H. Antenna resistances. QST, 8, pp. 47-48, October, 1924.
 R127 Cooper, A. E. Antenna resistance. Radio (Toronto), 8, pp. 17-18, September, 1924.
 R131 Takagishi, E. Experimental determination of the fundamental dynamic characteristics of a triode. Proceedings Institute Radio Engineers, 12, pp. 609-622, October, 1924.
 R134.4 Morecroft, J. H. and Jensen, A. G. An analysis of two triode circuits. Proceedings Institute Radio Engineers, 12, pp. 579-587, October, 1924.
 R134.4 van der Pol, B., Jr. Gewangen trilligen in een systeem met niet lineaire weerstand (ontvanger met torugekoppelde triode). Tijdschrift het Nederlandsch Radiogenootschap, 2, pp. 57-78, October, 1924.
 R134.45 Groves, A. L. Superregeneration and short waves. QST, 8, pp. 82-83, October, 1924.
 R134.75 Snow, H. A. A study of superheterodyne amplification. QST, 8, pp. 20-25, October, 1924.
 R134.75 Armstrong, E. H. The superheterodyne—its origin, development, and some recent improvements. Proceedings Institute Radio Engineers, 12, pp. 559-552, October, 1924.
 R134.75 Best, G. M. Improvements in the 45,000 cycle superheterodyne. Radio (San Francisco), 6, pp. 25-36, October, 1924.
 R134.75 Edwards, P. S. The new type of superheterodyne. Popular Radio, 6, pp. 477-483, November, 1924.
 R138 Montefinale, G. Sulla tecnica degli vuoti per tubi elettronici. L'Elettrotecnica, 11, pp. 618-621, September 15, 1924.
 R138 Paris, M. Variazioni di temperatura e di emissione elettronica di un filamento di tungsteno reso incandescente da corrente alternata. L'Elettrotecnica, 11, pp. 673-676, September 25, 1924.
 R138 Mendici, A. Variazioni di temperatura e di splendore di un filamento di tungsteno reso incandescente da corrente alternata. L'Elettrotecnica, 11, pp. 677-78, September 25, 1924.
 R143 Lodge, O. Why damping causes interference. Popular Radio, 6, pp. 452-456, November, 1924.
 R148 Hatry, L. W. Simple modulation methods. Radio News, 6, pp. 696-697, November, 1924.
 R150 Gabel, V. The crystal as a generator and amplifier. Wireless World and Radio Review, 15, pp. 2-5, October 1; pp. 47-50, October 8, 1924.
 R160 Vinogradow, Les detecteurs generateurs (crystal detectors). L'Onde Electrique, 3, pp. 432-444, September, 1924.
- R200.—Radio measurements and standardization
- R230 Batchelor, R. R. Discussion on "On the calculation of the inductances and capacities for a multi-range-series of tuned circuits. Proceedings Institute Radio Engineers, 12, pp. 651-653, October 1924.
 R240 Merritt, E. Method of and means for determining phase difference. United States Patent No. 1510792, issued October 7, 1924.
 R261 Turnbull, J. H. The vacuum tube voltmeter—measuring high voltage at any frequency. QST 8, pp. 44-45, October, 1924.
 R272 Austin, L. W. and Judson, E. B. A method of measuring radio field intensities and atmospheric disturbances. Proceedings Institute Radio Engineers, 12, pp. 521-532, October, 1924.
 R275 Wolf, M. Percentage modulation in radio telephone sets—a brief statement as to its importance and a simple method for its accurate determination. Radio (San Francisco), 6, p. 34, October, 1924.
 R380 Valve tests: The Ex-R. A. F. "C" valves and new Mullard H. F. and L. F. valves. Wireless World and Radio Review, 14, pp. 687-688, Sept. 10; pp. 707-708, September 11, 1924.
 R390 Matteini, C. Progetto di tubi elettronici per radiotelegrafia. L'Elettrotecnica, 11, pp. 621-629, September 15, 1924.
 R333 van der Pol, B. Jr. Het electrostatisch veld van een triode. Tijdschrift van het Nederlandsch Radiogenootschap, 2, pp. 53-56, October, 1924.
 R334 Imbach, G. The four electrode vacuum tube. Radio News, 6, pp. 694-695, November, 1924.
 R342.15 Smith, E. W. The simple theory of audio-frequency transformers. Radio (San Francisco), 6, p. 27, October, 1924.
 R342.15 Dye, D. W. The performance and properties of telephonic frequency intervalve transformers. Experimental Wireless (London), 2, pp. 12-21, October, 1924.
 R342.6 Snott-Taggart, J. Multistage radio frequency amplification. Radio News, 6, pp. 688-690, November, 1924.
 R342.6 Lewis, E. B. Radio receiving system. United States Patent No. 1510945, issued October 7, 1924.
 R343 Alan, R. A 60 to 600 meter tuner. Wireless Age, 12, pp. 46-47, October, 1924.
 R343.7 Grimes, D. Radio receiving apparatus (a. c. supply to receiver). United States Patent No. 1509139, issued September 23, 1924.
 R344 Prince, D. C. and Vogdes, F. B. A high efficiency vacuum tube oscillating circuit. Proceedings Institute Radio Engineers, 12, pp. 623-630, October, 1924.
 R344.3 Petzer, J. E. A 100-watt master oscillator transmitter. Radio News, 6, pp. 682-683, November, 1924.
 R344.3 Olson, M. S. Loop antenna transmission. Radio News, 6, p. 681, November, 1924.
 R344.3 Kruss, S. Transmission experiments at SAQO—part II. QST, 8, pp. 28-31, October, 1924.
 R348 Johnson, E. D. Repeater circuits. United States Patent No. 1510676, issued October 7, 1924.
 R348 Quarles, D. A. and Mohr, F. Electric current transmission. United States Patent No. 1511423, issued October 14, 1924.
 R348 Sperry, E. A. Wireless repeater system. United States Patent No. 16624, reissued October 7, 1924.
 R348 Nicholson, A. M. Repeating method and system. United States Patent No. 1510698, issued October 7, 1924.
 R351 Anderson, J. E. Vacuum tube oscillators record distant earthquakes. Radio News, 6, pp. 660-662, November, 1924.
 R362.4 Danielsou, E. G. Rotary spark gap apparatus. United States Patent No. 1510741, issued October 7, 1924.
 R354 Orson, M. Radio transmission system. United States Patent No. 1509308, issued September 23, 1924.
 R374 On crystal and crystal testing. Experimental Wireless (London), 2, pp. 48-49, October, 1924.
 R381 Bayles, B. A. and Higham, H. Electrical condenser. United States Patent No. 1511693, issued October 14, 1924.
 R382 Pickard, O. W. The receiving coil problem. QST, 8, pp. 26-27, October, 1924.
 R384.1 Wood, J. The heterodyne wavemeter. Radio News, 6, pp. 692-693, November, 1924.
 R386 Sandeman, E. K. Frequency filters: Acoustic filters and their applications. Wireless World and Radio Review, 14, pp. 685-686, September 10, 1924.
 R386 Backhaus, H. Theorie der Kurzen Siebketten. Jahrbuch der drahtlosen Telegraphie, 24, pp. 11-16, July, 1924.

R400.—Radio communication systems

- R402 McGown, D. B. Getting down to the short waves (suggestions on Hartley and Meissner circuits). Radio (San Francisco), 6, pp. 29-30, October, 1924.
 R402 A propos de ondes courtes. Radioélectricité, 5, pp. 350-352, September 24, 1924.
 R402 Kruse, S. Working at 5 meters. QST, 8, pp. 18-19, October, 1924.
 R430 Van Nostrand, W., Jr. How to locate interference from power lines. Popular Radio, 6, pp. 488-492, November, 1924.
 R430 How to stop local interference from machinery. Popular Radio, 6, pp. 517-518, November, 1924.
 R431 Koerts, A. De methoden voor het elimineren van Luchstorringen. Tijdschrift van het Nederlandisch Radiogenootschap, 3, pp. 47-52, October, 1924.
 R431 Diamond, H. The nature of static and its elimination. Radio (San Francisco), 6, pp. 23-24, October, 1924.
 R431 White, R. H. Radio interference elimination—I. Electrical Review (London), 95, pp. 464-465, September 26, 1924.

R500.—Applications of radio

- R430 Air mail wireless equipment. Wireless World and Radio Review, 14, pp. 681-683, September 10, 1924.
 R532 More about 6ZZ: Detailed report on the R. S. G. B. train tests. Wireless World and Radio Review, 14, pp. 718-720, September 17, 1924.
 R545 Eccles, W. H. The position of the scientific amateur (address delivered to Institution of Electrical Engineers). Wireless World and Radio Review, 15, pp. 6-8, October 1; pp. 53-54, October 8, 1924.
 R550 Reith, J. C. W. Broadcasting—Past and future (British). Electrician, 93, pp. 342-343, September 26, 1924.
 R550 Third Avenue Railway owns broadcasting station WEBJ (description of station). Aers, 13 pp. 391-395, October, 1924.
 R551, 1 R581 Swick, C. H. Determining longitude by radio. Radio News, 6, pp. 656-657, November, 1924.
 Kloneck, A. J. Electrical power transmission by radiation. United States Patent No. 1510624, issued October 7, 1924.

R600.—Radio stations: Equipment, operation, and management

- R610 Walls, H. J. The standard frequency set at WWV (radio laboratory, Bureau of Standards). QST, 8, pp. 9-12, October, 1924.
 R612 Nelson, E. L. Transmitting equipment for radio telephone broadcasting. Proceedings Institute Radio Engineers, 12 pp. 553-577, October, 1924.

R800.—Nearadio subjects

- 534 Mallett, E. Sound in relation to wireless. Wireless World and Radio Review, 14, pp. 671-674, September 10; pp. 712-716, September 17; pp. 748-751, September 24, 1924.
 534 Chambers, Florence M. Applications of a thermionic valve to the measurement of the damping of vibrations of a steel wire. Philosophical Magazine, 48, pp. 635-645, October, 1924.
 537, 55 Taylor, J. On some properties of low tension discharge tubes. Experimental Wireless (London) 7, pp. 41-47, October, 1924.
 621, 327, 7 Hollingshead, H. P. Electrical measurement. United States Patent No. 1510790, issued October 7, 1924.

STANDARD FREQUENCY STATIONS

As a result of measurements by the Bureau of Standards upon the transmitted waves of a limited number of radio transmitting stations, data are given in each month's Radio Service Bulletin on such of these stations as have been found to maintain a sufficiently constant frequency to be useful as frequency standards. There may be many other stations maintaining their frequency just as constant as these, but these are the only ones which reached the degree of constancy shown among the stations upon whose frequencies measurements were made in the bureau's laboratory. There is, of course, no guaranty that the stations named below will maintain the constancy shown. As a means of maintaining constant frequency the high-power, low-frequency alternator stations listed below have speed regulators. Most of the broadcasting stations listed use frequency indicators (one-point wavemeters) and maintain a maximum deflection of the frequency indicator throughout the transmission. These broadcasting stations, with rare exceptions, vary not more than 2 kilocycles from the assigned frequency. The transmitted frequencies from these stations can be utilized for standardizing wave meters and other apparatus by the procedure given in Bureau of Standards Letter Circular No. 92, Radio Signals of Standard Frequencies and Their Utilization. A copy of that letter circular can be obtained by a person having actual use for it upon application to the Bureau of Standards, Washington, D. C.

Station	Owner	Location	Assigned frequency (kilocycles)	Period covered by measurements (months)	Number of times measured	Average deviation from assigned frequency	Greatest deviation from assigned frequency since Sept. 20, 1924
NSS	United States Navy	Annapolis, Md.	17.50	14	101	Per cent	Per cent
WG	Radio Corporation of America	Tuckerton, No. 1, N. J.	18.35	14	112	.2	.6
WII	do	New Brunswick, N. J.	22.04	13	95	.2	.1
WSO	do	Marion, Mass.	25.80	14	91	.3	.2
WWJ	Detroit News	Detroit, Mich.	580	14	43	.1	.5
WCAP	Chesapeake & Potowmac Telephone Co.	Washington, D. C.	640	13	63	.1	.2
WRC	Radio Corporation of America	do	640	10	41	.1	.2
WSB	Atlanta Journal	Atlanta, Ga.	700	13	54	.1	.7
WGY	General Electric Co.	Schenectady, N. Y.	700	16	95	.2	.1
WBZ	Westinghouse Electric & Manufacturing Co.	Springfield, Mass.	890	6	13	.0	.1
KDKA	do	East Pittsburgh, Pa.	920	13	123	.1	.1

THE STANDARD FREQUENCY TRANSMITTING SET AT WWW

An article of the above title, by H. J. Walls, of the Bureau of Standards, appeared in the October issue of QST. This article describes the special radio transmitting set used to transmit the semimonthly standard frequency signals from the Bureau of Standards. The transmitting set is a 1-kilowatt continuous-wave set of the "master-oscillator power amplifier" type, which is capable of transmitting either telegraph or telephone signals on frequencies from 125 to 2,000 kilocycles. The master oscillator is used to control the frequency of the set, and its output is amplified by four 250-watt tubes in parallel. The set has been designed so that the frequency will remain constant regardless of small changes in antenna constants, and so that the frequency may be readily shifted and accurately adjusted to any value within the range of the set. The circuits used and antenna arrangements are described in detail. Signals from this transmitting set have been received in all United States radio districts, Canada, Cuba, England, and Italy.

METHODS OF RECEIVING THE BROADCASTING STATIONS OF HIGHER FREQUENCY

Some broadcast receiving sets now in use can not be conveniently tuned to stations broadcasting on frequencies higher than 1,000 or 1,200; that is, not below 300 or 250 meters. The Third National Radio Conference recommended that the broadcast band of frequencies be extended to 1,500 kilocycles (200 meters). This emphasizes the importance of the production by manufacturers of sets which will tune conveniently at the higher frequencies and the desirability of information on how to use existing sets so that all stations may be tuned in. The range of receiving sets which employ a single tuned circuit—that is, where the antenna is part of the tuned circuit—may be extended to the higher frequencies without much difficulty. This applies both to crystal and tube sets. It can be done very simply by providing a fixed condenser (about 0.0002 microfarad) in series with the antenna which may be switched in or out of the circuit. The settings of the dials are different when the condenser is in and out of circuit. Shortening of the antenna likewise reduces the capacity and consequently increases the maximum frequency (minimum wave length) to which the set will tune.

In the two-circuit and other more complicated receiving sets the extension of the frequency range may not be so convenient. A general rule, however, may prove useful. The natural frequency of a circuit is determined by the product of the inductance and capacity in the circuit, the larger this product the lower the frequency (higher the wave length). To increase the frequency to which a circuit will tune it is only necessary to decrease either the inductance or capacity

or both. The inductance may be reduced by reducing the number of turns, while a reduction in the number of plates or increase in spacing of the plates reduces the capacity of a condenser. The effective capacity in a circuit may also be reduced by using two condensers in series. Changes in receiving sets of this type can, in general, be readily made by radio listeners who construct their own sets.

RADIO TESTING

In order to correct a misapprehension about the radio-testing service of the Bureau of Standards, a statement of the subject is given herewith. The bureau receives many requests for tests of material and apparatus for radio use. There is such a large demand for this testing in comparison with the limited resources available for the work that the bureau has to concentrate on those phases of the work that are of maximum service to the public. This work includes the research required to maintain accurate standards, tests for the Government, tests of instruments which are in turn used as standards for testing considerable numbers of other instruments, tests of importance to the bureau as a matter of research, and a few other tests for which special reasons arise. Consequently, the radio tests made are limited almost entirely to fundamental standards of measurements. No testing service is, in general, given which duplicates service obtainable from commercial testing laboratories. No tests are made the results of which are intended for use in advertising or sales promotion.

A number of laboratories handle commercial tests of radio apparatus and materials. Among these laboratories are the following:

Electrical Testing Laboratories, Eightieth Street and East End Avenue, New York, N. Y.
J. H. Morecroft, One Hundred and Seventeenth Street and Broadway, New York, N. Y.

General Radio Co., Massachusetts Avenue and Windsor Street, Cambridge, Mass. Dartmouth College, attention Prof. G. F. Hull, Department of Physics, Wilder Laboratory, Hanover, N. H.

The School of Electrical Engineering, College of Engineering, Cornell University, Ithaca, N. Y.

University of Tennessee, attention Dr. Chas. A. Perkins, director, engineering experiment station, College of Engineering, Knoxville, Tenn.

University of Wisconsin, attention Prof. H. M. Crothers, College of Mechanics and Engineering, Madison, Wis.

Armour Institute of Technology, Department of Physics, attention Prof. G. M. Wilcox, Chicago, Ill. Crust High Tension Electric Laboratory, Harvard University, Cambridge, Mass.

There are many other laboratories which do radio testing, and their absence from this list is no indication of disapproval by the bureau. No comprehensive investigation of all such testing laboratories has been made.

A method by which individuals may standardize their own wave meters is provided through the standard frequency signals which the Bureau of Standards transmits semimonthly, announcements of such transmissions being made in advance in the press and in the Radio Service Bulletin.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, 25 CENTS PER YEAR