

# RADIO SERVICE BULLETIN

ISSUED MONTHLY BY BUREAU OF NAVIGATION

Washington, December 1, 1925—No. 104

## CONTENTS

	Page		Page
Abbreviations.....	1	Radio fog signals established in Spain.....	10
New stations.....	2	Change in wave length for transmission of weather reports by Buffalo (N. Y.) station (W.A.M.).....	10
Alterations and corrections.....	4	Navigational warnings transmitted by Spanish stations.....	10
Broadcasting stations equipped so as to suppress harmonics.....	8	Compass station established at Belle Isle, Newfoundland.....	10
St. Marys of the Sea (France) coast station reopened.....	8	Kilocycle-meter conversion table.....	10
Radiocompass installation.....	9	Standard frequency stations.....	11
New radio fog signals established by Light-house Service, Department of Commerce.....	9	References to current radio periodical literature.....	12
Change in characteristic of radio fog signals.....	10		

## ABBREVIATIONS

The necessary corrections to the List of Radio Stations of the United States and to the International List of Radiotelegraph Stations, appearing in this bulletin under the heading "Alterations and corrections," are published after the stations affected in the following order:

- Name = Name of station.  
 Loc. = Geographical location. O = west longitude. N = north latitude. S = south latitude.  
 Call = Call letters assigned.  
 System = Radio system used and sparks per second.  
 Range = Normal range in nautical miles.  
 W. l. = Wave lengths assigned; normal wave lengths in italics.  
 Service = Nature of service maintained.  
     FX = Point-to-point (fixed service).  
     PG = General public.  
     PR = Limited public.  
     RC = Radiocompass station.  
     FS = Fog signal.  
     P = Private.  
     O = Government business exclusively.  
 Hours = Hours of operation.  
     N = Continuous service.  
     X = No regular hours.  
 F. T. Co. = Federal Telegraph Co.  
 I. R. T. Co. = Intercity Radio Telegraph Co.  
 I. W. T. Co. = Independent Wireless Telegraph Co.  
 K. & C. = Kilbourne & Clark Manufacturing Co.  
 R. C. A. = Radio Corporation of America.  
 U. R. Corp. = Universal Radio Corporation.  
 W. S. A. Co. = Wireless Specialty Apparatus Co.  
 C. w. = Continuous wave.  
 I. c. w. = Interrupted continuous wave.  
 Kc. = Kilocycles.  
 Fy. = Frequency.  
 A. c. = Alternating current.  
 V. t. = Vacuum tube.  
 U. S. L. = After operating company denotes that the change applies only to the List of Radio Stations of the United States.

## NEW STATIONS

*Commercial land stations, alphabetically by names of stations*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Station	Call signal	Wave lengths	Service	Hours	Station controlled by—
Fairport, Va. <sup>1</sup>	WOZ	600, 706	P	X	Edwards-Slaughter Co.
Kuslof, Alaska <sup>2</sup>	KZY	600, 900	FX	X	F. W. Williamson.
Reedville, Va. <sup>3</sup>	WRX	600, 700	P	X	Marine Products (Inc.).

<sup>1</sup> Range, 150; system, Cutting & Washington, 1000.

<sup>2</sup> Loc. (approximately) 0 101° 18' 00", N 69° 24' 00"; range, 200; system, Kilbourne & Clark, 1000.

<sup>3</sup> Range, 150; system, composite, 1000.

*Commercial ship stations, alphabetically by names of vessels*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Name of vessel	Call signal	Rates	Service	Hours	Owner of vessel	Station controlled by—
Bennington <sup>1</sup>	KFYK		PG	X	Rutland-Lake Michigan Transit Co.	R. C. A.
Burlington <sup>2</sup>	KFYN		PG	X	do	Do.
Ferdonian	KFYW	8	PG	X	America-Mediterranean Steamship Co.	Do.
Gloucester <sup>3</sup>	KFYQ		P	X	Marine Products (Inc.)	Owner of vessel.
Goliah	KFDI	8	PG	X	Wood Towing Corporation	R. C. A.
Lake Ellsbury	KOFP	8	PG	X	U. S. Shipping Board	Do.
Lake Fahyan	KINJ	8	PG	X	do	Do.
Lake Fairport	KOGR	8	PG	X	John B. Westerman	
La Perla	KFYS	8	PG	X	United Fruit Steamship Corporation.	
Louise <sup>3</sup>	KFYP		P	X	Marine Products (Inc.)	Owner of vessel.

<sup>1</sup> Range, 150; system, R. C. A. v. t. telegraph; w. l., 600, 706, 716, 800, 875; rates, Great Lakes service, 4 cents per word.

<sup>2</sup> Rates, Great Lakes service, 4 cents per word.

<sup>3</sup> Range, 150; system, Simon, 1000; w. l., 600, 706, 800.

*Commercial land and ship stations, alphabetically by call signals*

[b, ship station; c, land station]

Call signal	Name of station	Call signal	Name of station
KFDI	Goliah.....	b	
KFYK	Bennington.....	b	
KFYN	Burlington.....	b	
KFYW	Ferdonian.....	b	
KFYQ	Gloucester.....	b	
KFYK	Louise.....	b	
KFYS	La Perla.....	b	
KFYW	Ferdonian.....	b	
KINJ	Lake Fahyan.....	b	
KOFP	Lake Ellsbury.....	b	
KOGR	Lake Fairport.....	b	
KZY	Kuslof, Alaska.....	c	
WOZ	Fairport, Va.....	c	
WRX	Reedville, Va.....	c	

*Broadcasting stations, alphabetically by names of States and cities*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925]

State and city	Call signal	State and city	Call signal
Florida: Jacksonville.....	WJAX	North Dakota: Bismarck.....	KFYR
Maryland: Baltimore.....	WBAL	Pennsylvania: Lewisburg.....	WIBQ
New York: Buffalo.....	WJBP		

*Stations broadcasting market or weather reports, music, concerts, lectures, etc., alphabetically by call signals*

Call signal	Location of station (address)	Owner of station	Power (watts)	Wave length	Frequency (kilocycles)
KFYR	Bismarck, N. Dak., 200 Fourth Street.	Hoskins-Meyer (Inc.).....	10	248	1,210
WBAL	Baltimore, Md.....	Consolidated Gas, Electric Light & Power Co.	1,000	374.8	1,900
WJAX	Jacksonville, Fla.....	City of Jacksonville.....	1,000	358.9	890
WJBP	Buffalo, N. Y.....	Seneca Vocational School.....	50	218.8	1,370
WJBQ	Lewisburg, Pa.....	Bucknell University.....	100	211.1	1,420

† Wave length temporarily assigned.

*Government land stations, alphabetically by names of stations*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations published by the Berne bureau]

Station	Call signal	Wave length	Service	Hours	Station controlled by—
Washington, D. C.....	NGA	.....	O	X	U. S. Coast Guard.

*Government land and ship stations, alphabetically by call signals*

[b=ship station; c=land station]

Call signal	Name of station	Call signal	Name of station
NGA	Washington, D. C.		

*Special land stations, alphabetically by names of stations*

[Additions to the List of Radio Stations of the United States, edition of June 30, 1925]

Station	Call signal	Station controlled by—
Minneapolis, Minn.....	9XI	University of Minnesota.
Newark, N. J. (airplane)....	2XAB	L. Bamberger & Co.
Schenectady, N. Y. (portable).	2XAK	General Electric Co.
Seattle, Wash.....	7XF	Simpson Radio Corporation, 739 Deater Horton Building.
South Schenectady, N. Y....	2XH	General Electric Co.
Do.....	2XO	Do.
Washington, D. C.....	3XAV	Potomac Electric Power Co.

*Special land stations grouped by districts*

Call signal	District and station	Call signal	District and station
2XAB 2XAK 2XIf 2XO	Second district: Newark, N. J. (airplane). Schenectady, N. Y. (portable). South Schenectady, N. Y. Do.	3XAV 7XF 9XI	Third district: Washington, D. C. Seventh district: Seattle, Wash. Ninth district: Minneapolis, Minn.

## ALTERATIONS AND CORRECTIONS

## COMMERCIAL LAND STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations, published by the Bernz bureau]

- BOSTON, MASS. (WEY).—W. l., 119, 600.  
 BUFFALO, N. Y.—W. l., 715, 875, 1,764; hours, 8 a. m. to midnight.  
 CLEARWATER, CALIF. (KOK).—Insert Los Angeles, Calif. (see Clearwater, Calif.).  
 CLEVELAND, OHIO (KDPM).—W. l., 715, 1,817.  
 CLEVELAND, OHIO (WTK).—W. l., 715, 1,764, 1,800.  
 EAST MORICUES, N. Y.—Range, 1,800; system, I. W. T. Co. arc; w. l., strike out 1,800.  
 EAST PITTSBURGH, PA.—System, Westinghouse v. t. telegraph.  
 FRANKFORT, MICH.—W. l., 715, 875, 1,666.  
 GALVESTON, TEX.—Hours, 6 a. m. to 12 midnight.  
 HILLSBORO, OREG. (KEK).—Insert Portland, Oreg. (see Hillsboro, Oreg.).  
 MANISTIQUE, MICH.—W. l., 715, 875, 1,666.  
 SEATTLE, WASH. (KVW).—System, composite v. t. telephone and telegraph.  
 TULSA, OKLA.—W. l., 1,599 only.

## COMMERCIAL SHIP STATIONS, ALPHABETICALLY BY NAMES OF VESSELS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations, published by the Bernz bureau]

- ADMIRAL DEWEY.—System, F. T. Co. arc and F. T. Co. spark, 1,000; w. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 ADMIRAL FARRAGUT.—System, F. T. Co. arc and F. T. Co. spark, 1,000; w. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 ADMIRAL FISKE.—System, F. T. Co. arc and F. T. Co. spark, 1,000; w. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 ADMIRAL PEARY.—Range, 300; system, F. T. Co. arc and F. T. Co. spark, 1,000; w. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 ADMIRAL WATSON.—System, F. T. Co. arc and F. T. Co. spark, 1,000; w. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 AGWIHAVRE.—W. l., 600, 706, 800.  
 ALABAMA (WRAE).—W. l., 600, 706, 800.  
 ALBERT HILL.—W. l., 600, 706, 800.  
 ALGIC.—System, Navy-Marconi, 1,000; w. l., 450, 600, 706, 800.  
 AMERICAN PRESS.—W. l., add 800.  
 ATLANTIC.—W. l., 600, 706, 800.  
 ATLANTIC SUN.—W. l., 600, 706, 800.  
 BALLCAMP.—System, Navy, 1,000; w. l., 600, 706, 800; rates, Great Lakes service 4 cents per word, transoceanic service 8 cents per word; Ford Motor Co., owner of vessel.  
 BARLOW.—Range, 150; system, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800; rates, Great Lakes service 4 cents per word; transoceanic service 8 cents per word; Ford Motor Co., owner of vessel.  
 BARRALTON.—Ford Motor Co. owner of vessel.  
 BAYMEAD.—Ford Motor Co. owner of vessel.  
 BILLOW.—Range, 150; system, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 BLOSSOM.—W. l., add 800.  
 BREAKER.—Range, 150; system, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 BYLAIL.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 BYRON D. BENSON.—W. l., 600, 706, 800.  
 CALAMARES.—System, R. C. A. v. t. telephone and telegraph; w. l., 600, 706, 750, 800, 900, 1,800, 1,900, 2,000, 2,100, 2,400.  
 CHARLES E. HARWOOD.—W. l., 600, 706, 800.  
 CITY OF EUREKA.—W. l., 450, 600, 706, 800; Export S. S. Corporation owner of vessel; station operated and controlled by I. W. T. Co.  
 CITY OF ST. JOSEPH (KOSM).—System, I. W. T. Co., 1,000.  
 CLAVARACK.—Station operated and controlled by I. W. T. Co.

- COLUMBIAN.—Station operated and controlled by owner of vessel.  
 CONCORD.—W. l., add 800.  
 CONNESS PEAK.—W. l., 450, 600, 706, 800.  
 CORSON.—W. l., 600, 706, 800.  
 CRANFORD.—Station operated and controlled by I. W. T. Co.  
 DILWORTH.—Station operated and controlled by I. W. T. Co.  
 EDMORE.—W. l., 600, 706, 800.  
 EFFNA.—Station operated and controlled by I. W. T. Co.  
 EL CAPITAN (KKH).—System, Marconi, 1,000; w. l., 600, 706, 800.  
 EMPIRE.—W. l., add 800.  
 F. H. WICKETT.—W. l., 600, 706, 800.  
 FISHER.—System, R. C. A. v. t. telegraph.  
 F. Q. BARSTOW.—Range, 300; system, R. C. A. v. t. telegraph; w. l., 600, 706, 800.  
 FREEPORT SULPHUR No. 5.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 FRONTENAC.—System, Navy-Marconi, 1,000; w. l., 715, 800, 875; rates, Great Lakes service 4 cents per word.  
 GALENA.—W. l., 600, 706, 800.  
 GENE CHAWLEY.—W. l., 600, 706, 800.  
 G. S. ALLYN.—Wicomico Fisheries (Inc.) owner of vessel.  
 HAMILTON.—W. l., add 1,900, 2,000.  
 HORACE LUCKENBACH.—W. l., 600, 706, 800.  
 H. M. STOREY.—System, R. C. A. v. t. telegraph; w. l., 450, 600, 706, 800.  
 HUMACONNA.—W. l., 600, 706; station operated and controlled by owner of vessel.  
 HUMRICK.—Station operated and controlled by R. C. A. (U. S. L.).  
 ILLINOIS (KDSZ).—W. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 IPSWICH.—System, Navy-Marconi, 1,000; w. l., add 800.  
 ISHPEMING.—System, Navy-Marconi, 1,000; w. l., 715, 800, 875; rates, Great Lakes service 4 cents per word.  
 J. A. CAMPBELL.—Strike out call signal, service, and hours; equipped only with radio compass.  
 JEFFERSON (KOD).—W. l., 600, 706, 800, 1,800, 1,900, 2,000, 2,100, 2,400.  
 JOSEPH SLEEP.—W. l., 600, 706, 800.  
 JUSTIN.—Range, 200; system, R. C. A. v. t. telegraph; w. l., 600, 750, 800, 900.  
 JUVIGNY.—System, Navy-Marconi, 1,000.  
 KAMESIT.—Station operated and controlled by I. W. T. Co.  
 KANSAN.—W. l., strike out 875; station operated and controlled by owner of vessel.  
 KATHERINE R.—Leon Wilson owner of vessel.  
 LAKE FARRAR.—Robert Dollar Co. owner of vessel; station operated and controlled by owner of vessel.  
 LEBEC.—W. l., 600, 706, 800, 1,800, 2,100, 2,400.  
 LIBERTY LAND.—System, Navy, 1,000; w. l., 450, 600, 706, 800.  
 LUXPALLE.—Export S. S. Corporation owner of vessel.  
 MANATAWNY.—Steamer Hadnot Corporation owner of vessel.  
 MAZATLAN.—W. l., 600, 706, 800; station operated and controlled by I. W. T. Co.  
 MERICOS H. WHITTIER.—Station operated and controlled by owner of vessel.  
 MICHIGAN.—System, Navy-Marconi, 1,000; w. l., 715, 800, 875; rates, Great Lakes service, 4 cents per word.  
 MINNEKAHDA.—W. l., 600, 706, 800, 1,800, 1,900, 2,000, 2,100, 2,400.  
 MINNEQUA.—W. l., 600, 706, 800.  
 M. M. DAVIS.—Wicomico Fisheries (Inc.) owner of vessel.  
 MOHEGAN.—System, Navy-Lowenstein, 1,000; w. l., strike out 450.  
 MOSELLA.—Station operated and controlled by I. W. T. Co.  
 MUNARGO.—System, Marconi, 1,000 and I. W. T. Co. arc; w. l., 600, 706, 800, 1,800, 1,900, 2,000, 2,100, 2,400.  
 MUNMOTOR.—W. l., 600, 706, 800.  
 NILE.—System, Navy-Marconi, 1,000; w. l., 450, 600, 706, 800.  
 NORCO.—Range, 150; system, Navy-Lowenstein, 1,000; w. l., 600, 706, 800.  
 OHIO.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 1,800, 2,100, 2,400.  
 PARIA.—W. l., add 800.  
 PETER WHITE.—System, Navy-Marconi, 1,000; w. l., 715, 800, 875; Presque Isle Transportation Co. owner of vessel; rates, Great Lakes service 4 cents per word.

- PETREL.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 800.  
 PHILIP PUBLICKER.—W. l., 600, 706, 800.  
 PHOENIX.—Range, 300; system, Navy-Lowenstein, 1,000; w. l., 600, 706, 800.  
 PIONEER (KFMK).—System, Navy-Marconi, 1,000; w. l., 715, 800, 875; rates, Great Lakes service 4 cents per word.  
 POLARINE.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 PONTIAC.—System, Navy-Marconi, 1,000; w. l., 715, 800, 875; rates, Great Lakes service 4 cents per word.  
 PRESIDENT VAN BUREN.—W. l., 450, 600, 706, 800.  
 REPUBLIC.—W. l., 600, 706, 800.  
 RIPPLE (KFKN).—W. l., 600, 706, 800.  
 RUTH.—W. l., 600, 706, 800.  
 R. W. STEWART.—W. l., 600, 706, 800.  
 SACANDAGA.—System, Navy-W. S. A. Co., 1,000; w. l., 600, 706, 800.  
 SAMUEL L. FULLER.—W. l., 600, 706, 800.  
 SAN FRANCISCO.—W. l., 600, 706, 800.  
 SANTA INEZ.—W. l., add 800.  
 SANTORE.—W. l., 600, 706, 800.  
 SANTURCE.—Range, 150; system, R. C. A. v. t. telegraph; w. l., 600, 706, 800; station operated and controlled by R. C. A.  
 SAUCON (WBK).—Export S. S. Corporation owner of vessel; station operated and controlled by I. W. T. Co.  
 S. B. HUNT.—System, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 SINSINAWA.—W. l., 450, 600, 706, 800.  
 STARR.—W. l., 600, 706, 800.  
 STEEL TRADER.—System, R. C. A., 1,000; w. l., 600, 706, 800.  
 SUDAWSONCO.—W. l., 600, 706, 800.  
 SUEDECO.—W. l., 600, 706, 800.  
 SUJERSEYCO.—W. l., 600, 706, 800.  
 SULTANA.—Range, 150; system, R. C. A., 1,000; w. l., 600, 706, 800; service, PG; hours, X; rates, 8 cents per word.  
 SUNBEAM.—W. l., 600, 706, 800.  
 SURAILCO.—W. l., 600, 706, 800.  
 SUSPEARCO.—W. l., 450, 600, 706.  
 SUTRANCO.—W. l., 600, 706, 800.  
 SUWARINCO.—W. l., 600, 706, 800.  
 T. J. WILLIAMS.—W. l., 600, 706, 800.  
 VESTA.—W. l., 600, 706, 800.  
 VIRGINIAN.—Station operated and controlled by owner of vessel.  
 WAVE.—Range, 150; system, R. C. A. v. t. telegraph; w. l., 600, 706, 750, 800, 900.  
 WEST CAMAK.—Station operated and controlled by I. W. T. Co.  
 WEST CANON.—Station operated and controlled by I. W. T. Co.  
 WEST CELINA.—Station operated and controlled by R. C. A. (U. S. L.).  
 WEST DURFER.—W. l., 450, 600, 706, 800.  
 WESTERN STATES.—Hours, X.  
 WEST HOLBROOK.—Station operated and controlled by I. W. T. Co.  
 WEST ISLIP.—W. l., add 800.  
 WEST KEENE.—W. l., 600, 706, 800.  
 WHEATLAND MONTANA.—W. l., 450, 600, 706, 800.  
 WINONA.—W. l., 450, 600, 706, 800.  
 WYTHEVILLE.—W. l., strike out 450.  
 YANKEE ARROW.—W. l., 600, 706, 800.  
 Strike out all particulars of the following-named vessels: Abner Coburn, Ace, Alscotia, Anvil, A. W. Colton, Bristol, Colombia (KPYH), Hampden, Joseph H. Frantz, Lake Gunn, Middlesex, Norfolk, Poinsettia, Queen (KESK), Robert Lewers, Redman Swift, Suffolk, Susquehanna (WEM).

## COMMERCIAL LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

Strike out all particulars following the call signals KDKQ, KDYP, KEGC, KEGR, KESK, KFDQ, KFWW, KPVQ, KFXS, KPYH, KUNC, WBL, WEM, WHR, WRO, WRS, WXUI, WZUA.

## BROADCASTING STATIONS, BY CALL SIGNALS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925]

- KFAU (Boise, Idaho).—Power, 750; w. l., 282.8, fy. kc., 1,060.  
 KFDJ (Corvallis, Oreg.).—W. l., 282.8, fy. kc., 1,060.  
 KFJF (Oklahoma, Okla.).—Power, 500.  
 KFKX (Hastings, Nebr.).—Power, 5,000.  
 KFKZ (Kirksville, Mo.).—Power, 10.  
 KFNF (Shenandoah, Iowa).—W. l., 263, fy. kc. 1,140.  
 KFON (Long Beach, Calif.).—Power, 500.  
 KFPG (Los Angeles, Calif.).—Call signal changed to KMTR.  
 KFQA (St. Louis, Mo.).—Power, 100.  
 KFQU (Holy City, Calif.).—Change to Alma (Holy City), Calif.  
 KFUU (San Leandro, Calif.).—Change to Oakland, Calif., 3020 Broadway; w. l., 220; fy. kc., 1,360.  
 KFVN (Welcome, Minn.).—Power, 50.  
 KFWA (Ogden, Utah).—Power, 500.  
 KGY (Lacey, Wash.).—Power, 50.  
 KSD (St. Louis, Mo.).—Power, 500.  
 WBBL (Richmond, Va.).—Power, 100.  
 WDBO (Winter Park, Fla.).—Power, 500.  
 WDOD (Chattanooga, Tenn.).—Power, 500.  
 WEBH (Chicago, Ill.).—Power, 1,500.  
 WEHS (Evanston, Ill.).—Owner of station, Robert E. Hughes; power, 10.  
 WFBJ (Collegeville, Minn.).—Power, 100.  
 WHAP (Brooklyn, N. Y.).—Change to New York, N. Y., 426 West Thirty-first Street; power, 500.  
 WHT (Deerfield, Ill.).—Power, 2,500.  
 WIBS (Elizabeth, N. J.—portable).—Power, 10.  
 WIBX (Utica, N. Y.).—Power, 150.  
 WJAK (Greentown, Ind.).—Power, 50.  
 WKAA (Cedar Rapids, Iowa).—Call signal changed to KWCR.  
 WKAF (Milwaukee, Wis.).—Power, 500.  
 WLAL (Tulsa, Okla.).—Power, 100.  
 WLWL (New York, N. Y.).—Power, 1,500.  
 WNJ (Newark, N. J.).—Power, 150.  
 WRVA (Richmond, Va.).—Correct call signal, WRVA.  
 WRR (Dallas, Tex.).—Power, 500; w. l., 246, fy. kc. 1,220.  
 Strike out all particulars following the call signals, KFAW (Santa Ana, Calif.); KPDH (Tucson, Ariz.); KFFV (Lamoni, Iowa); KFGX (Orange, Tex.); KFIO (Spokane, Wash.); KFKQ (Conway, Ark.); KFQC (Taft, Calif.); KFQT (Denison, Tex.); KFRX (Pullman, Wash.); KFRZ (Hartington, Nebr.); KPVX (Bentonville, Ark.); KOP (Detroit, Mich.); WAAC (New Orleans, La.); WBAV (Columbus, Ohio); WBBA (Newark, Ohio); WBBU (Monmouth, Ill.); WCAZ (Carthage, Ill.); WDBQ (Salem, N. J.); WEBU (Highland Park, N. J.); WGBW (Spring Valley, Ill.); WIBQ (Farina, Ill.); WKAP (Cranston, R. I.); WNAR (Butler, Mo.); WQAC (Amarillo, Tex.); WRHF (Washington, D. C.).

## GOVERNMENT LAND STATIONS, ALPHABETICALLY BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925, and to the International List of Radiotelegraph Stations, published by the Berne bureau]

COLON, C. Z.—*Read* Colon, Panama.

WASHINGTON, D. C. (Sayville, N. Y.).—Temporarily out of commission (add footnote 13 list of Commercial and Government Radio Stations of the United States).

## GOVERNMENT LAND AND SHIP STATIONS, ALPHABETICALLY BY CALL SIGNALS

NAP, *read* St. Augustine, Fla.—*c* (U. S. L.); NAX, *read* Colon, Panama; NDD, temporarily out of commission; NISP, *read* Detroit—*b* (U. S. L.).

## SPECIAL LAND STATIONS, BY NAMES OF STATIONS

[Alterations and corrections to be made to the List of Radio Stations of the United States, edition of June 30, 1925]

CAMP ALFRED, VAIL, N. J. (2XBB).—Change to Fort Monmouth, N. J.

NEW YORK, N. Y. (2XZ).—Strike out all particulars.

### BROADCASTING STATIONS EQUIPPED SO AS TO SUPPRESS HARMONICS

Hereunder is given a list of broadcasting stations reported by supervisors of radio of this office as being equipped so as to suppress harmonics.

Call signal	Location	Owner
KDKA	East Pittsburgh, Pa.	Westinghouse Electric & Manufacturing Co.
KFDK	Beaumont, Tex.	Magnolia Petroleum Co.
KFJF	Oklahoma, Okla.	National Radio Manufacturing Co.
KOB	State College, N. Mex.	New Mexico College of Agriculture and Mechanical Arts.
KPRC	Houston, Tex.	Post Dispatch.
KTHS	Hot Springs, Ark.	New Arlington Hotel.
KWVG	Brownsville, Tex.	City of Brownsville, Board of City Development.
WABX	Mount Clemens, Mich. (near)	Henry B. Joy.
WAHG	Richmond Hill, N. Y.	A. H. Grebe & Co.
WAFI	Auburn, Ala.	Alabama Polytechnic Institute.
WBAL	Baltimore, Md.	Consolidated Gas, Electrical Light & Power Co.
WBAP	Fort Worth, Tex.	Fort Worth Star-Telegram.
WBAX	Wilkes-Barre, Pa.	John H. Stenger, jr.
WBBR	Rossville, N. Y.	Peoples Pulpit Association.
WBDC	Grand Rapids, Mich.	Baxter Laundry Co.
WCAE	Pittsburgh, Pa.	Kaufmann & Bear Co.
WCAP	Washington, D. C.	Chesapeake & Potomac Telephone Co.
WCAH	San Antonio, Tex.	Southern Radio Corporation of Texas.
WCAU	Philadelphia, Pa.	Universal Broadcasting Co. (Durham & Co.).
WCX	Pontiac, Mich.	Detroit Free Press.
WEAP	New York, N. Y.	American Telephone & Telegraph Co.
WEBK	Grand Rapids, Mich.	Grand Rapids Radio Co.
WFAA	Dallas, Tex.	Dallas News and Dallas Journal.
WFDF	Flint, Mich.	Frank D. Fallain.
WFI	Philadelphia, Pa.	Strawbridge & Clothier.
WGBS	New York, N. Y.	Gimbal Bros.
WGBU	Fulford-by-the-Sea, Fla.	Florida Cities Finance Co.
WHAP	New York, N. Y.	William H. Taylor Finance Corporation.
WHAB	Atlantic City, N. J.	Seaside Hotel.
WJAD	Waco, Tex.	Frank P. Jackson.
WJR	Pontiac, Mich.	Jewett Radio & Phonograph Co.
WKAR	East Lansing, Mich.	Michigan State College.
WLW	Harrison, Ohio.	Crosley Radio Corporation.
WLWL	New York, N. Y.	Missionary Society of St. Paul the Apostle.
WOAI	San Antonio, Tex.	Southern Equipment Co.
WOR	Newark, N. J.	L. Hamberger & Co.
WPQ	Atlantic City, N. J.	Municipality of Atlantic City.
WRC	Washington, D. C.	Radio Corporation of America.
WRNY	New York, N. Y.	Experimenter Publishing Co.
WRR	Dallas, Tex.	City of Dallas.
WRVA	Richmond, Va.	Larus & Bro. Co.
WSAI	Mason, Ohio.	United States Playing Card Co.
WSB	Atlanta, Ga.	Atlanta Journal.
WSM	Nashville, Tenn.	National Life & Accident Insurance Co.
WSMB	New Orleans, La.	Seenger Amusement Co. & Maison Blanche Co.
WTAM	Cleveland, Ohio.	Willard Storage Battery Co.
WWJ	Detroit, Mich.	Detroit News.

### ST. MARYS OF THE SEA (FRANCE) COAST STATION REOPENED

This station (S. Maries de la Mer) is now open to general public service under the following conditions:

This station communicates exclusively with ships provided with a continuous-wave installation; rate, 40 centimes per word. It listens in constantly on 2,100 meters, except from the fifteenth to the twenty-fifth minute and from the thirty-fifth to the forty-fifth minute of each even hour. It calls ships on 2,400 meters.

To listen in for the station or reply to its calls, ships use the wave length of 2,100 meters; they transmit radiograms on 2,100 meters if the station does not indicate in its response to a call that it desires to receive traffic on another wave length.

The station answers calls and transmits radiograms on the normal wave length of 2,400 meters. If the ship corresponding desires to receive radiograms on another wave length, it transmits, following its response to the call, the signal QSY (1,800, 2,100, or 2,200) — — —.

At the beginning of each even hour the station emits for one minute, on 2,100 meters, the following signals: VVV CQ DE FFS FFS FFS 2,100 — — — QSY

2,200 meters, followed by a series of the same duration on 2,200, then on 2,400 meters. It then calls successively on 2,400 meters the ships for which it has radiograms to transmit. The traffic is handled in the order of transmission indicated at the time of the call.

For the exchange of traffic with ships which operate only on 2,400 meters the station emits on 2,400 meters, at the beginning of the fifteenth minute of each even hour (except at 0015), the signal CQ DE FFS QTC? QSY 2,400 — — and rests to listen in on 2,400 meters until the twenty-fifth minute.

For the exchange of traffic with ships which operate only on the wave length of 1,800 meters the station emits, on 2,400 meters, at the beginning of the thirty-fifth minute of each even hour (except at 2,035) the signal CQ DE FFS QTC? 1,800 — — and rests to listen in on 1,800 meters until the forty-fifth minute.

The hours mentioned above refer to Greenwich meridian time (G. M. T.).

### RADIOCOMPASS INSTALLATION

The yacht *Sialia* (WFO) is now equipped with a radiocompass.

### NEW RADIO FOG SIGNALS ESTABLISHED BY LIGHTHOUSE SERVICE, DEPARTMENT OF COMMERCE

*Buffalo Light Station, N. Y.*—Location, latitude 42° 52' 40" N., longitude 78° 53' 56" W. Characteristic: Sounds every 120 seconds; single dashes for 60 seconds, silent 60 seconds, thus:

— — — — — etc.	Silent
60 seconds	60 seconds

*Detroit River Light Station, Mich.*—Location, latitude 42° 00' 03" N., longitude 83° 08' 28" W. Characteristic: Sounds every 120 seconds; groups of 2 dashes for 50 seconds, silent 70 seconds, thus:

— — — — — etc.	Silent
50 seconds	70 seconds

The signals of the two stations mentioned above will also be sounded daily in clear weather from 9 to 9.30 a. m. and from 3 to 3.30 p. m. (ninetieth meridian time). These stations do not maintain radio communication service.

*Los Angeles Harbor Light Station, Calif.*—Location, latitude 33° 42' 31" N., longitude 118° 15' 03" W. Characteristic: Sounds every 120 seconds; single dashes for 60 seconds, silent 60 seconds, thus:

— — — — — etc.	Silent
60 seconds	60 seconds

*Point Arguello Light Station, Calif.*—Location, latitude 34° 34' 38" N., longitude 120° 38' 59" W. Characteristic: Sounds every 105 seconds; groups of 3 dashes for 60 seconds, silent 45 seconds, thus:

— — — — — etc.	Silent
60 seconds	45 seconds

*Point Sur Light Station, Calif.*—Location, latitude 36° 18' 24" N., longitude 121° 54' 03" W. Characteristic: Sounds every 150 seconds; groups of 1 dot, 2 dashes, 1 dot, for 60 seconds, silent 90 seconds, thus:

— . — . — . — . — . etc.	Silent
60 seconds	90 seconds

*Cape Blanco Light Station, Oreg.*—Location, latitude 42° 50' 15" N., longitude 124° 33' 36" W. Characteristic: Sounds every 90 seconds; groups of 1 dash and 1 dot for 60 seconds, silent 30 seconds, thus:

— . — . — . — . — . etc.	Silent
60 seconds	30 seconds

The signals of the four above-mentioned stations will also be sounded daily in clear weather from 9 to 9.30 a. m. and from 3 to 3.30 p. m. (one hundred and twentieth meridian time). These stations do not maintain radio communication service.

**CHANGE IN CHARACTERISTIC OF RADIO FOG SIGNALS**

*Detour Light Station, Mich.*—Characteristic sounds every 180 seconds; groups of 4 dashes for 90 seconds, silent 90 seconds, thus:

— — — — — etc.	Silent
90 seconds	90 seconds

*Whitefish Point Light Station, Mich.*—Characteristic sounds every 180 seconds; single dashes for 60 seconds, silent 120 seconds, thus:

— — — — — etc.	Silent
60 seconds	120 seconds

**RADIO FOG SIGNALS ESTABLISHED IN SPAIN**

*Punta Besugueiros Light Station, Salvora Island, Arosa Bay.*—Location (approximately), latitude 42° 27' 51" N., longitude 9° 00' 49" W. The signal consists of the letters SOO (. . . — — — — —), repeated during 30 seconds, after which there is a silent interval of 4.5 minutes, period 5 minutes. The silent interval between the letters is 1/2 second. The range of the signal is 30 miles, and it is made on 1,000 meters.—*Avisos a los Navegantes 40 (1193), Madrid, October 3, 1925.*

*Cape Silleiro Light Station, Vigo Bay Entrance.*—Location (approximately), latitude 42° 06' 18" N., longitude 8° 53' 42" W. The signal consists of the letters RO (— — — — —), repeated for 30 seconds, after which there is a silent interval of 4.5 minutes, period 5 minutes. The silent interval between the letters is 1/2 second. The range of the signal is 30 miles, and it is made on 1,000 meters.—*Avisos a los Navegantes 40 (1192), Madrid, October 3, 1925.*

**CHANGE IN WAVE LENGTH FOR TRANSMISSION OF WEATHER REPORTS BY BUFFALO (N. Y.) STATION WAM**

This station now transmits weather reports and hydrographic information on 715 meters, e. w. and i. e. w.

**NAVIGATIONAL WARNINGS TRANSMITTED BY SPANISH STATIONS**

The radio station of Ferrol, call signal EBW, range 440 miles, location, 43° 28' 52" N., 8° 14' 05" W., the station of San Fernando (Cadiz), call signal CLZ, range 60 miles, location 36° 29' 30" N., 6° 10' 50" W., and the station of Cartagena, call signal EBX, range 210 miles, location 37° 35' 56" N., 0° 59' 18" W., send out in Spanish on 600 meters urgent notices to mariners covering derelicts, floating mines, buoys out of position or missing, firing practice, etc., in the following manner:

The warning is preceded by the signal — — — (TTT), repeated 5 times during 1 minute, followed 1 minute later by the text, which is preceded by the word "avurnave," a contraction of "Aviso urgente a los navegantes" (urgent notice to mariners), and the name of the radio station transmitting. The warning is repeated 3 times in 10 minutes and is usually transmitted 3 days in succession, unless otherwise ordered by the Spanish Hydrographic Office. The following is an example of the warning emanating from the station of Ferrol:

TTT Avurnave Ferrol Pelgro flotante 4425 0712 NW., which, translated into English and paraphrased, reads as follows: "Floating obstruction in 44° 25' N., 7° 12' W."

The warning concerning firing practice is transmitted one hour before the practice starts.—*Avisos a los Navegantes 39 (1150), Madrid, September 26, 1925.*

**COMPASS STATION ESTABLISHED AT BELLE ISLE, NEWFOUNDLAND**

This station, located in latitude 51° 52' 52" N., longitude 55° 21' 44" (Strait of Belle Isle Entrance, 336 feet 315° 23' from the lighthouse on the southern end of Belle Isle), will furnish bearings on 800 meters after communication has first been established on 600 meters, the wave length on which the station maintains constant watch.—*Notice to Mariners, 72 (190), Ottawa, 1925.*

**KILOCYCLE-METER CONVERSION TABLE**

There is increasing tendency in radio practice to use radio-frequencies in kilocycles rather than wave lengths in meters. "Kilo" means a thousand, and "cycle" means one complete alternation. The number of kilocycles (abbreviated

ke.) indicates the number of thousands of times that the rapidly alternating current in the antenna, transmitting set, or receiving set repeats its flow in either direction in one second.

The Bureau of Standards has just issued in chart form a Kilocycle-Meter Conversion Table. It is Miscellaneous Publication No. 67 and replaces Letter Circular No. 123 of January 27, 1925. The table is printed on a single sheet of cardboard and can be posted in a convenient place for ready reference.

The table gives accurate values of kilocycles corresponding to any number of meters, and vice versa. The table gives values for every 10 kilocycles or meters and is entirely reversible; that is, for example, 50 kilocycles is 5,996 meters and also 50 meters is 5,996 kilocycles. The range of the table is from 10 to 10,000 kilocycles (10,000 to 10 meters), and this can be extended in either direction by changing the decimal point.

Copies may be obtained for 5 cents each from the Superintendent of Documents, Government Printing Office, Washington, D. C.

### STANDARD FREQUENCY STATIONS

As a result of measurements by the Bureau of Standards upon the transmitted waves of a limited number of radio-transmitting stations, data are given in each month's Radio Service Bulletin on such of these stations as have been found to maintain a sufficiently constant frequency to be useful as frequency standards. There may be many other stations maintaining their frequency just as constant as these, but these are the only ones among those observed. There is, of course, no actual guaranty that the stations named below will maintain the constancy shown, but the data indicate the high degree of confidence that can be placed in them. The transmitted frequencies from these stations can be utilized for standardizing frequency meters and other apparatus by the procedure given in Bureau of Standards Letter Circular No. 171, which may be obtained by a person having actual use for it upon application to the Bureau of Standards, Department of Commerce, Washington, D. C.

Station	Owner	Location	Assigned frequency (kilocycles)	Period covered by measurements (months)	Number of times measured	Deviations from assigned frequencies noted in measurements	
						Average	Greatest since Oct. 20, 1925
WQL	Radio Corporation of America.	Coram Hill, L. I., N. Y.	17.13	11	75	Per cent 8.2	Per cent 8.1
NBS	United States Navy	Annapolis, Md.	17.50	27	202	.2	.1
WCI	Radio Corporation of America.	Barnegat, N. J.	17.45	9	50	.2	.3
WGG	Do.	Tuckerton, N. J.	18.80	27	212	.2	.3
WH	Do.	New Brunswick, N. J.	21.80	7	60	.1	.4
WRT	Do.	do.	22.50	6	20	.2	(1)
WVA	United States Army	Annapolis, Md.	100	8	94	.2	.4
NAA	United States Navy	Arlington, Va.	*113	1	10	.0	.2
WJR	Jewett Radio & Phonograph Co.	Pontiac, Mich.	*150	2	11	.0	.0
WCX	Detroit Free Press	Detroit, Mich.					
WEAF	American Telephone & Telegraph Co.	New York, N. Y.	610	11	82	.0	.0
WCAP	Chesapeake & Potomac Telephone Co.	Washington, D. C.	640	26	115	.1	.3
WRC	Radio Corporation of America.	do.	616	23	104	.1	.2
WGB	Atlanta Journal	Atlanta, Ga.	700	20	124	.2	.3
WGY	General Electric Co.	Schenectady, N. Y.	790	29	149	.1	.0
WBZ	Westinghouse Electric & Manufacturing Co.	Springfield, Mass.	800	19	63	.1	.2
KDKA	Do.	East Pittsburgh, Pa.	970	20	133	.1	.3

<sup>1</sup> Not measured since Oct. 20.

\* True signal frequency.

\* Same transmitting set for both call letters (WJR and WOX).

## REFERENCES TO CURRENT RADIO PERIODICAL LITERATURE

This is a monthly list of references prepared by the radio laboratory of the Bureau of Standards and is intended to cover the more important papers of interest to the professional radio engineers which have recently appeared in technical periodicals. The number at the left of each reference classifies the reference by subject, in accordance with the scheme presented in A Decimal Classification of Radio Subjects—An Extension of the Dewey System, Circular No. 138, a copy of which may be obtained for 10 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C. Further information about these lists, availabilities of previous lists, and of the several periodicals is contained in the extended statement preceding the early lists and published in the Radio Service Bulletin prior to April, 1923, and also in May and September, 1923.

## R000.—Radio communication

- R007.1 Secretary of Commerce summarizes work of committees (résumé of Fourth National Radio Conference). New York—Herald Tribune Radio Section, p. 1, November 15, 1925.  
 R007.1 Fourth National Radio Conference. Telephony, 88, p. 19 and 22, November 14, 1925.  
 R073 Haas, E. B. Fitting yourself for radio career. Radio News of Canada, 4, p. 26, October, 1925.  
 R090.1 Marrott, R. H. How radio grew up (United States history). Radio Broadcast, 3, pp. 159-162, December, 1925.  
 R090.2 Canada's radio progress. Radio (Toronto), 8, p. 15, October, 1925.

## R100.—Radio principles

- R110 Lodge, O. The mechanism of radiation. Experimental Wireless (London), 2, pp. 884-888, November, 1925.  
 R113.1 Pickard, G. W. The nature, cause and reduction of fading. Radio News, 7, pp. 772-773, December, 1925.  
 R113.8 Turberville-Crewe, W. J. Wireless, the moon and the barometer. Experimental Wireless (London), 2, p. 901, November, 1925.  
 R114 Herd, J. F. In praise of atmospheric (atmospheric valuable in observations on meteorological phenomena). Experimental Wireless (London), 2, pp. 892-898, November, 1925.  
 R124 Stuyvesant, M. W.; Olson, R. L.; Berry, W. H. United States Patent No. 1559193, issued October 27, 1925.  
 R125.1 Navarrete, B. J. Observations radiogoniométriques faites à Santiago (Chile) pendant les tempêtes du 21 au 25 Juin, 1925. L'Onde Electrique, 4, p. 447, October, 1925.  
 R125.6 Donisthorpe, H. de A. Marconi radio beams. Radio (San Francisco), 7, pp. 10-12, November, 1925.  
 R142 Ollat, M. L. Etude expérimentale de la resonance des circuits couplés. L'Onde Electrique, 4, pp. 424-432, October, 1925.  
 R171 Interference from regenerative receiving sets (circular letter to Canadian broadcast listeners from Department of Marine and Fisheries of Canada). Radio (Toronto), 8, pp. 30-31, October, 1925.  
 R171 Smelser, L. J. Curing Seattle's radio interference. QST, 9, p. 14, November, 1925.  
 R171 How to eliminate local interference. Radio Broadcast, 3, pp. 212, 222, 223, December, 1925.

## R200.—Radio measurements and standardization

- R210 Herton, J. W. Source of waves of constant frequency. United States Patent No. 1560056, issued November 3, 1925.  
 R213 Hartley, H. V. L. Selective current production and amplification. United States Patent No. 1559899, issued November 3, 1925.  
 R214 Pierce, G. W. Piezoelectric crystal oscillators applied to the precision measurement of the velocity of sound in air and water at high frequencies. Proc. Amer. Acad. of Arts and Sci., 66, pp. 271-302, October, 1925.  
 R214 Morrison, W. A. Wave generating and modulating system. United States Patent No. 1559116, issued October 27, 1925.  
 R214 Pupin, M. I. Wave signaling system. United States Patent No. 1561378, issued November 10, 1925.  
 R230 The relative merit of some types of inductances. Popular Radio, 8, pp. 559-561, December, 1925.  
 R261 A vacuum tube as a voltmeter. Popular Radio, 8, pp. 552-555, December, 1925.

## R300.—Radio apparatus and equipment

- R331 Brough, W. R. Electron discharge device. United States Patent No. 1558830, issued October 27, 1925.  
 R331 Housekeeper, W. G. Vacuum tube. United States Patent No. 1558883, issued October 27, 1925.  
 R331 Bullimore, W. R. Manufacture of filaments or cathodes for electric lamps, thermionic tubes, and the like. United States Patent No. 1558961, issued October 27, 1925.  
 R331 Ruben, S. Electron tube. United States Patent No. 1559450, issued October 27, 1925.  
 R331 Housekeeper, W. G. Electron discharge device. United States Patents Nos. 1560590, 1560691, and 1560992, issued November 10, 1925.  
 R331 Stelling, J. L. Electron discharge device. United States Patent No. 1560740, issued November 10, 1925.  
 R331 Schwerin, P. Electron discharge device. United States Patent No. 1560737, issued November 10, 1925.  
 R331 Hayes, C. F. M., and Grinstead, L. Vacuum tube. United States Patent No. 1560911, issued November 10, 1925.  
 R331 Housekeeper, W. G. Electron discharge device. United States Patent No. 1562172, issued November 17, 1925.  
 R331 Egert, B. J., and De Coster, C. J. Vacuum tube evacuating oven. United States Patent No. 1562399, issued November 17, 1925.

- R331 Ward, F. E. Electron discharge device. United States Patent No. 1563396, issued November 17, 1925.
- R331 Wilson, J. R. Electron discharge device. United States Patent No. 1563403, issued November 17, 1925.
- R332 Langmuir, I. Electric oscillator. United States Patent No. 1561601, issued November 10, 1925.
- R334 McCubough, F. S. Vacuum tube. United States Patent No. 1560183, issued November 3, 1925.
- R342 Ballantine, S. Method of and means for reducing retroactive currents in push-pull amplifiers. United States Patent No. 1560332, issued November 3, 1925.
- R342.6 Papin, M. I. Equalizing vacuum tube amplifiers. United States Patent No. 1561279, issued November 10, 1925.
- R342.6 Pendleton, P. L. The one-stage radio-frequency amplifier. *QST*, 8, pp. 21-24, November, 1925.
- R342.6 Cohen, S. Radio-frequency amplifier. United States Patent No. 1560292, issued November 3, 1925.
- R343.7 An improved plate current supply unit. *Radio Broadcast*, 8, pp. 185-190, December, 1925.
- R344 Kendall, B. W. Source of alternating current. United States Patent No. 1561933, issued November 17, 1925.
- R344.3 Clayton, J. M. Crystal control for amateur transmitter. *QST*, 8, pp. 8-13, November, 1925.
- R344.3 Navy developments in crystal-controlled transmitters. *QST*, 8, pp. 41-44, November, 1925.
- R348 Read, H. S. Thermionic repeater or oscillator circuits. United States Patent No. 1558776, issued November 3, 1925.
- R352 Liebel, J. G. H., and Flarsheim, E. S. Spark gap. United States Patent No. 1560390, issued November 3, 1925.
- R360 de Bellescize, H. J. J. M. de R. Radio receiving system. United States Patent No. 1559743, issued November 3, 1925.
- R374 Mann, F. E. Crystal detector. United States Patent No. 1559723, issued November 3, 1925.
- R374 Wherry, E. T. Radio detector mineral. *The American Mineralogist*, 10, pp. 28-31, February, 1925.
- R374 Do impurities improve crystal detectors (with list of detectors). *Popular Radio*, 8, pp. 575-576, December, 1925.
- R374.1 McHutchison, J. P., and MacLeod, G. T. Some recent research on crystals. *Experimental Wireless (London)*, 2, pp. 880-883, November, 1925.
- R381 Harris, S. Condensers. *Popular Radio*, 8, pp. 521-525, December, 1925.
- R381 Smith, T. A., and Millen, J. Electrolytic condensers. *Radio News*, 7, pp. 808-809, December, 1925.
- R381 Bunet, P. High-tension electrical condenser. United States Patent No. 1559404, issued October 27, 1925.
- R381 Mulligan, G. J. Variable electric condenser. United States Patent No. 1559974, issued November 3, 1925.
- R381 Pfanzsiedl, C., and Bell, W. O. Grid leak condenser. United States Patent No. 1560310, issued November 3, 1925.
- R381 Cohen, L. Variable condenser. United States Patent No. 1560761, issued November 10, 1925.
- R384.1 Froisy, R. Presentation d'un ondemetre heterodyne. *L'Onse Electrique*, 4, pp. 443-441, October, 1925.
- R385.1 Beal, R. R. Radiotelegraphy. United States Patent No. 1561819, issued November 17, 1925.

## R400.—Radio communication systems

- R402 Kolo, R. R. Five motor transmission. *Radio News*, 7, p. 807, December, 1925.
- R411 Loewe, S. Process for testing spark stations. United States Patent No. 1561238, issued November 10, 1925.
- R412 Nichols, H. W. Radio system. United States Patent No. 1561273, issued November 10, 1925.
- R412 Duncan, R. D., jr. Method of carrier-frequency suppression. United States Patent No. 1560305 issued November 3, 1925.
- R413 Helsing, R. A. Generating and modulating system. United States Patent No. 1559870, issued November 3, 1925.
- R413 Helsing, R. A. Modulated wave transmission. United States Patent No. 1560054, issued November 3, 1925.
- R413 Schaffer, W. Arrangement for frequency transformation particularly for operating relay stations. United States Patent No. 1559992, issued November 3, 1925.
- R413 Schmitt, A., jr. Signaling system. United States Patent No. 1560431, issued November 3, 1925.
- R422 Elliott, H. F. and Miller, J. A. Radio-frequency system. United States Patent No. 1561914, issued November 17, 1925.
- R422 Arc radio transmitters for marine service. *Radio (Toronto)*, 9, pp. 33-34, October, 1925.
- R431 Rice, C. W. Radio receiving system. United States Patent No. 1562056, issued November 17, 1925.
- R431 Prosser, J. H. Radio receiving apparatus. United States Patent No. 1560854, issued November 10, 1925.
- R431 Chaffee, E. L. Method and system for the transmission of radiant energy. United States Patent No. 1560205, issued November 3, 1925.
- R431 Nichols, H. W. Selective circuits. United States Patent No. 1558909, issued October 27, 1925.
- R435 Delany, P. B. Secret wireless. United States Patent No. 1558335, issued October 27, 1925.
- R470 Whiting, D. F. Regulating repeater systems. United States Patent No. 1561892, issued November 17, 1925.
- R490 Mayborgue, J. O.; Cohen, I.; HOB, G. Electrical signaling (resonance wave coils). United States Patent No. 1561559, issued November 17, 1925.

## R500 — Applications of radio

- R513 Morse, A. H. Wireless fog signals. *Wireless World and Radio Review*, 17, pp. 5051-502, October 14, 1925.
- R520 Sinclair, D. Civil aviation wireless (development of radiotelephony for communication with aircraft). *Wireless World and Radio Review*, 17, pp. 545-549, October 21, 1925.
- R525 Hammond, J. H., jr. Capacity compensating device. United States Patent No. 1561228, issued November 10, 1925.
- R536 Mineral and oil finder. *Science and Invention*, 18, p. 722, December, 1925.
- R555 Henline, H. H. The Pacific coast standard frequency station (6X11M). *QST*, 8, pp. 26-30, November, 1925.
- R570 Hanco, P. B. Radio controlled automobile. *Radio News*, 7, pp. 774-775, December, 1925.
- R581 Riley, J. Transmitting power by radio. *Radio News*, 7, p. 768, December, 1925.

- R582 Hansen, E. H. A new method of transmitting pictures by telephone or radio. Popular Radio, 8, pp. 540-544, December, 1925.
- R582 Kollatz, C. W. Phototelegraphy and television. Engineering Progress, 6, pp. 309-313, October, 1925.

## R800.—Nonradio subjects

- 534.83 Ryan, C. P. Submarine sound signaling or indicating apparatus. United States Patent No. 1562193, issued November 17, 1925.
- 535.3 Dowling, J. J. Thermionic indicating means responsive to light variations. United States Patent No. 1561837, issued November 17, 1925.
- 621.327.7 Lilienfeld, J. E. Art of releasing electrons in vacuum discharge devices. United States Patent No. 1559714, issued November 3, 1925.

Property of U. S.  
 DEPARTMENT OF COMMERCE  
 BUREAU OF NAVIGATION  
 RADIO SERVICE

---

 ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM  
 THE SUPERINTENDENT OF DOCUMENTS  
 GOVERNMENT PRINTING OFFICE  
 WASHINGTON, D. C.

AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, 25 CENTS PER YEAR

▽