



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-01859

Wednesday June 15, 2016

Satellite Communications Services re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AFS-20160603-00473 E E140054 SES Americom, Inc.

Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, Other

See IBFS File No. SES-MFS-20160512-00407 for a description of application.

SITE ID: 1

LOCATION: 2323 Grimville Road, Carroll, Mount Airy, MD

39 ° 22 ' 40.30 " N LAT.

77 ° 4 ' 51.40 " W LONG.

ANTENNA ID:	1	13.1 meters	Vertex	13.1 KPC
	14000.0000 - 14500.0000 MHz	100KG7W	63.48 dBW	DIGITAL DATA AND VOICE
	14000.0000 - 14500.0000 MHz	30M0G7W	88.25 dBW	DIGITAL DATA AND VOICE
	14000.0000 - 14500.0000 MHz	N0N	49.50 dBW	CW TEST CARRIER
	11700.0000 - 12200.0000 MHz	N0N		CW TEST CARRIER
	11700.0000 - 12200.0000 MHz	100KG7W		DIGITAL DATA AND VOICE
	11700.0000 - 12200.0000 MHz	30M0G7W		DIGITAL DATA AND VOICE
	17300.0000 - 17800.0000 MHz	24M0G7W	85.70 dBW	PSK Digital video, audio and data
	17300.0000 - 17800.0000 MHz	24M0D7W	85.70 dBW	PSK Digital video, audio and data

17300.0000 - 17800.0000 MHz	100KD7W	63.70 dBW	PSK Digital Data
17300.0000 - 17800.0000 MHz	1M00F9D	79.70 dBW	FM Telecommand
12200.0000 - 12700.0000 MHz	24M0G7W		PSK Digital video, audio and data
12200.0000 - 12700.0000 MHz	100KG7W		PSK Digital Data
12200.0000 - 12700.0000 MHz	500KG9D		PSK Telemetry
17300.0000 - 17800.0000 MHz	N0N	55.70 dBW	CW test carrier
17300.0000 - 17800.0000 MHz	100KG7W	63.70 dBW	PSK Digital Data
12200.0000 - 12700.0000 MHz	N0N		CW tracking beacon
12200.0000 - 12700.0000 MHz	100KD7W		PSK Digital Data
12200.0000 - 12700.0000 MHz	24M0D7W		PSK Digital video, audio and data

Points of Communication:

- 1 - CIEL 2 - (128.85 W.L)
- 1 - PERMITTED LIST - ()
- 1 - QUETZSAT-1 - (77.00 W.L.)

SES-ASG-20160527-00471 E E050272 Lockheed Martin Corporation
Application for Consent to Assignment
Current Licensee: Lockheed Martin Corporation
FROM: Lockheed Martin Corporation
TO: Abacus Innovations Corporation

No. of Station(s) listed: 3

SES-MFS-20160512-00407 E E140054 SES Americom, Inc.
Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service, Other

SES Americom, Inc. requests modification of its fixed earth station in Mt. Airy, MD to add the Permitted List as new points of communication in the 14.0-14.5 GHz (Earth-to-space) and 11.7-12.2 GHz (space-to-Earth) frequency bands. This application was amended by IBFS File No. SES-AFS-20160603-00473.

SITE ID: 1
LOCATION: 2323 Grimville Road, Carroll, Mount Airy, MD
39 ° 22 ' 40.30 " N LAT. 77 ° 4 ' 51.40 " W LONG.

ANTENNA ID: 1 13.1 meters Vertex 13.1 KPC

14000.0000 - 14500.0000 MHz 100KG7W 63.48 dBW DIGITAL DATA AND VOICE

14000.0000 - 14500.0000 MHz	30M0G7W	88.25 dBW	DIGITAL DATA AND VOICE
14000.0000 - 14500.0000 MHz	N0N	49.50 dBW	CW TEST CARRIER
11700.0000 - 12200.0000 MHz	N0N		CW TEST CARRIER
11700.0000 - 12200.0000 MHz	100KG7W		DIGITAL DATA AND VOICE
11700.0000 - 12200.0000 MHz	30M0G7W		DIGITAL DATA AND VOICE
17300.0000 - 17800.0000 MHz	24M0G7W	85.70 dBW	PSK Digital video, audio and data
17300.0000 - 17800.0000 MHz	24M0D7W	85.70 dBW	PSK Digital video, audio and data
17300.0000 - 17800.0000 MHz	1M00F9D	79.70 dBW	FM Telecommand
12200.0000 - 12700.0000 MHz	24M0G7W		PSK Digital video, audio and data
12200.0000 - 12700.0000 MHz	500KG9D		PSK Telemetry
17300.0000 - 17800.0000 MHz	N0N	55.70 dBW	CW test carrier
17300.0000 - 17800.0000 MHz	100KD7W	63.70 dBW	PSK Digital Data
17300.0000 - 17800.0000 MHz	100KG7W	63.70 dBW	PSK Digital Data
12200.0000 - 12700.0000 MHz	N0N		CW tracking beacon
12200.0000 - 12700.0000 MHz	100KD7W		PSK Digital Data
12200.0000 - 12700.0000 MHz	100KG7W		PSK Digital Data
12200.0000 - 12700.0000 MHz	24M0D7W		PSK Digital video, audio and data

Points of Communication:

1 - CIEL 2 - (128.85 W.L)

1 - PERMITTED LIST - ()

1 - QUETZSAT-1 - (77.00 W.L.)

SES-MFS-20160527-00458 E E150097 ISAT US Inc.

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

ISAT US Inc. requests modification of its blanket earth station authorization to add: (1) the Inmarsat-5 F3 satellite at the 179.6° E.L. orbital location as a point of communication to each of the currently authorized earth station terminal types and (2) Antenna IDs "Fixed 9" and "TF 9". All new and previously granted antennas will operate in the 29.5-30.0 GHz (Earth-to-space) and 19.7-20.2 GHz (space-to-Earth) frequency bands.

SITE ID: 1
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID:	Fixed 1	0.75 meters	Cobham SATCOM	3075
	19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
	29500.0000 - 30000.0000 MHz	460KG7W	42.60 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	5M00G1W	51.20 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	3M32G7W	51.20 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

ANTENNA ID:	TF 1	0.75 meters	Cobham SATCOM	5075
	19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
	29500.0000 - 30000.0000 MHz	460KG7W	42.60 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	5M00G1W	51.20 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	3M32G7W	51.20 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

SITE ID: 2
LOCATION: 4000 Blanket Terminals, CONUS,PR, USVI

ANTENNA ID:	TF 2	1 meters	Cobham SATCOM	7100
	19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
	29500.0000 - 30000.0000 MHz	460KG7W	45.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	5M00G1W	54.90 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	4M18G7W	54.90 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

SITE ID: 3
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID:	Fixed 3	0.85 meters	L3	Cheetah II
	19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link

29500.0000 - 30000.0000 MHz	460KG7W	44.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	53.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	3M99G7W	53.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

SITE ID: 5
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID: Fixed 5	0.69 meters	Paradigm/SWT	Connect 70
19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
29500.0000 - 30000.0000 MHz	460KG7W	43.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	51.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	3M24G7W	51.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

SITE ID: 6
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID: Fixed 6	0.65 meters	SWT	Atom 65GX/01
19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
29500.0000 - 30000.0000 MHz	460KG7W	42.60 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	49.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	2M40G7W	49.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
ANTENNA ID: TF 6	0.65 meters	SWT	Atom 65AAGX/01
19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
29500.0000 - 30000.0000 MHz	460KG7W	42.60 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	49.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

29500.0000 - 30000.0000 MHz	2M40G7W	49.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

SITE ID: 7
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID: Fixed 7A	0.934 meters	Paradigm/SWT	Connect 100
----------------------	--------------	--------------	-------------

19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
-----------------------------	---------	----------	---

29500.0000 - 30000.0000 MHz	460KG7W	45.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

29500.0000 - 30000.0000 MHz	5M00G1W	53.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

29500.0000 - 30000.0000 MHz	3M03G7W	53.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

ANTENNA ID: TF 7	0.934 meters	Paradigm/SWT	Connect 100T
------------------	--------------	--------------	--------------

19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
-----------------------------	---------	----------	---

29500.0000 - 30000.0000 MHz	460KG7W	45.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

29500.0000 - 30000.0000 MHz	5M00G1W	53.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

29500.0000 - 30000.0000 MHz	3M03G7W	53.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

ANTENNA ID: Fixed 7B	0.934 meters	Paradigm/SWT	SKY98GX/01
----------------------	--------------	--------------	------------

19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
-----------------------------	---------	----------	---

29500.0000 - 30000.0000 MHz	460KG7W	45.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

29500.0000 - 30000.0000 MHz	5M00G1W	53.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

29500.0000 - 30000.0000 MHz	3M03G7W	53.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
-----------------------------	---------	-----------	---

SITE ID: 8
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID: Fixed 8A	1.8 meters	Paradigm/SWT	Connect 180
----------------------	------------	--------------	-------------

19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
-----------------------------	---------	----------	---

29500.0000 - 30000.0000 MHz	460KG7W	52.00 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	59.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	2M51G7W	59.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
ANTENNA ID: Fixed 8B	1.8 meters	Paradigm/SWT	SKY180GX/01
19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
29500.0000 - 30000.0000 MHz	460KG7W	52.00 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	59.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	2M51G7W	59.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

SITE ID: 9
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID: Fixed 9	0.89 meters	SKYWARE TECHNOLOGIES	ATOM 99
29500.0000 - 30000.0000 MHz	460KG7W	45.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	4M18G7W	54.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	54.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
19700.0000 - 20200.0000 MHz	32M0G7W		Various modulation up to 32 APSK Digital Data Link
ANTENNA ID: TF 9	0.89 meters	SYKYWARE TECHNOLOGIES	ATOM 99
29500.0000 - 30000.0000 MHz	460KG7W	45.30 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	4M18G7W	54.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
29500.0000 - 30000.0000 MHz	5M00G1W	54.50 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
19700.0000 - 20200.0000 MHz	32M0G7W		Various modulation up to 32 APSK Digital Data Link

SITE ID: 4
LOCATION: 4000 Blanket Terminals, CONUS, PR, USVI

ANTENNA ID:	Fixed 4	1.2 meters	L3	Hawkeye III Lite
	19700.0000 - 20200.0000 MHz	32M0G7W	0.00 dBW	Various modulation up to 32 APSK Digital Data Link
	29500.0000 - 30000.0000 MHz	460KG7W	46.80 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	5M00G1W	56.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling
	29500.0000 - 30000.0000 MHz	4M18G7W	56.40 dBW	Various modulation up to 32 APSK Digital Data Link/Data Signalling

Points of Communication:

- 1 - INMARSAT 5F2 - (55.0 W.L.)
 - 1 - INMARSAT 5F3 - (179.6 E.L.)
 - 2 - INMARSAT 5F2 - (55.0 W.L.)
 - 2 - INMARSAT 5F3 - (179.6 E.L.)
 - 3 - INMARSAT 5F2 - (55.0 W.L.)
 - 3 - INMARSAT 5F3 - (179.6 E.L.)
 - 4 - INMARSAT 5F2 - (55.0 W.L.)
 - 4 - INMARSAT 5F3 - (179.6 E.L.)
 - 5 - INMARSAT 5F2 - (55.0 W.L.)
 - 5 - INMARSAT 5F3 - (179.6 E.L.)
 - 6 - INMARSAT 5F2 - (55.0 W.L.)
 - 6 - INMARSAT 5F3 - (179.6 E.L.)
 - 7 - INMARSAT 5F2 - (55.0 W.L.)
 - 7 - INMARSAT 5F3 - (179.6 E.L.)
 - 8 - INMARSAT 5F2 - (55.0 W.L.)
 - 8 - INMARSAT 5F3 - (179.6 E.L.)
 - 9 - INMARSAT 5F2 - (55.0 W.L.)
 - 9 - INMARSAT 5F3 - (179.6 E.L.)
-

SES-MOD-20160603-00483 E E040053 Board of Trustees for Fort Lewis College

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

The Board of Trustees for Fort Lewis College requests modification of its fixed earth station in Durango, CO to correct the site coordinates. This station will continue to operate with Permitted List satellites in the 3700-4200 MHz (space-to-Earth) frequency band.

SITE ID: 1

LOCATION: 1000 RIM DRIVE (KDUR-FM) (KDUR-FM), LA PLATA, DURANGO, CO

37 ° 16 ' 40.50 " N LAT.

107 ° 52 ' 22.30 " W LONG.

ANTENNA ID: 1 3.8 meters COMTECH ANTENNA SYSTEMS 3.8 METER PF

3700.0000 - 4200.0000 MHz 30K0F1D DIGITAL AUDIO CARRIER

3700.0000 - 4200.0000 MHz 10M3G7W DIGITAL AUDIO CARRIER

Points of Communication:

1 - PERMITTED LIST - ()

SES-MOD-20160606-00482 E E7159 Greater Washington Educational Telecommunications Association, Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Greater Washington Educational Telecommunications Association, Inc. requests modification of its fixed earth station in Arlington, VA to correct the site coordinates, street address, emission designators and make/model of antenna. This station will continue to operate with Permitted List satellites in the 3700-4200 MHz (space-to-Earth) frequency band.

SITE ID: 1

LOCATION: 3939 CAMPBELL AVE., ARLINGTON, ARLINGTON, VA

38 ° 50 ' 27.80 " N LAT.

77 ° 5 ' 11.10 " W LONG.

ANTENNA ID: 1 3.8 meters Comtech 3.8 METER

3700.0000 - 4200.0000 MHz 10M3G7W Digital Audio Carrier

3700.0000 - 4200.0000 MHz 30K0F1D Digital Audio Carrier

Points of Communication:

1 - PERMITTED LIST - ()

SES-MOD-20160608-00492 E E2707 Viacom International Inc.

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

Viacom International Inc. requests modification of its fixed earth station in Hauppauge, NY, to: delete its 9-meter antenna, add an additional 11-meter antenna, re-number Antenna IDs, update antenna equipment from Scientific-Atlanta Model 8007 to electrically identical Scientific-Atlanta Model 8016B, and modify associated antenna emission designators. This station will continue to operate with Permitted List satellites in the 3700-4200 MHz (space-to-Earth) and 5925-6425 (Earth-to-space) frequency bands.

SITE ID: 1
 LOCATION: 35 ADAMS AVE., SUFFOLK, HAUPPAGE, NY
 40 ° 49 ' 15.40 " N LAT. 73 ° 15 ' 17.40 " W LONG.

ANTENNA ID:	2	11 meters	SCIENTIFIC ATLANTA	8016B	
	5925.0000 - 6425.0000 MHz		36M0G7F	76.30 dBW	TELEVISION (VIDEO)
	3700.0000 - 4200.0000 MHz		36M0G7F		TELEVISION (VIDEO)
ANTENNA ID:	4	11 meters	SCIENTIFIC ATLANTA	8016B	
	5925.0000 - 6425.0000 MHz		36M0G7F	76.30 dBW	TELEVISION (VIDEO)
	3700.0000 - 4200.0000 MHz		36M0G7F		TELEVISION (VIDEO)
ANTENNA ID:	3	6 meters	SCIENTIFIC ATLANTA	8060	
	5925.0000 - 6425.0000 MHz		25M0G7W	76.30 dBW	VIDEO, DATA
	3700.0000 - 4200.0000 MHz		36M0G7F		VIDEO, DATA

Points of Communication:

1 - PERMITTED LIST - ()

SES-MOD-20160609-00494 E E000676 Allen Holdings, Inc. d/b/a Allen Communications

Application for Modification

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

Allen Holdings, Inc. d/b/a Allen Communications requests modification of its temporary-fixed earth station, to correct the make and model of its 2.4-meter antenna. This station will continue to communicate with Permitted List satellites in the 14.0-14.5 GHz (Earth-to-space) and 11.7-12.2 GHz (space-to-Earth) frequency bands.

SITE ID: 1
 LOCATION: 10813 EL ARCO VARIOUS, LOS ANGELES, WHITTIER, CA

ANTENNA ID:	1	2.4 meters	GD SATCOM	2.4 SF	
	14000.0000 - 14500.0000 MHz		3M00G7F-	64.00 dBW	DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz		36M0G7F	74.80 dBW	DIGITAL VIDEO
	14000.0000 - 14500.0000 MHz		51K2G7D-	46.30 dBW	DIGITAL, QPSK, 1/2, 3/4 FEC

14000.0000 - 14500.0000 MHz

36M0G7D

74.80 dBW

DIGITAL, QPSK, 1/2, 3/4 FEC

Points of Communication:

1 - PERMITTED LIST - ()

SES-REG-20160603-00479 E E160086 Virgin Islands Public Broadcasting System

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 3-17A Mountain Top (WTJXTV), USVI, St. Thomas, VI
18 ° 21 ' 20.30 " N LAT.

64 ° 56 ' 49.70 " W LONG.

ANTENNA ID: 4.5M. 4.5 meters Prodelin PD-1451-990

3700.0000 - 4200.0000 MHz 10M3G7W Digital Audio Carrier

3700.0000 - 4200.0000 MHz 30K0F1D Digital Audio Carrier

Points of Communication:

1 - PERMITTED LIST - ()

SES-REG-20160603-00480 E E160087 Brazos Valley Public Broadcasting Foundation

Registration

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 2100 River Street (KWBU), McLennan, Waco, TX
31 ° 32 ' 41.70 " N LAT.

97 ° 6 ' 28.10 " W LONG.

ANTENNA ID: 3.7M. 3.7 meters Prodelin 1374

3700.0000 - 4200.0000 MHz 30K0F1D Digital Audio Carrier

3700.0000 - 4200.0000 MHz 10M3G7W Digital Audio Carrier

Points of Communication:

1 - PERMITTED LIST - ()

SES-T/C-20160610-00496 E E160011 Young Broadcasting of Davenport Inc.

Application for Consent to Transfer of Control

Current Licensee: Young Broadcasting of Davenport Inc.

FROM: Shareholders of Media General, Inc.

TO: Nexstar Media Group, Inc.

No. of Station(s) listed: 1

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.