



# PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION  
445 12th STREET S.W.  
WASHINGTON D.C. 20554

News media information 202-418-0500  
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)  
TTY (202) 418-2555

Report No. SES-01994

Wednesday September 27, 2017

## Satellite Communications Services re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20170721-00790 E E170135 Intelsat License LLC

Application for Authority

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 17625 Technology Blvd, Washington, Hagerstown

39 ° 35 ' 54.90 " N LAT.

77 ° 45 ' 10.60 " W LONG.

ANTENNA ID:	1	9.4 meters	ASC Signal	9.4m ESA
	13000.0000 - 13250.0000 MHz	36M0G7W	86.40 dBW	Digital Data
	13000.0000 - 13250.0000 MHz	62M5G7W	86.40 dBW	Digital Data
	13000.0000 - 13250.0000 MHz	1M00G7W	86.40 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	36M0G7W	85.00 dBW	Digital Data
	13750.0000 - 13770.0000 MHz	62M5G7W	85.00 dBW	Digital Data
	13770.0000 - 13780.0000 MHz	36M0G7W	78.60 dBW	Digital Data
	13770.0000 - 13780.0000 MHz	62M5G7W	81.00 dBW	Digital Data
	13780.0000 - 14500.0000 MHz	36M0G7W	85.00 dBW	Digital Data
	13780.0000 - 14500.0000 MHz	62M5G7W	85.00 dBW	Digital Data

13780.0000 - 14500.0000 MHz	1M00G7W	70.50 dBW	Digital Data
10700.0000 - 11950.0000 MHz	36M0G7W		Digital Data
10700.0000 - 11950.0000 MHz	62M5G7W		Digital Data
10700.0000 - 11950.0000 MHz	1M00G7W		Digital Data

**Points of Communication:**

1 - INTELSAT 37e (S2972) - (18.0 W.L.)

1 - PERMITTED LIST - ()

**SES-MOD-20170908-00993** E E090027 COMTECH MOBILE DATACOM CORP.

Application for Modification

**Class of Station:** Mobile Earth Station

**Nature of Service:** Mobile Satellite Service

Comtech Mobile Datacom Corp., requests modification of its mobile earth station authorization to extend the license term, including existing waivers of Table of Frequency Allocations Footnotes US308 and US315, and Section 25.136(d) of the Commission's rules for another two years.

**SITE ID:** R-SKY

**LOCATION:** CONUS,AK,HI,US terr & poss in fprint SkyTerra 1

<b>ANTENNA ID:</b> 9	0.27 meters	SENSOR SYSTEMS	S65-8282-301
1646.5000 - 1660.5000 MHz	270KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	270KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	270KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1530.0000 - 1544.0000 MHz	270KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL

**SITE ID:** R-INMAR

**LOCATION:** CONUS,AK,HI,US terr & poss in fprint ISAT list satellites

<b>ANTENNA ID:</b> 10	0.27 meters	SENSOR SYSTEMS	S65-8282-301
1646.5000 - 1660.5000 MHz	200KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	200KG7W	11.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	200KG7W		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL

1530.0000 - 1544.0000 MHz	200KG7W			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
SITE ID: R-CMT MSAT				
LOCATION: AK,HI,US terr & poss in fprint MSAT-1 & MSAT-2				
ANTENNA ID: 11	0.153 meters	PCTEL		CMT-500
1646.5000 - 1660.5000 MHz	168KG1D	10.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	10.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
SITE ID: R-OLD MSAT				
LOCATION: US terr & poss in fprint MSAT-1 & MSAT-2				
ANTENNA ID: 3	0.06 meters	SCI SYSTEMS		MT-2010 EXTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	11.30 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.30 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 1	0.15 meters	SCI SYSTEMS		MT-2010 INTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	10.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	10.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 2	0.15 meters	SENSOR SYSTEMS		S65-8582-101
1646.5000 - 1660.5000 MHz	168KG1D	12.10 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	168KG1D	12.10 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID: 4	0.15 meters	SCI SYSTEMS		MT-2010RL INTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	12.30 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	12.30 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 5	0.27 meters	SENSOR SYSTEMS		S65-8282-301
1646.5000 - 1660.5000 MHz	168KG1D	11.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	168KG1D	11.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID: 6	0.18 meters	PCTEL		3481IZ-3
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 7	0.18 meters	PCTEL	34911Z-3
1646.5000 - 1660.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	13.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 8	0.19 meters	PCTEL	3561AW-1/A
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
SITE ID: R-OLDM-AKHI			
LOCATION: AK, HI in footprint MSAT-1 & MSAT-2			
ANTENNA ID: 12	0.15 meters	SCI SYSTEMS	MT-2010 INTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	10.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

1631.5000 - 1645.5000 MHz	168KG1D	10.20 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 13	0.15 meters	SENSOR SYSTEMS	S65-8582-101
1646.5000 - 1660.5000 MHz	168KG1D	12.10 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	168KG1D	12.10 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID: 14	0.06 meters	SCI SYSTEMS	MT-2010 EXTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	11.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 15	0.15 meters	SCI SYSTEMS	MT-2010RL INTERNAL
1646.5000 - 1660.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	12.30 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 16	0.27 meters	SENSOR SYSTEMS		S65-8282-301
1646.5000 - 1660.5000 MHz	168KG1D	11.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1631.5000 - 1645.5000 MHz	168KG1D	11.20 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, AERONAUTICAL
ANTENNA ID: 17	0.18 meters	PCTEL		3481IZ-3
1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 18	0.18 meters	PCTEL		3491IZ-3
1646.5000 - 1660.5000 MHz	168KG1D	13.30 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	13.30 dBW		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D			DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
ANTENNA ID: 19	0.19 meters	PCTEL		3561AW-1/A

1646.5000 - 1660.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1631.5000 - 1645.5000 MHz	168KG1D	11.00 dBW	DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1545.0000 - 1559.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE
1530.0000 - 1544.0000 MHz	168KG1D		DSSS, BPSK, 21,094 TO 84, 375 CPS AND DATA, MARINE, LAND MOBILE

**Points of Communication:**

- R-CMT MSAT - MSAT-1 - (106.5 W.L.)
- R-CMT MSAT - MSAT-2 (AMSC-1) - (103.3 W.L.)
- R-INMAR - ISAT List -
- R-OLD MSAT - MSAT-1 - (106.5 W.L.)
- R-OLD MSAT - MSAT-2 (AMSC-1) - (103.3 W.L.)
- R-OLDM-AKHI - MSAT-1 - (106.5 W.L.)
- R-OLDM-AKHI - MSAT-2 (AMSC-1) - (103.3 W.L.)
- R-SKY - SKYTERRA 1 - (101.3 W.L.)

**SES-MOD-20170919-01032** E E160015 SES Americom, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SES Americom Inc. requests modification of its fixed earth station in Brewster, WA to correct the antenna polarization data to reflect that both the uplink and downlink operations for all currently licensed frequencies use circular rather than linear polarization.

**SITE ID:** 1

**LOCATION:** 66c Teleport Dr, Okanogan, Brewster, WA

48 ° 8 ' 46.70 " N LAT.

119 ° 41 ' 37.00 " W LONG.

**ANTENNA ID:** 1 9.2 meters SES 9.2 METER

29250.0000 - 30000.0000 MHz	250MG7W	88.50 dBW	DIGITAL DATA AND VOICE
29250.0000 - 30000.0000 MHz	100KG7W	54.50 dBW	DIGITAL DATA AND VOICE
27500.0000 - 28350.0000 MHz	100KG7W	54.50 dBW	DIGITAL DATA AND VOICE
27500.0000 - 28350.0000 MHz	250MG7W	88.50 dBW	DIGITAL DATA AND VOICE



---

19700.0000 - 20200.0000 MHz	250MG7W	DIGITAL DATA AND VOICE
19700.0000 - 20200.0000 MHz	100KG7W	DIGITAL DATA AND VOICE
18300.0000 - 18800.0000 MHz	250MG7W	DIGITAL DATA AND VOICE
18300.0000 - 18800.0000 MHz	100KG7W	DIGITAL DATA AND VOICE

**Points of Communication:**

1 - PERMITTED LIST - ()

1 - SES-15 (S2951) - (129.15 W.L)

---

**SES-MOD-20170920-01039** E E160022 SES Americom, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SES Americom Inc. requests modification of its fixed earth station in Somis, CA to correct the antenna polarization data to reflect that both the uplink and downlink operations for all currently licensed frequencies use circular rather than linear polarization.

SITE ID: 1

LOCATION: 5920 Solano Verde Dr, Ventura, Somis, CA  
34 ° 19 ' 31.90 " N LAT.

118 ° 59 ' 41.40 " W LONG.

ANTENNA ID: 1	9.2 meters	SES	9.2 METER
29250.0000 - 30000.0000 MHz	250MG7W	88.50 dBW	DIGITAL DATA AND VOICE
29250.0000 - 30000.0000 MHz	100KG7W	54.50 dBW	DIGITAL DATA AND VOICE
27500.0000 - 28350.0000 MHz	250MG7W	88.50 dBW	DIGITAL DATA AND VOICE
27500.0000 - 28350.0000 MHz	100KG7W	54.50 dBW	DIGITAL DATA AND VOICE
19700.0000 - 20200.0000 MHz	250MG7W		DIGITAL DATA AND VOICE
19700.0000 - 20200.0000 MHz	100KG7W		DIGITAL DATA AND VOICE
18300.0000 - 18800.0000 MHz	250MG7W		DIGITAL DATA AND VOICE
18300.0000 - 18800.0000 MHz	100KG7W		DIGITAL DATA AND VOICE

**Points of Communication:**

1 - PERMITTED LIST - ()

1 - SES-15 (S2951) - (129.15 W.L)

---

---

SES-MOD-20170920-01040 E E160021 SES Americom, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SES Americom Inc. requests modification of its fixed earth station in Mt. Airy, MD to correct the antenna polarization data to reflect that both the uplink and downlink operations for all currently licensed frequencies use circular rather than linear polarization.

SITE ID: 1

LOCATION: 2323 Grimville Rd, Carroll, Mount Airy, MD

39 ° 22 ' 38.70 " N LAT.

77 ° 4 ' 49.10 " W LONG.

ANTENNA ID:	1	13.2 meters	SES	13.2 METER
	29250.0000 - 30000.0000 MHz	250MG7W	88.00 dBW	DIGITAL DATA AND VOICE
	29250.0000 - 30000.0000 MHz	100KG7W	51.30 dBW	DIGITAL DATA AND VOICE
	27500.0000 - 28350.0000 MHz	250MG7W	88.00 dBW	DIGITAL DATA AND VOICE
	27500.0000 - 28350.0000 MHz	100KG7W	51.30 dBW	DIGITAL DATA AND VOICE
	19700.0000 - 20200.0000 MHz	250MG7W		DIGITAL DATA AND VOICE
	19700.0000 - 20200.0000 MHz	100KG7W		DIGITAL DATA AND VOICE
	18300.0000 - 18800.0000 MHz	250MG7W		DIGITAL DATA AND VOICE
	18300.0000 - 18800.0000 MHz	100KG7W		DIGITAL DATA AND VOICE

**Points of Communication:**

1 - PERMITTED LIST - ()

1 - SES-15 (S2951) - (129.15 W.L)

---

SES-RWL-20170718-00771 E E020186 ACC Licensee, LLC

Renewal

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Domestic Fixed Satellite Service

SITE ID: 1

LOCATION: 1100 WILSON BLVD. (STUDIO), ARLINGTON, ROSSLYN, VA

38 ° 53 ' 39.17 " N LAT.

77 ° 4 ' 9.95 " W LONG.

ANTENNA ID:	1	3.8 meters	PATRIOT	3.8 METER
	3700.0000 - 4200.0000 MHz	36M0G7F		RECEIVE-ONLY DIGITAL MODULATION AS PROVIDED BY PROGRAM SUPPLIER.

---

3700.0000 - 4200.0000 MHz

36M0F8F

RECEIVE-ONLY ANALOG  
MODULATION AS PROVIDED BY  
PROGRAM SUPPLIER.

**Points of Communication:**

1 - PERMITTED LIST - ()

---

**SES-T/C-20170919-01034** E E150107 WXMI, LLC

Application for Consent to Transfer of Control

**Current Licensee:** WXMI, LLC

**FROM:** SHAREHOLDERS OF TRIBUNE MEDIA COMPANY

**TO:** Sinclair Broadcast Group, Inc.

No. of Station(s) listed: 1

---

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.