



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
445 12th STREET S.W.
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)
TTY (202) 418-2555

Report No. SES-02028

Wednesday January 24, 2018

Satellite Communications Services

re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-AFS-20171108-01238 E E140097 The Boeing Company
Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Earth Station Aboard Aircraft, Fixed Satellite Service

See IBFS File No. SES-MFS-20170912-00997 for a description of application.

SITE ID: Aircraft

LOCATION: Operate up to 100 ESAA Terminals GLOBAL

0° 0' 0.00" N LAT.

0° 0' 0.00" W LONG.

ANTENNA ID:	BPA	0.381 meters	Boeing	Boeing Phased Array
14000.0000 - 14500.0000 MHz		420KG7D	31.70 dBW	Direct Sequence Spread Spectrum, O-QPSK
14000.0000 - 14500.0000 MHz		32M4G7D	50.60 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz		420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz		32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz		420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz		32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK

	12200.0000 - 12750.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	12200.0000 - 12750.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
ANTENNA ID:	Reflector	0.65 meters	Mitsubishi Electric Co.	Boeing Reflector Ant
	14000.0000 - 14500.0000 MHz	420KG7D	30.50 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11450.0000 - 11700.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11450.0000 - 11700.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11700.0000 - 12200.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11700.0000 - 12200.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	12200.0000 - 12750.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	12200.0000 - 12750.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	14000.0000 - 14500.0000 MHz	32M4G7D	46.70 dBW	Direct Sequence Spread Spectrum, O-QPSK
ANTENNA ID:	Tecom	0.65 meters	Tecom Industries, Inc.	KuStream 1500
	14000.0000 - 14500.0000 MHz	420KG7D	37.80 dBW	Direct Sequence Spread Spectrum, O-QPSK
	14000.0000 - 14500.0000 MHz	32M4G7D	44.80 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11450.0000 - 11700.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11450.0000 - 11700.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11700.0000 - 12200.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	11700.0000 - 12200.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	12200.0000 - 12750.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
	12200.0000 - 12750.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK

Points of Communication:

Aircraft - AMC-15 - (105 W.L.)

Aircraft - Eutelsat 10A (W2A) - (10.0 E.L.)

Aircraft - EUTELSAT 172A(S2610) - (172 E. L.)

Aircraft - Eutelsat 36B - (36 E.L.)

Aircraft - Eutelsat 7A - (7 E.L.)

Aircraft - Eutelsat113WA(S2695) - (113 W.L.)

Aircraft - EUTELSAT172B(S3021) - (172 E.L.)

Aircraft - GALAXY 17 (S2715) - (91 W.L.)

Aircraft - GALAXY 28 (S2160) - (89.0 W.L.)

Aircraft - INTEL 907 (S2411) - (27.5 W.L.)

Aircraft - INTELSAT 33e (S2939) - (60.0 E.L.)

Aircraft - SES-1 - (101.0 W.L.)

Aircraft - Superbird C2 - (144 E.L.)

Aircraft - TELSTAR 11N (S2357) - (37.5 W.L.)

SES-AMD-20171115-01256 E E100083 The Boeing Company
Amendment

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

See IBFS File No. SES-MOD-20170727-00826 for a description of application.

SITE ID: 1

LOCATION: 460 HERNDON PKWY. (3.8M. RSI), FAIRFAX, HERNDON, VA
38 ° 57 ' 32.00 " N LAT. 77 ° 22 ' 32.00 " W LONG.

ANTENNA ID:	3.8M. RSI	3.8 meters	GENERAL DYNAMICS	VERTEX RSI
	14000.0000 - 14500.0000 MHz		8M00G7W 65.04 dBW	DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		7M00G7W 65.04 dBW	DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		6M00G7W 65.04 dBW	DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		5M00G7W 65.04 dBW	DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		4M00G7W 65.04 dBW	DIGITAL DATA CARRIER
	14000.0000 - 14500.0000 MHz		3M00G7W 65.04 dBW	DIGITAL DATA CARRIER

14000.0000 - 14500.0000 MHz	2M00G7W	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M50G7W	64.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M00G7W	62.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	768KG7W	61.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	512KG7W	60.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7W	57.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7W	54.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	64K0G7W	51.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	32K0G7W	48.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	8M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	7M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	768KG7W	61.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	6M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	64K0G7W	51.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	5M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	512KG7W	60.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	4M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	3M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	32K0G7W	48.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	2M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	256KG7W	57.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	1M50G7W	64.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	1M00G7W	62.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	128KG7W	54.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	32K0G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	64K0G7W	0.00 dBW	DIGITAL DATA CARRIER

11700.0000 - 12200.0000 MHz	128KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	256KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	512KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	768KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M50G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	3M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	4M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	5M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	6M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	7M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	8M00G7W	0.00 dBW	DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	8M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	7M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	768KG7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	6M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	64K0G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	5M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	512KG7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	4M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	3M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	32K0G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	2M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	256KG7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	1M50G7W		DIGITAL DATA CARRIER

10950.0000 - 11700.0000 MHz	1M00G7W	DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	128KG7W	DIGITAL DATA CARRIER

Points of Communication:

1 - PERMITTED LIST - ()

SES-LIC-20180112-00021 E E180004 CAPITOL BROADCASTING COMPANY, INC.

Application for Authority

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 2619 Western Blvd., Wake, Raleigh, NC
35 ° 46 ' 48.00 " N LAT.

78 ° 40 ' 29.00 " W LONG.

ANTENNA ID: 1	2 meters	AVL Technologies	2010K 2-port
14000.0000 - 14500.0000 MHz	36M0G7W	71.58 dBW	Compressed Digital Video and Audio

Points of Communication:

1 - PERMITTED LIST - ()

SES-MFS-20170912-00997 E E140097 The Boeing Company

Modification

Class of Station: Fixed Earth Stations

Nature of Service: Earth Station Aboard Aircraft, Fixed Satellite Service

The Boeing Company requests modification of its Earth Stations Aboard Aircraft (ESAA) license to operate with: (1) the Intelsat 33e (S2939) satellite at the 60° E.L. orbital location; (2) the Eutelsat 10A (W2A) satellite at the 10° E.L. orbital location; and (3) the Eutelsat 172B (S3021) satellite at the 172° E.L. orbital location in the 14.0-14.5 GHz (Earth-to-space) and the 11.45-11.7 GHz, 11.7-12.2 GHz and 12.2-12.75 GHz (space-to-Earth) frequency bands. This application was amended by IBFS File No. SES-AFS-20171108-00238.

SITE ID: Aircraft

LOCATION: Operate up to 100 ESAA Terminals GLOBAL
0 ° 0 ' 0.00 " N LAT.

0 ° 0 ' 0.00 " W LONG.

ANTENNA ID: BPA	0.381 meters	Boeing	Boeing Phased Array
14000.0000 - 14500.0000 MHz	420KG7D	31.70 dBW	Direct Sequence Spread Spectrum, O-QPSK
14000.0000 - 14500.0000 MHz	32M4G7D	50.60 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK

11700.0000 - 12200.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
12200.0000 - 12750.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
12200.0000 - 12750.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
ANTENNA ID: Reflector	0.65 meters	Mitsubishi Electric Co.	Boeing Reflector Ant
14000.0000 - 14500.0000 MHz	420KG7D	30.50 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
12200.0000 - 12750.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
12200.0000 - 12750.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
14000.0000 - 14500.0000 MHz	32M4G7D	46.70 dBW	Direct Sequence Spread Spectrum, O-QPSK
ANTENNA ID: Tecom	0.65 meters	Tecom Industries, Inc.	KuStream 1500
14000.0000 - 14500.0000 MHz	420KG7D	37.80 dBW	Direct Sequence Spread Spectrum, O-QPSK
14000.0000 - 14500.0000 MHz	32M4G7D	44.80 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11450.0000 - 11700.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
11700.0000 - 12200.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK

12200.0000 - 12750.0000 MHz	420KG7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
-----------------------------	---------	----------	--

12200.0000 - 12750.0000 MHz	32M4G7D	0.00 dBW	Direct Sequence Spread Spectrum, O-QPSK
-----------------------------	---------	----------	--

Points of Communication:

Aircraft - AMC-15 - (105 W.L.)

Aircraft - Eutelsat 10A (W2A) - (10.0 E.L.)

Aircraft - EUTELSAT 172A(S2610) - (172 E. L.)

Aircraft - Eutelsat 36B - (36 E.L.)

Aircraft - Eutelsat 7A - (7 E.L.)

Aircraft - Eutelsat113WA(S2695) - (113 W.L.)

Aircraft - EUTELSAT172B(S3021) - (172 E.L.)

Aircraft - GALAXY 17 (S2715) - (91 W.L.)

Aircraft - GALAXY 28 (S2160) - (89.0 W.L.)

Aircraft - INTEL 907 (S2411) - (27.5 W.L.)

Aircraft - INTELSAT 33e (S2939) - (60.0 E.L.)

Aircraft - SES-1 - (101.0 W.L.)

Aircraft - Superbird C2 - (144 E.L.)

Aircraft - TELSTAR 11N (S2357) - (37.5 W.L.)

SES-MOD-20170727-00826 E E100083 The Boeing Company

Application for Modification

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

The Boeing Company requests modification of its fixed earth station in Herndon, VA to operate with the Telstar 12V (S2462) satellite at the 15 ° W.L orbital location in the 13.9-14.0 GHz (Earth-to-space) and 10.95-11.7 GHz (space-to-Earth) frequency bands. This application was amended by IBFS File No. SES-AMD-20171115-01256.

SITE ID: 1

LOCATION: 460 HERNDON PKWY. (3.8M. RSI), FAIRFAX, HERNDON, VA

38 ° 57 ' 32.00 " N LAT.

77 ° 22 ' 32.00 " W LONG.

ANTENNA ID: 3.8M. RSI 3.8 meters GENERAL DYNAMICS VERTEX RSI

14000.0000 - 14500.0000 MHz	8M00G7W	65.04 dBW	DIGITAL DATA CARRIER
-----------------------------	---------	-----------	----------------------

14000.0000 - 14500.0000 MHz	7M00G7W	65.04 dBW	DIGITAL DATA CARRIER
-----------------------------	---------	-----------	----------------------

14000.0000 - 14500.0000 MHz	6M00G7W	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	5M00G7W	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	4M00G7W	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	3M00G7W	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	2M00G7W	65.04 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M50G7W	64.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	1M00G7W	62.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	768KG7W	61.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	512KG7W	60.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	256KG7W	57.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	128KG7W	54.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	64K0G7W	51.00 dBW	DIGITAL DATA CARRIER
14000.0000 - 14500.0000 MHz	32K0G7W	48.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	32K0G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	64K0G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	128KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	256KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	512KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	768KG7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	1M50G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	2M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	3M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	4M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	5M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	6M00G7W	0.00 dBW	DIGITAL DATA CARRIER

11700.0000 - 12200.0000 MHz	7M00G7W	0.00 dBW	DIGITAL DATA CARRIER
11700.0000 - 12200.0000 MHz	8M00G7W	0.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	8M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	7M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	768KG7W	61.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	6M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	64K0G7W	51.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	512KG7W	60.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	4M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	3M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	32K0G7W	48.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	2M00G7W	65.04 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	256KG7W	57.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	1M50G7W	64.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	1M00G7W	62.00 dBW	DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	128KG7W	54.00 dBW	DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	8M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	7M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	768KG7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	6M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	64K0G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	5M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	512KG7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	4M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	3M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	32K0G7W		DIGITAL DATA CARRIER

10950.0000 - 11700.0000 MHz	2M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	256KG7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	1M50G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	1M00G7W		DIGITAL DATA CARRIER
10950.0000 - 11700.0000 MHz	128KG7W		DIGITAL DATA CARRIER
13900.0000 - 14000.0000 MHz	5M00G7W	65.04 dBW	DIGITAL DATA CARRIER

Points of Communication:

1 - PERMITTED LIST - ()

1 - Telstar 12 (S2462) - (15 W. L.)

SES-MOD-20171011-01136 E WB36 Marlink, Inc.

Application for Modification

Class of Station: Other

Nature of Service: Fixed Satellite Service

Marlink, Inc. requests modification of its blanket ESV and VSAT authorization to add Antenna ID "INTV85" and Antenna ID "TTSA600" to Site ID "2". The antennas will operate with Permitted List satellites in the 14.0-14.5 GHz (Earth-to-space), and 10.95-11.2 GHz and 11.45-12.2 GHz (space-to-Earth) frequency bands. Marlink also requests to operate all SITE ID "2" antennas on land in the United States for purposes of testing antennas, demonstrating, troubleshooting and diagnose and resolve customer technical problems.

SITE ID: 1

LOCATION: C-BAND REMOTE ESVS/US AND INTL WATERS

ANTENNA ID:	9707/97/11	2.4 meters	SEA TEL	9707, 9797, 9711
	5925.0000 - 6425.0000 MHz	15M0G7W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
	5925.0000 - 6425.0000 MHz	44K8G1W	45.20 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
	5925.0000 - 6425.0000 MHz	44K8G7W	45.20 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
	5925.0000 - 6425.0000 MHz	15M0G1W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
	5925.0000 - 6425.0000 MHz	40M0G1W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
	5925.0000 - 6425.0000 MHz	40M0G7W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
	3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

3700.0000 - 4200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV240	2.4 meters	INTELLIAN		V240
5925.0000 - 6425.0000 MHz	15M0G7W	60.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G7W	43.83 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	60.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	43.83 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G1W	63.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G7W	63.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 9711QORC	2.4 meters	SEA TEL		9711QORC
5925.0000 - 6425.0000 MHz	44K8G7W	45.20 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G7W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	45.20 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G1W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

5925.0000 - 6425.0000 MHz	40M0G7W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: OR7-300C	2.2 meters	ORBIT	OCTRX7300C,7107C
5925.0000 - 6425.0000 MHz	15M0G7W	61.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	39.49 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G7W	39.49 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	61.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV240MC	2.4 meters	INTELLIAN	V240M(C-BAND)
5925.0000 - 6425.0000 MHz	15M0G1W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G7W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	44.98 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G7W	44.98 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G1W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

5925.0000 - 6425.0000 MHz	40M0G7W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: ORAL-7108	2.4 meters	ORBIT	AL-7108(C-BAND)
5925.0000 - 6425.0000 MHz	44K8G7W	40.59 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	40.59 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G7W	60.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	60.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
SITE ID: 2			
LOCATION: KU-BAND ESV & VSAT Remotes US AND INTL WATERS AND CONUS, AK, HI, US			
ANTENNA ID: 4003	1 meters	SEA TEL	4003
14000.0000 - 14500.0000 MHz	44K8G7W	34.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	51.07 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.07 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: TTSA900	1 meters	THRANE & THRANE	TT-7090A SAILOR900
14000.0000 - 14500.0000 MHz	44K8G1W	36.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	53.44 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	53.44 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	36.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	53.44 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.44 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV60G	0.6 meters	INTELLIAN		V60G
14000.0000 - 14500.0000 MHz	1M20G1W	40.57 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.30 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	26.30 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M20G7W	40.57 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV80G	0.83 meters	INTELLIAN		V80G
14000.0000 - 14500.0000 MHz	1M20G1W	44.14 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M20G7W	44.14 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	44K8G7W	29.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	29.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	52.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	52.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV110	1.05 meters	INTELLIAN	V110
14000.0000 - 14500.0000 MHz	5M00G7W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	36.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	36.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 9711QORKU	1.2 meters	SEA TEL	9711QOR_KU
14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 6006/9/12	1.5 meters	SEA TEL		6006, 6009, 6012
14000.0000 - 14500.0000 MHz	44K8G7W	41.60 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	10M0G1W	58.38 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	10M0G7W	58.38 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	41.60 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	65.39 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	65.39 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W	0.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 9797/11KU	2.4 meters	SEA TEL		9797,9711,9711IMAKU
14000.0000 - 14500.0000 MHz	44K8G7W	44.90 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G1W	67.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	15M0G7W	67.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	71.72 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	71.72 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.99 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.99 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV240K	2.4 meters	INTELLIAN	V240K
14000.0000 - 14500.0000 MHz	15M0G1W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G7W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	40M0G1W	70.38 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	70.38 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 4006/9/10	1 meters	SEA TEL	4006, 4009 & 4010
14000.0000 - 14500.0000 MHz	5M00G7W	51.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	34.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 4996	1.2 meters	SEA TEL		4996
14000.0000 - 14500.0000 MHz	8M00G7W	54.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	39.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	54.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 5009/10/12	1.2 meters	SEA TEL		5009, 5010, 5012
14000.0000 - 14500.0000 MHz	8M00G7W	56.26 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	39.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 900B/FV110	1.03 meters	THRANE & THRANE	900B 900VSATHP&FV110
14000.0000 - 14500.0000 MHz	44K8G1W	35.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	35.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	49.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	49.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	53.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: OR7-300K	2.1 meters	ORBIT		OCEANTRX7-300KU
14000.0000 - 14500.0000 MHz	15M0G7W	65.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	40.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	40.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G1W	65.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: ORAL-7103	1.2 meters	ORBIT		ORAL7103MKII-K

14000.0000 - 14500.0000 MHz	44K8G7W	35.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	57.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	57.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	35.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: ORTR4-500	1.2 meters	ORBIT	OCEANTRX4-500KU
14000.0000 - 14500.0000 MHz	44K8G7W	34.61 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	57.13 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	57.13 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.61 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV65/65G	0.65 meters	INTELLIAN		V65, V65G
14000.0000 - 14500.0000 MHz	1M20G7W	40.37 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.09 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	26.09 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M20G1W	40.37 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W	0.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: MITMVA120	1.2 meters	MITSUBISHI		MVA120

14000.0000 - 14500.0000 MHz	44K8G1W	44.22 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.22 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	55.72 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	55.72 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV100	1.06 meters	INTELLIAN	V100
14000.0000 - 14500.0000 MHz	44K8G1W	37.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	52.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	37.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	52.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	54.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	54.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV130/G	1.25 meters	INTELLIAN		V130, V130G
14000.0000 - 14500.0000 MHz	44K8G1W	39.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	54.40 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	54.40 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	58.60 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	58.60 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: MITMVA60	0.6 meters	MITSUBISHI		MVA60
14000.0000 - 14500.0000 MHz	1M10G7W	46.34 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.93 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M10G1W	46.34 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	34.93 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: TTSA800A	0.83 meters	THRANE & THRANE		TT-7080A SAILOR 800A
14000.0000 - 14500.0000 MHz	44K8G7W	31.30 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	47.40 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	44K8G1W	31.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	47.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	47.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	47.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV240MK	2.4 meters	INTELLIAN	V240M(KU-BAND)
14000.0000 - 14500.0000 MHz	15M0G1W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G7W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	70.58 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	70.58 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV150	1.5 meters	INTELLIAN	V150
14000.0000 - 14500.0000 MHz	40M0G1W	64.86 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	64.86 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	41.59 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	41.59 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: INTV85	0.85 meters	INTELLIAN		V85
14000.0000 - 14500.0000 MHz	2M10G1W	49.72 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	33.02 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	33.02 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	49.72 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: TTSA600	0.65 meters	THRANE & THRANE		TT-7060C SAILOR 600
14000.0000 - 14500.0000 MHz	1M10G1W	40.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M10G7W	40.50 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.60 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	26.60 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: SAT30/3011	0.75 meters	SEA TEL	USAT30 & 3011
14000.0000 - 14500.0000 MHz	1M10G1W	41.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M10G7W	41.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	27.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	27.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 3612	0.9 meters	SEA TEL	3612
14000.0000 - 14500.0000 MHz	5M00G7W	51.20 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	30.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	30.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.20 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID: 4012	1.06 meters	SEA TEL	4012
14000.0000 - 14500.0000 MHz	5M00G7W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	35.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	35.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	7M00G7W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

SITE ID: 3
LOCATION: KU-BAND VSATS in CONUS, AK, HI, US&P

ANTENNA ID: SA1.2MFLY	1.2 meters	SINAERO	SA-1.2FLY
14000.0000 - 14500.0000 MHz	10M0G1W	58.84 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	10M0G7W	58.84 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	64K0G1W	40.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	64K0G7W	40.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	1M00G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	1M00G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	36M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11700.0000 - 12200.0000 MHz

36M0G7W

DIGITAL TRAFFIC USING QPSK AND
BPSK MODULATION

Points of Communication:

1 - NSS 9 (S2756) - (177 W.L.)

1 - PERMITTED LIST - ()

1 - SES-4 (S2828) - (22.0 W.L.)

2 - PERMITTED LIST - ()

3 - PERMITTED LIST - ()

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.