



5 Davis Farm Road, Portland, ME 04103 | consolidated.com | NASDAQ: CNSL

August 29, 2019

Federal Communications Commission
445 12th Street SW
Washington, DC 20554
Att: Carmell Weathers
Wireline Competition Bureau

Subject: Network Notification No. 137

Public Notice of Copper Retirement Under Rule 51.333

This Notice, pursuant to CFR 47, Subsection 51.333, advises of the following Network change(s) and/or improvement(s) within Consolidated Communications of New England -Maine and the scheduled implementation date.

Maine Wire Centers:

| Consolidated Central Office CLLI: | Central Office Name: | Consolidated RT CLLI : | Municipality: | Route and Pole: | Street Address (if necessary): |
|-----------------------------------|----------------------|------------------------|---------------|-----------------|--------------------------------------|
| PKISMEIS | Peaks Island | PTLFME33 | Portland | P 3 RT 81 | Rockledge Ave, Little Diamond Island |
| PKISMEIS | Peaks Island | PTLFME02 | Portland | P 2 RT 400 | Calumet Ave, Cushing Island |
| | | | | | |
| | | | | | |

Planned Implementation or Retirement Date: Will not be implemented for 90 days after the release of the Commission’s public notice of filing.

Description of Change:

Replacing copper (metallic) feeder facilities with fiber optic cable and Digital Loop Carrier (DLC) systems. The public notice of this network change will identify the services that will be transferred to the DLC. Changes may occur to existing circuits because they are not compatible with DLC. Any existing UNE x DSL or Digital Design Loop (DDL) services may be disconnected with this network change.



5 Davis Farm Road, Portland, ME 04103 | consolidated.com | NASDAQ: CNSL

Description of Foreseeable Impact:

These network changes will create the potential for spectral interference on the CO-based ADSL and/or a Digital Design Loop (DDL) loops that share the same binder groups as the RT ADSL within the copper distribution feeder cable past the Feeder Distribution Interface (FDI).

After the planned network changes are implemented, there will be no copper (metallic) loop facilities between Consolidated's Peaks Island Central Office and the remote terminal in the affected area. Copper (metallic) sub-loop facilities will remain in place between Consolidated's Remote Terminal and customer premises in the affected area.

The following loop types will be transferred to the new DLC systems:

2-Wire Analog Voice Grade Loop except those circuits identified below as Services impacted.

The following UNE loop types plus any services not specifically identified that require copper cable for provisioning will no longer be available from Consolidated's identified above Central Office's to customer premises in the affected area:

| | |
|--|---|
| 2-Wire ADSL - Compatible Loop (ARDU) | 2-Wire HDSL - Compatible Loop |
| 4-Wire HDSL - Compatible Loop | 2-Wire IDSL - Compatible Metallic Loop (ISDN) |
| 2-Wire SDSL - Compatible Loop (HDSL-2) | 2-Wire Digital Designed Metallic Loop (DDS 2) |

Description of Changes to Rates, Terms & Conditions: There will be no change to the Rates, Terms or Conditions for Telecommunications Services.

Attachment: Certificate of Service

Contact: Rick Cimon
603-645-1970
richard.cimon@consolidated.com

Barbara Galardo (Regulatory)
207-535-4126
barbara.galardo@consolidated.