



# PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION  
45 L STREET NE  
WASHINGTON D.C. 20554

News media information 202-418-0500  
Internet: <http://www.fcc.gov> (or <ftp.fcc.gov>)  
TTY (202) 418-2555

**Report No. SES-02548**

**Wednesday March 8, 2023**

## Satellite Communications Services re: Satellite Radio Applications Accepted For Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

---

**SES-AFS-20230301-00224**    E E202161    Myriota Pty Ltd  
Amendment  
**Class of Station:**        Fixed Earth Stations  
  
**Nature of Service:**       Mobile Satellite Service

Myriota Pty. Ltd seeks to amend its pending blanket license application (IBFS File No. SES-LIC-20200922-01030) to request U.S. market access to communicate with two satellites in the non-voice, non-geostationary (NVNG) mobile satellite service (MSS). The earth stations will communicate with two satellites in the Spire satellite system (NORAD IDs: 55037 and 55014) under an arrangement with Myriota, using the 399.9-400.05 MHz (Earth-to-space) and 400.15-401 MHz (space-to-Earth) frequency bands. Myriota also seeks a waiver of sections 25.157, 25.165, and 25.159 of the Commission's rules.

SITE ID:                    METBLLIC  
LOCATION:                  CONUS/USTERR/WATERS AK,HI,PR,GU,AS,VI, MP

ANTENNA ID:	10	0.02 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-8.00 dBW	FSK / data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	-11.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	-8.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	11	0.025 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-3.00 dBW	FSK / Data (non-voice)

399.9000 - 400.0500 MHz	2K36F1D	-6.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	-3.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 12	0.03 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	2.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	-1.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	2.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 13	0.04 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	-7.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	-10.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	-7.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 14	0.05 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	-2.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	-5.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	-2.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 15	0.06 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	3.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	0.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	3.00 dBW	FSK / Data (non-voice)

	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 2	0.09 meters	Various		Various
	399.9000 - 400.0500 MHz	2K00F1D	-5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	-8.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	-5.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 3	0.1 meters	Various		Various
	399.9000 - 400.0500 MHz	2K00F1D	0.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	-3.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 4	0.11 meters	Various		Various
	399.9000 - 400.0500 MHz	2K00F1D	5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	2.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	5.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 6	0.19 meters	Various		Various
	399.9000 - 400.0500 MHz	2K00F1D	-2.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	-5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	-2.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)

ANTENNA ID:	7	0.2 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	3.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	0.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	3.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	8	0.21 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K36F1D	5.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	9	0.39 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-2.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	-5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	-2.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	1	0.4 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	3.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	0.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	3.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	5	0.41 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K36F1D	5.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)

**Points of Communication:**

METBLLIC - MINAS NGSO (S3045) - (NGSO)

METBLLIC - Myriota((S3047)) - (NGSO)

---

**SES-LIC-20200922-01030** E E202161 Myriota Pty Ltd

Application for Authority

**Class of Station:** Mobile Earth Station

**Nature of Service:** Mobile Satellite Service

See IBFS File No. SES-AFS-20230301-00224 to add the non-geostationary orbit (NGSO) satellite MINAS (S3045) as a point of communication.

SITE ID: METBLLIC

LOCATION: CONUS/USTERR/WATERS AK,HI,PR,GU,AS,VI, MP

ANTENNA ID:	10	0.02 meters	Various	Various
	399.9000 - 400.0500 MHz	2K00F1D	-8.00 dBW	FSK / data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	-11.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	-8.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	11	0.025 meters	Various	Various
	399.9000 - 400.0500 MHz	2K00F1D	-3.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	-6.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	-3.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	12	0.03 meters	Various	Various
	399.9000 - 400.0500 MHz	2K00F1D	2.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	2K36F1D	-1.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz	4K00F1D	2.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)

ANTENNA ID:	13	0.04 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-7.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	-10.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	-7.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	14	0.05 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-2.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	-5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	-2.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	15	0.06 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	3.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	0.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	3.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	2	0.09 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	-8.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	-5.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	3	0.1 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	0.00 dBW	FSK / Data (non-voice)

399.9000 - 400.0500 MHz	2K36F1D	-3.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 4	0.11 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	5.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	2.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	5.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 6	0.19 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	-2.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	-5.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	-2.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 7	0.2 meters	Various	Various
399.9000 - 400.0500 MHz	2K00F1D	3.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	2K36F1D	0.00 dBW	FSK / Data (non-voice)
399.9000 - 400.0500 MHz	4K00F1D	3.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID: 8	0.21 meters	Various	Various
399.9000 - 400.0500 MHz	2K36F1D	5.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	4K00F1D	0.00 dBW	FSK / Data (non-voice)
400.1500 - 401.0000 MHz	20K0F1D	0.00 dBW	FSK / Data (non-voice)

ANTENNA ID:	9	0.39 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	-2.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	-5.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	-2.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	1	0.4 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K00F1D	3.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		2K36F1D	0.00 dBW	FSK / Data (non-voice)
	399.9000 - 400.0500 MHz		4K00F1D	3.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)
ANTENNA ID:	5	0.41 meters	Various	Various	
	399.9000 - 400.0500 MHz		2K36F1D	5.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		4K00F1D	0.00 dBW	FSK / Data (non-voice)
	400.1500 - 401.0000 MHz		20K0F1D	0.00 dBW	FSK / Data (non-voice)

**Points of Communication:**

METBLLIC - MINAS NGSO (S3045) - (NGSO)

METBLLIC - Myriota((S3047)) - (NGSO)

---

**SES-LIC-20221029-01187** E E220164 Isotropic Networks, Inc.

Application for Authority

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

The applicant's request to extend the comment period from March 6, 2023 to April 5, 2023 has been granted. See Letter from George John, Counsel for Isotropic Networks, Inc. to Marlene H. Dortch, FCC (filed March 3, 2023).

**SITE ID:** ISO-NE-1

**LOCATION:** NE Corner Route 1 and 322nd Street, Cass, Murdock, NE

40 ° 54 ' 49.40 " N LAT.

96 ° 15 ' 20.00 " W LONG.

ANTENNA ID: ISO-NE-1 9.2 meters CPI KXKA



27500.0000 - 28600.0000 MHz	450M0G7W	89.30 dBW	Phase Modulation of Digital Data - Outroute
27500.0000 - 28600.0000 MHz	70M4G7W	81.20 dBW	Phase Modulation of Digital Data - Outroute
27500.0000 - 28600.0000 MHz	36M0G7W	78.30 dBW	Phase Modulation of Digital Data - Outroute
27500.0000 - 28600.0000 MHz	20M0G7W	75.70 dBW	Phase Modulation of Digital Data - Outroute
27500.0000 - 28600.0000 MHz	10M0G7W	72.70 dBW	Phase Modulation of Digital Data - Outroute
27500.0000 - 28600.0000 MHz	6M00G7W	70.50 dBW	Phase Modulation of Digital Data - Outroute
17850.0000 - 18800.0000 MHz	70M4G7W		Phase Modulation of Digital Data - Inroute
17850.0000 - 18800.0000 MHz	36M0G7W		Phase Modulation of Digital Data - Inroute
17850.0000 - 18800.0000 MHz	20M0G7W		Phase Modulation of Digital Data - Inroute
17850.0000 - 18800.0000 MHz	10M0G7W		Phase Modulation of Digital Data - Inroute
17850.0000 - 18800.0000 MHz	6M00G7W		Phase Modulation of Digital Data - Inroute
17850.0000 - 18800.0000 MHz	1M00G7W		Phase Modulation of Digital Data - Inroute

**Points of Communication:**

ISO-NE-1 - PERMITTED LIST - ()

**SES-MOD-20221216-01368** E E210310 SpaceX Services, Inc.

Application for Modification

**Class of Station:** Blanket Earth Stations

**Nature of Service:** Fixed Satellite Service

SpaceX Services, Inc. requests modification of its Blanket Transmit/ Receive Ku-band earth station to add the SpaceX Gen2 Starlink NGSO constellation as a point of communication.

**SITE ID:** HP ESIM Blanket

**LOCATION:** 22908 NE Alder Crest Drive , Redmond, King, WA 98052

**ANTENNA ID:** ESIM-HP 0.42 meters SpaceX HP ESIM

14000.0000 - 14500.0000 MHz 60M0D7W 38.20 dBW BPSK up to 64QAM; Digital Data

---

10700.0000 - 12700.0000 MHz	240MD7W	0.00 dBW	BPSK up to 64QAM; Digital Data
-----------------------------	---------	----------	--------------------------------

**Points of Communication:**

HP ESIM Blanket - Gen2 Starlink - (NGSO)

HP ESIM Blanket - SPACEX (S2983/3018) - (NGSO)

---

**SES-MOD-20221221-01460** E E190649 SpaceX Services, Inc.

Application for Modification

**Class of Station:** Fixed Earth Stations

**Nature of Service:** Fixed Satellite Service

SpaceX Services, Inc. requests modification of its fixed earth station in Loring, ME to communicate with the non-geostationary (NGSO) SpaceX Gen2 (S3069) satellite constellation in the 29500-30000 MHz and 27500-29100 MHz (Earth-to-space), and 18800-19300 MHz and 17800-18600 MHz (space-to-Earth) frequency bands.

SITE ID: 1

LOCATION: 1500 ME-8 (Loring ME Gateway), Aroostook, Loring, ME

46 ° 54 ' 53.70 " N LAT.

67 ° 55 ' 10.30 " W LONG.

ANTENNA ID: LO-1 1.47 meters SpaceX 1.47M

29500.0000 - 30000.0000 MHz	480MD7W	60.50 dBW	BPSK up to 64QAM; Digital Data
-----------------------------	---------	-----------	--------------------------------

27500.0000 - 29100.0000 MHz	480MD7W	60.50 dBW	BPSK up to 64QAM; Digital Data
-----------------------------	---------	-----------	--------------------------------

18800.0000 - 19300.0000 MHz	480MD7W	0.00 dBW	BPSK up to 64QAM; Digital Data
-----------------------------	---------	----------	--------------------------------

17800.0000 - 18600.0000 MHz	480MD7W	0.00 dBW	BPSK up to 64QAM; Digital Data
-----------------------------	---------	----------	--------------------------------

**Points of Communication:**

1 - SPACEX (S2983/3018) - (NGSO)

1 - SpaceX GEN2 (S3069) - (NGSO)

---

**SES-STA-20230223-00213** E Intelsat License LLC

Special Temporary Authority

**Class of Station:**

Intelsat herein requests an additional 180 days of Special Temporary Authority to operate 50 0.25m HiSky Ku-band Earth Station in Motion (ESIM) antennas with the geosynchronous satellites Galaxy 17 (Call Sign S2715) at the 91°W orbital location, and Intelsat 37e (Call Sign 2972) at the 18°W orbital location on frequency bands 14000-14500 MHz (Earth-to-space) and 11700- 12200 GHz (space-to-earth). The ESIM antennas will be mounted on terrestrial and maritime vessels and operate while stationary and in motion within the U.S. and its territories, U.S. territorial waters, and international waters to provide temporary customer service.

**Points of Communication:**

---

---

**SES-T/C-20230209-00155** E E040264 Maxar License Inc.  
Application for Consent to Transfer of Control  
**Current Licensee:** Maxar License Inc.  
**FROM:** Maxar Technologies Inc.  
**TO:** Galileo Topco, Inc.

No. of Station(s) listed: 2

---

**SES-T/C-20230209-00156** E E120040 Maxar License Inc.  
Application for Consent to Transfer of Control  
**Current Licensee:** Maxar License Inc.  
**FROM:** Maxar Technologies Inc.  
**TO:** Galileo Topco, Inc.

No. of Station(s) listed: 2

---

For more information concerning this Notice, contact the Satellite Division at 418-0719.