PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
45 L STREET NE
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: http://www.fcc.gov (or ftp.fcc.gov)
TTY (202) 418-2555

Report No. SES-02578 **Wednesday June 21, 2023**

Satellite Communications Services Information

re: Actions Taken

The Commission, by its Space Bureau, took the following actions pursuant to delegated authority. The effective dates of the actions are the dates specified.

SES-LIC-20230328-00471 E E230063 Hearst Stations Inc.
Application for Authority 06/15/2023 - 06/15/2038
Grant of Authority Date Effective: 06/15/2023

Class of Station: Temporary Fixed Earth Station

Nature of Service: Fixed Satellite Service

SITE ID: KCRA-TV Sat Truck
LOCATION: Various in CONUS, Various - CONUS

ANTENNA ID: 1 1.2 meters Sat-Lite 1256

11700.0000 - 12200.0000 MHz 36M0G7W Digital video, digital audio, and data

14000.0000 - 14500.0000 MHz 36M0G7W 62.60 dBW Digital video, digital audio, and data

Points of Communication:

KCRA-TV Sat Truck - PERMITTED LIST - ()

SES-MOD-20220707-00738 E WB36 Marlink-ITC, Inc.
Application for Modification 10/22/2011 - 10/22/2026
Grant of Authority Date Effective: 06/14/2023

Class of Station: Earth Stations on-board Vessels/VSAT

Nature of Service: Earth Stations on-board Vessels, Fixed Satellite Service

SITE ID: 2
LOCATION: US&P and International Waters KU-BAND ESV & VSAT Remotes

ANTENNA ID:	4003	1 meters	SEA TEL	4003
14000.0000 - 14500.0000 MHz	44K8G7W	34.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	51.07 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.07 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W	0.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID:	TTSA900	1 meters	THRANE & THRANE	TT-7090A SAILOR900
14000.0000 - 14500.0000 MHz	44K8G1W	36.40 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	53.44 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	53.44 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	36.40 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	53.44 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.44 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV60G 0.6 meters INTELLIAN V60G

14000.0000 - 14500.0000 MHz	1M20G1W	40.57 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	26.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M20G7W	40.57 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV80G 0.83 meters INTELLIAN V80G

14000.0000 - 14500.0000 MHz	1M20G1W	44.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M20G7W	44.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	29.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	29.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	52.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	52.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV110 1.05 meters INTELLIAN V110

14000.0000 - 14500.0000 MHz	5M00G7W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	36.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	44K8G1W	36.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	53.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 9711QORKU 1.2 meters SEA TEL 9711QOR_KU

14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 6006/9/12 1.5 meters SEA TEL 6006, 6009, 6012

14000.0000 - 14500.0000 MHz	44K8G7W	41.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	10M0G1W	58.38 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	10M0G7W	58.38 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	41.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	65.39 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	65.39 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 9797/11KU 2.4 meters SEA TEL 9797,9711,9711IMAKU

14000.0000 - 14500.0000 MHz	44K8G7W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G1W	67.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G7W	67.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	71.72 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	71.72 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.99 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.99 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV240K 2.4 meters INTELLIAN V240K

14000.0000 - 14500.0000 MHz	15M0G1W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G7W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	70.38 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	70.38 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 4006/9/10 1 meters SEA TEL 4006, 4009 & 4010

14000.0000 - 14500.0000 MHz	5M00G7W	51.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	34.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.87 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 4996 1.2 meters SEA TEL 4996

14000.0000 - 14500.0000 MHz	8M00G7W	54.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	39.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	54.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 5009/10/12 1.2 meters SEA TEL 5009, 5010, 5012

14000.0000 - 14500.0000 MHz	8M00G7W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	56.26 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 900B/FV110 1.03 meters THRANE & THRANE 900B 900VSATHP&FV110

14000.0000 - 14500.0000 MHz	44K8G1W	35.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	35.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	49.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	49.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	7M00G7W	53.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G1W	53.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: OR7-300K 2.1 meters ORBIT OCEANTRX7-300KU

14000.0000 - 14500.0000 MHz	15M0G7W	65.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	40.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	40.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	15M0G1W	65.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: ORAL-7103 1.2 meters ORBIT ORAL7103MKII-K

14000.0000 - 14500.0000 MHz	44K8G7W	35.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	57.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	57.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	35.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: ORTR4-500 1.2 meters ORBIT OCEANTRX4-500KU

14000.0000 - 14500.0000 MHz	44K8G7W	34.61 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	57.13 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	8M00G7W	57.13 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.61 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV65/65G 0.65 meters INTELLIAN V65, V65G

14000.0000 - 14500.0000 MHz	1M20G7W	40.37 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	26.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M20G1W	40.37 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: MITMVA120 1.2 meters MITSUBISHI MVA120

14000.0000 - 14500.0000 MHz	44K8G1W	44.22 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.22 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV100 1.06 meters INTELLIAN V100

ANTENNA ID: INTV130/G 1.25 meters INTELLIAN V130, V130G

14000.0000 - 14500.0000 MHz	44K8G1W	39.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	54.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	39.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G7W	54.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	58.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	58.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: MITMVA60 0.6 meters MITSUBISHI MVA60

14000.0000 - 14500.0000 MHz	1M10G7W	46.34 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	34.93 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M10G1W	46.34 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	34.93 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: TTSA80020 0.83 meters THRANE & THRANE TT-7080A SAILOR 800A

14000.0000 - 14500.0000 MHz	44K8G1W	31.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	44K8G7W	31.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G7W	51.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	47.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	47.40 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV240MK 2.4 meters INTELLIAN V240M(KU-BAND)

14000.0000 - 14500.0000 MHz	15M0G1W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	15M0G7W	66.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	44.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G1W	70.58 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	40M0G7W	70.58 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV150NX 1.5 meters INTELLIAN V150NX

14000.0000 - 14500.0000 MHz	50M0G7W	66.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	50M0G1W	66.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	41.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	41.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV80e 0.8 meters INTELLIAN V80e

14000.0000 - 14500.0000 MHz	44K8G7W	30.99 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	30.99 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	46.85 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	46.85 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV100NX 1.05 meters INTELLIAN V100NX

14000.0000 - 14500.0000 MHz	54M0G7W	54.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	54M0G1W	54.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	35.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	35.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV130NX 1.25 meters INTELLIAN V130NX

14000.0000 - 14500.0000 MHz	8M00G7W	58.41 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	8M00G1W	58.41 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	40.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	40.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	5M00G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: V240MTKU 2.4 meters INTELLIAN V240MTKU

14000.0000 - 14500.0000 MHz	44K8G7W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	39.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	100MG7W	71.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	100MG1W	71.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: V240MT2KU 2.4 meters INTELLIAN V240MTGEN2KU

14000.0000 - 14500.0000 MHz	44K8G7W	43.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	43.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	100MG7W	72.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	100MG1W	72.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 2400KU 2.4 meters SEA TEL 2400KU

14000.0000 - 14500.0000 MHz	44K8G7W	43.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	43.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	100MG7W	72.24 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	100MG1W	72.24 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV85NX 0.85 meters INTELLIAN V85NX

14000.0000 - 14500.0000 MHz	2M10G1W	49.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	49.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	33.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	33.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: TTSA600 0.65 meters THRANE & THRANE TT-7060C SAILOR 600

14000.0000 - 14500.0000 MHz	1M10G1W	40.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M10G7W	40.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	26.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: SAT30/3011 0.75 meters SEA TEL USAT30 & 3011

14000.0000 - 14500.0000 MHz	1M10G1W	41.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	1M10G7W	41.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	44K8G1W	27.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	27.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 3612 0.9 meters SEA TEL 3612

14000.0000 - 14500.0000 MHz	5M00G7W	51.20 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	30.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	30.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	51.20 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10950.0000 - 11200.0000 MHz	54M0G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 4012 1.06 meters SEA TEL 4012

14000.0000 - 14500.0000 MHz	5M00G7W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	35.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G7W	35.70 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	5M00G1W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	7M00G7W	53.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11450.0000 - 12200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10950.0000 - 11200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

SITE ID: 1
LOCATION: U.S. and International Waters C-BAND REMOTE ESVS

ANTENNA ID:	9707/97/11	2.4 meters	SEA TEL	9707, 9797, 9711
5925.0000 - 6425.0000 MHz	15M0G7W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	45.20 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G7W	45.20 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G1W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G7W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID:	INTV240	2.4 meters	INTELLIAN	V240
5925.0000 - 6425.0000 MHz	15M0G7W	60.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	60.70 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
ANTENNA ID:	9711QORC	2.4 meters	SEA TEL	9711QORC
5925.0000 - 6425.0000 MHz	44K8G7W	45.20 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G7W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	45.20 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	64.00 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

5925.0000 - 6425.0000 MHz	40M0G1W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G7W	64.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: OR7-300C 2.2 meters ORBIT OCTRX7300C,7107C

5925.0000 - 6425.0000 MHz	15M0G7W	61.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	39.49 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G7W	39.49 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	61.50 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: INTV240MC 2.4 meters INTELLIAN V240M(C-BAND)

5925.0000 - 6425.0000 MHz	15M0G1W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G7W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	44.98 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G7W	44.98 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

5925.0000 - 6425.0000 MHz	40M0G1W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	40M0G7W	63.91 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: ORAL-7108 2.4 meters ORBIT AL-7108(C-BAND)

5925.0000 - 6425.0000 MHz	44K8G7W	40.59 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	40.59 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G7W	60.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	15M0G1W	60.90 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G7W	0.00 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

SITE ID: 3
LOCATION: US&P KU-BAND VSATS

ANTENNA ID: SA1.2MFLY 1.2 meters SINAERO SA-1.2FLY

14000.0000 - 14500.0000 MHz	10M0G1W	58.84 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	10M0G7W	58.84 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	64K0G1W	40.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	64K0G7W	40.14 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	1M00G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	1M00G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	36M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
11700.0000 - 12200.0000 MHz	36M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

SITE ID: 4
LOCATION: US&P and International Waters KA-BAND ESV & VSAT REMOTES

ANTENNA ID: 2400KA 2.4 meters SEA TEL 2400KA

29300.0000 - 30000.0000 MHz	44K8G7W	68.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	44K8G1W	68.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	100MG7W	73.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	100MG1W	73.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	44K8G7W	68.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	44K8G1W	68.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	100MG7W	73.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	100MG1W	73.09 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

17800.0000 - 19400.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: V240MTKA 2.4 meters INTELLIAN V240MTKA

29300.0000 - 30000.0000 MHz	44K8G7W	62.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	44K8G1W	62.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	100MG7W	69.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	100MG1W	69.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	44K8G7W	62.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	44K8G1W	62.10 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	100MG7W	69.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	100MG1W	69.80 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

17800.0000 - 19400.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: V240MT2KA 2.4 meters INTELLIAN V240MT2KA

29300.0000 - 30000.0000 MHz	44K8G7W	59.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	44K8G1W	59.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	100MG7W	70.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
29300.0000 - 30000.0000 MHz	100MG1W	70.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	100MG7W	70.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	100MG1W	70.30 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	44K8G7W	59.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
28350.0000 - 29100.0000 MHz	44K8G1W	59.60 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
19600.0000 - 20200.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	200MG1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	44K8G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
17800.0000 - 19400.0000 MHz	200MG7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

SITE ID: 2KU-BAND ESV & VSAT
LOCATION: US&P and International Waters

ANTENNA ID:	INTV45C	0.45 meters	INTELLIAN	V45C
14000.0000 - 14500.0000 MHz	44K8G7W	23.02 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	23.02 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	39.73 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	39.73 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID:	INTV60E	0.65 meters	INTELLIAN	V60E
14000.0000 - 14500.0000 MHz	44K8G7W	26.39 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	26.39 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	43.10 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	43.10 dBW		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W			DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID:	KNSC4	0.45 meters	KNS	C4

14000.0000 - 14500.0000 MHz	44K8G7W	22.02 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	22.02 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	38.73 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	38.73 dBW	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: KNSZ6 0.61 meters KNS Z6MK4/Z6MK2

14000.0000 - 14500.0000 MHz	44K8G7W	25.34 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	25.34 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	42.05 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	42.05 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: KNSZ7 0.75 meters KNS Z7MK4/Z7MK3/Z7MK2

14000.0000 - 14500.0000 MHz	44K8G7W	27.60 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	27.60 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

14000.0000 - 14500.0000 MHz	2M10G7W	44.31 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	44.31 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: KNSZ10 1 meters KNS Z10MK4/Z10MK3/Z10MK2

14000.0000 - 14500.0000 MHz	44K8G7W	33.18 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	33.18 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	49.53 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	49.53 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: KNSZ8 0.83 meters KNS Z8MK4/Z8MK3/Z8MK2

14000.0000 - 14500.0000 MHz	44K8G7W	29.56 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	44K8G1W	29.56 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G7W	46.27 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
14000.0000 - 14500.0000 MHz	2M10G1W	46.27 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

10700.0000 - 12200.0000 MHz	54M0G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	54M0G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
10700.0000 - 12200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

SITE ID: 1 C-BAND REMOTE ESVS
LOCATION: U.S. and International Waters

ANTENNA ID: V240MTC 2.4 meters INTELLIAN V240MTC

5925.0000 - 6425.0000 MHz	44K8G7W	44.20 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	44.20 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	36M0G7W	65.90 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	36M0G1W	65.90 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	200MG7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	200MG1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: V240MT2C 2.4 meters INTELLIAN V240MTGEN2C

5925.0000 - 6425.0000 MHz	44K8G7W	45.80 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	45.80 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	36M0G7W	66.90 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	36M0G1W	66.90 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

3700.0000 - 4200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	200MG7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	200MG1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

ANTENNA ID: 2400C 2.4 meters SEA TEL 2400C

5925.0000 - 6425.0000 MHz	44K8G7W	42.99 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	44K8G1W	42.99 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	36M0G7W	65.99 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
5925.0000 - 6425.0000 MHz	36M0G1W	65.99 dBW	`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	44K8G1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	200MG7W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION
3700.0000 - 4200.0000 MHz	200MG1W		`DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

Points of Communication:

1 - NSS 9 (S2756) - (177 W.L.)

1 - PERMITTED LIST - ()

1 - SES-4 (S2828) - (22.0 W.L.)

1 C-BAND REMOTE ESVS - PERMITTED LIST - ()

2 - PERMITTED LIST - ()

2KU-BAND ESV & VSAT - PERMITTED LIST - ()

3 - PERMITTED LIST - ()

4 - PERMITTED LIST - ()

SES-RWL-20221011-01089 E E970395 DISH Broadcasting Corporation
Renewal 12/12/2022 - 12/12/2037
Grant of Authority Date Effective: 06/14/2023

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1
LOCATION: 801 NORTH AMERICAN SKY BOULEVARD, MARICOPA, GILBERT, AZ
33 ° 22 ' 0.50 " N LAT. 111 ° 48 ' 51.00 " W LONG.

ANTENNA ID: 1 6.1 meters VERTEX KPK

11700.0000 - 12200.0000 MHz	36M0G7F	
11700.0000 - 12200.0000 MHz	36M0F3F	
11450.0000 - 11700.0000 MHz	36M0G7F	
11450.0000 - 11700.0000 MHz	36M0F3F	
10950.0000 - 11200.0000 MHz	36M0G7F	DIGITAL TV
10950.0000 - 11200.0000 MHz	36M0F3F	ANALOG TV

ANTENNA ID: 2 7 meters COMSAT RSI 700-70TCK (TORUS)

11700.0000 - 12200.0000 MHz	36M0G7F	
11700.0000 - 12200.0000 MHz	36M0F3F	
11450.0000 - 11700.0000 MHz	36M0G7F	
11450.0000 - 11700.0000 MHz	36M0F3F	
10950.0000 - 11200.0000 MHz	36M0G7F	DIGITAL TV
10950.0000 - 11200.0000 MHz	36M0F3F	ANALOG TV

Points of Communication:

1 - INTELSAT 11 (S2237) - (43.0 W.L.)

1 - INTELSAT 14 (S2785) - (45.0 W.L.)

1 - PERMITTED LIST - ()

SES-RWL-20221011-01091 E E970396 DISH Broadcasting Corporation
Renewal 12/12/2022 - 12/12/2037
Grant of Authority Date Effective: 06/14/2023

Class of Station: Fixed Earth Stations

Nature of Service: Domestic Fixed Satellite Service, International Fixed Satellite Service

SITE ID: 1
LOCATION: 801 NORTH AMERICAN SKY BOULEVARD, MARICOPA, GILBERT, AZ
33 ° 22 ' 0.50 " N LAT. 111 ° 48 ' 51.00 " W LONG.

ANTENNA ID:	1	6.1 meters	VERTEX	KPC
3700.0000 - 4200.0000 MHz		36M0G7F		DIGITAL TV
3700.0000 - 4200.0000 MHz		36M0F3F		ANALOG TV
ANTENNA ID:	2	7 meters	COMSAT RSI	700-70TCK (TORUS)
3700.0000 - 4200.0000 MHz		36M0G7F		DIGITAL TV
3700.0000 - 4200.0000 MHz		36M0F3F		ANALOG TV

Points of Communication:

1 - INTELSAT 11 (S2237) - (43.0 W.L.)

1 - INTELSAT 14 (S2785) - (45.0 W.L.)

1 - INTELSAT 21 (S2863) - (58.0 W.L.)

1 - PERMITTED LIST - ()

SES-RWL-20230612-01221 E KA224 GlobeCast America Incorporated
Renewal 09/08/2023 - 09/08/2038
Grant of Authority Date Effective: 06/15/2023

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1
LOCATION: 10525 W. WASHINGTON BLVD., LOS ANGELES, CULVER CITY, CA
34 ° 1 ' 5.40 " N LAT. 118 ° 24 ' 14.20 " W LONG.

ANTENNA ID:	1	4.57 meters	VERTEX		4.57KPK
14000.0000 - 14500.0000 MHz		200KF3E		63.50 dBW	SCPC AUDIO
14000.0000 - 14500.0000 MHz		1M50F7W		67.50 dBW	IBS
14000.0000 - 14500.0000 MHz		36M0F3F		73.50 dBW	ANALOG TV
11450.0000 - 11700.0000 MHz		200KF3E			SCPC AUDIO
11450.0000 - 11700.0000 MHz		1M50F7W			IBS
11450.0000 - 11700.0000 MHz		36M0F3F			ANALOG TV

10950.0000 - 11200.0000 MHz	200KF3E		SCPC AUDIO
10950.0000 - 11200.0000 MHz	1M50F7W		IBS
10950.0000 - 11200.0000 MHz	36M0F3F		ANALOG TV

ANTENNA ID: CVC 5-2 5.6 meters ANDREW 5.6 METER

14000.0000 - 14500.0000 MHz	36M0G7W	81.47 dBW	DIGITAL VIDEO CARRIER
14000.0000 - 14500.0000 MHz	200KF3E	59.68 dBW	SCPC AUDIO
11450.0000 - 12200.0000 MHz	36M0G7W		DIGITAL VIDEO CARRIER
11450.0000 - 12200.0000 MHz	200KF3E		SCPC AUDIO
10950.0000 - 11200.0000 MHz	36M0G7W		DIGITAL VIDEO CARRIER
10950.0000 - 11200.0000 MHz	200KF3E		SCPC AUDIO

ANTENNA ID: CVC 4-1 4.6 meters ANDREW 4.6 METER

5925.0000 - 6425.0000 MHz	36M0G7W	72.97 dBW	DIGITAL VIDEO CARRIER
5925.0000 - 6425.0000 MHz	200KF3E	57.28 dBW	SCPC AUDIO
3700.0000 - 4200.0000 MHz	36M0G7W		DIGITAL VIDEO CARRIER
3700.0000 - 4200.0000 MHz	200KF3E		SCPC AUDIO

ANTENNA ID: CVC 5-3 5.6 meters ANDREW 5.6 METER

14000.0000 - 14500.0000 MHz	36M0G7W	81.47 dBW	DIGITAL VIDEO CARRIER
14000.0000 - 14500.0000 MHz	200KF3E	59.68 dBW	SCPC AUDIO
11450.0000 - 12200.0000 MHz	36M0G7W		DIGITAL VIDEO CARRIER
11450.0000 - 12200.0000 MHz	200KF3E		SCPC AUDIO
10950.0000 - 11200.0000 MHz	36M0G7W		DIGITAL VIDEO CARRIER
10950.0000 - 11200.0000 MHz	200KF3E		SCPC AUDIO

Points of Communication:

1 - INTELSAT POR - (180.0 E.L.)

1 - PERMITTED LIST - ()

SES-STA-20230608-01218 E ISAT US Inc.
Special Temporary Authority
Grant of Authority Date Effective: 06/20/2023

Class of Station:

On June 20, 2023, ISAT US, Inc. was granted special temporary authority for 30 days, beginning on June 20, 2023 through July 19, 2023, to operate one unit of the ThinKom Ka2517 antenna, in Reston, VA to perform static testing and demonstrations for the Inmarsat 5F2 (I5F2) satellite in the 19.7-20.2 GHz (space-to-Earth), and 29.5-30.0 GHz (Earth-to-space) frequency bands.

Points of Communication:

SES-STA-20230612-01220 E WB36 Marlink-ITC, Inc.
Special Temporary Authority
Withdrawn Date Effective: 06/21/2023

Class of Station:

Points of Communication:

SES-T/C-20220310-00268 E E180255 Paducah Television License LLC
Application for Consent to Transfer of Control
Withdrawn Date Effective: 06/20/2023

Current Licensee: Paducah Television License LLC
FROM: COMMUNITY NEWS MEDIA LLC
TO: CMG Media Operating Company, LLC
No. of Station(s) listed: 1

SES-T/C-20220310-00269 E E180332 WLNE Providence License LLC
Application for Consent to Transfer of Control
Withdrawn Date Effective: 06/20/2023

Current Licensee: WLNE Providence License LLC
FROM: COMMUNITY NEWS MEDIA LLC
TO: CMG Media Operating Company, LLC
No. of Station(s) listed: 2

SES-T/C-20220310-00272 E E180333 KLKN Lincoln License LLC
Application for Consent to Transfer of Control
Withdrawn Date Effective: 06/20/2023

Current Licensee: KLKN Lincoln License LLC
FROM: COMMUNITY NEWS MEDIA LLC
TO: CMG Media Operating Company, LLC
No. of Station(s) listed: 1

SES-T/C-20220310-00273 E E060374 Teton Opco Corp.
Application for Consent to Transfer of Control
Withdrawn Date Effective: 06/20/2023

Current Licensee: Teton Opco Corp.
FROM: CMG FARNSWORTH TELEVISION OPERATING COMPANY, LLC
TO: SGCI Holdings III LLC
No. of Station(s) listed: 4

For more information concerning this Notice, contact the Earth Station Licensing Division at (202) 418-0719.