



PUBLIC NOTICE

FEDERAL COMMUNICATIONS COMMISSION
45 L Street NE
WASHINGTON D.C. 20554

News media information 202-418-0500
Internet: <http://www.fcc.gov>

Report No. SES-02856

Thursday April 23, 2026

Satellite Communications Services

RE: Applications Accepted for Filing

The applications listed herein have been found, upon initial review, to be acceptable for filing. The Commission reserves the right to return any of the applications if, upon further examination, it is determined they are defective and not in conformance with the Commission's Rules and Regulations and its Policies. Final action will not be taken on any of these applications earlier than 30 days following the date of this notice. 47 U.S.C. § 309(b). All applications accepted for filing will be assigned call signs, or other unique station identifiers. However, these assignments are for administrative purposes only and do not in any way prejudice Commission action.

SES-LIC-20260325-00822 E260260
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: NY3 2.4M
LOCATION:

ANTENNA ID: NY3 2.4M	2.4 meters	AVL Technologies	2410
14000 - 14500 MHz 4M00G7F	62 dBW	Compressed Digital Video, Audio & Data	
14000 - 14500 MHz 36M0G7F	72 dBW	Compressed Digital Video, Audio & Data	
11700 - 12200 MHz 4M00G7F		Compressed Digital Video, Audio & Data	
11700 - 12200 MHz 36M0G7F		Compressed Digital Video, Audio & Data	

Points of communication:

Site ID	Common Name	Orbit Location
NY3 2.4M	PERMITTED LIST	GSO

NY3 2.4M - PERMITTED LIST - False

SES-STA-20260304-00641
Date filed: 2026-03-04
Special Temporary Authority

Intelsat License LLC

Intelsat License LLC, requests an additional 180-day special temporary authority (STA) to operate 500 each Paradigm Hornet Ku-band 0.6 meter, 0.8 meter, and 1.0 meter antennas while stationary within the United States and its territories to provide customer service, to communicate with the Permitted List satellites, in the 14.0-14.5 GHz (Earth-to-space), and 11.7-12.2 GHz (space-to-Earth) frequency bands.

SES-LIC-20260325-00814 E260274
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: DEN 2.4M
LOCATION:

ANTENNA ID: DEN 2.4M	2.4 meters	AVL Technologies	2410
14000 - 14500 MHz 36M0G7F	72 dBW		Compressed Digital Video, Audio & Data
14000 - 14500 MHz 4M00G7F	62 dBW		Compressed Digital Video, Audio & Data
11700 - 12200 MHz 36M0G7F			Compressed Digital Video, Audio & Data
11700 - 12200 MHz 4M00G7F			Compressed Digital Video, Audio & Data

Points of communication:

Site ID	Common Name	Orbit Location
DEN 2.4M	PERMITTED LIST	GSO

DEN 2.4M - PERMITTED LIST - False

SES-LIC-20260323-00823 E260286
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: DC3 1.8M
LOCATION:

ANTENNA ID: DC3	1.8 meters	AVL Technologies	1810
11700 - 12200 MHz 4M00G7F			Compressed Digital Video, Audio and Data
11700 - 12200 MHz 36M0G7F			Compressed Digital Video, Audio and Data
14000 - 14500 MHz 4M00G7F	60 dBW		Compressed Digital Video, Audio and Data
14000 - 14500 MHz 36M0G7F	70 dBW		Compressed Digital Video, Audio and Data

Points of communication:

Site ID	Common Name	Orbit Location
DC3 1.8M	PERMITTED LIST	GSO

DC3 1.8M - PERMITTED LIST - False

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Mobile-Satellite Service

SITE ID: LPAx6

LOCATION: PR-303 Road KM 12.0 Interior, Barrio Las Palmas, Cabo Rojo, PR 00623
17 ° 58 ' 35 " N LAT. 67 ° 8 ' 11.5 W LONG.

ANTENNA ID: LPAx6	6 meters	Viasat	6312-6.0-C
5091 - 5250 MHz	1M23GXW	74 dBW	PSK, modulated carriers
5091 - 5250 MHz	1M23G7W	55 dBW	CDMA/voice and data
5091 - 5250 MHz	4M50G7D	72 dBW	Burst mode packet data with $\pi/2$ -BPSK mod
5091 - 5250 MHz	40K0G2D	68 dBW	Telecommand carrier
5091 - 5250 MHz	200KG7W	74 dBW	Multi-carrier, OFDM - QPSK
5091 - 5250 MHz	1M00G2D	74 dBW	PCM/PM/Bi Phase
5091 - 5250 MHz	1M00G7W	74 dBW	Multi-carrier, OFDM - QPSK
5091 - 5250 MHz	1M23G2W	55 dBW	CDMA/for single carrier AMSS.
5091 - 5250 MHz	4K00NON	59 dBW	Unmodulated CW for testing
5091 - 5250 MHz	159MG1W	74 dBW	Multi-carrier, OFDM - QPSK
5091 - 5250 MHz	76K0F2D	68 dBW	FM subcarrier on telecommand carrier
5091 - 5250 MHz	2M46G2W	55 dBW	CDMA/for single carrier AMSS
5091 - 5250 MHz	7M00GXD	74 dBW	PSK (DVB-S2X)
5091 - 5250 MHz	2M46G7W	55 dBW	CDMA/voice and data
6875 - 7055 MHz	1M23GXW		PSK, modulated carriers
6875 - 7055 MHz	2M46G2W		CDMA/for single carrier AMSS
6875 - 7055 MHz	1M40GXW		PSK (DVB-S2X)
6875 - 7055 MHz	230KG7D		Burst mode packet data with BPSK modulat

6875 - 7055 MHz	1M23G2W	CDMA/for single carrier AMSS
6875 - 7055 MHz	7K00G1D	Telemetry Carrier
6875 - 7055 MHz	2M50G7D	Multi-carrier, SC-FDMA with CDMA Spreadi
6875 - 7055 MHz	70K0G7D	Telemetry carrier
6875 - 7055 MHz	4K00NON	Unmodulated CW for testing
6875 - 7055 MHz	2M50G2D	Direct sequence CDMA for a single carrie
6875 - 7055 MHz	180MG1W	Multi-carrier, FDMA with CDMA Spreading
6875 - 7055 MHz	2M46G7W	CDMA/voice and data
6875 - 7055 MHz	200KG2D	PCM/PM/Bi Phase
6875 - 7055 MHz	200KG7D	Multi-carrier, SC-FDMA with CDMA Spreadi
6875 - 7055 MHz	280KG7D	Burst mode packet data with BPSK modulat
6875 - 7055 MHz	1M00G7W	Multi-carrier, FDMA with CDMA Spreading
6875 - 7055 MHz	1M23G7W	CDMA voice and data
6875 - 7055 MHz	2M50G7D	Direct sequence CDMA for telemetry

Points of communication:

Site ID	Common Name	Orbit Location
LPAx6	GLOBALSTAR (S2115)	NGSO
LPAx6	GLOBALSTAR 2.0 (S2115)	NGSO
LPAx6	C-3FL	NGSO

LPAx6 - PERMITTED LIST - False

SES-LIC-20260325-00821 E260262
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: NY2 1.8M
LOCATION:

ANTENNA ID: NY2 1.8M	1.8 meters	AVL Technologies	1810
11700 - 12200 MHz 36M0G7F			Compressed Digital Video, Audio & Data
11700 - 12200 MHz 4M00G7F			Compressed Digital Video, Audio & Data
14000 - 14500 MHz 36M0G7F	70 dBW		Compressed Digital Video, Audio & Data
14000 - 14500 MHz 4M00G7F	60 dBW		Compressed Digital Video, Audio & Data

Points of communication:

Site ID	Common Name	Orbit Location
NY2 1.8M	PERMITTED LIST	GSO

NY2 1.8M - PERMITTED LIST - False

SES-LIC-20260325-00811 E260280
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: CHI2 2.4M
LOCATION:

ANTENNA ID: CHI2 2.4M	2.4 meters	AVL Technologies	2410
11700 - 12200 MHz 4M00G7F			Compressed Digital Video, Audio & Data
11700 - 12200 MHz 36M0G7F			Compressed Digital Video, Audio & Data
14000 - 14500 MHz 4M00G7F	62 dBW		Compressed Digital Video, Audio & Data
14000 - 14500 MHz 36M0G7F	72 dBW		Compressed Digital Video, Audio & Data

Points of communication:

Site ID	Common Name	Orbit Location
CHI2 2.4M	PERMITTED LIST	GSO

CHI2 2.4M - PERMITTED LIST - False

SES-LIC-20260325-00813 E260276
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: DAL 2.4M
LOCATION:

ANTENNA ID: DAL 2.4M	2.4 meters	AVL Technologies	2410
11700 - 12200 MHz 4M00G7F			Compressed Digital Video, Audio & Data
11700 - 12200 MHz 36M0G7F			Compressed Digital Video, Audio & Data
14000 - 14500 MHz 4M00G7F	62 dBW		Compressed Digital Video, Audio & Data
14000 - 14500 MHz 36M0G7F	72 dBW		Compressed Digital Video, Audio & Data

Points of communication:

Site ID	Common Name	Orbit Location
DAL 2.4M	PERMITTED LIST	GSO

DAL 2.4M - PERMITTED LIST - False

SES-LIC-20260320-01033 E260243
Date filed: 2026-03-20
License

SpaceX Services, Inc.

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

SITE ID: The Mission Gateway
LOCATION: 0 Salinas Road, San Bautista, San Benito, CA 95045
36 ° 49 ' 59.8 " N LAT. 121 ° 31 ' 55.2 W LONG.

ANTENNA ID: CO-1	1.85 meters	SpaceX	V4
18800 - 19300 MHz 480MD7W			BPSK up to 64 QAM; Digital Data
27500 - 29100 MHz 480MD7W	63 dBW		BPSK up to 64 QAM; Digital Data
81000 - 86000 MHz 1G20D7W	71 dBW		BPSK up to 64 QAM; Digital Data
17800 - 18600 MHz 480MD7W			BPSK up to 64 QAM; Digital Data
71000 - 76000 MHz 1G20D7W			BPSK up to 64 QAM; Digital Data
29500 - 30000 MHz 480MD7W	63 dBW		BPSK up to 64 QAM; Digital Data

Points of communication:

Site ID	Common Name	Orbit Location
The Mission Gateway	SPACEX GEN2 (S3069)	NGSO
The Mission Gateway	SPACEX (S2983/3018)	NGSO

The Mission Gateway - PERMITTED LIST - False

SES-LIC-20260325-00820 E260264
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: NY1 2.4M
LOCATION:
0° 0' 0" X LAT. 0° 0' 0" X LONG.

ANTENNA ID: NY1 2.4M	2.4 meters	AVL Technologies	2410
11700 - 12200 MHz 36M0G7F			Compressed Digital Video, Audio & Data
11700 - 12200 MHz 4M00G7F			Compressed Digital Video, Audio & Data
14000 - 14500 MHz 36M0G7F	72 dBW		Compressed Digital Video, Audio & Data
14000 - 14500 MHz 4M00G7F	62 dBW		Compressed Digital Video, Audio & Data

Points of communication:

Site ID	Common Name	Orbit Location
NY1 2.4M	PERMITTED LIST	GSO

NY1 2.4M - PERMITTED LIST - False

SES-LIC-20260325-00810 E260282
Date filed: 2026-03-30
License

PSSI Global Services LLC

Class of Station: g. FSS Temporary Fixed Earth stations

Nature of Service: Fixed-Satellite Service

SITE ID: ATL3 2.4M
LOCATION:

ANTENNA ID: ATL3 2.4M	2.4 meters	AVL Technologies	2410
14000 - 14500 MHz 36M0G7F	72 dBW	Compressed Digital Video, Audio & Data	
14000 - 14500 MHz 4M00G7F	62 dBW	Compressed Digital Video, Audio & Data	
11700 - 12200 MHz 36M0G7F		Compressed Digital Video, Audio & Data	
11700 - 12200 MHz 4M00G7F		Compressed Digital Video, Audio & Data	

Points of communication:

Site ID	Common Name	Orbit Location
ATL3 2.4M	PERMITTED LIST	GSO

ATL3 2.4M - PERMITTED LIST - False

Class of Station: j. Other (please specify)

Nature of Service: Fixed-Satellite Service

WorldVu Satellites Limited seeks to modify its license to allow Intellian OW50P, OW10HL, and OW11FL, Hughes HL1100W and HL1120W, and Inster FoldSatLEO earth stations—designed for fixed operations—to operate at a minimum elevation angle of 30 degrees.

SITE ID: INSTER
 LOCATION:

ANTENNA ID: INSTER	0.39 meters	INSTER	FOLDSATLEO
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	34 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 18M0D7W	34 dBW		QPSK, 8PSK, 16QAM

Points of communication:

Site ID	Common Name	Orbit Location
INSTER	ONEWEB (S2963)	NGSO

INSTER - PERMITTED LIST - False

SITE ID: HL1120W
 LOCATION:

ANTENNA ID: HL1120W	0.43 meters	HUGHES	HL1120W
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	34 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 18M0D7W	34 dBW		QPSK, 8PSK, 16QAM

Points of communication:

Site ID	Common Name	Orbit Location
HL1120W	ONEWEB (S2963)	NGSO

HL1120W - PERMITTED LIST - False

SITE ID: HL1100W
LOCATION:

ANTENNA ID: HL1100W	0.43 meters	HUGHES	HL1100W
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM
14000 - 14500 MHz 18M0D7W	34 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	34 dBW		QPSK, 8PSK, 16QAM

Points of communication:

Site ID	Common Name	Orbit Location
HL1100W	ONEWEB (S2963)	NGSO

HL1100W - PERMITTED LIST - False

SITE ID: Blanket UT Fixed
LOCATION:

ANTENNA ID: OW10HL	0.45 meters	Intellian	OW10HL
14000 - 14500 MHz 2M16D7W	34 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 18M0D7W	34 dBW		QPSK, 8PSK, 16QAM
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM

ANTENNA ID: 9 dB/K SP	0.53 meters	Intellian	OW50P-IT-001
10700 - 12700 MHz 250MG7D			Adaptive Code Modulation utilizing QPSK,
14000 - 14500 MHz 2M40G7D	37 dBW		Emission range of 2M40G7D-20M0G7D using
14000 - 14500 MHz 20M0G7D	37 dBW		Emission range of 2M40G7D-20M0G7D using

ANTENNA ID: OW11FL	0.386 meters	Intellian	OW11FL
14000 - 14500 MHz 18M0D7W	33 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	33 dBW		QPSK, 8PSK, 16QAM
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM

Points of communication:

Site ID	Common Name	Orbit Location
Blanket UT Fixed	ONEWEB (S2963)	NGSO

Blanket UT Fixed - PERMITTED LIST - False

Class of Station: FES

Nature of Service: Fixed-Satellite Service

This application was listed in the Applications Accepted For Filing PN Report No. SES-02771, released on May 21, 2025. It is included in this PN to reflect a correction to the geographical coordinates.

SITE ID: Shemya Island
 LOCATION: Eareckson Air Station, Shemya Island, Aleutians West, AK 99506
 52 ° 43 ' 26.4 " N LAT. 174 ° 7 ' 8.4 E LONG.

ANTENNA ID: 2.4m	2.4 meters	Prodelin	1251
5925 - 6425 MHz	307KG7W	46 dBW	Digital Carrier Services
5925 - 6425 MHz	87K0G7D	45 dBW	Digital Data Carrier
5925 - 6425 MHz	100KG7D	46 dBW	Digital Data Carrier
3700 - 4200 MHz	100KG7D		Digital Data Carrier
3700 - 4200 MHz	87K0G7D		Digital Data Carrier
3700 - 4200 MHz	1M20G7W		Digital Carrier Services

Points of communication:

Site ID	Common Name	Orbit Location
Shemya Island	JCSAT-2B(M174163)	154 E.L.
Shemya Island	NSS 9 (S2756)	177 W.L.

Shemya Island - PERMITTED LIST - False

SES-MOD-20260210-00730 E230137 WorldVu Satellites Limited
Date filed: 2026-03-17
Modification

Class of Station: j. Other (please specify)

Nature of Service: Fixed-Satellite Service

WorldVu Satellites Limited seeks to modify its license to allow Kymeta u8 earth stations—fixed, vehicle-mounted, and vessel-based—to operate at a minimum elevation angle of 30 degrees.

SITE ID: Blanket UT u8
LOCATION: 0 ° 0 ' 0 " X LAT. 0 ° 0 ' 0 X LONG.

ANTENNA ID: u8	0.82 meters	Kymeta Corporation	u8
10700 - 12700 MHz 250MG7D		Digital	
14000 - 14500 MHz 125MG7D	34 dBW	Digital	

Points of communication:

Site ID	Common Name	Orbit Location
Blanket UT u8	ONEWEB (S2963)	NGSO

Blanket UT u8 - PERMITTED LIST - False

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

AST & Science, LLC requests amendment to ICFS File No. SES-LIC-20250912-00686 to add points of communication.

SITE ID: Midland V-band Gateway
 LOCATION: 2901 Enterprise Lane, Midland, Midland, TX 79706
 31 ° 55 ' 49 " N LAT. 102 ° 12 ' 31 W LONG.

ANTENNA ID: Midland V-band Gateway	2.4 meters	SVS SATELLITE SYSTEMS/SATRAK	400
47200 - 50200 MHz 100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.	
47200 - 50200 MHz 10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.	
47200 - 50200 MHz 5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.	
50400 - 51400 MHz 5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.	
50400 - 51400 MHz 100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.	
50400 - 51400 MHz 10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.	
37500 - 42000 MHz 10M0D7W		BPSK up to 256 QAM; Digital Data.	
37500 - 42000 MHz 100MD7W		BPSK up to 256 QAM; Digital Data.	
37500 - 42000 MHz 5M00D7W		BPSK up to 256 QAM; Digital Data.	

Points of communication:

Site ID	Common Name	Orbit Location
Midland V-band Gateway	AST SpaceMobile (S3065)	NGSO

Class of Station: j. Other (please specify)

Nature of Service: Fixed-Satellite Service

WorldVu Satellites Limited seeks to modify its license to allow Intellian OW50M, OW70M, OW10HM, OW10HV, OW11FM, and OW11FV earth stations—vehicle-mounted and vessel-based—to operate at a minimum elevation angle of 30 degrees.

SITE ID: ESIM Terminals

LOCATION: 1785 Greensboro Station Place, 5th Floor, McLean, Fairfax, VA 22102

ANTENNA ID: OW10HM	0.45 meters	Intellian	OW10HM
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM
14000 - 14500 MHz 18M0D7W	34 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	34 dBW		QPSK, 8PSK, 16QAM

ANTENNA ID: OW11FM	0.386 meters	Intellian	OW11FM
14000 - 14500 MHz 18M0D7W	33 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	33 dBW		QPSK, 8PSK, 16QAM
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM

ANTENNA ID: OW11FV	0.386 meters	Intellian	OW11FV
14000 - 14500 MHz 18M0D7W	33 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	33 dBW		QPSK, 8PSK, 16QAM
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM

ANTENNA ID: 12dB/K DPM	0.75 meters	Intellian	OW70M
10700 - 12700 MHz 250MG7D			Modulation and Services Adaptive Code Mo
14000 - 14500 MHz 2M40G7D	36 dBW		Modulation and Services Emission range o

14000 - 14500 MHz 20M0G7D	36 dBW		Modulation and Services Emission range o
ANTENNA ID: OW10HV	0.45 meters	Intellian	OW10HV
14000 - 14500 MHz 18M0D7W	34 dBW		QPSK, 8PSK, 16QAM
14000 - 14500 MHz 2M16D7W	34 dBW		QPSK, 8PSK, 16QAM
10700 - 12700 MHz 250MD7W			QPSK, 8PSK, 16QAM
ANTENNA ID: 9 dB/K SPM	0.53 meters	Intellian	OW50M
14000 - 14500 MHz 20M0G7D	37 dBW		Modulation and Services Emission range o
14000 - 14500 MHz 2M40G7D	37 dBW		Modulation and Services Emission range o
10700 - 12700 MHz 250MG7D			Modulation and Services Adaptive Code Mo

Points of communication:

Site ID	Common Name	Orbit Location
ESIM Terminals	ONEWEB (S2963)	NGSO

ESIM Terminals - PERMITTED LIST - False

Class of Station: j. Other (please specify)

Nature of Service: Fixed-Satellite Service

WorldVu Satellites Limited seeks to modify its license to allow OW-MINI45 compact electronically steered antenna earth stations—designed for fixed operations—to operate at a minimum elevation angle of 30 degrees.

SITE ID: 1
 LOCATION:

ANTENNA ID: 1	0.46 meters	OneWeb	OW-MINI45-001
10700 - 12700 MHz 250MG7D			Adaptive Code Modulation utilizing QPSK,
14000 - 14500 MHz 20M0G7D	36 dBW		Emission range of 2M40G7D – 20M0G7
14000 - 14500 MHz 2M40G7D	36 dBW		Emission range of 2M40G7D – 20M0G7

Points of communication:

Site ID	Common Name	Orbit Location
1	ONEWEB (S2963)	NGSO

1 - PERMITTED LIST - False

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

AST & Science, LLC requests amendment to ICFS File No. SES-LIC-20250912-00685 to add points of communication.

SITE ID: Kapolei V-band Gateway
 LOCATION: 91-340 Farrington Hwy, Kapolei, Honolulu, HI 96707
 21 ° 20 ' 9.6 " N LAT. 158 ° 5 ' 20.4 W LONG.

ANTENNA ID: Kapolei V-band Gateway 2.4 meters SVS SATELLITE SYSTEMS/SATRAK 400

37500 - 42000 MHz	100MD7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	5M00D7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	10M0D7W		BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.

Points of communication:

Site ID	Common Name	Orbit Location
Kapolei V-band Gateway	AST SpaceMobile (S3065)	NGSO

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

AST & Science, LLC requests amendment to ICFS File No. SES-LIC-20251119-00812 to add points of communication.

SITE ID: Eagle Mountain V-band Gateway
 LOCATION: 1082 Belladonna Dr, Eagle Mountain, Utah, UT 84005
 40 ° 17 ' 8.08 " N LAT. 112 ° 1 ' 24.59 W LONG.

ANTENNA ID: Eagle Mountain V-band Gateway 2.4 meters SVS SATELLITE SYSTEMS/SATRAK 400

47200 - 50200 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	100MD7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	5M00D7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	10M0D7W		BPSK up to 256 QAM; Digital Data.

Points of communication:

Site ID	Common Name	Orbit Location
Eagle Mountain V-band Gateway	AST SpaceMobile (S3065)	NGSO

SES-MOD-20260210-00732 E190759 WorldVu Satellites Limited
Date filed: 2026-03-16
 Modification

Class of Station: j. Other (please specify)

Nature of Service: Fixed-Satellite Service

WorldVu Satellites Limited seeks to modify its license to allow Intellian OW70P and OW130L earth stations—designed for fixed operations—to operate at a minimum elevation angle of 30 degrees.

SITE ID: Blanket UT (Fixed)
LOCATION: 1785 Greensboro Station Place 5th Floor, 0, Fairfax, VA 22201
 0 ° 0 ' 0 " X LAT. 0 ° 0 ' 0 X LONG.

ANTENNA ID: 12 dB/K DP	0.75 meters	Intellian	OW70P-IT-001
14000 - 14500 MHz 20M0G7D		36 dBW	Emission range of 2M40G7D – 20M0G7
14000 - 14500 MHz 2M40G7D		36 dBW	Emission range of 2M40G7D – 20M0G7
10700 - 12700 MHz 250MG7D			Adaptive Code Modulation utilizing QPSK,
ANTENNA ID: OW130	1.25 meters	INTELLIAN	OW130L
14000 - 14500 MHz 20M0G7D		40 dBW	QPSK, 16QAM, 8PSK
10700 - 12700 MHz 250MG7D			QPSK, 16QAM, 8PSK

Points of communication:

Site ID	Common Name	Orbit Location
Blanket UT (Fixed)	ONEWEB (S2963)	NGSO

Blanket UT (Fixed) - PERMITTED LIST - False

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

AST & Science, LLC requests amendment to ICFS File No. SES-LIC-20251118-00362 to add points of communication.

SITE ID: Brewster V-band Gateway
 LOCATION: 66c Teleport Dr, Brewster, Okanogan, WA 98812
 48 ° 8 ' 50 " N LAT. 119 ° 42 ' 9 W LONG.

ANTENNA ID: Brewster V-band Gateway	2.4 meters	SVS SATELLITE SYSTEMS/SATRAK	400
47200 - 50200 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	5M00D7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	100MD7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	10M0D7W		BPSK up to 256 QAM; Digital Data.

Points of communication:

Site ID	Common Name	Orbit Location
Brewster V-band Gateway	AST SpaceMobile (S3065)	NGSO

SES-STA-20260206-00709 E190037 ATLAS Space Operations, Inc
Date filed: 2026-02-06
Special Temporary Authority

ATLAS Space Operations, Inc., requests an additional 180-day special temporary authority (STA) to operate its fixed satellite earth station in Dededo , GU to communicate with the PWSA-T1TL satellite supplied by York Space Systems, the YAM-6 (S3170) satellite, and the YAM-7 (S3184) satellite at the 2049.5 MHz, 2070.0 MHz, 2102.5 MHz, 2097.5 MHz, 450.125 MHz and 450.2 MHz (Earth-to-space), and 2225.7 MHz, 8125.0 MHz, 400.875 MHz, 401.015 MHz, 401.017 MHz, 401.155 MHz, 401.225 MHz, 401.375 MHz, 401.4375 MHz, 401.5 MHz and 401.085 (space-to-Earth) center frequencies.

SES-STA-20260206-00553 E190037 ATLAS Space Operations, Inc
Date filed: 2026-02-06
Special Temporary Authority

ATLAS Space Operations, Inc., requests an additional 180-day special temporary authority (STA) to operate its fixed satellite earth station in Dededo , GU to communicate with the non-geostationary (NGSO) York Tranche 1 Demonstration and Experimentation System (T1DES) satellite at the 2049.5 MHz (Earth-to-space and 2225.7 MHz (space-to-Earth) center frequencies.

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

AST & Science, LLC requests amendment to ICFS File No. SES-LIC-20250912-00680 to add points of communication.

SITE ID: Thomaston V-band Gateway
 LOCATION: 732 Technology Pkwy, Thomaston, Upson, GA 30286
 32 ° 56 ' 49.31 " N LAT. 84 ° 15 ' 42.94 W LONG.

ANTENNA ID: Thomaston V-band Gateway	2.4 meters	SVS SATELLITE SYSTEMS/SATRAK	400
37500 - 42000 MHz 10M0D7W			BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz 100MD7W			BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz 5M00D7W			BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz 5M00D7W	60 dBW		BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz 10M0D7W	60 dBW		BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz 100MD7W	60 dBW		BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz 10M0D7W	60 dBW		BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz 100MD7W	60 dBW		BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz 5M00D7W	60 dBW		BPSK up to 256 QAM; Digital Data.

Points of communication:

Site ID	Common Name	Orbit Location
Thomaston V-band Gateway	AST SpaceMobile (S3065)	NGSO

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Mobile-Satellite Service

This application was listed in the Applications Accepted For Filing PN Report No. SES-02844, released on March 18, 2026. It is included in this PN to reflect a correction to the geographical coordinates for the proposed earth station antenna in Clifton, Texas.

SITE ID: CLFN-8
 LOCATION: 848 County Road 4290, Clifton, Bosque, TX 76634
 31 ° 48 ' 0.972 " N LAT. 97 ° 36 ' 42.45 W LONG.

ANTENNA ID: CLF8	6 meters	Viasat, Inc.	6312-6.0-C
5091 - 5250 MHz	200KG7W	74 dBW	Multi-carrier, OFDM
5091 - 5250 MHz	1M23GXW	74 dBW	PSK modulated carrier
5091 - 5250 MHz	1M00G7W	74 dBW	PCM/PM.Bi Phase
5091 - 5250 MHz	2M46G2W	55 dBW	Modulation and Services Wideband CDMA fo
5091 - 5250 MHz	4K00NON	59 dBW	Modulation and Services Unmodulated CW f
5091 - 5250 MHz	2M46G7W	55 dBW	Modulation and Services Wideband CDMA vo
5091 - 5250 MHz	7M00GXD	74 dBW	PSK DVB-S2X
5091 - 5250 MHz	1M00G2D	74 dBW	Multi-carrier, OFDM
5091 - 5250 MHz	159MG1W	74 dBW	Multi-carrier, OFDM
5091 - 5250 MHz	4M50G7D	72 dBW	Modulation and Services Burst mode packe
5091 - 5250 MHz	1M23G7W	55 dBW	Modulation and Services CDMA voice and d
5091 - 5250 MHz	1M23G2W	55 dBW	Modulation and Services Direct-sequence
5091.38 - 5091.62 MHz	40K0G2D	68 dBW	Modulation and Services Telecommand carr
5091 - 5092 MHz	76K0F2D	68 dBW	Modulation and Services Telecommand carr
6875 - 7055 MHz	1M23G7W	0 dBW	PSK modulated carrier
6875 - 7055 MHz	1M40GXW	0 dBW	PSK DVB-S2X

6875 - 7055 MHz	1M00G7W	0 dBW	Multi-carrier, FDMA
6875 - 7055 MHz	2M50G7D	0 dBW	Modulation and Services Direct sequence
6875 - 7055 MHz	200KG7D	0 dBW	Modulation and Services Burst mode packe
6875 - 7055 MHz	230KG7D	0 dBW	Modulation and Services Burst mode packe
6875 - 7055 MHz	2M46G7W	0 dBW	CDMA voice and data
6875 - 7055 MHz	1M23G7W	0 dBW	CDMA voice and data
6875 - 7055 MHz	180MG1W	0 dBW	Multi-carrier FDMA
6875 - 7055 MHz	200KG2D	0 dBW	PCM/PM/Bi Phase
6875 - 7055 MHz	2M50G7D	0 dBW	Direct sequence CDMA
6875 - 7055 MHz	2M46G2W	0 dBW	. Modulation and Services Wideband CDMA
6875 - 7055 MHz	1M23G2W	0 dBW	Modulation and Services Direct-sequence
6875 - 7055 MHz	280KG7D	0 dBW	Modulation and Services Burst mode packe
6875 - 7055 MHz	2M50G2D	0 dBW	Modulation and Services Direct-sequence
6875 - 7055 MHz	4K00NON	0 dBW	Modulation and Services Unmodulated CW f
6875.9 - 6877.1 MHz	7K00G1D	0 dBW	Modulation and Services Telemetry carrie
6875.9 - 6879.1 MHz	70K0G7D	0 dBW	Modulation and Services Telemetry carrie

Points of communication:

Site ID	Common Name	Orbit Location
CLFN-8	C-3FL	NGSO
CLFN-8	GLOBALSTAR 2.0 (S2115)	NGSO
CLFN-8	GLOBALSTAR (S2115)	NGSO

CLFN-8 - PERMITTED LIST - False

SES-STA-20260206-00554 E202173 ATLAS Space Operations, Inc
Date filed: 2026-02-06
Special Temporary Authority

ATLAS Space Operations, Inc., requests an additional 180-day special temporary authority (STA) to operate its fixed satellite earth station in Utqiagvik , AK to communicate with the non-geostationary (NGSO) York Tranche 1 Demonstration and Experimentation System (T1DES) satellite at the 2049.5 MHz (Earth-to-space and 2225.7 MHz (space-to-Earth) center frequencies.

Class of Station: a. FSS Fixed Earth Station (single location)

Nature of Service: Fixed-Satellite Service

AST & Science, LLC requests amendment to ICFS File No. SES-LIC-20250912-00684 to add points of communication.

SITE ID: Catawissa V-band Gateway
 LOCATION: 311 Earth Station Rd, Catawissa, Columbia, PA 17820
 40 ° 53 ' 38.652 " N LAT. 76 ° 26 ' 25.44 W LONG.

ANTENNA ID: Catawissa V-band Gateway	2.4 meters	SVS SATELLITE SYSTEMS/SATRAK	400
47200 - 50200 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
47200 - 50200 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	100MD7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	10M0D7W		BPSK up to 256 QAM; Digital Data.
37500 - 42000 MHz	5M00D7W		BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	100MD7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	5M00D7W	60 dBW	BPSK up to 256 QAM; Digital Data.
50400 - 51400 MHz	10M0D7W	60 dBW	BPSK up to 256 QAM; Digital Data.

Points of communication:

Site ID	Common Name	Orbit Location
Catawissa V-band Gateway	AST SpaceMobile (S3065)	NGSO

Catawissa V-band Gateway - PERMITTED LIST - False

For more information concerning this Notice, contact the Space Bureau/ Earth Station Licensing Division at 202-418-0719.